Bibliography

- B. Zohuri and P. McDaniel, "Chapter 1 population growth driving energy demand," in *Introduction to Energy Essentials* (B. Zohuri and P. McDaniel, eds.), pp. 1–42, Academic Press, 2021.
- [2] T. Klein and W. R. Anderegg, "A vast increase in heat exposure in the 21st century is driven by global warming and urban population growth," *Sustainable Cities and Society*, vol. 73, p. 103098, 2021.
- [3] A. M. Mitrasinovic, "Photovoltaics advancements for transition from renewable to clean energy," *Energy*, vol. 237, p. 121510, 2021.
- [4] J. Jacob, A. Pandey, N. A. Rahim, J. Selvaraj, M. Samykano, R. Saidur, and V. Tyagi, "Concentrated photovoltaic thermal (cpvt) systems: Recent advancements in clean energy applications, thermal management and storage," *Journal of Energy Storage*, p. 103369, 2021.
- [5] Akshayveer, A. P. Singh, A. Kumar, and O. P. Singh, "Effect of natural convection and thermal storage system on the electrical and thermal performance of a hybrid pv-t/pcm systems," *Materials Today: Proceedings*, vol. 39, pp. 1899–1904, 2021. 3rd International Conference on Solar Energy Photovoltaics.
- [6] A. Hasan, S. J. McCormack, M. J. Huang, and B. Norton, "Evaluation of phase change materials for thermal regulation enhancement of building integrated photovoltaics," 2010.
- [7] C. J. Smith, P. M. Forster, and R. Crook, "Global analysis of photovoltaic energy output enhanced by phase change material cooling," *Applied Energy*, vol. 126, pp. 21–28, 2014.
- [8] A. Zahedi, "Review of modelling details in relation to low-concentration solar concentrating photovoltaic," *Renew. Sustain. Energy Rev.*, vol. 15, no. 3, pp. 1609–1614, 2011.

- [9] A. Bianchini, A. Guzzini, M. Pellegrini, and C. Saccani, "Photovoltaic/thermal (pv/t) solar system: Experimental measurements, performance analysis and economic assessment," *Renewable Energy*, vol. 111, pp. 543–555, 2017.
- [10] F. Hussain, M. Othman, K. Sopian, B. Yatim, H. Ruslan, and H. Othman, "Design development and performance evaluation of photovoltaic/thermal (pv/t) air base solar collector," *Renewable and Sustainable Energy Reviews*, vol. 25, pp. 431–441, 2013.
- [11] P. Atkin and M. M. Farid, "Improving the efficiency of photovoltaic cells using PCM infused graphite and aluminium fins," Sol. Energy, vol. 114, pp. 217–228, 2015.
- [12] T. Cui, Y. Xuan, and Q. Li, "Design of a novel concentrating photovoltaic-thermoelectric system incorporated with phase change materials," *Energy Conversion and Management*, vol. 112, pp. 49–60, 2016.
- [13] International Renewable Energy Agency IRENA, Future of solar photovoltaic, vol. November. 2019.
- [14] M. of new and renewable energy, "Solar energy," December 2021.
- [15] S. Krauter, E. Japs, G. Sonnenrein, J. Vrabec, J. Steube, and E. Kenig, "Technical investigation of a photovoltaic module with integrated improved phase change material," 09 2013.
- [16] H. Mahamudul, M. M. Rahman, H. S. C. Metselaar, S. Mekhilef, S. A. Shezan, R. Sohel, S. B. A. Karim, and W. N. I. Badiuzaman, "Temperature regulation of photovoltaic module using phase change material: A numerical analysis and experimental investigation," *International journal of Photoenergy*, vol. 2016, 2016.
- [17] F. Hachem, B. Abdulhay, M. Ramadan, H. El Hage, M. G. El Rab, and M. Khaled, "Improving the performance of photovoltaic cells using pure and combined phase change materials experiments and transient energy balance," *Renewable Energy*, vol. 107, pp. 567–575, 2017.
- [18] K. Kant, A. Shukla, A. Sharma, and P. H. Biwole, "Heat transfer studies of photovoltaic panel coupled with phase change material," *Solar Energy*, vol. 140, pp. 151–161, 2016.
- [19] A. Waqas and J. Ji, "Thermal management of conventional pv panel using pcm with movable shutters—a numerical study," Solar Energy, vol. 158, pp. 797–807, 2017.
- [20] A. O. Tanuwijava, C. J. Ho, C.-M. Lai, and C.-Y. Huang, "Numerical investigation of the thermal management performance of mepcm modules for pv applications," *Energies*, vol. 6, no. 8, pp. 3922–3936, 2013.

- [21] J. Sarwar, S. McCormack, M. Huang, B. Norton, et al., "Experimental validation of cfd modelling for thermal regulation of photovoltaic panels using phase change material," in Proceedings of the international conference on solar heating, cooling and buildings EuroSun, vol. 28, 2010.
- [22] Y. S. Indartono, A. Suwono, and F. Y. Pratama, "Improving photovoltaics performance by using yellow petroleum jelly as phase change material," *International Journal of Low-Carbon Technologies*, vol. 11, no. 3, pp. 333–337, 2016.
- [23] A. Hasan, H. Alnoman, and Y. Rashid, "Impact of integrated photovoltaic-phase change material system on building energy efficiency in hot climate," *Energy and Buildings*, vol. 130, pp. 495–505, 2016.
- [24] M. Huang, P. Eames, B. Norton, and N. Hewitt, "Natural convection in an internally finned phase change material heat sink for the thermal management of photovoltaics," *Solar Energy Materials and Solar Cells*, vol. 95, no. 7, pp. 1598–1603, 2011.
- [25] L. Tan, A. Date, G. Fernandes, B. Singh, and S. Ganguly, "Efficiency gains of photovoltaic system using latent heat thermal energy storage," *Energy Procedia*, vol. 110, pp. 83–88, 2017.
- [26] T. Nehari, M. Benlakam, and D. Nehari, "Effect of the fins length for the passive cooling of the photovoltaic panels," *Periodica Polytechnica Mechanical Engineering*, vol. 60, no. 2, pp. 89–95, 2016.
- [27] S. Sharma, L. Micheli, W. Chang, A. Tahir, K. Reddy, and T. Mallick, "Nano-enhanced phase change material for thermal management of bicpv," *Applied Energy*, vol. 208, pp. 719–733, 2017.
- [28] T. Klemm, A. Hassabou, A. Abdallah, and O. Andersen, "Thermal energy storage with phase change materials to increase the efficiency of solar photovoltaic modules," *Energy Procedia*, vol. 135, pp. 193–202, 2017.
- [29] S. Maiti, S. Banerjee, K. Vyas, P. Patel, and P. K. Ghosh, "Self regulation of photovoltaic module temperature in v-trough using a metal–wax composite phase change matrix," Solar energy, vol. 85, no. 9, pp. 1805–1816, 2011.
- [30] Z. Luo, Z. Huang, N. Xie, X. Gao, T. Xu, Y. Fang, and Z. Zhang, "Numerical and experimental study on temperature control of solar panels with form-stable paraffin/expanded graphite composite pcm," *Energy Conversion and Management*, vol. 149, pp. 416–423, 2017.

- [31] S. Preet, B. Bhushan, and T. Mahajan, "Experimental investigation of water based photovoltaic/thermal (pv/t) system with and without phase change material (pcm)," Solar Energy, vol. 155, pp. 1104–1120, 2017.
- [32] C. Malvi, D. Dixon-Hardy, and R. Crook, "Energy balance model of combined photovoltaic solar-thermal system incorporating phase change material," *Solar Energy*, vol. 85, no. 7, pp. 1440–1446, 2011.
- [33] Y. Zhou, X. Liu, and G. Zhang, "Performance of buildings integrated with a photovoltaic– thermal collector and phase change materials," *Procedia Engineering*, vol. 205, pp. 1337– 1343, 2017.
- [34] D. Su, Y. Jia, Y. Lin, and G. Fang, "Maximizing the energy output of a photovoltaic thermal solar collector incorporating phase change materials," 2017.
- [35] M. Sardarabadi and M. Passandideh-Fard, "Experimental and numerical study of metal-oxides/water nanofluids as coolant in photovoltaic thermal systems (pvt)," Solar Energy Materials and Solar Cells, vol. 157, pp. 533–542, 2016.
- [36] M. A. Ezan, C. Yuksel, E. Alptekin, and A. Yilanci, "Importance of natural convection on numerical modelling of the building integrated pvp/pcm systems," *Solar Energy*, vol. 159, pp. 616–627, 2018.
- [37] B. Kamkari, H. Shokouhmand, and F. Bruno, "Experimental investigation of the effect of inclination angle on convection-driven melting of phase change material in a rectangular enclosure," *International Journal of Heat and Mass Transfer*, vol. 72, pp. 186–200, 2014.
- [38] P. Jany and A. Bejan, "Scaling theory of melting with natural convection in an enclosure," International Journal of Heat and Mass Transfer, vol. 31, no. 6, pp. 1221–1235, 1988.
- [39] Akshayveer, A. Kumar, A. P. Singh, and O. Singh, "Effect of novel pcm encapsulation designs on electrical and thermal performance of a hybrid photovoltaic solar panel," Solar Energy, vol. 205, pp. 320–333, 2020.
- [40] E. Radziemska and E. Klugmann, "Thermally affected parameters of the current voltage characteristics of silicon photocell," *Energy Conversion and Management*, vol. 43, no. 14, pp. 1889–1900, 2002.
- [41] W. Pang, Y. Cui, Q. Zhang, H. Yu, L. Zhang, and H. Yan, "Experimental effect of high mass flow rate and volume cooling on performance of a water-type pv/t collector," *Solar Energy*, vol. 188, pp. 1360–1368, 2019.

- [42] J. Zhou, X. Ma, X. Zhao, Y. Yuan, M. Yu, and J. Li, "Numerical simulation and experimental validation of a micro-channel pv/t modules based direct-expansion solar heat pump system," *Renewable Energy*, vol. 145, pp. 1992–2004, 2020.
- [43] J. C. Mojumder, W. T. Chong, H. C. Ong, K. Leong, and Abdullah-Al-Mamoon, "An experimental investigation on performance analysis of air type photovoltaic thermal collector system integrated with cooling fins design," *Energy and Buildings*, vol. 130, pp. 272–285, 2016.
- [44] S. Golzari, A. Kasaeian, M. Amidpour, S. Nasirivatan, and S. Mousavi, "Experimental investigation of the effects of corona wind on the performance of an air-cooled pv/t," Renewable Energy, vol. 127, pp. 284–297, 2018.
- [45] S. Kiran and U. Devadiga, "Performance Analysis of Hybrid Photovoltaic/Thermal Systems," in Int. J. Emerg. Technology Adv. Eng. 4(3),, pp. 80–86, 2014.
- [46] Alzaabi, A.A., Badawiyeh, N.K., Hantoush, H.O., Hamid, A.K., "Electrical/thermal performance of hybrid PV/T system in Sharjah, UAE," *Int. J. Smart Grid Clean Energy*, vol. 3, pp. 385–389, oct 2014.
- [47] S. Y. Wu, C. Chen, and L. Xiao, "Heat transfer characteristics and performance evaluation of water-cooled PV/T system with cooling channel above PV panel," *Renew. Energy*, vol. 125, pp. 936–946, 2018.
- [48] X. Yang, L. Sun, Y. Yuan, X. Zhao, and X. Cao, "Experimental investigation on performance comparison of PV/T-PCM system and PV/T system," 2018.
- [49] C. Ho, W.-L. Chou, and C.-M. Lai, "Thermal and electrical performances of a water-surface floating pv integrated with double water-saturated mepcm layers," *Applied Thermal Engineering*, vol. 94, pp. 122–132, 2016.
- [50] W. Lu, Z. Liu, J. F. Flor, Y. Wu, and M. Yang, "Investigation on designed fins-enhanced phase change materials system for thermal management of a novel building integrated concentrating PV," Appl. Energy, vol. 225, no. March, pp. 696–709, 2018.
- [51] S. Khanna, K. S. Reddy, and T. K. Mallick, "Optimization of finned solar photovoltaic phase change material (finned pv pcm) system," 2018.
- [52] M. A. Kibria, R. Saidur, F. A. Al-Sulaiman, and M. M. A. Aziz, "Development of a thermal model for a hybrid photovoltaic module and phase change materials storage integrated in buildings," 2016.

- [53] M. Huang, P. Eames, and B. Norton, "Thermal regulation of building-integrated photovoltaics using phase change materials," *International Journal of Heat and Mass Transfer*, vol. 47, no. 12, pp. 2715–2733, 2004.
- [54] H. A. Nasef, S. A. Nada, and H. Hassan, "Integrative passive and active cooling system using PCM and nanofluid for thermal regulation of concentrated photovoltaic solar cells," 2019.
- [55] R. Rabie, M. Emam, S. Ookawara, and M. Ahmed, "Thermal management of concentrator photovoltaic systems using new configurations of phase change material heat sinks," 2019.
- [56] M. Emam and M. Ahmed, "Performance analysis of a new concentrator photovoltaic system integrated with phase change material and water jacket," 2018.
- [57] A. Hassan, A. Wahab, M. A. Qasim, M. M. Janjua, M. A. Ali, H. M. Ali, T. R. Jadoon, E. Ali, A. Raza, and N. Javaid, "Thermal management and uniform temperature regulation of photovoltaic modules using hybrid phase change materials-nanofluids system," 2020.
- [58] S. A. Nada, D. H. El-Nagar, and H. M. Hussein, "Improving the thermal regulation and efficiency enhancement of PCM-Integrated PV modules using nano particles," 2018.
- [59] Z. Li, T. Ma, J. Zhao, A. Song, and Y. Cheng, "Experimental study and performance analysis on solar photovoltaic panel integrated with phase change material," *Energy*, vol. 178, pp. 471–486, 2019.
- [60] A. H. Al-Waeli, K. Sopian, M. T. Chaichan, H. A. Kazem, A. Ibrahim, S. Mat, and M. H. Ruslan, "Evaluation of the nanofluid and nano-pcm based photovoltaic thermal (pvt) system: An experimental study," *Energy Conversion and Management*, vol. 151, pp. 693–708, 2017.
- [61] M. Akgun, O. Aydin, and K. Kaygusuz, "Thermal energy storage performance of paraffin in a novel tube-in-shell system," Applied Thermal Engineering, vol. 28, pp. 405–413, 04 2008.
- [62] S. Seddegh, S. S. M. Tehrani, X. Wang, F. Cao, and R. A. Taylor, "Comparison of heat transfer between cylindrical and conical vertical shell-and-tube latent heat thermal energy storage systems," *Applied Thermal Engineering*, vol. 130, pp. 1349–1362, 2018.
- [63] J. Hendricks and W. Van Sark, "Annual performance enhancement of building integrated photovoltaic modules by applying phase change materials," *Progress in Photovoltaics: Re*search and Applications, vol. 21, no. 4, pp. 620–630, 2013.
- [64] V. Soni, A. Kumar, and V. Jain, "Modeling of pcm melting: Analysis of discrepancy between numerical and experimental results and energy storage performance," *Energy*, vol. 150, pp. 190–204, 2018.

- [65] D. Evans and L. Florschuetz, "Cost studies on terrestrial photovoltaic power systems with sunlight concentration," Solar Energy, vol. 19, no. 3, pp. 255–262, 1977.
- [66] M. Esen and T. Ayhan, "Development of a model compatible with solar assisted cylindrical energy storage tank and variation of stored energy with time for different phase change materials," *Energy Conversion and Management*, vol. 37, no. 12, pp. 1775–1785, 1996.
- [67] Y. B. Tao, Y. K. Liu, and Y. L. He, "Effects of PCM arrangement and natural convection on charging and discharging performance of shell-and-tube LHS unit," 2017.
- [68] Akshayveer, A. Kumar, A. Pratap Singh, R. Sreeram Kotha, and O. Singh, "Thermal energy storage design of a new bifacial pv/pcm system for enhanced thermo-electric performance," *Energy Conversion and Management*, vol. 250, p. 114912, 2021.
- [69] M. S. Yousef, M. Sharaf, and A. Huzayyin, "Energy, exergy, economic, and enviroeconomic assessment of a photovoltaic module incorporated with a paraffin-metal foam composite: An experimental study," *Energy*, vol. 238, p. 121807, 2022.
- [70] H. Xu, N. Wang, C. Zhang, Z. Qu, and F. Karimi, "Energy conversion performance of a pv/t-pcm system under different thermal regulation strategies," *Energy Conversion and Management*, vol. 229, p. 113660, 2021.
- [71] S. S. Reddy, V. Soni, and A. Kumar, "Diurnal thermal performance characterization of a solar air heater at local and global scales integrated with thermal battery," *Energy*, vol. 177, pp. 144–157, 2019.
- [72] V. Karthikeyan, C. Sirisamphanwong, S. Sukchai, S. K. Sahoo, and T. Wongwuttanasatian, "Reducing PV module temperature with radiation based PV module incorporating composite phase change material," *J. Energy Storage*, vol. 29, no. February, p. 101346, 2020.
- [73] K. Sopian, A. H. Al-Waeli, and H. A. Kazem, "Energy, exergy and efficiency of four photovoltaic thermal collectors with different energy storage material," *J. Energy Storage*, vol. 29, no. March, p. 101245, 2020.
- [74] R. Kumar, P. Praveen, S. Gupta, J. Saikiran, and R. S. Bharj, "Performance evaluation of photovoltaic module integrated with phase change material-filled container with external fins for extremely hot climates," *J. Energy Storage*, vol. 32, no. April, p. 101876, 2020.
- [75] R. Stropnik and U. Stritih, "Increasing the efficiency of PV panel with the use of PCM," Renew. Energy, vol. 97, pp. 671–679, 2016.
- [76] M. Naderi, B. M. Ziapour, and M. Y. Gendeshmin, "Improvement of photocells by the integration of phase change materials and thermoelectric generators (PV-PCM-TEG) and

- study on the ability to generate electricity around the clock," *J. Energy Storage*, vol. 36, no. December 2020, p. 102384, 2021.
- [77] A. R. Abdulmunem, P. M. Samin, H. A. Rahman, H. A. Hussien, and H. Ghazali, "A novel thermal regulation method for photovoltaic panels using porous metals filled with phase change material and nanoparticle additives," *J. Energy Storage*, vol. 39, no. March, p. 102621, 2021.
- [78] L. Bayes-Garcia, L. Ventola, R. Cordobilla, R. Benages, T. Calvet, and M. Cuevas-Diarte, "Phase change materials (pcm) microcapsules with different shell compositions: Preparation, characterization and thermal stability," *Solar Energy Materials and Solar Cells*, vol. 94, no. 7, pp. 1235–1240, 2010.
- [79] K. Baz, J. Cheng, D. Xu, K. Abbas, I. Ali, H. Ali, and C. Fang, "Asymmetric impact of fossil fuel and renewable energy consumption on economic growth: A nonlinear technique," *Energy*, vol. 226, p. 120357, 2021.
- [80] E. P. Agbo, C. O. Edet, T. O. Magu, A. O. Njok, C. M. Ekpo, and H. Louis, "Solar energy: A panacea for the electricity generation crisis in nigeria," *Heliyon*, vol. 7, no. 5, p. e07016, 2021.
- [81] S. Mitra and D. K. Maiti, "1 environmental problems and management aspects of waste electrical and electronic equipment and use of clean energy for sustainable development," in *Environmental Management of Waste Electrical and Electronic Equipment* (C. M. Hussain, ed.), pp. 3–21, Elsevier, 2021.
- [82] B. P. Singh, S. K. Goyal, and P. Kumar, "Solar pv cell materials and technologies: Analyzing the recent developments," *Materials Today: Proceedings*, vol. 43, pp. 2843–2849, 2021. CRMSC-2021.
- [83] F. Hyder, K. Sudhakar, and R. Mamat, "Solar pv tree design: A review," Renewable and Sustainable Energy Reviews, vol. 82, pp. 1079–1096, 2018.
- [84] T. Maatallah, R. Zachariah, and F. G. Al-Amri, "Exergo-economic analysis of a serpentine flow type water based photovoltaic thermal system with phase change material (PVT-PCM/water)," 2019.
- [85] A. P. Singh, Akshayveer, A. Kumar, and O. Singh, "Strategies for effective cooling of photovoltaic panels integrated with solar chimney," *Materials Today: Proceedings*, vol. 39, pp. 1950–1954, 2021. 3rd International Conference on Solar Energy Photovoltaics.
- [86] J. Darkwa, J. Calautit, D. Du, and G. Kokogianakis, "A numerical and experimental analysis of an integrated TEG-PCM power enhancement system for photovoltaic cells," 2019.

- [87] M. Rezvanpour, D. Borooghani, F. Torabi, and M. Pazoki, "Using CaCl2·6H2O as a phase change material for thermo-regulation and enhancing photovoltaic panels' conversion efficiency: Experimental study and TRNSYS validation," 2020.
- [88] N. Savvakis and T. Tsoutsos, "Theoretical design and experimental evaluation of a PV+PCM system in the mediterranean climate," *Energy*, vol. 220, p. 119690, 2021.
- [89] M. Modjinou, J. Ji, W. Yuan, F. Zhou, S. Holliday, A. Waqas, and X. Zhao, "Performance comparison of encapsulated PCM PV/T, microchannel heat pipe PV/T and conventional PV/T systems," *Energy*, vol. 166, pp. 1249–1266, 2019.
- [90] Fortune Business Insights, "Solar Power Market Size, Share, Growth & Forcast (2021-2028)," 2021.
- [91] G. H. S. Ong, C. Campbell, P. Denholm, R. Margolis, "Land-Use Requirements for Solar Power Plants in the United States," tech. rep., 2013.
- [92] D. Kramer, "The cost of solar energy production has plunged, but it needs to fall further," 2021.
- [93] W. Muehleisen, J. Loeschnig, M. Feichtner, A. Burgers, E. Bende, S. Zamini, Y. Yerasimou, J. Kosel, C. Hirschl, and G. Georghiou, "Energy yield measurement of an elevated pv system on a white flat roof and a performance comparison of monofacial and bifacial modules," *Renewable Energy*, vol. 170, pp. 613–619, 2021.
- [94] W. Gu, T. Ma, M. Li, L. Shen, and Y. Zhang, "A coupled optical-electrical-thermal model of the bifacial photovoltaic module," *Applied Energy*, vol. 258, p. 114075, 2020.
- [95] J. Jang and K. Lee, "Practical performance analysis of a bifacial pv module and system," Energies, vol. 13, no. 17, p. 4389, 2020.
- [96] R. Guerrero-Lemus, R. Vega, T. Kim, A. Kimm, and L. Shephard, "Bifacial solar photovoltaics a technology review," *Renewable and Sustainable Energy Reviews*, vol. 60, pp. 1533–1549, 2016.
- [97] J. Appelbaum, "Bifacial photovoltaic panels field," *Renewable Energy*, vol. 85, pp. 338–343, 2016.
- [98] S. A. Nada and D. H. El-Nagar, "Possibility of using PCMs in temperature control and performance enhancements of free stand and building integrated PV modules," *Renew. En*ergy, vol. 127, pp. 630–641, 2018.

- [99] M. T. Patel, R. A. Vijayan, R. Asadpour, M. Varadharajaperumal, M. R. Khan, and M. A. Alam, "Temperature-dependent energy gain of bifacial pv farms: A global perspective," Applied Energy, vol. 276, p. 115405, 2020.
- [100] G. M. Tina, F. B. Scavo, L. Merlo, and F. Bizzarri, "Comparative analysis of monofacial and bifacial photovoltaic module for floating power plants," *Applied Energy*, vol. 281, p. 116084, 2021.
- [101] A. Pratap Singh, A. Kumar, Akshayveer, and O. P. Singh, "Performance enhancement strategies of a hybrid solar chimney power plant integrated with photovoltaic panel," *En*ergy Convers. Manag., vol. 218, no. March, p. 113020, 2020.
- [102] M. Esen, "Thermal performance of a solar-aided latent heat store used for space heating by heat pump," *Solar Energy*, vol. 69, no. 1, pp. 15–25, 2000.
- [103] M. Eisapour, A. H. Eisapour, M. J. Hosseini, and P. Talebizadehsardari, "Exergy and energy analysis of wavy tubes photovoltaic-thermal systems using microencapsulated PCM nano-slurry coolant fluid," Appl. Energy, vol. 266, no. March, p. 114849, 2020.
- [104] M. Esen, A. Durmus, and A. Durmus, "Geometric design of solar-aided latent heat store depending on various parameters and phase change materials," *Solar Energy*, vol. 62, no. 1, pp. 19–28, 1998.
- [105] M. Fadl and P. C. Eames, "An experimental investigations of the melting of RT44HC inside a horizontal rectangular test cell subject to uniform wall heat flux," Int. J. Heat Mass Transf., vol. 140, pp. 731–742, 2019.
- [106] M. Nouira and H. Sammouda, "Numerical study of an inclined photovoltaic system coupled with phase change material under various operating conditions," 2018.
- [107] A. P. Singh and O. P. Singh, "Curved vs. flat solar air heater: Performance evaluation under diverse environmental conditions," *Renew. Energy*, vol. 145, pp. 2056–2073, 2020.

Brief Bio-Data of the Author

Mr. Akshayveer is a Ph.D candidate in the Department of Mechanical Engineering at IIT (BHU) Varanasi. He has completed B.Tech in the Mechanical Engineering from IMS Engineering College (IMSEC) Ghaziabad, Uttar Pradesh Technical University, Lucknow and M.Tech degree in Mechanical Engineering from MNNIT Prayagraj. His current areas of research are solar Photovoltaic-thermal systems, heat transfer and fluid flow, modelling and simulation (CFD analysis), thermal energy storage.

LIST OF PUBLICATIONS

Refereed Journal Papers

- Akshayveer, A.Kumar, A.P. Singh, O.P.Singh. Effect of Novel PCM Encapsulation Designs on Electrical and thermal Performance of a Hybrid Photovoltaic Solar Panel. Solar Energy 205 (2020), 320-333 (IF-5.742).
- Akshayveer, Amit Kumar, Ajeet Pratap Singh, R. Sreeram Kotha, O.P Singh. Thermal energy storage design of a new bifacial PV/PCM system for enhanced thermo-electric performance. Energy Conversion and Management 250 (2021), 114912 (IF- 9.709).
- Akshayveer, Amit Kumar, Ajeet Pratap Singh, O.P Singh. Effect of new overhead phase change material enclosure designs on thermo-electric performance of a photovoltaic panel. Journal of Energy Storage 46 (2022), 103814 (IF- 6.583).
- Akshayveer, A.P. Singh, A.Kumar, O.P.Singh. Effect of natural convection air-flow channel on the electrical and thermal performance of photo-voltaic thermal system integrated with phase change materials (PV-T/PCM) systems. Materials Today Proceedings 39 (2021), 1899-1904 (IF-1.24).
- A.Kumar, Akshayveer, A.P.Singh, O.P.Singh. Efficient design of double-pass curved solar air heater. Renewable Energy 160 (2020), 1105-1118 (IF- 8.001).
- A.Kumar, Akshayveer, A.P.Singh, O.P.Singh. Investigations for Efficient Design of A New Counter Flow Double-Pass Curved Solar Air Heater. Renewable Energy 185 (2022), 759-770 (IF- 8.001).
- A.P. Singh, Akshayveer, A.Kumar, O.P.Singh. Designs for high flow natural convection solar air heater. Solar Energy 193 (2019) 724-737 (IF-5.742).

- A.P. Singh, Akshayveer, A.Kumar, O.P.Singh. Effcient design of curved solar air heater integrated with semi-down turbulators. International Journal of Thermal Sciences 152 (2020) 106304 (IF-3.744).
- A.P. Singh, Akshayveer, A.Kumar, O.P.Singh. Strategies for effective cooling of photovoltaic panels integrated with solar chimney. Materials Today Proceedings 39 (2021), 1899-1904 (IF-1.24).
- A. Kumar, A.P. Singh, Akshayveer, O.P.Singh. Performance characteristics of a new curved double-pass counter flow solar air heater. Energy 239(2022),121886 (IF-7.147).
- A.P. Singh, A.Kumar, Akshayveer, O.P.Singh. Performance enhancement strategies of a hybrid solar chimney power plant integrated with photovoltaic panel. Energy Conversion and Management 218 (2020), 113020 (IF-9.709).
- A.P. Singh, A.Kumar, Akshayveer, O.P.Singh. Effect of integrating high flow naturally driven dual solar air heaters with Trombe wall. Energy Conversion and Management 249 (2021), 114861 (IF-9.709).
- A.P. Singh, Amit Kumar, Akshayveer, O.P.Singh. A novel concept of integrating bell-mouth inlet in converging diverging solar chimney power plant. Renewable Energy 169 (2021) 318-334 (IF- 8.001).
- A.P. Singh, Amit Kumar, Akshayveer, O.P.Singh. Natural convection solar air heater: Bell-mouth integrated converging channel for high flow applications. Building and Environment 187 (2021), 107367 (IF- 6.456).

Journal Papers under Review

 A. Kumar, A.P. Singh, Akshayveer, O.P.Singh. Effect of channel designs and its optimization for enhanced thermo-hydraulic performance of solar air heater. Journal of solar energy engineering (Accepted) (IF-2.384).

Journal Papers to be submitted

- Akshayveer, Amit Kumar, Ajeet Pratap Singh, O.P Singh. Effect of new extended type nonrectangular PCM enclosure designs on thermo-electric performance of a PV/PCM systems. Renewable Energy, 2022.
- Akshayveer, Amit Kumar, Ajeet Pratap Singh, O.P Singh. Behaviour of novel design of nonrectangular PCM enclosure for PV/PCM systems under variable boundary and ambient conditions. Applied Energy, 2022.

Refereed Conference Papers

- Akshayveer, A.P. Singh, A.Kumar, O.P.Singh. Effect of energy storage design of PCM enclosure on PV/T module. ISHMT-ASTFE, Heat and Mass Transfer Conference (IHMTC-2019), December 28-31, 2019, IIT Roorkee, India.
- Akshayveer, A.P. Singh, A.Kumar, O.P.Singh. Effect of natural convection air-flow channel on the electrical and thermal performance of photo-voltaic thermal system integrated with phase change materials (PV-T/PCM) systems. International Conference on Solar Energy Photovoltaics (ICSEP-2019), December 19-21, 2019, KIIT Bhubaneswar, India.
- A.P. Singh, Akshayveer, A.Kumar, O.P.Singh. Strategies for effective cooling of photovoltaic panels integrated withsolar chimney. International Conference on Solar Energy Photovoltaics (ICSEP-2019), December 19-21, 2019, KIIT Bhubaneswar, India.
- A.Kumar, Akshayveer, A.P.Singh, D.K.Singh, O.P.Singh. Performance enhancement of a solar still by using water-based hybrid nanofluid. Fluid Mechanics and Fluid Power Conference (FMFP-2021), December 27-29, 2021, BITS Pilani, Pilani Campus, RJ, India.
- A. Kumar, A.P. Singh, Akshayveer, O.P.Singh. Effect of perforation shapes on dissipation characteristics of perforated filters. ISHMT-ASTFE, Heat and Mass Transfer Conference (IHMTC-2019), December 28-31, 2019, IIT Roorkee, India.
- A.P. Singh, A.Kumar, Akshayveer, O.P.Singh. Effect of double-pass flow on thermo-hydraulic performance of a curved solar air heater with circular ribs. ISHMT-ASTFE, Heat and Mass Transfer Conference (IHMTC-2019), December 28-31, 2019, IIT Roorkee, India.