

## CONTENTS

<i>CONTENTS</i>	<b>Page No.</b>
<b>List of tables</b> .....	X
<b>List of figures</b> .....	XI
<b>Preface</b> .....	XIV
<b>CHAPTER1:</b> Introduction.....	1-9
<b>CHAPTER2:</b> Literature review.....	10-46
<b>CHAPTER3:</b> Materials and Methods.....	47-62
<b>CHAPTER4:</b> Synthesis and Characterization of Ti-Si-Mn alloy- 1393B3 Bioactive glass composite .....	63-90
<b>CHAPTER 5</b> Synthesis and Characterization of Ti-Nb-Fe alloy- S53P4 Bioactive glass composite ...	91-116
<b>CHAPTER 6</b> Synthesis and Characterization of Ti-Mo-Fe alloy- S53P4 Bioactive glass composite ...	117-132
<b>CHAPTER 7</b> Conclusion.....	133-135

## LIST OF TABLE

---

Table No.	Table captions	Page No.
Table 2.1	Chemical Compositions of Pure Titanium	13
Table 2.2	Chemical Compositions of Pure Titanium ASTM Grade	13
Table 2.3	Typical applications and tensile strength of different grades of $\alpha$ alloy	20
Table 2.4	Typical applications and tensile strength of the $\beta$ alloys	22
Table 3.1	Required Chemical for synthesis of alloy matrix	48
Table 3.2	List of chemical for glass preparation	48
Table 4.1.	EDS elemental analysis of sample S1 and S3 after immersion in SBF	77
Table .5.1	Composition of Ti-8Nb-2Fe –BAG Composite in weight %	95

## LIST OF FIGURES

Number	Figure captions	Page No.
2.1	Crystal Structure of $\alpha$ (HCP) and beta (BCC) Phase	15
2.2	Alpha and Beta stabilization of Titanium	16
2.3	Schematic phase diagram of titanium alloys	20
3.1	Planetary ball mill	50
3.2	Atmosphere Controlled High Temperature Furnace.	51
3.3	Uniaxial Pressing Machine.	51
3.4	Flow chart of characterized techniques used	54
3.5	Schematic of diffraction of X-rays by a crystal	55
3.6	X-ray measurement setup	56
4.1	XRD spectra of composites containing 1393 B3 bioactive	68
4.2	SEM micrographs of (a,b) pure alloy S1(c,d) Alloy+5%BAG	69
4.3 (b)	Bulk Density of all the samples (S1, S2, S3, S4).	71
4.3 (a)	Apparent Porosity of all the samples (S1,S2,S3,S4)	70
4.4	Vickers's Hardness of all the samples (S1,S2,S3,S4)	72
4.5	Elastic Modulus of all the samples (S1, S2, S3, and S4)	73
4.6 (a)	Compressive Stress-Strain relationship for all the samples.	73
4.6 (b)	Compressive Strength of all the samples (S1, S2, S3, and S4)	74
4.7	Variation of pH for all samples with respect to the immersing	75
4.8	SEM of (a) sample S1 (b) sample S2 (c) sample S3 (d) sample S4 (e) EDS spectra of S1 (f) EDS spectra of S3 after immersion in SBF for 5 day	76

4.9.	The concentration-dependent killing of the U2-OS cells in the presence of S1, S2, S3, and S4.	79
4.10.	The proliferation of the U2-OS cells in the presence of	80
4.11.	Time dependent proliferation of the U2-OS cells	81
4.12	Corrosion rate of pure alloy (S1) and all composites	82
5.1	XRD spectra of synthesized composites	99
5.2	Scanning Electron Micrographs of alloy N1 (a,b),	100
5.3 (a)	Bulk density of the prepared samples	101
5.4	Vickers's hardness of all the samples	102
5.5	Compressive Strength of the samples N1, N2, N3 & N4	103
5.6	Elastic mod of all the prepared samples	104
5.7	In vitro pH behavior of the samples in SBF	105
5.8	SEM Micrographs of all the samples after immersion in SBF	106
5.9	Rate of corrosion of alloy (N1) and composites having BAG (N2, N3, N4)	107
5.10	Time-dependent Viability of SaOS2cells in all the prepared samples (N1, N2,	108
6.1	SEM micrographs of (a) pure alloy M1 (b)Alloy + 5%BAG	121
6.2a	Apparent porosity of all the samples (M1, M2, M3, M4)	122
6.2b	Bulk Density of all the samples (M1, M2, M3, M4)	122
6.3	Vickers's Hardness of all the samples (M1, M2, M3, M4)	123
6.4	Elastic Modulus of all the samples (M1, M2, M3, M4)	124
6.5	Compressive Strength of all the samples (M1, M2, M3, and	124
6.6	Variation of pH for all samples with respect to the immersing time	125

6.7	XRD of composites before and after soaking in SBF	127
6.8	The concentration-dependent killing of the U2-OS cells in the presence of M1, M2, M3, and M4.	128
6.9	Time dependent proliferation of the U2-OS cells in the Presence of varying concentrations of M1, M2, M3, and M4.	129
6.10	Corrosion rate of pure alloy (M1) and all composites containing BAG (M2, M3, M4)	130

## ABBREVIATIONS ANDSYMBOLS

---

%-Percentage	
©-Copyright	XRD-X-ray diffraction SEM-Scanning
°C - Degree centigrade	electron microscopy EDS-Energy
$\alpha$ -Alpha	dispersive X-ray spectroscopy
$\beta$ -Beta	TEM- Transmission Electron Microscopy
$\gamma$ -Gama	HR-TEM-High Resolution Transmission Electron
$\Theta$ - Theta	Microscopy
$\Delta$ -Delta	FTIR- Fourier-transform infrared
$\mu\text{m}$ -Micrometer	Spectroscopy
mm-Millimeter	
nm-Nanometer	
cm- Centimeter	
Kg-Kilogram	
gm -Gram(s)	
m-Molar	
min-Minutes	
sec-Second	
h-Hour	
ev-Electron Volts	
$\text{A}^0$ -Augustan	
$\rho$ -Density	