
TABLE OF CONTENTS

1	Introduction.....	1
2	Literature Review.....	8
2.1	Breast cancer.....	8
2.2	Drug and Excipients profile.....	12
2.2.1	Lapatinib.....	12
2.2.2	Solulpus®	14
2.2.3	Kolliphor™ HS 15	15
2.2.4	Kolliphor® 407.....	16
2.3	Nanocarrier drug delivery systems	17
2.3.1	Nanocolloidal Micelles as DDS.....	19
2.3.2	Polymeric Micelles:	22
2.3.3	Mixed / Binary Micelles.....	25
3	Research Envisage and Plan of Work	28
3.1	Aim.....	28
3.2	Objective.....	28
3.3	The rationale of a study:	28
3.4	Plan of work.....	29
3.4.1	Preformulation studies.....	29
3.4.2	Formulation development and optimization.....	29

3.4.3	Physicochemical characterization.....	29
3.4.4	<i>In-Vitro</i> evaluations	30
3.4.5	<i>In-vivo</i> evaluations.....	30
4	Material and Methods.....	31
4.1	Materials, Equipment, Software used	31
4.1.1	Materials.....	31
4.1.2	Equipments.....	31
4.1.3	Software	32
4.2	Pre-formulation studies	32
4.2.1	HPLC analytical method development	32
4.2.2	Determination of critical micelle concentration (CMC)	33
4.2.3	Physicochemical characterization of LP and excipients.....	34
4.3	Formulation Development and optimization.....	34
4.3.1	Screening of components for the formulation of micelles	34
4.3.2	Optimization of micelles by Box-Behnken Design	35
4.3.3	Formulation of micelles	35
4.3.4	Physicochemical characterization.....	37
4.3.5	<i>In-vitro</i> Evaluations	39
4.3.6	Stability Studies	41
4.3.7	Screening of anticancer efficacy.....	42
4.3.8	<i>In-vivo</i> evaluations.....	43

4.4 Statistical Analysis	45
5 Results and Discussions.....	46
5.1 Pre-formulation Studies.....	46
5.1.1 HPLC analytical method development	46
5.1.2 Determination of critical micelle concentration (CMC)	48
5.1.3 Physicochemical characterization of LP and excipients	51
5.2 Development, optimization and evaluation of Lapatinib-loaded Polymeric Micelles (LP-PMs).....	53
5.2.1 Screening of components for the formulation of micelles	53
5.2.2 Optimization of micelles by Box-Behnken Design (BBD).....	58
5.2.3 Formulation of micelles.....	63
5.2.4 Physicochemical characterization of optimized LP-PMs.....	63
5.2.5 <i>In-vitro</i> Evaluations.....	71
5.2.6 Stability Studies	76
5.2.7 <i>In-vitro</i> screening of anticancer efficacy.....	78
5.2.8 <i>In-vivo</i> evaluations	82
5.3 Development and evaluation of Lapatinib-loaded Binary Micelles (LP-BMs)...	89
5.3.1 Formulation of LP-BMs	89
5.3.2 Physicochemical characterization.....	90
5.3.3 <i>In-vitro</i> Evaluations.....	94
5.3.4 Stability Studies	97

5.3.5	<i>In-vitro</i> screening of anticancer efficacy.....	100
5.3.6	<i>In-vivo</i> evaluations.....	102
6	Summary and Conclusions	109
6.1	Summary	109
6.2	Conclusions	113
	References.....	114
	List of Publications.....	126

LIST OF TABLES

Table 2.1 Characteristics of nanocarrier systems and purpose to use for drug delivery	18
Table 5.1 HPLC validation parameters for the determination of lapatinib.....	47
Table 5.2 Inter and Intraday accuracy and precision for HPLC analytical method validation	47
Table 5.3 Quality Target Product Profile.....	53
Table 5.4 Control Impact Matrix.....	54
Table 5.5 Critical process parameters and material attributes	54
Table 5.6 Risk Estimation Matrix	55
Table 5.7 Details of factors used for Placket-Burman design.....	56
Table 5.8 Composition of LP-PMs as per BBD design.....	58
Table 5.9 Statistical ANOVA results of quadratic model.....	60
Table 5.10 Predicted and experimental values for optimized LP-PMs	60
Table 5.11 Results of evaluations for stability studies	76
Table 5.12 Estimated pharmacokinetic parameters of different dosage forms.....	83
Table 5.13 Composition of LP-BMs and the results of evaluations.....	89
Table 5.14 Results of evaluations before and after stability studies.	98
Table 5.15 Estimated pharmacokinetic parameters of different dosage forms.....	103

LIST OF FIGURES

Figure 2.1 Histological classification of breast cancer.....	10
Figure 2.2 (a) Molecular classification of breast cancer (b) BC subtypes originating from a single mammary stem cell or progenitor cell after activation by different oncogenes; (c) BC heterogeneity initiate from different mammary stem cells or progenitor cells at distinct levels of stem cells proliferation hierarchy.....	11
Figure 2.3 Chemical structure of drug and excipients	14
Figure 2.4 Schematic diagrams depicting different nanocarrier drug delivery systems used for delivery of Lapatinib	19
Figure 5.1 Calibration curve of Lapatinib in methanol	46
Figure 5.2 Calibration curve of Lapatinib in plasma	46
Figure 5.3 Graphs showing CMC determination	51
Figure 5.4 Pareto charts showing the influence of process variables	57
Figure 5.5 3-D response-surface plots	61
Figure 5.6 Morphological characterization of LP-PMs: Histograms (A and B) and zeta potential (C and D)	64
Figure 5.7 Morphological characterization of LP-PMs: High resolution-scanning electron microscopic images (A and B) of LP-PMs and lyophilized LP-PMs, respectively; Scanning probe microscopic images (C and E) and their histograms (D and F) of LP-PMs and lyophilized LP-PMs, respectively.....	66
Figure 5.8 (A) FT-IR spectra and (B) XRPD diffractograms of pharmaceutical excipients, LP-PMs (C) EDX spectra of LP-PMs	68
Figure 5.9 In-vitro drug release profile of (A) LP-PMs micellar dispersion and (B) lyophilized LP-PMs in release media of pH 5.0 and pH 7.4.....	72

Figure 5.10 Hemocompatibility studies	75
Figure 5.11 Shelf life plots of LP-PMs	77
Figure 5.12 <i>In-vitro</i> anti-cancer efficacy studies of LP-PMs against SKBr3 cell line ..	81
Figure 5.13 Comparative plasma drug concentration profiles	82
Figure 5.14 <i>In-vivo</i> anticancer efficacy of LP-PMs	85
Figure 5.15 The microscopic images of liver sections after staining with H & E stains	86
Figure 5.16 (A) Histogram showing the hydrodynamic diameter and (B) zeta potential of LP-BMs; (C and D) High resolution- scanning electron microscopic image showing spherical shape of LP-BMs and lyophilized LP-BMs, respectively.	91
Figure 5.17 (A and B) scanning probe microscopic images showing 2-D and 3-D morphology, respectively; (C) FT-IR spectra of LP-BMs and pharmaceutical excipients	92
Figure 5.18 (A) EDX spectra of LP-BMs; (B) In-vitro drug release profile of LP-BMs in release media of pH 5.0 and pH 7.4	94
Figure 5.19 (A) Hemocompatibility of LP-BMs in terms of percent hemolysis; (B) platelet aggregation study	96
Figure 5.20 Shelf life plots of LP-BMs.....	99
Figure 5.21 <i>In-vitro</i> anti-cancer efficacy studies of LP-PMs against SKBr3 cell line	101
Figure 5.22 Comparative plasma drug concentration profiles	104
Figure 5.23 <i>In-vivo</i> anticancer efficacy of LP-BMs.	106
Figure 5.24 The microscopic images of liver sections after staining with H & E stains.....	107
