

# Bibliography

- [1] Campbell F C, *Manufacturing technology for aerospace structural materials*. New York: Butterworth-Heinemann Publication, An Imprint of Elsevier Publications, 2006.
- [2] W. Muster and J. Elster, “Low temperature embrittlement after ageing stainless steels,” *Cryogenics*, 1990, vol. 30, no. 9, pp. 799 – 802.
- [3] E. A. Starke and J. T. Staley, “Application of modern aluminum alloy to aircraft,” *Prog. Aerospace Sci.*, 1996, vol. 32, no. 95, pp. 131–172.
- [4] G. Norris and M. Wagner, *Airbus A380: Superjumbo of the 21st century*, 1st ed. Minneapolis, USA: Zenith Press, 2007, vol. 001, no. 16.04.2009.
- [5] R. F. Wegman and J. V. Twisk, “2 - Aluminum and Aluminum Alloys,” in *Surface Preparation Techniques for Adhesive Bonding (Second Edition)*, second edition ed., R. F. Wegman and J. V. Twisk, Eds. William Andrew Publishing, 2013, pp. 9 – 37.
- [6] N. E. Prasad, A. A. Gokhale, and R. Wanhill, “Aluminium–Lithium Alloys,” in *Aerospace Materials and Material Technologies*. Springer, 2017, pp. 53–72.
- [7] A. K. Vasudevan and R. D. Doherty, *Aluminum Alloys–Contemporary Research and Applications*. Elsevier, 2012, vol. 31.
- [8] P. IJ, *Light alloys*. New York, NY, USA: Butterworth-Heinemann Publication, An Imprint of Elsevier Publications,, 2006.

- [9] D. S. Totten, George E and MacKenzie, *Handbook of Aluminum: Vol. 1: Physical Metallurgy and Processes*, 1st ed. CRC Press, 2003.
- [10] S. K. Maloney, K. Hono, I. J. Polmear, and S. P. Ringer, “The chemistry of precipitates in an aged Al-2.1Zn-1.7Mg at .% alloy,” *Acta Metallurgica*, 1999, vol. 41, no. 10, pp. 1031–1038.
- [11] M. Clinch, S. Harris, W. Hepples, N. Holroyd, M. Lawday, and B. Noble, “Influence of Zinc to Magnesium Ratio and Total Solute Content on the Strength and Toughness of 7xxx Series Alloys,” *Materials Science Forum*, 2006, vol. 519-521, pp. 339–344.
- [12] A. Romeyn, “Welding Al-Zn-Mg (7xxx series) alloys-a literature review,” 1983.
- [13] R. Cited, “Reducing the susceptibility of Alloys, particularly Aluminium Alloys, to stress corrosion cracking,” Patent, 2003.
- [14] I. J. Polmear, “Recent Developments in Light Alloys,” *Materials Transactions, JIM*, 1996, vol. 37, no. 1, pp. 12–31.
- [15] R. Smallman and A. Ngan, “Chapter 11-Non-metallics II—Polymers, plastics, composites. Physical Metallurgy and Advanced Materials Engineering,” 2007.
- [16] R. J. Smallman, RE and Bishop, *Modern physical metallurgy and materials engineering-science, process, application*. Butterworth-Heinemann, 1999.
- [17] J. feng LI, Z. wei PENG, C. xing LI, Z. qiang JIA, W. jing CHEN, and Z. qiao ZHENG, “Mechanical properties, corrosion behaviors and microstructures of 7075 aluminium alloy with various aging treatments,” *Transactions of Nonferrous Metals Society of China (English Edition)*, 2008, vol. 18, no. 4, pp. 755–762.
- [18] A. K. Vasudevan and K. Sadananda, “Role of slip mode on stress corrosion cracking behavior,” in *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, vol. 42, no. 2, feb 2011, pp. 405–414.

- [19] a.H. Clauer and A. Clauer, "Laser Shock Peening for Fatigue Resistance," *Surface Performance of Titanium*, 1996, no. 1996, pp. 217–230.
- [20] R. K. Nalla, I. Altenberger, U. Noster, G. Y. Liu, B. Scholtes, and R. O. Ritchie, "On the influence of mechanical surface treatments - deep rolling and laser shock peening - on the fatigue behavior of Ti-6Al-4V at ambient and elevated temperatures," *Materials Science and Engineering A*, 2003, vol. 355, no. 1-2, pp. 216–230.
- [21] F. Bleicher, C. Lechner, C. Habersohn, E. Kozeschnik, B. Adjassoho, and H. Kaminski, "Mechanism of surface modification using machine hammer peening technology," *CIRP Annals - Manufacturing Technology*, 2012.
- [22] J. J. Janosch, H. Koneczny, S. Debiez, E. C. Statnikov, V. J. Troufiakov, and P. P. Mikhee, "Improvement of fatigue strength in welded joints (in HSS and in aluminium alloys) by ultrasonic hammer peening," *WELDING IN THE WORLD-LONDON-*, 1996, vol. 37, pp. 72–83.
- [23] C. M. Sonsino, F. Müller, and R. Mueller, "The improvement of fatigue behaviour of sintered steels by surface rolling," *International Journal of Fatigue*, 1992, vol. 14, no. 1, pp. 3–13.
- [24] M. Umemoto, "Nanocrystallization of Steels by Severe Plastic Deformation," *Materials Transactions*, 2003, vol. 44, no. 10, pp. 1900–1911.
- [25] M. Umemoto, K. Todaka, and K. Tsuchiya, "Formation of nanocrystalline structure in carbon steels by ball drop and particle impact techniques," *Materials Science and Engineering A*, 2004, vol. 375-377, no. 1-2 SPEC. ISS., pp. 899–904.
- [26] G. Critchlow and D. Brewis, "Review of surface pretreatments for aluminium alloys," *International Journal of Adhesion and Adhesives*, 1996, vol. 16, no. 4, pp. 255–275.
- [27] J. G. Li, M. Umemoto, Y. Todaka, and K. Tsuchiya, "Nanocrystalline structure formation in carbon steel introduced by high speed drilling," *Materials Science and Engineering A*, 2006, vol. 435-436, pp. 383–388.

- [28] K. Lu and J. Lu, "Nanostructured surface layer on metallic materials induced by surface mechanical attrition treatment," *Elsevier*, 2004, vol. 377, pp. 38–45.
- [29] Z. B. Wang, J. Lu, and K. Lu, "Chromizing behaviors of a low carbon steel processed by means of surface mechanical attrition treatment," *Acta Materialia*, 2005, vol. 53, no. 7, pp. 2081–2089.
- [30] T. Roland, D. Reiraint, K. Lu, and J. Lu, "Fatigue life improvement through surface nanostructuring of stainless steel by means of surface mechanical attrition treatment," *Elsevier*, 2006, vol. 54, pp. 1949–1954.
- [31] H. Q. Sun, Y. N. Shi, M. X. Zhang, and K. Lu, "Plastic strain-induced grain refinement in the nanometer scale in a Mg alloy," *Acta Materialia*, 2007, vol. 55, no. 3, pp. 975–982.
- [32] K. Y. Zhu, A. Vassel, F. Brisset, K. Lu, and J. Lu, "Nanostructure formation mechanisms of  $\alpha$ -titanium using SMAT," *Acta mater.*, 2004, vol. 52, pp. 4101–4110. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1359645404002988>
- [33] X. Wu, N. Tao, Y. Hong, G. Liu, B. Xu, J. Lu, and K. Lu, "Strain-induced grain refinement of cobalt during surface mechanical attrition treatment," *Acta Materialia*, 2005, vol. 53, no. 3, pp. 681–691.
- [34] K. Wang, N. Tao, G. Liu, J. Lu, and K. Lu, "Plastic strain-induced grain refinement at nanometer scale in copper," *Acta Materialia*, 2006, vol. 54, no. 3, pp. 5281–5291.
- [35] Z. B. Wang, N. R. Tao, W. P. Tong, J. Lu, and K. Lu, "Diffusion of chromium in nanocrystalline iron produced by means of surface mechanical attrition treatment," *Acta Materialia*, 2003, vol. 51, no. 14, pp. 4319–4329.
- [36] G. Liu, J. Lu, and K. Lu, "Surface nanocrystallization of 316L stainless steel induced by ultrasonic shot peening," *Materials Science and Engineering: A*, 2000, vol. 286, no. 1, pp. 91–95.

- [37] N. Tao, J. Lu, and K. Lu, "Surface nanocrystallization by surface mechanical attrition treatment," in *Materials science forum*, vol. 579. Trans Tech Publ, 2008, pp. 91–108.
- [38] Z. K. H. H.W. Zhang G. Liu, J. Lu, K. Lu, "Formation of nanostructured surface layer on AISI 304 stainless steel by means of surface mechanical attrition treatment," *Acta Materialia* 51 (2003), 2003, vol. 51, no. 7, pp. 1871–1881.
- [39] X. Wu, N. Tao, Y. Hong, B. Xu, J. Lu, and K. Lu, "Microstructure and evolution of mechanically-induced ultrafine grain in surface layer of AL-alloy subjected to USSP," *Acta Materialia*, 2002, vol. 50, no. 8, pp. 2075–2084.
- [40] C. Suryanarayana, "Nanocrystalline materials," *International Materials Reviews*, jan 1995, vol. 40, no. 2, pp. 41–64.
- [41] K. Lu, "Nanocrystalline metal crystallized from amorphous solids: nanocrystallization, structure and properties," *Materials Science and Engineering*, 1996, vol. R16, no. 4, pp. 161–221.
- [42] H. Gleiter, "Nanostructured Materials: Basic Concepts, Microstructure and Properties," *Cheminform*, 2000, vol. 48, no. 1, pp. 1–29.
- [43] W. Jia, H. Zhao, Q. Hong, L. Li, and X. Mao, "Materials Characterization Research on the thermal stability of a near  $\alpha$  titanium alloy before and after laser shock peening," *Elsevier*, 2016, vol. 117, pp. 30–34.
- [44] Y. Liu, L. Liu, B. Shen, and W. Hu, "A study of thermal stability in electrodeposited nanocrystalline Fe – Ni invar alloy," *Materials Science & Engineering A*, 2011, vol. 528, no. 18, pp. 5701–5705.
- [45] F. Zhou, J. Lee, S. Dallek, and E. J. Lavernia, "High grain size stability of nanocrystalline Al prepared by mechanical attrition," *Journal of Materials Research*, 2011, vol. 16, no. 12, pp. 3451–3458.

- [46] C. Mallow, TR and Koch, “Synthesis and processing of nanocrystalline materials,” *TMS, Warrendale, PA*, 1996, p. 33.
- [47] Y. H. Zhao, X. Z. Liao, Z. Jin, R. Z. Valiev, and Y. T. Zhu, “Microstructures and mechanical properties of ultrafine grained 7075 Al alloy processed by ECAP and their evolutions during annealing,” *Acta mater.*, 2004, vol. 52, pp. 4589–4599.
- [48] Y. Liu, B. Jin, and J. Lu, “Mechanical properties and thermal stability of nanocrystallized pure aluminum produced by surface mechanical attrition treatment,” *Materials Science & Engineering A*, 2015, vol. 636, pp. 446–451.
- [49] S. S, “Fatigue of Materials,” *Cambridge, England*, 1998.
- [50] H. Mughrabi, H. Hoppel, and M. Hautz, “Fatigue and microstructure of ultrafine-grained metals produced by severe plastic deformation,” *Scripta Materialia*, 2004, vol. 51, pp. 807–812.
- [51] T. Hanlon, Y. Kwon, and S. Suresh, “Grain size effects on the fatigue response of nanocrystalline metals,” *Elsevier*, 2003, vol. 49, pp. 675–680.
- [52] Z. G. Liu, H. J. Fecht, and M. Umemoto, “Microstructural evolution and nanocrystal formation during deformation of Fe-C alloys,” *Materials Science and Engineering A*, 2004, vol. 375-377, no. 1-2 SPEC. ISS., pp. 839–843.
- [53] R. Avilés, J. Albizuri, A. Rodríguez, and L. L. De Lacalle, “Influence of low-plasticity ball burnishing on the high-cycle fatigue strength of medium carbon AISI 1045 steel,” *International journal of fatigue*, 2013, vol. 55, pp. 230–244.
- [54] K. Shiozawa and L. Lu, “Very high-cycle fatigue behaviour of shot-peened high-carbon–chromium bearing steel,” *Fatigue & Fracture of Engineering Materials & Structures*, 2002, vol. 25, no. 8-9, pp. 813–822.
- [55] K. Shiozawa, Y. Morii, S. Nishino, and L. Lu, “Subsurface crack initiation and propagation mechanism in high-strength steel in a very high cycle fatigue regime,” *International Journal of Fatigue*, 2006, vol. 28, no. 11, pp. 1521–1532.

- [56] X. J. Cao, Y. S. Pyoun, and R. Murakami, "Fatigue properties of a S45C steel subjected to ultrasonic nanocrystal surface modification," *Applied Surface Science*, 2010, vol. 256, no. 21, pp. 6297–6303.
- [57] P. Peyre, R. Fabbro, P. Merrien, and H. Lieurade, "Laser shock processing of aluminium alloys. Application to high cycle fatigue behaviour," *Materials Science and Engineering: A*, 1996, vol. 210, no. 1-2, pp. 102–113.
- [58] L. L. Shaw, J. W. Tian, A. L. Ortiz, K. Dai, J. C. Villegas, P. K. Liaw, R. Ren, and D. L. Klarstrom, "A direct comparison in the fatigue resistance enhanced by surface severe plastic deformation and shot peening in a C-2000 superalloy," *Materials Science and Engineering A*, 2010, vol. 527, no. 4-5, pp. 986–994.
- [59] J. W. Tian, J. C. Villegas, W. Yuan, D. Fielden, L. Shaw, P. K. Liaw, and D. L. Klarstrom, "A study of the effect of nanostructured surface layers on the fatigue behaviors of a C-2000 superalloy," *Materials Science and Engineering A*, 2007, vol. 468-470, no. SPEC. ISS., pp. 164–170.
- [60] L. Wagner, "Mechanical surface treatments on titanium, aluminum and magnesium alloys," *Materials Science and Engineering: A*, 1999, vol. 263, no. 2, pp. 210–216.
- [61] V. Pandey, G. S. Rao, K. Chattopadhyay, N. S. Srinivas, and V. Singh, "Effect of surface Nanostructuring on LCF behavior of aluminum alloy 2014," *Materials Science and Engineering: A*, 2015, vol. 647, pp. 201–211.
- [62] P. K. Rai, V. Pandey, K. Chattopadhyay, L. K. Singhal, and V. Singh, "Effect of Ultrasonic Shot Peening on Microstructure and Mechanical Properties of High-Nitrogen Austenitic Stainless Steel," *Journal of Materials Engineering and Performance*, nov 2014, vol. 23, no. 11, pp. 4055–4064.
- [63] T. M. Yue, L. J. Yan, and C. P. Chan, "Stress corrosion cracking behavior of Nd:YAG laser-treated aluminum alloy 7075," *Applied Surface Science*, 2006, vol. 252, no. 14, pp. 5026–5034.

- [64] Szklarska-Smialowska, "Pitting Corrosion of Aluminum," *Corrosion Science*, 2012, vol. 41, pp. 1743–1764.
- [65] M. Trueba and S. P. Trasatti, "Study of Al alloy corrosion in neutral NaCl by the pitting scan technique," *Materials Chemistry and Physics*, 2010, vol. 121, no. 3, pp. 523–533.
- [66] N. Birbilis and R. G. Buchheit, "Electrochemical Characteristics of Intermetallic Phases in Aluminum Alloys," *Journal of The Electrochemical Society*, 2005, vol. 152, no. 4, p. B140.
- [67] J. L. Searles, P. I. Gouma, and R. G. Buchheit, "Stress corrosion cracking of sensitized AA5083 (Al-4.5Mg-1.0Mn)," *Metallurgical and Materials Transactions A*, nov 2001, vol. 32, no. 11, pp. 2859–2867.
- [68] D. SONG, A. b. MA, J. h. JIANG, P. h. LIN, and D. h. YANG, "Corrosion behavior of ultra-fine grained industrial pure Al fabricated by ECAP," *Transactions of Nonferrous Metals Society of China (English Edition)*, 2009, vol. 19, no. 5, pp. 1065–1070.
- [69] K. D. Ralston and N. Birbilis, "Effect of grain size on corrosion: A review," *Corrosion*, jul 2010, vol. 66, no. 7, pp. 0 750 051–07 500 513.
- [70] T. I. Wu and J. K. Wu, "Effect of Sulfate Ions on Corrosion Inhibition of AA 7075 Aluminum Alloy in Sodium Chloride Solutions," *Corrosion*, 1995, vol. 51, no. 3, p. 185.
- [71] G. Salvago and D. Sinigaglia, "The corrosion behaviour of AISI 304 stainless steel in 0.1 M HCl at room temperature-III. The effect of sensitization," *Corrosion Science*, 1983, vol. 23, no. 10.
- [72] K. Elayaperumal, P. K. De, and J. Balachandra, "Passivity of type 304 Stainless steel- Effect of plastic deformation," *Corrosion*, 1972, vol. 28, no. 7, pp. 269–273.



- [73] K. G. Krishna, K. Sivaprasad, T. S. N. S. Narayanan, and K. C. H. Kumar, “Localized corrosion of an ultrafine grained Al – 4Zn – 2Mg alloy produced by cry-rolling,” *Corrosion Science*, 2012, vol. 60, pp. 82–89.
- [74] L. Wen, Y. Wang, Y. Jin, and X. Ren, “Comparison of corrosion behaviour of nanocrystalline 2024-T4 Al alloy processed by surface mechanical attrition treatment with two different mediums,” *Corrosion Engineering, Science and Technology*, sep 2015, vol. 50, no. 6, pp. 425–432.
- [75] H. Krawiec, V. Vignal, H. Amar, and P. Peyre, “Local electrochemical impedance spectroscopy study of the influence of ageing in air and laser shock processing on the micro-electrochemical behaviour of AA2050-T8 aluminium alloy,” *Electrochimica Acta*, 2011, vol. 56, no. 26, pp. 9581–9587.
- [76] T. Chen, H. John, J. Xu, Q. Lu, J. Hawk, and X. Liu, “Influence of surface modifications on pitting corrosion behavior of nickel-base alloy 718. Part 2: Effect of aging treatment,” *Corrosion Science*, 2014, vol. 78, pp. 151–161.
- [77] T. Balusamy, S. Kumar, and T. S. Narayanan, “Effect of surface nanocrystallization on the corrosion behaviour of AISI 409 stainless steel,” *Corrosion Science*, 2010, vol. 52, no. 11, pp. 3826–3834.
- [78] H.-s. Lee, D.-s. Kim, J.-s. Jung, Y.-s. Pyoun, and K. Shin, “Influence of peening on the corrosion properties of AISI 304 stainless steel,” *Corrosion Science*, 2009, vol. 51, no. 12, pp. 2826–2830.
- [79] B. Thangaraj, S. N. T. Nellaiappan, R. Kulandaivelu, M. H. Lee, and T. Nishimura, “A Facile Method to Modify the Characteristics and Corrosion Behavior of 304 Stainless Steel by Surface Nanostructuring toward Biomedical Applications,” *ACS Applied Materials and Interfaces*, 2015, vol. 7, no. 32, pp. 17 731–17 747.
- [80] *Standard practice for preparing, cleaning, and evaluating corrosion test specimens*, ASTM Committee G-1 on Corrosion of Metals. ASTM international, 2011.

- [81] B. D. Cullity, “Elements of X-ray Diffraction,” 2001.
- [82] G. Williamson and W. Hall, “X-ray line broadening from filed aluminium and wolfram,” *Acta metallurgica*, 1953, vol. 1, no. 1, pp. 22–31.
- [83] G. Dini, R. Ueji, A. Najafizadeh, and S. Monir-Vaghefi, “Flow stress analysis of TWIP steel via the XRD measurement of dislocation density,” *Materials Science and Engineering: A*, 2010, vol. 527, no. 10-11, pp. 2759–2763.
- [84] N. Hansen, X. Huang, and D. Hughes, “Microstructural evolution and hardening parameters,” *Materials Science and Engineering: A*, 2001, vol. 317, no. 1-2, pp. 3–11.
- [85] Q. Liu, D. J. Jensen, and N. Hansen, “Effect of grain orientation on deformation structure in cold-rolled polycrystalline aluminium,” *Acta materialia*, 1998, vol. 46, no. 16, pp. 5819–5838.
- [86] N. Tao, Z. Wang, W. Tong, M. Sui, J. Lu, and K. Lu, “An investigation of surface nanocrystallization mechanism in Fe induced by surface mechanical attrition treatment,” *Acta materialia*, 2002, vol. 50, no. 18, pp. 4603–4616.
- [87] L. Jiang, J. Li, P. Cheng, G. Liu, R. Wang, B. Chen, J. Zhang, J. Sun, M. Yang, and G. Yang, “Microalloying ultrafine grained Al alloys with enhanced ductility,” *Scientific reports*, 2014, vol. 4, p. 3605.
- [88] Y.-H. Zhao, X.-Z. Liao, S. Cheng, E. Ma, and Y. T. Zhu, “Simultaneously increasing the ductility and strength of nanostructured alloys,” *Advanced Materials*, 2006, vol. 18, no. 17, pp. 2280–2283.
- [89] P. Aapps, M. Berta, and P. Prangnell, “The effect of dispersoids on the grain refinement mechanisms during deformation of aluminium alloys to ultra-high strains,” *Acta materialia*, 2005, vol. 53, no. 2, pp. 499–511.

- [90] S. Cheng, Y. Zhao, Y. Zhu, and E. Ma, "Optimizing the strength and ductility of fine structured 2024 Al alloy by nano-precipitation," *Acta Materialia*, 2007, vol. 55, no. 17, pp. 5822–5832.
- [91] P. Xu, H. Luo, S. Li, Y. Lv, J. Tang, and Y. Ma, "Enhancing the ductility in the age-hardened aluminum alloy using a gradient nanostructured structure," *Materials Science and Engineering: A*, 2017, vol. 682, pp. 704–713.
- [92] X. Wu, P. Jiang, L. Chen, J. Zhang, F. Yuan, and Y. Zhu, "Synergetic strengthening by gradient structure," *Materials Research Letters*, 2014, vol. 2, no. 4, pp. 185–191.
- [93] Y. T. Zhu and X. Liao, "Nanostructured metals: retaining ductility," *Nature materials*, 2004, vol. 3, no. 6, p. 351.
- [94] X. Wu, P. Jiang, L. Chen, F. Yuan, and Y. T. Zhu, "Extraordinary strain hardening by gradient structure," *Proceedings of the National Academy of Sciences*, 2014, vol. 111, no. 20, pp. 7197–7201.
- [95] A. Chokshi, A. Rosen, J. Karch, and H. Gleiter, "On the validity of the Hall-Petch relationship in nanocrystalline materials," *Scripta Metallurgica*, 1989, vol. 23, no. 10, pp. 1679–1683.
- [96] Y. S. Sato, M. Urata, H. Kokawa, and K. Ikeda, "Hall-Petch relationship in friction stir welds of equal channel angular-pressed aluminium alloys," *Materials Science and Engineering: A*, 2003, vol. 354, no. 1-2, pp. 298–305.
- [97] S. Kikuchi, Y. Nakahara, and J. Komotori, "Fatigue properties of gas nitrided austenitic stainless steel pre-treated with fine particle peening," *International Journal of Fatigue*, 2010, vol. 32, no. 2, pp. 403–410.
- [98] K. Dai, J. Villegas, Z. Stone, and L. Shaw, "Finite element modeling of the surface roughness of 5052 Al alloy subjected to a surface severe plastic deformation process," *Acta Materialia*, 2004, vol. 52, no. 20, pp. 5771–5782.

- [99] S. A. Kumar, S. G. S. Raman, T. S. Narayanan, and R. Gnanamoorthy, “Fretting wear behaviour of surface mechanical attrition treated alloy 718,” *Surface and Coatings Technology*, 2012, vol. 206, no. 21, pp. 4425 – 4432.
- [100] J. Embury and R. Nicholson, “The nucleation of precipitates: the system Al-Zn-Mg,” *Acta Metallurgica*, 1965, vol. 13, no. 4, pp. 403–417.
- [101] L. Mondolfo, N. Gjostein, and D. Levinson, “Structural Changes During the Aging in An Al-Mg-Zn Alloy,” *JOM*, 1956, vol. 8, no. 10, pp. 1378–1385.
- [102] U. Klement, U. Erb, A. El-Sherik, and K. Aust, “Thermal stability of nanocrystalline Ni,” *Materials Science and Engineering: A*, 1995, vol. 203, no. 1, pp. 177 – 186.
- [103] T. Malow and C. Koch, “Grain growth in nanocrystalline iron prepared by mechanical attrition,” *Acta Materialia*, 1997, vol. 45, no. 5, pp. 2177–2186.
- [104] H. Höfler and R. Averback, “Grain growth in nanocrystalline TiO<sub>2</sub> and its relation to vickers hardness and fracture toughness,” *Scripta Metallurgica;(United States)*, 1990, vol. 24, no. 12.
- [105] K. Boylan, D. Ostrander, U. Erb, G. Palumbo, and K. Aust, “An in-situ tem study of the thermal stability of nanocrystalline NiP,” *Scripta metallurgica et materialia*, 1991, vol. 25, no. 12, pp. 2711–2716.
- [106] S. K. Panigrahi and R. Jayaganthan, “Effect of annealing on thermal stability, precipitate evolution, and mechanical properties of cryorolled Al 7075 alloy,” *Metallurgical and Materials Transactions A*, 2011, vol. 42, no. 10, pp. 3208–3217.
- [107] M. Nikitina, R. Islamgaliev, and A. Kamalov, “Thermal stability of the ultrafine-grained Al-Cu-Mg-Si aluminum alloy,” *Rev. Adv. Mater. Sci*, 2010, vol. 25, pp. 74–81.

- [108] A. Dhal, S. Panigrahi, and M. Shunmugam, “Precipitation phenomena, thermal stability and grain growth kinetics in an ultra-fine grained Al 2014 alloy after annealing treatment,” *Journal of Alloys and Compounds*, 2015, vol. 649, pp. 229–238.
- [109] H. Hu and B. Rath, “On the time exponent in isothermal grain growth,” *Metallurgical Transactions*, 1970, vol. 1, no. 11, pp. 3181–3184.
- [110] R. Vandermeer and H. Hu, “On the grain growth exponent of pure iron,” *Acta Metallurgica et Materialia*, 1994, vol. 42, no. 9, pp. 3071–3075.
- [111] A. Dhal, S. Panigrahi, and M. Shunmugam, “Insight into the microstructural evolution during cryo-severe plastic deformation and post-deformation annealing of aluminum and its alloys,” *Journal of Alloys and Compounds*, 2017, vol. 726, pp. 1205–1219.
- [112] R. E. Reed-Hill, R. Abbaschian, and R. Abbaschian, “Physical metallurgy principles,” 1973.
- [113] M. Jafari, M. Enayati, M. Abbasi, and F. Karimzadeh, “Thermal stability and structural changes during heat treatment of nanostructured Al2024 alloy,” *Journal of Alloys and Compounds*, 2009, vol. 478, no. 1-2, pp. 260–264.
- [114] F. Zhou, J. Lee, and E. Lavernia, “Grain growth kinetics of a mechanically milled nanocrystalline Al,” *Scripta materialia*, 2001, vol. 44, no. 8-9, pp. 2013–2017.
- [115] K.-T. Park, H.-J. Kwon, W.-J. Kim, and Y.-S. Kim, “Microstructural characteristics and thermal stability of ultrafine grained 6061 Al alloy fabricated by accumulative roll bonding process,” *Materials Science and Engineering: A*, 2001, vol. 316, no. 1-2, pp. 145–152.
- [116] F. A. Mohamed and T. G. Langdon, “Deformation mechanism maps based on grain size,” *Metallurgical transactions*, 1974, vol. 5, no. 11, pp. 2339–2345.
- [117] W. Kocks, “Thermodynamics and kinetics of slip,” *Progr. Mater. Sci.*, 1975, vol. 19, p. 291.

- [118] K. Edalati, J. M. Cubero-Sesin, A. Alhamidi, I. F. Mohamed, and Z. Horita, “Influence of severe plastic deformation at cryogenic temperature on grain refinement and softening of pure metals: investigation using high-pressure torsion,” *Materials Science and Engineering: A*, 2014, vol. 613, pp. 103–110.
- [119] J. Zhang, N. Gao, and M. J. Starink, “Microstructure development and hardening during high pressure torsion of commercially pure aluminium: Strain reversal experiments and a dislocation based model,” *Materials Science and Engineering: A*, 2011, vol. 528, no. 6, pp. 2581–2591.
- [120] E. Hall, “The deformation and ageing of mild steel: III discussion of results,” *Proceedings of the Physical Society. Section B*, 1951, vol. 64, no. 9, p. 747.
- [121] N. J. Petch, “The cleavage strength of polycrystals,” *J. of the Iron and Steel Inst.*, 1953, vol. 174, pp. 25–28.
- [122] K. Ma, H. Wen, T. Hu, T. D. Topping, D. Isheim, D. N. Seidman, E. J. Lavernia, and J. M. Schoenung, “Mechanical behavior and strengthening mechanisms in ultrafine grain precipitation-strengthened aluminum alloy,” *Acta Materialia*, 2014, vol. 62, pp. 141–155.
- [123] R. Hayes, D. Witkin, F. Zhou, and E. Lavernia, “Deformation and activation volumes of cryomilled ultrafine-grained aluminum,” *Acta materialia*, 2004, vol. 52, no. 14, pp. 4259–4271.
- [124] K. Ma, T. Hu, H. Yang, T. Topping, A. Yousefiani, E. J. Lavernia, and J. M. Schoenung, “Coupling of dislocations and precipitates: impact on the mechanical behavior of ultrafine grained Al–Zn–Mg alloys,” *Acta Materialia*, 2016, vol. 103, pp. 153–164.
- [125] R. Fleischer, “Substitutional solution hardening,” *Acta metallurgica*, 1963, vol. 11, no. 3, pp. 203–209.
- [126] M. Starink and S. Wang, “A model for the yield strength of overaged Al–Zn–Mg–Cu alloys,” *Acta Materialia*, 2003, vol. 51, no. 17, pp. 5131–5150.

- [127] M. J. Starink, X. Cheng, and S. Yang, “Hardening of pure metals by high-pressure torsion: a physically based model employing volume-averaged defect evolutions,” *Acta Materialia*, 2013, vol. 61, no. 1, pp. 183–192.
- [128] Y. Chen, N. Gao, G. Sha, S. P. Ringer, and M. J. Starink, “Strengthening of an Al–Cu–Mg alloy processed by high-pressure torsion due to clusters, defects and defect–cluster complexes,” *Materials Science and Engineering: A*, 2015, vol. 627, pp. 10–20.
- [129] T. H. Courtney, *Mechanical behavior of materials*. Waveland Press, 2005.
- [130] J. Bailey, “Electron microscope observations on the annealing processes occurring in cold-worked silver,” *Philosophical Magazine*, 1960, vol. 5, no. 56, pp. 833–842.
- [131] K. Edalati, D. Akama, A. Nishio, S. Lee, Y. Yonenaga, J. M. Cubero-Sesin, and Z. Horita, “Influence of dislocation–solute atom interactions and stacking fault energy on grain size of single-phase alloys after severe plastic deformation using high-pressure torsion,” *Acta Materialia*, 2014, vol. 69, pp. 68–77.
- [132] J. Gubicza, N. Chinh, J. Lábár, S. Dobatkin, Z. Hegedűs, and T. Langdon, “Correlation between microstructure and mechanical properties of severely deformed metals,” *Journal of Alloys and Compounds*, 2009, vol. 483, no. 1-2, pp. 271–274.
- [133] M. Song, Y. Kong, M. Ran, and Y. She, “Cyclic stress–strain behavior and low cycle fatigue life of cast A356 alloys,” *International Journal of Fatigue*, 2011, vol. 33, no. 12, pp. 1600–1607.
- [134] A. Vinogradov, T. Ishida, K. Kitagawa, and V. Kopylov, “Effect of strain path on structure and mechanical behavior of ultra-fine grain Cu–Cr alloy produced by equal-channel angular pressing,” *Acta Materialia*, 2005, vol. 53, no. 8, pp. 2181–2192.
- [135] M. Pham, C. Solenthaler, K. Janssens, and S. Holdsworth, “Dislocation structure evolution and its effects on cyclic deformation response of AISI 316L stainless

- steel,” *materials Science and Engineering: A*, 2011, vol. 528, no. 7-8, pp. 3261–3269.
- [136] K. Miková, S. Bagherifard, O. Bokuvka, M. Guagliano, and L. Trško, “Fatigue behavior of X70 microalloyed steel after severe shot peening,” *International Journal of Fatigue*, 2013, vol. 55, pp. 33–42.
- [137] P. Cavaliere, “Crack tip plasticity in plastically graded Ni–W electrodeposited nanocrystalline alloys,” *Computational Materials Science*, 2008, vol. 41, no. 4, pp. 440–449.
- [138] H. Huang, Z. Wang, X. Yong, and K. Lu, “Enhancing torsion fatigue behaviour of a martensitic stainless steel by generating gradient nanograined layer via surface mechanical grinding treatment,” *Materials Science and Technology*, 2013, vol. 29, no. 10, pp. 1200–1205.
- [139] K. Lu, “Making strong nanomaterials ductile with gradients,” *Science*, 2014, vol. 345, no. 6203, pp. 1455–1456.
- [140] J. González, S. Bagherifard, M. Guagliano, and I. F. Pariente, “Influence of different shot peening treatments on surface state and fatigue behaviour of Al 6063 alloy,” *Engineering Fracture Mechanics*, 2017, vol. 185, pp. 72–81.
- [141] S. Bagherifard, I. Fernandez-Pariente, R. Ghelichi, and M. Guagliano, “Effect of severe shot peening on microstructure and fatigue strength of cast iron,” *International Journal of Fatigue*, 2014, vol. 65, pp. 64–70.
- [142] K. S. Srinadh and V. Singh, “Elimination of Dual Slope from the Coffin–Manson Relationship of Low-Cycle Fatigue in the Titanium Alloy Timetal 834, by Cold Rolling,” *Metallurgical and Materials Transactions A*, 2007, vol. 38, no. 8, pp. 1868–1871.
- [143] J. Zhou, Z. Sun, P. Kanouté, and D. Reiraint, “Effect of surface mechanical attrition treatment on low cycle fatigue properties of an austenitic stainless steel,” *International Journal of Fatigue*, 2017, vol. 103, pp. 309–317.



- [144] S. Kumar, K. Chattopadhyay, and V. Singh, "Effect of ultrasonic shot peening on LCF behavior of the Ti-6Al-4V alloy," *Journal of Alloys and Compounds*, 2017, vol. 724, pp. 187–197.
- [145] T. Wang, J. Yu, and B. Dong, "Surface nanocrystallization induced by shot peening and its effect on corrosion resistance of 1Cr18Ni9Ti stainless steel," *Surface and Coatings Technology*, 2006, vol. 200, no. 16-17, pp. 4777–4781.
- [146] X. Jiang, X. Wang, J. Li, D. Li, C.-S. Man, M. Shepard, and T. Zhai, "Enhancement of fatigue and corrosion properties of pure Ti by sandblasting," *Materials Science and Engineering: A*, 2006, vol. 429, no. 1-2, pp. 30–35.
- [147] W. Ye, Y. Li, and F. Wang, "The improvement of the corrosion resistance of 309 stainless steel in the transpassive region by nano-crystallization," *Electrochimica Acta*, 2009, vol. 54, no. 4, pp. 1339–1349.
- [148] A. Barbucci, M. Delucchi, M. Panizza, M. Sacco, and G. Cerisola, "Electrochemical and corrosion behaviour of cold rolled AISI 301 in 1 M H<sub>2</sub>SO<sub>4</sub>," *Journal of alloys and compounds*, 2001, vol. 317, pp. 607–611.
- [149] B. Mordyuk, G. Prokopenko, M. Vasylyev, and M. Iefimov, "Effect of structure evolution induced by ultrasonic peening on the corrosion behavior of AISI-321 stainless steel," *Materials Science and Engineering: A*, 2007, vol. 458, no. 1-2, pp. 253–261.
- [150] B. Rouleau, P. Peyre, J. Breuils, H. Pelletier, T. Baudin, and F. Brisset, "Characterization at a local scale of a laser-shock peened aluminum alloy surface," *Applied Surface Science*, 2011, vol. 257, no. 16, pp. 7195–7203.
- [151] B. Chen, B. Huang, H. Liu, X. Li, M. Ni, and C. Lu, "Surface nanocrystallization induced by shot peening and its effect on corrosion resistance of 6061 aluminum alloy," *Journal of Materials Research*, 2014, vol. 29, no. 24, pp. 3002–3010.

- [152] I.-J. Son, H. Nakano, S. Oue, S. Kobayashi, H. Fukushima, and Z. Horita, “Pitting corrosion resistance of ultrafine-grained aluminum processed by severe plastic deformation,” *Materials transactions*, 2006, vol. 47, no. 4, pp. 1163–1169.
- [153] B. Yoo, K. R. Shin, D. Y. Hwang, D. H. Lee, and D. H. Shin, “Effect of surface roughness on leakage current and corrosion resistance of oxide layer on AZ91 Mg alloy prepared by plasma electrolytic oxidation,” *Applied Surface Science*, 2010, vol. 256, no. 22, pp. 6667–6672.
- [154] S.-J. Lee and J.-J. Lai, “The effects of electropolishing (EP) process parameters on corrosion resistance of 316L stainless steel,” *Journal of Materials Processing Technology*, 2003, vol. 140, no. 1-3, pp. 206–210.
- [155] C. Aparicio, F. J. Gil, C. Fonseca, M. Barbosa, and J. A. Planell, “Corrosion behaviour of commercially pure titanium shot blasted with different materials and sizes of shot particles for dental implant applications,” *Biomaterials*, 2003, vol. 24, no. 2, pp. 263–273.
- [156] T. Hong and M. Nagumo, “Effect of surface roughness on early stages of pitting corrosion of type 301 stainless steel,” *Corrosion science*, 1997, vol. 39, no. 9, pp. 1665–1672.
- [157] K. Sasaki and G. Burstein, “The generation of surface roughness during slurry erosion-corrosion and its effect on the pitting potential,” *Corrosion Science*, 1996, vol. 38, no. 12, pp. 2111–2120.
- [158] S. Kumar, D. Sharma, P. Yadav, and M. Yadav, “Experimental and quantum chemical studies on corrosion inhibition effect of synthesized organic compounds on N80 steel in hydrochloric acid,” *Industrial & Engineering Chemistry Research*, 2013, vol. 52, no. 39, pp. 14 019–14 029.
- [159] M. Yadav and S. Kumar, “Experimental, thermodynamic and quantum chemical studies on adsorption and corrosion inhibition performance of synthesized pyridine

- derivatives on N80 steel in HCl solution,” *Surface and Interface Analysis*, 2014, vol. 46, no. 4, pp. 254–268.
- [160] R. Walter and M. B. Kannan, “Influence of surface roughness on the corrosion behaviour of magnesium alloy,” *Materials & Design*, 2011, vol. 32, no. 4, pp. 2350–2354.
- [161] U. Trdan and J. Grum, “Evaluation of corrosion resistance of AA6082-T651 aluminium alloy after laser shock peening by means of cyclic polarisation and EIS methods,” *Corrosion Science*, 2012, vol. 59, pp. 324–333.
- [162] K. G. Conroy and C. B. Breslin, “The electrochemical deposition of polyaniline at pure aluminium: electrochemical activity and corrosion protection properties,” *Electrochimica Acta*, 2003, vol. 48, no. 6, pp. 721 – 732.
- [163] Y.-w. HAO, D. Bo, C. Zhong, Y.-m. JIANG, and L. Jin, “Effect of surface mechanical attrition treatment on corrosion behavior of 316 stainless steel,” *Journal of iron and steel Research, international*, 2009, vol. 16, no. 2, pp. 68–72.
- [164] M. Laleh and F. Kargar, “Effect of surface nanocrystallization on the microstructural and corrosion characteristics of AZ91D magnesium alloy,” *Journal of Alloys and Compounds*, 2011, vol. 509, no. 37, pp. 9150–9156.
- [165] M. F. Naeini, M. H. Shariat, and M. Eizadjou, “On the chloride-induced pitting of ultra fine grains 5052 aluminum alloy produced by accumulative roll bonding process, journal = Journal of Alloys and Compounds,” 2011, vol. 509, no. 14, pp. 4696–4700.
- [166] R. Inturi and Z. Szklarska-Smialowska, “Localized corrosion of nanocrystalline 304 type stainless steel films,” *Corrosion*, 1992, vol. 48, no. 5, pp. 398–403.
- [167] J. De Wit, “Local potential measurements with the SKPFM on aluminium alloys,” *Electrochimica Acta*, 2004, vol. 49, no. 17-18, pp. 2841–2850.

- [168] M. A. Dominguez-Crespo, A. M. Torres-Huerta, S. Rodil, S. Brachetti-Sibaja, W. De La Cruz, and A. Flores-Vela, "XPS and EIS studies of sputtered Al-Ce films formed on AA6061 aluminum alloy in 3.5% NaCl solution," *Journal of applied electrochemistry*, 2010, vol. 40, no. 3, pp. 639–651.
- [169] U. Trdan, S. Žagar, J. Grum, and J. Luis Ocanna, "Surface modification of laser- and shot-peened 6082 aluminium alloy: laser peening effect to pitting corrosion," *International journal of structural integrity*, 2011, vol. 2, no. 1, pp. 9–21.
- [170] F. Song, X. Zhang, S. Liu, Q. Tan, and D. Li, "The effect of quench rate and overageing temper on the corrosion behaviour of AA7050," *Corrosion Science*, 2014, vol. 78, pp. 276–286.
- [171] D. Lopez, S. Simison, and S. De Sanchez, "Inhibitors performance in CO<sub>2</sub> corrosion: EIS studies on the interaction between their molecular structure and steel microstructure," *Corrosion science*, 2005, vol. 47, no. 3, pp. 735–755.
- [172] J. Bessone, D. Salinas, C. Mayer, M. Ebert, and W. Lorenz, "An EIS study of aluminium barrier-type oxide films formed in different media," *Electrochimica Acta*, 1992, vol. 37, no. 12, pp. 2283–2290.
- [173] J. R. Scully, D. C. Silverman, and M. W. Kendig, "Electrochemical impedance: analysis and interpretation." ASTM Philadelphia, 1993.
- [174] K. Hladky, L. Callow, and J. Dawson, "Corrosion rates from impedance measurements: an introduction," *British Corrosion Journal*, 1980, vol. 15, no. 1, pp. 20–25.
- [175] T. Hong, Y. Sun, and W. Jepson, "Study on corrosion inhibitor in large pipelines under multiphase flow using EIS," *Corrosion science*, 2002, vol. 44, no. 1, pp. 101–112.
- [176] I. Singh, M. Singh, and S. Das, "A comparative corrosion behavior of Mg, AZ31 and AZ91 alloys in 3.5% NaCl solution," *Journal of Magnesium and Alloys*, 2015, vol. 3, no. 2, pp. 142–148.

- [177] F. Latief, E.-S. M. Sherif, A. Almajid, and H. Junaedi, "Fabrication of exfoliated graphite nanoplatelets-reinforced aluminum composites and evaluating their mechanical properties and corrosion behavior," *Journal of Analytical and Applied Pyrolysis*, 2011, vol. 92, no. 2, pp. 485–492.
- [178] I. Singh, D. Mandal, M. Singh, and S. Das, "Influence of SiC particles addition on the corrosion behavior of 2014 Al–Cu alloy in 3.5% NaCl solution," *Corrosion Science*, 2009, vol. 51, no. 2, pp. 234–241.
- [179] K. Ghosh, S. Mukhopadhyay, B. Konar, and B. Mishra, "Study of aging and electrochemical behaviour of Al, Li, Cu, Mg alloys," *Materials and Corrosion*, 2013, vol. 64, no. 10, pp. 890–901.
- [180] G. Elewady, I. El-Said, and A. Fouda, "Anion surfactants as corrosion inhibitors for aluminum dissolution in HCl solutions," *Int. J. Electrochem. Sci*, 2008, vol. 3, no. 2, pp. 177–190.
- [181] F. D. Wall, M. Martinez, and J. Vandenvyle, "Relationship between induction time for pitting and pitting potential for high-purity aluminum," *Journal of the Electrochemical Society*, 2004, vol. 151, no. 6, pp. B354–B358.
- [182] E.-S. M. Sherif, "Corrosion and corrosion inhibition of aluminum in Arabian Gulf seawater and sodium chloride solutions by 3-amino-5-mercapto-1, 2, 4-triazole," *Int. J. Electrochem. Sci*, 2011, vol. 6, no. 5, pp. 1479–1492.
- [183] E.-S. M. Sherif, A. Almajid, F. H. Latif, and H. Junaedi, "Effects of graphite on the corrosion behavior of aluminum-graphite composite in sodium chloride solutions," *Int. J. Electrochem. Sci*, 2011, vol. 6, pp. 1085–1099.
- [184] C. Rhodes, M. Mahoney, W. Bingel, R. Spurling, and C. Bampton, "Effects of friction stir welding on microstructure of 7075 aluminum," *Scripta materialia*, 1997, vol. 36, no. 1.

- [185] J. Pang, F. Liu, J. Liu, M. Tan, and D. Blackwood, "Friction stir processing of aluminium alloy AA7075: Microstructure, surface chemistry and corrosion resistance," *Corrosion Science*, 2016, vol. 106, pp. 217–228.
- [186] V. Abramov, O. Abramov, F. Sommer, O. Gradov, and O. Smirnov, "Surface hardening of metals by ultrasonically accelerated small metal balls," *Ultrasonics*, 1998, vol. 36, no. 10, pp. 1013–1019.
- [187] H. H. Uhlig, *Uhlig's corrosion handbook*. John Wiley & Sons, 2011, vol. 51.
- [188] S. In-Joon, H. Nakano, O. Satoshi, S. Kobayashi, H. Fukushima, and Z. Horita, "Effect of equal-channel angular pressing on pitting corrosion resistance of anodized aluminum-copper alloy," *Transactions of Nonferrous Metals Society of China*, 2009, vol. 19, no. 4, pp. 904–908.
- [189] R. Gupta, R. K. Singh Raman, and C. Koch, "Fabrication and oxidation resistance of nanocrystalline Fe<sub>10</sub>Cr alloy," 09 2010, vol. 45, pp. 4884–4888.
- [190] O. Takakuwa and H. Soyama, "Effect of residual stress on the corrosion behavior of austenitic stainless steel," *Adv. Chem. Eng. Sci*, 2015, vol. 5, pp. 62–71.
- [191] U. Trdan and J. Grum, "SEM/EDS characterization of laser shock peening effect on localized corrosion of Al alloy in a near natural chloride environment," *Corrosion Science*, 2014, vol. 82, pp. 328–338.
- [192] W. Li and D. Li, "Variations of work function and corrosion behaviors of deformed copper surfaces," *Applied Surface Science*, 2005, vol. 240, no. 1-4, pp. 388–395.
- [193] R. Huang and Y. Han, "The effect of SMAT-induced grain refinement and dislocations on the corrosion behavior of Ti–25Nb–3Mo–3Zr–2Sn alloy," *Materials Science and Engineering: C*, 2013, vol. 33, no. 4, pp. 2353–2359.
- [194] J. Wang, Y. Zhang, J. Chen, J. Zhou, M. Ge, Y. Lu, and X. Li, "Effects of laser shock peening on stress corrosion behavior of 7075 aluminum alloy laser welded joints," *Materials Science and Engineering: A*, 2015, vol. 647, pp. 7–14.

- [195] Y. Sano, K. Masaki, T. Gushi, and T. Sano, “Improvement in fatigue performance of friction stir welded A6061-T6 aluminum alloy by laser peening without coating,” *Materials & Design*, 2012, vol. 36, pp. 809–814.

