

REFERENCES

- [1] Abbas H., Gupta N.K., Alam M., 2004. Nonlinear response of concrete beams and plates under impact loading. *Int J of Imp Engg.* 30, 1039-1053.
- [2] Abbas H., Paul D.K., Godbole P.N., Nayak G.C., 1995. Reaction-time response of aircraft crash. *Comp. Struct.* 55, 809–17.
- [3] Abbas H., Paul D.K., Godbole P.N., Nayak G.C., 1996. Aircraft crash upon outer containment of nuclear power plant. *Nucl. Eng. Des.* 160, 13-50.
- [4] Abbas H., 1992. Dynamic response of structures subjected to missile impact. Ph.D. thesis, University of Roorkee, India.
- [5] Arros J., Doumbalski N., 2007. Analysis of aircraft impact to concrete structures. *Nucl. Eng. Des.* 237, 1241–49.
- [6] ABAQUS Software, 2016. Documentation of Version 2016, ABAQUS Inc., Palo Alto, CA, USA.
- [7] Anderberg Y., Thelandersson S., 1976. Stress and deformation characteristics of concrete at high temperature 2. Experimental investigation and material behaviour model. Bulletin 54, Lund Institute of Technology, Lund, Sweden.
- [8] Bazant Z. P. and Pfeiffer P. A., 1987. Determination of fracture energy from size effect and brittleness number. *ACI Material Journal.* 84-M41, 463-80.
- [9] Bangash Y., 1982. Containment vessel design and practice. *Progress in Nuclear Energy.* 11(2), 107-181.

- [10] Abrams M.S., 1977. Performance of concrete structures exposed to fire. PCA R&D Bulletin RD060.01D, Portland Cement Association.
- [11] Anderberg Y., 1978. Analytical fire engineering design of reinforced concrete structures based on real fire conditions. Proceeding of the FIR Congress, London, 112-121.
- [12] Bignon P.G., Riera, J.D., 1980. Verification of methods of analysis for soft missile impact problems. Nucl. Eng. Des. 60, 311-26.
- [13] Bingo A.F., and Gul R., 2009. Residual bond strength between steel bars and concrete after elevated temperatures. Fire Safety Journal. 44, 854-859.
- [14] Boeing Commercial Airplanes <<http://www.boeing.com>>. last visited 18/12/2020.
- [15] Bonet J., Wood R. D., 2008. Non-linear continuum mechanics for finite element analysis, Cambridge university press.
- [16] Buchanan A. H. 2001. Structural design for fire safety. John Wiley & Sons. 421.
- [17] Børvik T., Hopperstad O.S., Berstad T., Langseth M., 2001. A computational model of visco-plasticity and ductile damage for impact and penetration. Eur J Mech A-Solids. 20, 685–712.
- [18] Børvik T., Hopperstad O.S., Berstad T., 2003. On the influence of stress triaxiality and strain rate on the behaviour of a structural steel. Part II. Numerical simulations. Eur J Mech A-Solids. 22, 15-32.

- [19] Børvik T., Hopperstad O.S., Dey S., Pizzinato E.V., Langseth M., Albertini C., 2005. Strength and ductility of Weldox 460 E steel at high strain rates, elevated temperatures and various stress triaxialities. *Engineering Fracture Mechanics*. 72, 1071-1087.
- [20] Cervera M., Hinton E., Boner J., Bicanic N., 1987. *Numerical Methods and Software for Dynamic Analysis of Plates and Shells*. Pineridge Press, Swansea. UK, 320-504.
- [21] Chelapati C.V., Kennedy R.P., Wall, I. B., 1972. Probabilistic assessment of aircraft hazard for nuclear power plants. *Nucl. Eng. Des.* 19, 333–364.
- [22] Carvel R., 2005. *Fire protection in Concrete Tunnels, The Handbook of Tunnel Fire Safety* (Eds. Beard, A. & Carvel, R.) Thomas Telford, London.
- [23] Ciria H., Peraire J., Bonet J., 2008. Mesh adaptive computation of upper and lower bounds in limit analysis. *Int J for Numerical Methods in Engg.* 75 (8), 899-944.
- [24] Comité Européen de Normalisation (CEN), 2004. *Eurocode 2: design of concrete structures-Part 1.2. General Rules-Structural Fire Design, EN1992-1-2, Sections 3 and 4*, Brussels, Belgium.
- [25] Dritler K., Gruner P., 1976. The force resulting from impact of fast-flying military aircraft upon a rigid wall. *Nucl. Eng. Des.* 37, 245-48.
- [26] European Nuclear Society, info/encyclopedia/n/nuclear-power-plant-world-wide.htm, www.euronuclear.org
- [27] E.S. Lyman, *Nuclear Energy and Human Health*, *Encyclopedia of Environmental Health*, 2011, Pages 185-192.

- [28] Eurocode 2, 2004. Design of concrete structures: Part 1-2: general rules-structural fire design. European Committee for Standardisation, Brussels, BS EN 1992-1-2.
- [29] Elghazouli A.Y., Cashell K.A., Izzuddin B.A., 2009. Experimental evaluation of the mechanical properties of steel reinforcement at elevated temperature. *Fire Safety Journal*. 44, 909-919.
- [30] Farmer F.R., Siting Criteria - A new Approach, Paper SM-89/34, IAEA Symposium, Containment and Siting, Vienna, April 1967.
- [31] Felicetti R., Gambarova P. G., Meda A., 2009. Residual behaviour of steel rebars and R/C sections after a fire. *Construction and Building Materials*. 23, 3546-3555.
- [32] Federal Register notice 2009. June 12, Volume 74 of the Federal Register, page 28111 (74 FR 28111) the U.S. Nuclear Regulatory Commission (NRC) www.nrc.gov.
- [33] Frano R.L., Forasassi G., 2011. Preliminary evaluation of aircraft impact on a near term nuclear power plant. *Nucl. Eng. Des.* 241, 5245-50.
- [34] Fedorenko R.V., Kudryavtsev A.A., Lukin A.V., Modestov V.S., Murtazin I.R., 2017. Strength analysis of nuclear power plant structures in case of aircraft crash impact. *Procedia structural integrity*. 6, 244-251.
- [35] Freskakis G.N., 1980. Behaviour of reinforced concrete at elevated temperatures. Second ASCE conf. on Civ. Eng. And nuclear power, 1, 3-5, Knoxville, Tennessee.

- [36] Fletcher I., Welch S., Torero J., Carvel R.O., Usmani, A. 2007. The Behaviour of concrete structures in Fire. *Journal of Thermal Science*. 11(2), 33-57.
- [37] Gardner J. W., 1984. Calculation of forces acting upon a rigid structure from an aircraft impact. *Int J Impact Engg*. 2(4), 345-56.
- [38] Gomathinayagam S., Dharaneepathy M.V., Keshava Rao M.N., 1994. Damage-zones of containment structures under aircraft impact loads. *Comp. Struct*. 52, 581-590.
- [39] Girollo F. and Bailey C.G., 2008. Experimental bond behaviour of welded mesh reinforcement at elevated temperatures. *Magazine of Concrete Research*. 60 (1), 23-31.
- [40] Hornyik K., 1977. Analytic modeling of the impact of soft missiles on protective walls. 4th SMiRT, USA, Paper No.- J7/3.
- [41] Hopperstad O.S., Børvik T., Langseth M., Labibes M., Albertini C., 2003. On the influence of stress triaxiality and strain rate on the behaviour of a structural steel. Part I. Experiments. *Eur J Mech A-Solids*. 22, 1-13.
- [42] Heckotter C. and Sievers J., 2013. Simulation of Impact Tests with Hard, Soft and Liquid Filled Missiles on Reinforced Concrete Structures. *J of Applied Mechs*. 80 (3), 031805 (1-7).
- [43] <https://pris.iaea.org/PRIS/WorldStatistics/OperationalReactorsByRegion.aspx>
- [44] <https://www.world-nuclear.org/information-library/nuclear-fuel-cycle/nuclear-power-reactors/nuclear-power-reactors.aspx>

- [45] <https://www.statista.com/statistics/267158/number-of-nuclear-reactors-in-operation-by-country/>
- [46] <https://www.elprocus.com/what-is-a-nuclear-power-plant-working-its-applications/>
- [47] <https://www.nrc.gov/reading-rm/basic-ref/students/what-is-nuclear-energy.html>
- [48] Hornyik K., Robinson A. H., Grund J. E., 1973. Evaluation of Aircraft Hazards at the Boardman Nuclear Plant Site. Portland General Company, PGE -2001(5).
- [49] Iliiev V., Georgiev K., Serbezov V., 2011. Assessment of impact load curve of Boeing 747-400. MTM Virtual J. 1(2011), 22-25.
- [50] Iqbal M.A., Rai S., Sadique M.R., Bhargava, P., 2012. Numerical simulation of aircraft crash on nuclear containment structure. Nucl. Eng. Des. 243, 321-335.
- [51] Jeon S., Jin B., Kim Y., 2012. Assessment of the Fire Resistance of a Nuclear Power Plant Subjected to a Large Commercial Aircraft Crash. Nucl. Eng. Des. 247, 11-22.
- [52] Jin B.M., Lee Y.S., Jeon S.J., Kim Y.J., Lee Y.H., 2011. Development of finite element model of large civil aircraft engine and application to the localized damage evaluation of concrete wall crashed by large civil aircraft. Transactions SMiRT 21 Div-V: Paper ID 862.
- [53] Johnson G.R., Cook W.H., 1983. A constitutive model and data for metals subjected to large strains, high strain rates and high temperatures. Eng. Fract. Mech. 21, 541-548.

- [54] Johnson G.R., Cook W.H., 1985. Fracture characteristics of three metals subjected to various strains, strain rates, temperatures and pressures. *Engg.Fract.Mech.* 21(1), 31-48.
- [55] Kachanov L.M., 1958. On creep rupture time. *Izvestiya Akademii Nauk SSSR, Otdeleniya Tekhnicheskikh I Nauk.* 8, 26–31.
- [56] Khoury G.A., 2000. Effect of fire on concrete and concrete structures. *Progress in Structural Engineering* 2 (4), 429-447.
- [57] Katayama et al., 2004. Numerical simulation of jumbo jet impacting thick concrete walls- effect of reinforcement and wall thickness. *ACHPR-2, Nara, Japan.*
- [58] Kobayashi T., 1988. Probability analysis of an aircraft crash to a nuclear power plant. *Nucl. Eng. Des.* 110, 207-211.
- [59] Koechlin P., Potapov S., 2009. Classification of Soft and Hard Impacts- Application to Aircraft Crash. *Nucl. Eng. Des.* 239, 613–618.
- [60] Krutzik N. J., 1988. Reduction of the Dynamic Response by Aircraft Crash on Building Structures. *Nucl. Eng. Des.* 110, 191-200.
- [61] Kukreja M., 2005. Damage evaluation of 500 MWe Indian Pressurized Heavy Water Reactor nuclear containment for aircraft impact. *Nucl. Eng. Des.* 235, 1807-17.
- [62] Kukreja M., Singh R.K., Vaze K. K., Kushwaha, H.S., 2003. Damage evaluation of 500MWe Indian Pressurized Heavy Water Reactor nuclear containment for aircraft impact. *Trans. 17th SMiRT, No. 3, Division J.*

- [63] Khoury G.A. and Anderberg Y. 2000. Concrete spalling review, A report on Fire Safety Design, Swedish National Road Administration.
- [64] Law A., Gillie M., 2010. Interaction diagrams for ambient and heated concrete sections. *Engineering Structures*, 32(6), 1641–1649.
- [65] Lee J., Fenves G.L., 1998. Plastic-damage model for cyclic loading of concrete structures, *Journal of Engineering Mechanics*. 124 (8),892–900.
- [66] Li Q.M., Reid S.R., Wen H.M., Telford A.R., 2005. Local impact effects of hard missiles on concrete targets. *Int J of Imp Engg*. 32, 224–284.
- [67] Lo Frano R., Forasassi G., 2011. Preliminary evaluation of aircraft impact on a near term nuclear power plant. *Nucl. Eng. Des*. 241, 5245-50.
- [68] Lie T.T. and Irwin R.J., 1993. Method to calculate the fire resistance of reinforced concrete columns with rectangular cross section. *ACI Structural Journal*. 90(1), 52-60.
- [69] Lie T.T. and Kodur V.K., 1995. Thermal properties of fiber reinforced concrete at elevated temperatures. NRC-CNRC.
- [70] Liu L., Reddy D. V., and Sobhan K., 2010. Size effect on fire resistance of reinforced concrete columns and beams. Eighth LACCEI Latin American and Caribbean Conference for Engineering and technology.
- [71] Lu Yong, 2009. Modelling of concrete structures subjected to shock and blast loading: An overview and some recent studies. *Struct Engg Mechs*. 32 (2), 235-249.

- [72] Lubliner J., Oliver J., Oller S., Oñate E., 1989. A plastic-damage model for concrete. *International Journal of Solids and Structures*. 25, 299–329.
- [73] Martin O., 2010. Comparison of different Constitutive Models for concrete in ABAQUS/ Explicit for Missile Impact Analysis. Safety of present Nuclear Reactor Unit (SPNR) EUR 24151 EN-2010.
- [74] Malhotra H. L., 1956. The effect of on the compressive strength of concrete. *Magazine of concrete Research (London)*. 8, 85-94.
- [75] Muralidhara S., Prasad B. K. R., Singh R.K., 2013. Size independent fracture energy from fracture energy release rate in plain concrete beams. *Engg Fract Mechs*. 98, 284-295.
- [76] Nabold C., Schildknecht P.O., 1977. Material nonlinear analysis of nuclear power plant structures subjected to an aircraft impact, applications using ADINA, Proc. of the ADINA Conference, Aug. 1977, Ed. by K.-J. Bathe, MIT, MA.
- [77] Murugesan M. and Jung D. W., 2019. Johnson Cook Material and Failure Model Parameters Estimation of AISI-1045 Medium Carbon Steel for Metal Forming Applications. *Materials*, 12, 609, 1-18.
- [78] Nuclear Explosions: Weapons, Improvised Nuclear Devices. U.S. Department of Health and Human Services. 2008-02-16. Retrieved 2008-07-03.
- [79] Paul D. K., Abbas H., Godbole P. N., Nayak G. C., 1993. Aircraft crash upon a Containment Structure of a Nuclear Power Plant. SMiRT-12, J06/5.
- [80] Rabotnov Y.N., 1969. Creep problems in structural members. North-Holland, Amsterdam.

- [81] Rebora B., Zimmermann T., Wolf J. P., 1976. Dynamic rupture analysis of reinforced concrete shells. Nucl. Eng. Des. 37, 269-97.
- [82] Rice J.S., and Bahar L.Y., 1978. Simplified derivation of the reaction-time history in aircraft impact on a nuclear power plant. Nucl. Eng. Des. 49, 263-268.
- [83] Riedel et al., 2010. Local damage to Ultra High Performance Concrete structures caused by an impact of aircraft engine missiles. Nucl. Eng. Des. 240, 2633-2642.
- [84] Riera J.D., 1968. On the stress analysis of structures subjected to aircraft impact forces. Nucl. Eng. Des. 8, 415-26.
- [85] Riera J. D., 1980. A critical reappraisal of nuclear power plant safety against accidental aircraft impact. Nucl. Eng. Des. 57, 193-206.
- [86] Riera J. D., Zorn N. F., Schueller G.I., 1982. An approach to evaluate the design load time history for normal engine impact taking into account the crash-velocity distribution. Nucl. Eng. Des. 71, 311-16.
- [87] Sadique M. R., Iqbal M. A., Rawsan A., Gupta N. K., 2018. Response of outer containment of an NPP against aircraft crash and induced fire. Thin-Walled Structures. 126, 182-192.
- [88] Sadique M. R., 2014. Finite element analysis of aircraft crash on nuclear containment structure. Ph.D. thesis, IIT Roorkee, India.
- [89] Siddiqui et al., 2003. Reliability analysis of nuclear containment without metallic liners against jet aircraft crash. Nucl. Eng. Design. 224, 11-21.

- [90] Siefert A. and Henkel F.O., 2011. Nonlinear analysis of commercial aircraft impact on a reactor building-comparison between integral and decoupled crash simulation. In: Transactions SMiRT 21, Div-III: Paper ID 144.
- [91] Shin S., Hahm D., Choi I., and Maeng M., 2015. Resistance of nuclear power plant structures to a large airplane crash and fire. 23rd Conference on Structural Mechanics in Reactor Technology, Manchester, United Kingdom.
- [92] Starke E. A. and Staley J. T., 1996. Application of modern aluminum alloys to Aircraft. *prog. Aerospace sci.* 32, 131-172.
- [93] Saberi R., Alinejad M., Mahdavi M. O., Sepanloo K., 2017. Numerical analysis of nuclear power plant structure subjected to aircraft crash. *Int J Adv Struct Eng.* 9, 341–352.
- [94] Sugano T., Tsubota H., Kasai Y., Koshika N., Orui S., Rieseemann W.A.V., Bickel D.C., Parks M.B., 1993a. Full-scale aircraft impact test for evaluation of impact force. *Nucl. Eng. Des.* 140, 373-385.
- [95] Sugano T., Tsubota H., Kasai Y., Koshika N., Orui S., Rieseemann W.A.V., Bickel D.C., Parks M.B., 1993b. Local damage to reinforced concrete structures caused by impact of aircraft engine missiles, Part 1. Test program, method, results. *Nuclear Engineering and Design.* 140, 387–405.
- [96] Sugano T., Tsubota H., Kasai Y., Koshika N., Orui S., Rieseemann W.A.V., Bickel D.C., Parks, M.B. 1993c. Local damage to reinforced concrete structures caused by impact of aircraft engine missiles, Part 2. Evaluation of test results. *Nuclear Engineering and Design.* 140, 407–423.

- [97] Topcu I.B. and Karakurt C., 2008. Properties of reinforced concrete steel bars exposed to high temperatures. *Research letters in Materials Science*. Article ID 814137, 1-4.
- [98] Z. Tu and Y. Lu, 2009. Evaluation of typical concrete material models used in hydrocodes for high dynamic response simulations. *Int J of Impact Engg.* 36(1), 132–146.
- [99] Usmani A.S., Rotter J.M., Lamont S., Sanad A.M., Gillie M., 2001. Fundamental principles of structural behaviour under thermal effects. *Fire Safety Journal*. 36, 721–744.
- [100] Unluoglu E., Topcu I.B., Yalaman B., 2007. Concrete cover effect on reinforced concrete bars exposed to high temperatures. *Construction and Building Materials*. 21 (6), 1155-1160.
- [101] Wall I.B., 1969. Probabilistic Assessment of Risk for Reactor Design and Siting. *Trans. Am. Nucl. Soc.* 12, 169.
- [102] Wierzbicki T., Bao Y., Lee Y., Bai Y., 2005. Calibration and evaluation of seven fracture models. *Int J of Mech Sci.* 47(4-5), 719-743.
- [103] Wolf J.P., Bucher K.M., Skrikerud P.E., 1978. Response of equipment to aircraft impact. *Nucl. Eng. Des.* 47, 169-193.
- [104] Wang X., Zhou Q., Shi L., Wang H., Li X., 2019. An Integral Numerical Analysis of Impact of a Commercial Aircraft on Nuclear Containment. *Science and Technology of Nuclear Installations*. 2015, 1-15.

- [105] Yang H.T.Y., Godfrey D.A., 1970. Structural Analysis of Aircraft Impact on a Nuclear Containment Vessel and Associated Structures. Nucl. Eng. Des. 11, 295-307.
- [106] Yan Q., and Liu J., 2015. The shock and impacting load simulation of the nuclear power plant crashed by the aircraft. JVE international ltd. journal of vibroengineering. 17(4), 1849-1860.
- [107] Zerna W., Schnellenbach G. and Stangenberg F., 1976. Optimized reinforcement of nuclear power plant structures for aircraft impact forces. Nucl. Eng. Des. 37, 313-320.
- [108] Zhao C.F., Chen J.Y., Wang Y., Lu S.J., 2012. Damage Mechanism and Response of Reinforced Concrete Containment Structure under Internal Blast Loading. Theoretical and Applied Fracture Mechanics. 61, 12-20.
- [109] Zorn N.F., Schueller G. I., 1986. On the Failure Probability of the Containment under Accidental Aircraft impact. Nuclear Engineering and Design. 91, 277-86.