

## References

---

---

- [16] J. Yeh, S. Lin, T. Chin, J. Gan, S. Chen, T.-T. Shun, C.-H. Tsau, S.-Y. Chou, Formation of simple crystal structures in Cu-Co-Ni-Cr-Al-Fe-Ti-V alloys with multiprincipal metallic elements, *Metall. Mater. Trans. A.* 35 (2004) 2533–2536. doi:10.1007/s11661-006-0234-4.
- [17] J.W. Yeh, S.K. Chen, S.J. Lin, J.Y. Gan, T.S. Chin, T.T. Shun, C.H. Tsau, S.Y. Chang, Nanostructured high-entropy alloys with multiple principal elements: Novel alloy design concepts and outcomes, *Adv. Eng. Mater.* 6 (2004) 299–303+274. doi:10.1002/adem.200300567.
- [18] J.W. Yeh, Recent progress in high-entropy alloys, *Ann. Chim. Sci. Des Mater.* 31 (2006) 633–648. doi:10.3166/acsm.31.633-648.
- [19] B.S. Murty, J.-W. Yeh, P.P. Ranganathan, S. Bhattacharjee, *High-Entropy Alloys*, 2nd Editio, Elsevier, 2019. <https://www.elsevier.com/books/high-entropy-alloys/murty/978-0-12-800251-3>.
- [20] D.B. Miracle, J.D. Miller, O.N. Senkov, C. Woodward, M.D. Uchic, J. Tiley, Exploration and development of high entropy alloys for structural applications, *Entropy.* 16 (2014) 494–525. doi:10.3390/e16010494.
- [21] D.B. Miracle, O.N. Senkov, A critical review of high entropy alloys and related concepts, *Acta Mater.* 122 (2017) 448–511. doi:10.1016/j.actamat.2016.08.081.
- [22] E.P. George, D. Raabe, R.O. Ritchie, High-entropy alloys, *Nat. Rev. Mater.* 4 (2019) 515–534. doi:10.1038/s41578-019-0121-4.
- [23] J.-W. Yeh, Recent progress in high-entropy alloys, *Ann. Chim. Sci. Des Matériaux.* 31 (2006) 633–648. doi:10.3166/acsm.31.633-648.
- [24] S. Praveen, B.S.S. Murty, R.S. Kottada, Alloying behavior in multi-component AlCoCrCuFe and NiCoCrCuFe high entropy alloys, *Mater. Sci. Eng. A.* 534 (2012) 83–89. doi:10.1016/j.msea.2011.11.044.
- [25] K.G. Pradeep, N. Wanderka, P. Choi, J. Banhart, B.S. Murty, D. Raabe, Atomic-scale compositional characterization of a nanocrystalline AlCrCuFeNiZn high-entropy alloy using atom probe tomography, *Acta Mater.* 61 (2013) 4696–4706. doi:10.1016/j.actamat.2013.04.059.
- [26] F. Otto, Y. Yang, H. Bei, E.P. George, Relative effects of enthalpy and entropy on the phase stability of equiatomic high-entropy alloys, *Acta Mater.* 61 (2013) 2628–2638. doi:10.1016/j.actamat.2013.01.042.
- [27] O.N. Senkov, J.D. Miller, D.B. Miracle, C. Woodward, Accelerated exploration of multi-principal element alloys with solid solution phases, *Nat. Commun.* 6 (2015) 6529. doi:10.1038/ncomms7529.
- [28] O.N. Senkov, J.D. Miller, D.B. Miracle, C. Woodward, Accelerated exploration of multi-principal element alloys for structural applications, *Calphad.* 50 (2015) 32–48. doi:10.1016/j.calphad.2015.04.009.
- [29] M.C. Troparevsky, J.R. Morris, P.R.C. Kent, A.R. Lupini, G.M. Stocks, Criteria for Predicting the Formation of Single-Phase High-Entropy Alloys, *Phys. Rev. X.* 5 (2015) 011041. doi:10.1103/PhysRevX.5.011041.

## References

---

- [30] R.E. Abbaschian,Reza; Abbaschian, Lara; Reed-Hill, Metallurgy Physical Principles, Fourth, Cengage Learning, Stamford, n.d.
- [31] C.J. Tong, Y.L. Chen, S.K. Chen, J.W. Yeh, T.T. Shun, C.H. Tsau, S.J. Lin, S.Y. Chang, Microstructure characterization of  $\text{Al}_x\text{CoCrCuFeNi}$  high-entropy alloy system with multiprincipal elements, *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.* 36 (2005) 881–893. doi:10.1007/s11661-005-0283-0.
- [32] C. Li, J.C. Li, M. Zhao, Q. Jiang, Effect of alloying elements on microstructure and properties of multiprincipal elements high-entropy alloys, *J. Alloys Compd.* 475 (2009) 752–757. doi:10.1016/j.jallcom.2008.07.124.
- [33] J.-W. Yeh, Physical Metallurgy of High-Entropy Alloys, *JOM*. 67 (2015) 2254–2261. doi:10.1007/s11837-015-1583-5.
- [34] C.W. Tsai, Y.L. Chen, M.H. Tsai, J.W. Yeh, T.T. Shun, S.K. Chen, Deformation and annealing behaviors of high-entropy alloy  $\text{Al}_{0.5}\text{CoCrCuFeNi}$ , *J. Alloys Compd.* 486 (2009) 427–435. doi:10.1016/j.jallcom.2009.06.182.
- [35] S. Guo, Q. Hu, C. Ng, C.T. Liu, More than entropy in high-entropy alloys: Forming solid solutions or amorphous phase, *Intermetallics*. 41 (2013) 96–103. doi:10.1016/j.intermet.2013.05.002.
- [36] S. Guo, C. Ng, J. Lu, C.T. Liu, Effect of valence electron concentration on stability of fcc or bcc phase in high entropy alloys, *J. Appl. Phys.* 109 (2011) 0–5. doi:10.1063/1.3587228.
- [37] S. Guo, C.T. Liu, Phase stability in high entropy alloys: Formation of solid-solution phase or amorphous phase, *Prog. Nat. Sci. Mater. Int.* 21 (2011) 433–446. doi:10.1016/S1002-0071(12)60080-X.
- [38] Y. Zhang, Y.J. Zhou, J.P. Lin, G.L. Chen, P.K. Liaw, Solid-Solution Phase Formation Rules for Multi-component Alloys, *Adv. Eng. Mater.* 10 (2008) 534–538. doi:10.1002/adem.200700240.
- [39] M.-H. Tsai, J.-W. Yeh, High-Entropy Alloys: A Critical Review, *Mater. Res. Lett.* 2 (2014) 107–123. doi:10.1080/21663831.2014.912690.
- [40] K.Y. Tsai, M.H. Tsai, J.W. Yeh, Sluggish diffusion in Co-Cr-Fe-Mn-Ni high-entropy alloys, *Acta Mater.* 61 (2013) 4887–4897. doi:10.1016/j.actamat.2013.04.058.
- [41] O.N. Senkov, G.B. Wilks, D.B. Miracle, C.P. Chuang, P.K. Liaw, Refractory high-entropy alloys, *Intermetallics*. 18 (2010) 1758–1765. doi:10.1016/j.intermet.2010.05.014.
- [42] Y. Zhang, T. Zuo, Y. Cheng, P.K. Liaw, High-entropy Alloys with High Saturation Magnetization, Electrical Resistivity and Malleability, *Sci. Rep.* 3 (2013) 1455. doi:10.1038/srep01455.
- [43] O.N. Senkov, D.B. Miracle, Effect of the atomic size distribution on glass forming ability of amorphous metallic alloys, *Mater. Res. Bull.* 36 (2001) 2183–2198. doi:10.1016/S0025-5408(01)00715-2.
- [44] F. Wang, Y. Zhang, G. Chen, H.A. Davies, Tensile and Compressive Mechanical

## References

---

- Behavior of a CoCrCuFeNiAl 0.5 High Entropy Alloy, *Int. J. Mod. Phys. B.* 23 (2009) 1254–1259. doi:10.1142/S0217979209060774.
- [45] A.R. Miedema, P.F. de Châtel, F.R. de Boer, Cohesion in alloys — fundamentals of a semi-empirical model, *Phys. B+C.* 100 (1980) 1–28. doi:10.1016/0378-4363(80)90054-6.
- [46] A.K. Niessen, A.R. Miedema, The “Macroscopic Atom” Model: An Easy Tool to Predict Thermodynamic Quantities, in: *Thermochem. Alloy.*, Springer Netherlands, Dordrecht, 1989: pp. 29–54. doi:10.1007/978-94-009-1027-0\_2.
- [47] Y. Zhang, Y.J. Zhou, J.P. Lin, G.L. Chen, P.K. Liaw, Solid-Solution Phase Formation Rules for Multi-component Alloys, *Adv. Eng. Mater.* 10 (2008) 534–538. doi:10.1002/adem.200700240.
- [48] X. Yang, Y. Zhang, Prediction of high-entropy stabilized solid-solution in multi-component alloys, *Mater. Chem. Phys.* 132 (2012) 233–238. doi:10.1016/j.matchemphys.2011.11.021.
- [49] R. Raghavan, K.C. Hari Kumar, B.S. Murty, Analysis of phase formation in multi-component alloys, *J. Alloys Compd.* 544 (2012) 152–158. doi:10.1016/j.jallcom.2012.07.105.
- [50] A.K. Singh, N. Kumar, A. Dwivedi, A. Subramaniam, A geometrical parameter for the formation of disordered solid solutions in multi-component alloys, *Intermetallics.* 53 (2014) 112–119. doi:10.1016/j.intermet.2014.04.019.
- [51] Y.F. Ye, C.T. Liu, Y. Yang, A geometric model for intrinsic residual strain and phase stability in high entropy alloys, *Acta Mater.* 94 (2015) 152–161. doi:10.1016/j.actamat.2015.04.051.
- [52] S. Sheikh, U. Klement, S. Guo, Predicting the solid solubility limit in high-entropy alloys using the molecular orbital approach, *J. Appl. Phys.* 118 (2015) 194902. doi:10.1063/1.4935620.
- [53] D.J.M. King, S.C. Middleburgh, A.G. McGregor, M.B. Cortie, Predicting the formation and stability of single phase high-entropy alloys, *Acta Mater.* 104 (2016) 172–179. doi:10.1016/j.actamat.2015.11.040.
- [54] O.N. Senkov, D.B. Miracle, A new thermodynamic parameter to predict formation of solid solution or intermetallic phases in high entropy alloys, *J. Alloys Compd.* 658 (2016) 603–607. doi:10.1016/j.jallcom.2015.10.279.
- [55] J. Hafner, Atomic-scale computational materials science, *Acta Mater.* 48 (2000) 71–92. doi:10.1016/S1359-6454(99)00288-8.
- [56] P. Hohenberg, W. Kohn, Inhomogeneous Electron Gas, *Phys. Rev.* 136 (1964) B864–B871. doi:10.1103/PhysRev.136.B864.
- [57] D. Ma, B. Grabowski, F. Körmann, J. Neugebauer, D. Raabe, Ab initio thermodynamics of the CoCrFeMnNi high entropy alloy: Importance of entropy contributions beyond the configurational one, *Acta Mater.* 100 (2015) 90–97. doi:10.1016/j.actamat.2015.08.050.
- [58] F. Körmann, D. Ma, D.D. Belyea, M.S. Lucas, C.W. Miller, B. Grabowski, M.H.F.

## References

---

- Sluiter, “Treasure Maps” for Magnetic High-Entropy-Alloys From Theory and Experiment, *Appl. Phys. Lett.* 107 (2015). doi:10.1063/1.4932571.
- [59] S. Huang, W. Li, X. Li, S. Schönecker, L. Bergqvist, E. Holmström, L.K. Varga, L. Vitos, Mechanism of magnetic transition in FeCrCoNi-based high entropy alloys, *Mater. Des.* 103 (2016) 71–74. doi:10.1016/j.matdes.2016.04.053.
- [60] X. Sun, H. Zhang, S. Lu, X. Ding, Y. Wang, L. Vitos, Phase selection rule for Al-doped CrMnFeCoNi high-entropy alloys from first-principles, *Acta Mater.* 140 (2017) 366–374. doi:10.1016/j.actamat.2017.08.045.
- [61] C. Niu, A.J. Zaddach, A.A. Oni, X. Sang, J.W. Hurt, J.M. LeBeau, C.C. Koch, D.L. Irving, Spin-driven ordering of Cr in the equiatomic high entropy alloy NiFeCrCo, *Appl. Phys. Lett.* 106 (2015) 161906. doi:10.1063/1.4918996.
- [62] A. Tamm, A. Aabloo, M. Klintenberg, M. Stocks, A. Caro, Atomic-scale properties of Ni-based FCC ternary, and quaternary alloys, *Acta Mater.* 99 (2015) 307–312. doi:10.1016/j.actamat.2015.08.015.
- [63] W. Feng, Y. Qi, S. Wang, Effects of short-range order on the magnetic and mechanical properties of FeCoNi(AlSi)x high entropy alloys, *Metals (Basel.)* 7 (2017). doi:10.3390/met7110482.
- [64] C. Niu, W. Windl, M. Ghazisaeidi, Multi-Cell Monte Carlo Relaxation method for predicting phase stability of alloys, *Scr. Mater.* 132 (2017) 9–12. doi:10.1016/j.scriptamat.2017.01.001.
- [65] W.P. Huhn, M. Widom, Prediction of A2 to B2 phase transition in the high-entropy alloy Mo-Nb-Ta-W, *Jom.* 65 (2013) 1772–1779. doi:10.1007/s11837-013-0772-3.
- [66] W. Huhn, Thermodynamics From First Principles\_ Prediction Of Phase Diagram.pdf, PHD-Dissertation. (2014).
- [67] M. Widom, W.P. Huhn, S. Maiti, W. Steurer, Hybrid Monte Carlo/Molecular Dynamics Simulation of a Refractory Metal High Entropy Alloy, *Metall. Mater. Trans. A.* 45 (2014) 196–200. doi:10.1007/s11661-013-2000-8.
- [68] Tazuddin, N.P. Gurao, K. Biswas, In the quest of single phase multi-component multiprincipal high entropy alloys, *J. Alloys Compd.* 697 (2017) 434–442. doi:10.1016/j.jallcom.2016.11.383.
- [69] F. Zhang, C. Zhang, S.L. Chen, J. Zhu, W.S. Cao, U.R. Kattner, An understanding of high entropy alloys from phase diagram calculations, *Calphad.* 45 (2014) 1–10. doi:10.1016/j.calphad.2013.10.006.
- [70] S. Gorsse, O. Senkov, About the Reliability of CALPHAD Predictions in Multicomponent Systems, *Entropy.* 20 (2018) 899. doi:10.3390/e20120899.
- [71] M.C. Gao, C.S. Carney, Ö.N. Doğan, P.D. Jablonksi, J.A. Hawk, D.E. Alman, Design of Refractory High-Entropy Alloys, *JOM.* 67 (2015) 2653–2669. doi:10.1007/s11837-015-1617-z.
- [72] M. Gao, D. Alman, Searching for Next Single-Phase High-Entropy Alloy Compositions, *Entropy.* 15 (2013) 4504–4519. doi:10.3390/e15104504.
- [73] Y. Duan, X. Wen, B. Zhang, G. Ma, T. Wang, Optimizing the electromagnetic

## References

---

- properties of the FeCoNiAlCr<sub>x</sub> high entropy alloy powders by composition adjustment and annealing treatment, *J. Magn. Magn. Mater.* 497 (2020) 165947. doi:10.1016/j.jmmm.2019.165947.
- [74] A.S. Sharma, S. Yadav, K. Biswas, B. Basu, High-entropy alloys and metallic nanocomposites: Processing challenges, microstructure development and property enhancement, *Mater. Sci. Eng. R Reports.* 131 (2018) 1–42 . doi:10.1016/j.mser.2018.04.003.
- [75] D. Tejero-Martin, M. Rezvani Rad, A. McDonald, T. Hussain, Beyond Traditional Coatings: A Review on Thermal-Sprayed Functional and Smart Coatings, *J. Therm. Spray Technol.* 28 (2019) 598–644. doi:10.1007/s11666-019-00857-1.
- [76] S. Singh, N. Wanderka, B.S. Murty, U. Glatzel, J. Banhart, Decomposition in multi-component AlCoCrCuFeNi high-entropy alloy, *Acta Mater.* 59 (2011) 182–190. doi:10.1016/j.actamat.2010.09.023.
- [77] M.-R. Chen, S.-J. Lin, J.-W. Yeh, S.-K. Chen, Y.-S. Huang, C.-P. Tu, Microstructure and Properties of Al0.5CoCrCuFeNiTix (x = 0-2.0) High-Entropy Alloys, *Mater. Trans.* 47 (2006) 1395–1401. doi:10.2320/matertrans.47.1395.
- [78] C.-J. Tong, M.-R. Chen, J.-W. Yeh, S.-J. Lin, S.-K. Chen, T.-T. Shun, S.-Y. Chang, Mechanical performance of the Al x CoCrCuFeNi high-entropy alloy system with multiprincipal elements, *Metall. Mater. Trans. A.* 36 (2005) 1263–1271. doi:10.1007/s11661-005-0218-9.
- [79] C. Suryanarayana, Mechanical Alloying and Milling, First, Marcel Dekker, 2001. doi:10.1016/S0079-6425(99)00010-9.
- [80] S. Varalakshmi, M. Kamaraj, B.S. Murty, Synthesis and characterization of nanocrystalline AlFeTiCrZnCu high entropy solid solution by mechanical alloying, *J. Alloys Compd.* 460 (2008) 253–257. doi:10.1016/j.jallcom.2007.05.104.
- [81] M. Raviathul Basariya, V.C. Srivastava, N.K. Mukhopadhyay, Microstructural characteristics and mechanical properties of carbon nanotube reinforced aluminum alloy composites produced by ball milling, *Mater. Des.* 64 (2014) 542–549. doi:10.1016/j.matdes.2014.08.019.
- [82] F. Otto, a. Dlouhý, C. Somsen, H. Bei, G. Eggeler, E.P. George, The influences of temperature and microstructure on the tensile properties of a CoCrFeMnNi high-entropy alloy, *Acta Mater.* 61 (2013) 5743–5755. doi:10.1016/j.actamat.2013.06.018.
- [83] B. Gludovatz, A. Hohenwarter, D. Catoor, E.H. Chang, E.P. George, R.O. Ritchie, A fracture-resistant high-entropy alloy for cryogenic applications, *Science* (80-. ). 345 (2014) 1153–1158. doi:10.1126/science.1254581.
- [84] B. Schuh, F. Mendez-Martin, B. Völker, E.P. George, H. Clemens, R. Pippan, A. Hohenwarter, Mechanical properties, microstructure and thermal stability of a nanocrystalline CoCrFeMnNi high-entropy alloy after severe plastic deformation, *Acta Mater.* 96 (2015) 258–268. doi:10.1016/j.actamat.2015.06.025.
- [85] H. Zhang, Y. He, Y. Pan, Enhanced hardness and fracture toughness of the laser-solidified FeCoNiCrCuTiMoAlSiB0.5 high-entropy alloy by martensite

## References

---

---

- strengthening, *Scr. Mater.* 69 (2013) 342–345.  
doi:10.1016/j.scriptamat.2013.05.020.
- [86] Y. Yuan, Y. Wu, X. Tong, H. Zhang, H. Wang, X.J. Liu, L. Ma, H.L. Suo, Z.P. Lu, Rare-earth high-entropy alloys with giant magnetocaloric effect, *Acta Mater.* 125 (2017) 481–489. doi:10.1016/j.actamat.2016.12.021.
- [87] M.C. Gao, D.B. Miracle, D. Maurice, X. Yan, Y. Zhang, J.A. Hawk, High-entropy functional materials, *J. Mater. Res.* 33 (2018) 3138–3155  
. doi:10.1557/jmr.2018.323.
- [88] D. Karlsson, G. Ek, J. Cedervall, C. Zlotea, K.T. Møller, T.C. Hansen, J. Bednarčík, M. Paskevicius, M.H. Sørby, T.R. Jensen, U. Jansson, M. Sahlberg, Structure and Hydrogenation Properties of a HfNbTiVZr High-Entropy Alloy, *Inorg. Chem.* 57 (2018) 2103–2110. doi:10.1021/acs.inorgchem.7b03004.
- [89] K. Kong, J. Hyun, Y. Kim, W. Kim, D. Kim, Nanoporous structure synthesized by selective phase dissolution of AlCoCrFeNi high entropy alloy and its electrochemical properties as supercapacitor electrode, *J. Power Sources.* 437 (2019) 226927. doi:10.1016/j.jpowsour.2019.226927.
- [90] S. Shafeie, S. Guo, Q. Hu, H. Fahlquist, P. Erhart, A. Palmqvist, High-entropy alloys as high-temperature thermoelectric materials, *J. Appl. Phys.* 118 (2015) 184905. doi:10.1063/1.4935489.
- [91] S. Thangaraju, E. Bouzy, A. Hazotte, Phase Stability of a Mechanically Alloyed CoCrCuFeNi High Entropy Alloy, *Adv. Eng. Mater.* 19 (2017) 1700095. doi:10.1002/adem.201700095.
- [92] M. Born, R. Oppenheimer, Zur Quantentheorie der Moleküle, *Ann. Phys.* 389 (1927) 457–484. doi:10.1002/andp.19273892002.
- [93] G.H. Mehl, A.J. Thornton, J.W. Goodby, Computational Materials Science: An Introduction, *Mol. Cryst. Liq. Cryst. Sci. Technol. Sect. A. Mol. Cryst. Liq. Cryst.* 332 (1999) 455–461. doi:10.1080/10587259908023791.
- [94] M.C. Payne, M.P. Teter, D.C. Allan, T.A. Arias, J.D. Joannopoulos, Iterative minimization techniques for ab initio total-energy calculations: molecular dynamics and conjugate gradients, *Rev. Mod. Phys.* 64 (1992) 1045–1097. doi:10.1103/RevModPhys.64.1045.
- [95] W. Kohn, L.J. Sham, Self-Consistent Equations Including Exchange and Correlation Effects, *Phys. Rev.* 140 (1965) A1133–A1138  
. doi:10.1103/PhysRev.140.A1133.
- [96] B.L. Gyorffy, Coherent-Potential Approximation for a Nonoverlapping-Muffin-Tin-Potential Model of Random Substitutional Alloys, *Phys. Rev. B.* 5 (1972) 2382–2384. doi:10.1103/PhysRevB.5.2382.
- [97] A. Zunger, S.-H. Wei, L.G. Ferreira, J.E. Bernard, Special quasirandom structures, *Phys. Rev. Lett.* 65 (1990) 353–356. doi:10.1103/PhysRevLett.65.353.
- [98] J.M. Sanchez, F. Ducastelle, D. Gratias, Generalized cluster description of multicomponent systems, *Phys. A Stat. Mech. Its Appl.* 128 (1984) 334–350. doi:10.1016/0378-4371(84)90096-7.

## References

---

- [99] C. Jiang, B.P. Uberuaga, Efficient Ab initio Modeling of Random Multicomponent Alloys, *Phys. Rev. Lett.* 116 (2016) 105501. doi:10.1103/PhysRevLett.116.105501.
- [100] A. van de Walle, Multicomponent multisublattice alloys, nonconfigurational entropy and other additions to the Alloy Theoretic Automated Toolkit, *Calphad.* 33 (2009) 266–278. doi:10.1016/j.calphad.2008.12.005.
- [101] J.P. Perdew, J.A. Chevary, S.H. Vosko, K.A. Jackson, M.R. Pederson, D.J. Singh, C. Fiolhais, Erratum: Atoms, molecules, solids, and surfaces: Applications of the generalized gradient approximation for exchange and correlation, *Phys. Rev. B.* 48 (1993) 4978–4978. doi:10.1103/PhysRevB.48.4978.2.
- [102] J.P. Perdew, K. Burke, M. Ernzerhof, Generalized Gradient Approximation Made Simple, *Phys. Rev. Lett.* 77 (1996) 3865–3868. doi:10.1103/PhysRevLett.77.3865.
- [103] J.D. Pack, H.J. Monkhorst, “Special points for Brillouin-zone integrations”—a reply, *Phys. Rev. B.* 16 (1977) 1748–1749. doi:10.1103/PhysRevB.16.1748.
- [104] U.R. Kattner, The thermodynamic modeling of multicomponent phase equilibria, *JOM.* 49 (1997) 14–19. doi:10.1007/s11837-997-0024-5.
- [105] H.B. Cui, L.F. Zheng, J.Y. Wang, Microstructure Evolution and Corrosion Behavior of Directionally Solidified FeCoNiCrCu High Entropy Alloy, *Appl. Mech. Mater.* 66–68 (2011) 146–149. doi:10.4028/www.scientific.net/AMM.66-68.146.
- [106] H. Zhang, Y. Pan, Y.-Z. He, Synthesis and characterization of FeCoNiCrCu high-entropy alloy coating by laser cladding, *Mater. Des.* 32 (2011) 1910–1915. doi:10.1016/j.matdes.2010.12.001.
- [107] J.B. Cheng, X.B. Liang, Z.H. Wang, B.S. Xu, Formation and Mechanical Properties of CoNiCuFeCr High-Entropy Alloys Coatings Prepared by Plasma Transferred Arc Cladding Process, *Plasma Chem. Plasma Process.* 33 (2013) 979–992. doi:10.1007/s11090-013-9469-1.
- [108] S. Guo, Phase selection rules for cast high entropy alloys: an overview, *Mater. Sci. Technol.* 31 (2015) 1223–1230. doi:10.1179/1743284715Y.0000000018.
- [109] X. Yang, Y. Zhang, Prediction of high-entropy stabilized solid-solution in multi-component alloys, *Mater. Chem. Phys.* 132 (2012) 233–238. doi:10.1016/j.matchemphys.2011.11.021.
- [110] M.-H. Tsai, J.-H. Li, A.-C. Fan, P.-H. Tsai, Incorrect predictions of simple solid solution high entropy alloys: Cause and possible solution, *Scr. Mater.* 127 (2017) 6–9. doi:10.1016/j.scriptamat.2016.08.024.
- [111] R. Zsigmondy, *Kolloidchemie Ein Lehrbuch*, Springer Berlin Heidelberg, Berlin, Heidelberg, 1912. doi:10.1007/978-3-662-33915-2.
- [112] C. Suryanarayana, M.G. Norton, *X-Ray Diffraction*, Springer US, Boston, MA, 1998. doi:10.1007/978-1-4899-0148-4.
- [113] M.-H. Tsai, K.-Y. Tsai, C.-W. Tsai, C. Lee, C.-C. Juan, J.-W. Yeh, Criterion for Sigma Phase Formation in Cr- and V-Containing High-Entropy Alloys, *Mater.*

## References

---

---

- Res. Lett. 1 (2013) 207–212. doi:10.1080/21663831.2013.831382.
- [114] W. Steurer, Single-phase high-entropy alloys – A critical update, Mater. Charact. 162 (2020) 110179. doi:10.1016/j.matchar.2020.110179.
- [115] T. Kokai, Y. Yachu, J. Chienchang, C. Tsungshune, T. Chewei, Y. Jienwei, A light-weight high-entropy alloy Al 20 Be 20 Fe 10 Si 15 Ti 35, Sci China Tech Sci. 61 (2018) 184–188. doi:10.1007/s11431-017-9073-0.
- [116] X. Yang, S.Y. Chen, J.D. Cotton, Y. Zhang, Phase Stability of Low-Density, Multiprincipal Component Alloys Containing Aluminum, Magnesium, and Lithium, JOM. 66 (2014) 2009–2020. doi:10.1007/s11837-014-1059-z.
- [117] K.M. Youssef, A.J. Zaddach, C. Niu, D.L. Irving, C.C. Koch, A novel low-density, high-hardness, high-entropy alloy with close-packed single-phase nanocrystalline structures, Mater. Res. Lett. 3 (2014) 95–99. doi:10.1080/21663831.2014.985855.
- [118] M.C. Gao, B. Zhang, S.M. Guo, J.W. Qiao, J.A. Hawk, High-Entropy Alloys in Hexagonal Close-Packed Structure, Metall. Mater. Trans. A. 47 (2016) 3322–3332. doi:10.1007/s11661-015-3091-1.
- [119] H.F. Li, X.H. Xie, K. Zhao, Y.B. Wang, Y.F. Zheng, W.H. Wang, L. Qin, In vitro and in vivo studies on biodegradable CaMgZnSrYb high-entropy bulk metallic glass, Acta Biomater. 9 (2013) 8561–8573. doi:10.1016/j.actbio.2013.01.029.
- [120] R. Li, J.C. Gao, K. Fan, Study to Microstructure and Mechanical Properties of Mg Containing High Entropy Alloys, Mater. Sci. Forum. 650 (2010) 265–271. doi:10.4028/www.scientific.net/msf.650.265.
- [121] R. Li, J.C. Gao, K. Fan, Microstructure and mechanical properties of MgMnAlZnCu high entropy alloy cooling in three conditions, Mater. Sci. Forum. 686 (2011) 235–241. doi:10.4028/www.scientific.net/MSF.686.235.
- [122] R. Feng, M.C. Gao, C. Zhang, W. Guo, J.D. Poplawsky, F. Zhang, J.A. Hawk, J.C. Neuefeind, Y. Ren, P.K. Liaw, Phase stability and transformation in a light-weight high-entropy alloy, Acta Mater. 146 (2018) 280–293. doi:10.1016/j.actamat.2017.12.061.
- [123] Y.-L. Chen, C.-W. Tsai, C.-C. Juan, M.-H. Chuang, J.-W. Yeh, T.-S. Chin, S.-K. Chen, Amorphization of equimolar alloys with HCP elements during mechanical alloying, J. Alloys Compd. 506 (2010) 210–215. doi:10.1016/j.jallcom.2010.06.179.
- [124] R. Li, J. Gao, K. Fa, Study to microstructure and mechanical properties of Mg containing high entropy alloys, Mater. Sci. Forum. 650 (2010) 265–271. doi:10.4028/www.scientific.net/MSF.650.265.
- [125] J.M. Sanchez, I. Vicario, J. Albizuri, T. Guraya, J.C. Garcia, Phase prediction, microstructure and high hardness of novel light-weight high entropy alloys, J. Mater. Res. Technol. 8 (2019) 795–803. doi:10.1016/j.jmrt.2018.06.010.
- [126] O.N. Senkov, S.V. Senkova, C. Woodward, D.B. Miracle, Low-density, refractory multi-principal element alloys of the Cr–Nb–Ti–V–Zr system: Microstructure and phase analysis, Acta Mater. 61 (2013) 1545–1557. doi:10.1016/j.actamat.2012.11.032.

## References

---

---

- [127] O.N. Senkov, S.V. Senkova, D.B. Miracle, C. Woodward, Mechanical properties of low-density, refractory multi-principal element alloys of the Cr–Nb–Ti–V–Zr system, *Mater. Sci. Eng. A.* 565 (2013) 51–62. doi:10.1016/j.msea.2012.12.018.
- [128] N.D. Stepanov, D.G. Shaysultanov, G.A. Salishchev, M.A. Tikhonovsky, Structure and mechanical properties of a light-weight AlNbTiV high entropy alloy, *Mater. Lett.* 142 (2015) 153–155. doi:10.1016/j.matlet.2014.11.162.
- [129] N.D. Stepanov, N.Y. Yurchenko, V.S. Sokolovsky, M.A. Tikhonovsky, G.A. Salishchev, An AlNbTiVZr0.5 high-entropy alloy combining high specific strength and good ductility, *Mater. Lett.* 161 (2015) 136–139. doi:10.1016/j.matlet.2015.08.099.
- [130] H. Khanchandani, P. Sharma, R. Kumar, O. Maulik, V. Kumar, Effect of sintering on phase evolution in AlMgFeCuCrNi4.75 high entropy alloy, *Adv. Powder Technol.* 27 (2016) 289–294. doi:10.1016/j.apt.2016.01.001.
- [131] O. Maulik, V. Kumar, Synthesis of AlFeCuCrMg<sub>x</sub> ( $x = 0, 0.5, 1, 1.7$ ) alloy powders by mechanical alloying, *Mater. Charact.* 110 (2015) 116–125. doi:10.1016/j.matchar.2015.10.025.
- [132] O. Maulik, D. Kumar, S. Kumar, D.M. Fabijanic, V. Kumar, Structural evolution of spark plasma sintered AlFeCuCrMgx ( $x = 0, 0.5, 1, 1.7$ ) high entropy alloys, *Intermetallics*. 77 (2016) 46–56. doi:10.1016/j.intermet.2016.07.001.
- [133] H. Khanchandani, P. Sharma, R. Kumar, O. Maulik, V. Kumar, Effect of sintering on phase evolution in AlMgFeCuCrNi 4.75 high entropy alloy, *Adv. Powder Technol.* 27 (2016) 289–294. doi:10.1016/j.apt.2016.01.001.
- [134] V. Shivam, J. Basu, Y. Shadangi, M.K. Singh, N.K. Mukhopadhyay, Mechano-chemical synthesis, thermal stability and phase evolution in AlCoCrFeNiMn high entropy alloy, *J. Alloys Compd.* 757 (2018). doi:10.1016/j.jallcom.2018.05.057.
- [135] P. Mao, B. Yu, Z. Liu, F. Wang, Y. Ju, Mechanical properties and electronic structures of MgCu<sub>2</sub>, Mg<sub>2</sub>Ca and MgZn<sub>2</sub> Laves phases by first principles calculations, *Trans. Nonferrous Met. Soc. China.* 24 (2014) 2920–2929. doi:10.1016/S1003-6326(14)63427-0.
- [136] O. Maulik, D. Kumar, S. Kumar, S.K. Dewangan, V. Kumar, Structure and properties of lightweight high entropy alloys: A brief review, *Mater. Res. Express.* 5 (2018). doi:10.1088/2053-1591/aabbca.
- [137] Y.L. Chen, Y.H. Hu, C.A. Hsieh, J.W. Yeh, S.K. Chen, Competition between elements during mechanical alloying in an octonary multi-principal-element alloy system, *J. Alloys Compd.* 481 (2009) 768–775. doi:10.1016/j.jallcom.2009.03.087.
- [138] O. Maulik, V. Kumar, Synthesis of AlFeCuCrMgx ( $x = 0, 0.5, 1, 1.7$ ) alloy powders by mechanical alloying, *Mater. Charact.* 110 (2015) 116–125. doi:10.1016/j.matchar.2015.10.025.
- [139] V. Shivam, J. Basu, V.K. Pandey, Y. Shadangi, N.K. Mukhopadhyay, Alloying behaviour, thermal stability and phase evolution in quinary AlCoCrFeNi high entropy alloy, *Adv. Powder Technol.* 29 (2018) 2221–2230. doi:10.1016/j.apt.2018.06.006.

## References

---

- [140] V. Shivam, Y. Shadangi, J. Basu, N.K. Mukhopadhyay, Alloying behavior and thermal stability of mechanically alloyed nano AlCoCrFeNiTi high-entropy alloy, *J. Mater. Res.* 34 (2019) 787–795. doi:10.1557/jmr.2019.5.
- [141] O.N. Senkov, J.M. Scott, S.V. Senkova, D.B. Miracle, C.F. Woodward, Microstructure and room temperature properties of a high-entropy TaNbHfZrTi alloy, *J. Alloys Compd.* 509 (2011) 6043–6048 . doi:10.1016/j.jallcom.2011.02.171.
- [142] O.N. Senkov, S.V. Senkova, C. Woodward, Effect of aluminum on the microstructure and properties of two refractory high-entropy alloys, *Acta Mater.* 68 (2014) 214–228. doi:10.1016/j.actamat.2014.01.029.
- [143] É. Fazakas, V. Zadorozhnyy, L.K. Varga, A. Inoue, D.V. Louzguine-Luzgin, F. Tian, L. Vitos, Experimental and theoretical study of Ti<sub>20</sub>Zr<sub>20</sub>Hf<sub>20</sub>Nb<sub>20</sub>X<sub>20</sub> (X=V or Cr) refractory high-entropy alloys, *Int. J. Refract. Met. Hard Mater.* 47 (2014) 131–138. doi:10.1016/j.ijrmhm.2014.07.009.
- [144] Y. Mu, H. Liu, Y. Liu, X. Zhang, Y. Jiang, T. Dong, An ab initio and experimental studies of the structure, mechanical parameters and state density on the refractory high-entropy alloy systems, *J. Alloys Compd.* 714 (2017) 668–680. doi:10.1016/j.jallcom.2017.04.237.
- [145] O.N. Senkov, D.B. Miracle, K.J. Chaput, J.-P. Couzinie, Development and exploration of refractory high entropy alloys—A review, *J. Mater. Res.* 33 (2018) 3092–3128. doi:10.1557/jmr.2018.153.
- [146] O.N. Senkov, G.B. Wilks, J.M. Scott, D.B. Miracle, Mechanical properties of Nb<sub>25</sub>Mo<sub>25</sub>Ta<sub>25</sub>W<sub>25</sub> and V<sub>20</sub>Nb<sub>20</sub>Mo<sub>20</sub>Ta<sub>20</sub>W<sub>20</sub> refractory high entropy alloys, *Intermetallics.* 19 (2011) 698–706. doi:10.1016/j.intermet.2011.01.004.
- [147] O.N. Senkov, J.M. Scott, S. V. Senkova, F. Meisenkothen, D.B. Miracle, C.F. Woodward, Microstructure and elevated temperature properties of a refractory TaNbHfZrTi alloy, *J. Mater. Sci.* 47 (2012) 4062–4074. doi:10.1007/s10853-012-6260-2.
- [148] B. Gorr, M. Azim, H.-J. Christ, T. Mueller, D. Schliephake, M. Heilmaier, Phase equilibria, microstructure, and high temperature oxidation resistance of novel refractory high-entropy alloys, *J. Alloys Compd.* 624 (2015) 270–278. doi:10.1016/j.jallcom.2014.11.012.
- [149] C.-C. Juan, M.-H. Tsai, C.-W. Tsai, C.-M. Lin, W.-R. Wang, C.-C. Yang, S.-K. Chen, S.-J. Lin, J.-W. Yeh, Enhanced mechanical properties of HfMoTaTiZr and HfMoNbTaTiZr refractory high-entropy alloys, *Intermetallics.* 62 (2015) 76–83. doi:10.1016/j.intermet.2015.03.013.
- [150] Z.D. Han, N. Chen, S.F. Zhao, L.W. Fan, G.N. Yang, Y. Shao, K.F. Yao, Effect of Ti additions on mechanical properties of NbMoTaW and VNbMoTaW refractory high entropy alloys, *Intermetallics.* 84 (2017) 153–157. doi:10.1016/j.intermet.2017.01.007.
- [151] U. Bhandari, C. Zhang, S. Guo, S. Yang, First-principles study on the mechanical and thermodynamic properties of MoNbTaTiW, *Int. J. Miner. Metall. Mater.* 27 (2020) 1398–1404. doi:10.1007/s12613-020-2077-1.

## References

---

---

- [152] Z. Guo, A. Zhang, J. Han, J. Meng, Effect of Si additions on microstructure and mechanical properties of refractory NbTaWMo high-entropy alloys, *J. Mater. Sci.* 54 (2019) 5844–5851. doi:10.1007/s10853-018-03280-z.
- [153] T.P. Yadav, S. Mukhopadhyay, S.S. Mishra, N.K. Mukhopadhyay, O.N. Srivastava, Synthesis of a single phase of high-entropy Laves intermetallics in the Ti–Zr–V–Cr–Ni equiatomic alloy, *Philos. Mag. Lett.* 97 (2017) 494–503. doi:10.1080/09500839.2017.1418539.
- [154] S.S. Mishra, T.P. Yadav, O.N. Srivastava, N.K. Mukhopadhyay, K. Biswas, Formation and stability of C14 type Laves phase in multi component high-entropy alloys, *J. Alloys Compd.* 832 (2020) 153764. doi:10.1016/j.jallcom.2020.153764.
- [155] V. Shivam, J. Basu, V.K. Pandey, Y. Shadangi, N.K. Mukhopadhyay, Alloying behaviour, thermal stability and phase evolution in quinary AlCoCrFeNi high entropy alloy, *Adv. Powder Technol.* 29 (2018) 2221–2230. doi:10.1016/j.apt.2018.06.006.
- [156] D. De Fontaine, Cluster Approach to Order-Disorder Transformations in Alloys, in: *SOLID STATE Phys.*, Academic Press, Inc., 1994. [http://dx.doi.org/10.1016/S0081-1947\(08\)60639-6](http://dx.doi.org/10.1016/S0081-1947(08)60639-6).
- [157] D. Lerch, O. Wieckhorst, G.L.W. Hart, R.W. Forcade, S. Müller, UNCLE: a code for constructing cluster expansions for arbitrary lattices with minimal user-input, *Model. Simul. Mater. Sci. Eng.* 17 (2009) 055003. doi:10.1088/0965-0393/17/5/055003.
- [158] A. Zunger, First Principles Statistical Mechanics of Semiconductor Alloys and Intermetallic Compounds, in: P.E.A. Turchi and A. Gonis (Ed.), *Stalics Dyn. Alloy Phase Transform.*, Plenum Press, New York, 1994.
- [159] A. Seko, Y. Koyama, I. Tanaka, Cluster expansion method for multicomponent systems based on optimal selection of structures for density-functional theory calculations, *Phys. Rev. B.* 80 (2009) 165122. doi:10.1103/PhysRevB.80.165122.
- [160] A. Takeuchi, K. Amiya, T. Wada, K. Yubuta, W. Zhang, High-Entropy Alloys with a Hexagonal Close-Packed Structure Designed by Equi-Atomic Alloy Strategy and Binary Phase Diagrams, *JOM.* 66 (2014) 1984–1992. doi:10.1007/s11837-014-1085-x.
- [161] M. Feuerbacher, M. Heidemann, C. Thomas, Hexagonal High-entropy Alloys, *Mater. Res. Lett.* 3 (2015) 1–6. doi:10.1080/21663831.2014.951493.
- [162] A. Takeuchi, K. Amiya, T. Wada, K. Yubuta, Dual HCP structures formed in senary ScYLaTiZrHf multi-principal-element alloy, *Intermetallics.* 69 (2016) 103–109. doi:10.1016/j.intermet.2015.10.022.
- [163] L. Rogal, P. Bobrowski, F. Körmann, S. Divinski, F. Stein, B. Grabowski, Computationally-driven engineering of sublattice ordering in a hexagonal AlHfScTiZr high entropy alloy, *Sci. Rep.* 7 (2017) 2209. doi:10.1038/s41598-017-02385-w.
- [164] T. Nagase, M. Todai, T. Nakano, Development of Ti–Zr–Hf–Y–La high-entropy alloys with dual hexagonal-close-packed structure, *Scr. Mater.* 186 (2020) 242–

## References

---

---

246. doi:10.1016/j.scriptamat.2020.05.033.
- [165] T. Nagase, Y. Iijima, A. Matsugaki, K. Ameyama, T. Nakano, Design and fabrication of Ti-Zr-Hf-Cr-Mo and Ti-Zr-Hf-Co-Cr-Mo high-entropy alloys as metallic biomaterials, *Mater. Sci. Eng. C* 107 (2020) 110322. doi:10.1016/j.msec.2019.110322.
- [166] M. Calin, J. Vishnu, P. Thirathipviwat, M. Popa, M. Krautz, G. Manivasagam, A. Gebert, Tailoring biocompatible Ti-Zr-Nb-Hf-Si metallic glasses based on high-entropy alloys design approach, *Mater. Sci. Eng. C* (2020) 111733. doi:10.1016/j.msec.2020.111733.
- [167] T. Huang, H. Jiang, Y. Lu, T. Wang, T. Li, Effect of Sc and Y addition on the microstructure and properties of HCP-structured high-entropy alloys, *Appl. Phys. A* 125 (2019) 180. doi:10.1007/s00339-019-2484-1.
- [168] S. Fang, X. Xiao, L. Xia, W. Li, Y. Dong, Relationship between the widths of supercooled liquid regions and bond parameters of Mg-based bulk metallic glasses, *J. Non. Cryst. Solids.* 321 (2003) 120–125. doi:10.1016/S0022-3093(03)00155-8.
- [169] H. Okamoto, P.R. Subramanian, L. Kacprzak, *Binary Alloy Phase Diagrams*, Second, ASM International, 2007.
- [170] A. Prince, *Alloy Phase Equilibria*, *Phys. Bull.* 17 (1966) 255–256.
- [171] U. Thiedemann, M. Rösner-Kuhn, K. Drewes, G. Kuppermann, M.G. Frohberg, Mixing enthalpy measurements of liquid Ti-Zr, Fe-Ti-Zr and Fe-Ni-Zr alloys, *Steel Res.* 70 (1999) 3–8. doi:10.1002/srin.199905593.

## **References**

---

## List of Publications

### **List of Publications from the Thesis**

1. **V. K. Pandey**, V. Shivam, B. N. Sarma, N. K. Mukhopadhyay, “Phase evolution and thermal stability of mechanically alloyed CoCrCuFeNi high entropy alloy”, **Materials Research Express** 6, (2020), 1265b9. (**Part of Chapter 3**)
2. **Vivek Kumar Pandey**, Yagnesh Shadangi, Vikas Shivam, Joysurya Basu, Kausik Chattopadhyay, Bhaskar Majumdar, B.N. Sarma, Nilay Krishna Mukhopadhyay, “Synthesis, Characterization and Thermal Stability of Nanocrystalline MgAlMnFeCu Low-Density High-Entropy Alloy”, **Transaction of the Indian Institute of Metals**, 74, (2021), 33-34. (**Part of Chapter 4**)
3. **Vivek Kumar Pandey**, Yagnesh Shadangi, Vikas Shivam, B.N. Sarma, N. K. Mukhopadhyay, “Theoretical and Experimental study on the phase stability of TiVZrMoW refractory high entropy alloy, **Philosophical Magazine** (2020, under review). (**Part of Chapter 5**)
4. **Vivek Kumar Pandey**, Rajendra Prasad Gorrey, B. N. Sarma, S. Lele, N. K. Mukhopadhyay, “An ab-initio, empirical and experimental study of phase stability on TiVYZrHf refractory high entropy alloy” (to be published) (**Part of Chapter 5**)

### **List of publications apart from the thesis**

1. V. Shivam, J Basu, **V. K. Pandey**, Y. Shadangi, N. K. Mukhopadhyay, “Alloying behaviour, thermal stability and phase evolution in quinary AlCoCrFeNi high entropy alloy”, **Advanced Powder Technology** 29 ,(2020), 2221-2230.
2. A. K. Thakur, **V. K. Pandey**, V. Jindal, “Calculation of Existence Domains and Optimized Phase Diagram for the Nb-Ti Binary Alloy System Using Computational Methods”, **Journal of Phase Equilibria and Diffusion** 41, (2020), 846-858.

## **List of Conferences Attended**

1. **Vivek Kumar Pandey**, B.N. Sarma, N.K. Mukhopadhyay, Characterization and phase stability study of TiVZrMoW refractory high entropy alloy; **IWHEM-2020**, 7-8, March 2020, IIT Kanpur, India.
2. **Vivek Kumar Pandey**, B.N. Sarma, N.K. Mukhopadhyay; Phase stability of hcp based high entropy alloy; **ISMANAM-2019**, 8-12, July 2019, IIT Madras, Chennai, India.
3. **Vivek Kumar Pandey**, B.N. Sarma, N.K. Mukhopadhyay; Criteria for formation of cph solid solutions in quinary systems; **IWHEM-2017**, 11-12, March 2017, University of Hyderabad, Hyderabad, India.
4. **Vivek Kumar Pandey**, B.N. Sarma, N.K. Mukhopadhyay; Phase stability studies of CoCrCuFeNi high entropy alloys; **NMD-ATM-2016**, 11-14, November 2016, IIT Kanpur, Kanpur, India.