

Contents

List of Figures	ix
List of Tables	xi
Preface	xii
1 Introduction	1
1.1 Fractional Calculus	1
1.1.1 Classical fractional derivative	2
1.1.2 Fractional operator with non-singular kernel	5
1.1.3 Variable order fractional derivative and integration [4]	5
1.2 Diffusion Phenomena	7
1.2.1 Derivation of diffusion equation [6]	7
1.3 Application of diffusion equation	13
1.3.1 Medical Science [7]	13
1.3.2 Geological Science [8]	14
1.3.3 Chemical Science [9]	14
1.3.4 Physical Science [10]	14
1.3.5 Ground water contamination problem [11]	15
1.3.6 Economics [12]	15
1.4 Numerical methods	15
2 Operational matrix method for solving nonlinear space-time fractional order reaction-diffusion equation based on Genocchi polynomial	18
2.1 Introduction	18
2.2 Preliminaries	23
2.2.1 Genocchi polynomial and its properties [13, 14]	24
2.3 Approximation of a arbitrary function	26
2.4 Genocchi operational matrix of fractional derivative [15]	26
2.4.1 Lemma	26

2.5	Error bound and stability analysis	28
2.6	Solution of the problem	30
2.7	Results and discussion	32
2.8	Conclusion	39
3	Numerical solution of two dimensional reaction-diffusion equation using operational matrix method based on Genocchi polynomial	41
3.1	Introduction	41
3.2	Preliminaries	42
3.2.1	Kronecker product of two matrix	42
3.2.2	Approximation of an arbitrary function	43
3.2.3	Genocchi operational matrix of fractional derivative	43
3.3	Error bound and stability analysis	44
3.4	Solution of the problem	46
3.5	Results and discussion	49
3.6	Conclusion	55
4	Gegenbauer wavelet operational matrix method for solving variable order non-linear reaction-diffusion and Galilei invariant advection-diffusion equations	57
4.1	Introduction	57
4.2	Preliminaries	60
4.2.1	Variable-order derivatives of Type 1(V1) and Type 2(V2)	60
4.2.2	Gegenbauer polynomial and Gegenbauer wavelet	61
4.3	Function Approximation	63
4.4	Error bound and stability analysis	64
4.5	Operational matrix of derivative	68
4.5.1	Gegenbauer wavelet operational matrix of variable-order fractional derivative	69
4.6	Proposed model	72
4.7	Description of proposed method	73
4.8	Results and discussion	75
4.9	Conclusion	85
5	Analysis of tumor cells in the absence and presence of chemotherapeutic treatment: The case of Caputo-Fabrizio time fractional derivative	86
5.1	Introduction	86
5.2	Derivation of C-F fractional differential operational matrix	90
5.2.1	Approximate expression of C-F derivative of simple polynomial function	90
5.2.2	Chebyshev polynomials [16]	91

5.3	Description of model representing the chemotherapy effect on behavior of tumor cells	96
5.4	Solution of the problem	99
5.5	Numerical simulation and results	101
5.5.1	Variation of tumor cells when chemotherapy drug is not injected	103
5.5.2	Behavior of tumor cells after applying chemotherapeutic treatment	104
5.5.3	Discussion of the nature of model in fractional order system and future scope	105
5.6	Conclusion	107
6	Conclusion and scope of future work	109
	 Bibliography	 112

List of Figures

1.1	Minion	9
2.1	Plots of $u(x, t)$ vs. x and t for $M = 3$ in case of approximate solution.	34
2.2	Plots of $u(x, t)$ vs. x and t for $M = 3$ in case of exact solution.	34
2.3	Plots of $u(x, t)$ vs. x for various α at $t=1$ when $\lambda = -1, \beta = 1$	36
2.4	Plots of $u(x, t)$ vs. x for various β at $t=1$ when $\lambda = -1, \alpha = 1$	36
2.5	Plots of $u(x, t)$ vs. x for different values of λ at $t=1$ when $\alpha = 1, \beta = 1, \psi(x, t) = 0$	38
2.6	Plots of $u(x, t)$ vs. x for different values of λ at $t=1$ when $\alpha = 1, \beta = 1, \psi(x, t) = x - xt^2$	39
3.1	Plots of $u(x, y, t)$ vs. x and y for $M = 4$ in case of numerical and exact solution for $t = 0.5$	51
3.2	Plots of $u(x, y, t)$ vs. x and y for $M = 4$ in case of numerical and exact solution for $t = 0.5$	52
3.3	Plots of $u(x, y, t)$ vs. x and y for various α at $t=0.5$ when $\kappa_3 = 1, \beta = \gamma = 2$	53
3.4	Plots of $u(x, y, t)$ vs. x and y for various β at $t=0.5$ when $\kappa_3 = 1, \alpha = 1, \gamma = 2$	54
3.5	Plots of $u(x, y, t)$ vs. x and y for various γ at $t=0.5$ when $\kappa_3 = 1, \beta = 2, \alpha = 1$	54
3.6	Plots of $u(x, y, t)$ vs. x and y for various β at $t=0.5$ when $\beta = 2, \alpha = 1, \gamma = 2$	55
4.1	Plots of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ in case of numerical and exact solution for $t = 0.5$	77
4.2	Plots of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ in case of numerical and exact solution for $t = 0.5$	78
4.3	Plots of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ in case of numerical and exact solution for $t = 0.5$	80
4.4	Plots of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ in case of numerical and exact solution for $t = 0.5$	81
4.5	Behavior of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ at $t = 0.5$	81
4.6	Behaviour of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ at $x = 0.5$	82

4.7	Behaviour of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ at $x = 0.5$	82
4.8	Plots of $u(x, t)$ for $\hat{m} = 4$ and $\lambda = 2$ in case of numerical and exact solution for $t = 0.5$	84
5.1	Growth of tumor cells at different time periods in absence of chemotherapeutic (a) for integer order system ($\alpha = 1, \beta = 1, \gamma = 1, \zeta = 1$) (b) for C-F fractional order system ($\alpha = 0.9, \beta = 0.9, \gamma = 0.9, \zeta = 0.9$).	104
5.2	Graphical representation of tumor cells in presence of chemotherapeutic drug with different time intervals.	105
5.3	Plots of normal cells $N(x, t)$ for different values of α	106
5.4	Plots of tumor cells $T(x, t)$ at different values of β	106
5.5	Plots of Immune cells $I(x, t)$ for different values of γ	107
5.6	Plots of concentration of chemotherapeutic drug $U(x, t)$ for different values ζ	107
5.7	Dynamics of tumor cells at time $t = 0.5$ with different immune levels.	108