- [1] M. P. Anderson, W. W. Woessner, and R. J. Hunt, Applied groundwater modeling: simulation of flow and advective transport. Academic press, 2015.
- [2] J. J. Fried, Groundwater pollution. Elsevier, 1975.
- [3] R. J. Charbeneau, *Groundwater hydraulics and pollutant transport*. Waveland Press, 2006.
- [4] A. E. Kehew, Applied chemical hydrogeology. Prentice Hall, 2000.
- [5] R. De Boer, "Theory of porous media—past and present," ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift für Angewandte Mathematik und Mechanik: Applied Mathematics and Mechanics, vol. 78, no. 7, pp. 441–466, 1998.
- [6] W. Ehlers, "Porous media in the light of history," in The History of Theoretical, Material and Computational Mechanics-Mathematics Meets Mechanics and Engineering, pp. 211–227, Springer, 2014.
- [7] E. Stein, The History of Theoretical, Material and Computational Mechanics-Mathematics Meets Mechanics and Engineering, vol. 1. Springer Science & Business Media, 2013.
- [8] D. A. Nield, A. Bejan, et al., Convection in porous media, vol. 3. Springer, 2006.
- [9] R. Helmig et al., Multiphase flow and transport processes in the subsurface: a contribution to the modeling of hydrosystems. Springer-Verlag, 1997.
- [10] H. Darcy, Les fontaines publiques de la ville de Dijon: exposition et application... Victor Dalmont, 1856.
- [11] J. Bear, Dynamics of fluids in porous media. Courier Corporation, 2013.
- [12] K. Vafai, Handbook of porous media. CRC Press, 2015.

[13] J. Bear and A. Verruijt, "Theory and applications of transport in porous media," Modeling of groundwater flow and pollution, Dordrecht: Reidel, 1987.

- [14] I. Javandel, C. Doughty, and C.-F. Tsang, "Groundwater transport: handbook of mathematical models," tech. rep., Lawrence Berkeley Lab., CA (USA), 1984.
- [15] P. M. Raj, S. Sarkar, S. Chakraborty, G. Phanikumar, P. Dutta, and K. Chattopadhyay, "Modelling of transport phenomena in laser surface alloying with distributed species mass source," *International Journal of Heat and Fluid Flow*, vol. 23, no. 3, pp. 298–307, 2002.
- [16] E. A. Ebach and R. R. White, "Mixing of fluids flowing through beds of packed solids," *AIChE Journal*, vol. 4, no. 2, pp. 161–169, 1958.
- [17] B. Hunt, "Dispersion calculations in nonuniform seepage," *Journal of Hydrology*, vol. 36, no. 3-4, pp. 261–277, 1978.
- [18] M. S. Joshi, N. B. Desai, and M. N. Mehta, "Solution of the Burger's equation for longitudinal dispersion phenomena occurring in miscible phase flow through porous media," *Journal of Engineering and Technological Sciences*, vol. 44, no. 1, pp. 61–76, 2012.
- [19] S. Jaiswal, M. Chopra, and S. Das, "Numerical solution of non-linear partial differential equation for porous media using operational matrices," *Mathematics and Computers in Simulation*, vol. 160, pp. 138–154, 2019.
- [20] S. Das, "Analytical solution of a fractional diffusion equation by variational iteration method," Computers & Mathematics with Applications, vol. 57, no. 3, pp. 483–487, 2009.
- [21] E. Di Giuseppe, M. Moroni, and M. Caputo, "Flux in porous media with memory: models and experiments," *Transport in Porous Media*, vol. 83, no. 3, pp. 479–500, 2010.
- [22] R. Hilfer and L. Anton, "Fractional master equations and fractal time random walks," *Physical Review E*, vol. 51, no. 2, p. R848, 1995.
- [23] R. Hilfer, "Exact solutions for a class of fractal time random walks," Fractals, vol. 3, no. 01, pp. 211–216, 1995.
- [24] R. Gorenflo, F. Mainardi, D. Moretti, G. Pagnini, and P. Paradisi, "Discrete random walk models for space-time fractional diffusion," *Chemical physics*, vol. 284, no. 1-2, pp. 521–541, 2002.

[25] R. Metzler, E. Barkai, and J. Klafter, "Anomalous diffusion and relaxation close to thermal equilibrium: A fractional Fokker-Planck equation approach," *Physical review letters*, vol. 82, no. 18, p. 3563, 1999.

- [26] D. Ben-Avraham and S. Havlin, Diffusion and reactions in fractals and disordered systems. Cambridge university press, 2000.
- [27] J.-P. Bouchaud and A. Georges, "Anomalous diffusion in disordered media: statistical mechanisms, models and physical applications," *Physics reports*, vol. 195, no. 4-5, pp. 127–293, 1990.
- [28] S. Das, "A note on fractional diffusion equations," Chaos, Solitons & Fractals, vol. 42, no. 4, pp. 2074–2079, 2009.
- [29] T. Moodie and R. Tait, "On thermal transients with finite wave speeds," *Acta mechanica*, vol. 50, no. 1-2, pp. 97–104, 1983.
- [30] C.-M. Chen, F. Liu, I. Turner, and V. Anh, "Numerical schemes and multivariate extrapolation of a two-dimensional anomalous sub-diffusion equation," *Numerical Algorithms*, vol. 54, no. 1, pp. 1–21, 2010.
- [31] S. Guo, L. Mei, Z. Zhang, J. Chen, Y. He, and Y. Li, "Finite difference/Hermite—Galerkin spectral method for multi-dimensional time-fractional nonlinear reaction—diffusion equation in unbounded domains," *Applied Mathematical Modelling*, vol. 70, pp. 246–263, 2019.
- [32] S. Kumar, P. Pandey, S. Das, and E. Craciun, "Numerical solution of two dimensional reaction-diffusion equation using operational matrix method based on Genochi polynomial. part i: Genocchi polynomial and operational matrix," Proc. Rom. Acad., Ser. A: Math. Phys. Tech. Sci. Inf. Sci., vol. 20, no. 4, pp. 393–399, 2019.
- [33] R. Metzler and J. Klafter, "The random walk's guide to anomalous diffusion: a fractional dynamics approach," *Physics reports*, vol. 339, no. 1, pp. 1–77, 2000.
- [34] S. Fomin, V. Chugunov, and T. Hashida, "Mathematical modeling of anomalous diffusion in porous media," *Fract. Differ. Calc*, vol. 1, no. 1, pp. 1–28, 2011.
- [35] A. Nepomnyashchy, "Mathematical modelling of subdiffusion-reaction systems," Mathematical Modelling of Natural Phenomena, vol. 11, no. 1, pp. 26–36, 2016.
- [36] R. L. Magin, Fractional calculus in bioengineering, vol. 2. Begell House Redding, 2006.

[37] V. V. Uchaikin, Fractional derivatives for physicists and engineers, vol. 2. Springer, 2013.

- [38] F. Mainardi, Fractional calculus and waves in linear viscoelasticity: an introduction to mathematical models. World Scientific, 2010.
- [39] Y. Povstenko, Fractional thermoelasticity, vol. 219. Springer, 2015.
- [40] R. Herrmann, Fractional calculus: an introduction for physicists. World scientific, 2014.
- [41] P. Zhou, J. Ma, and J. Tang, "Clarify the physical process for fractional dynamical systems," *Nonlinear Dynamics*, vol. 100, no. 3, pp. 2353–2364, 2020.
- [42] K. Balachandran, J. Park, and J. Trujillo, "Controllability of nonlinear fractional dynamical systems," Nonlinear Analysis: Theory, Methods & Applications, vol. 75, no. 4, pp. 1919–1926, 2012.
- [43] Y. Xu and E. V. Suat, "A finite difference technique for solving variable-order fractional integro-differential equations," 2014.
- [44] N. H. Sweilam, S. M. Al-Mekhlafi, and A. O. Albalawi, "A novel variable-order fractional nonlinear Klein Gordon model: A numerical approach," *Numerical Methods for Partial Differential Equations*, vol. 35, no. 5, pp. 1617–1629, 2019.
- [45] G.-C. Wu and D. Baleanu, "Variational iteration method for the Burgers' flow with fractional derivatives—new Lagrange multipliers," *Applied Mathematical Modelling*, vol. 37, no. 9, pp. 6183–6190, 2013.
- [46] I. Ateş and P. Zegeling, "A homotopy perturbation method for fractional-order advection-diffusion-reaction boundary-value problems," Applied Mathematical Modelling, vol. 47, pp. 425–441, 2017.
- [47] A. Bhrawy and A. Alofi, "The operational matrix of fractional integration for shifted Chebyshev polynomials," *Applied Mathematics Letters*, vol. 26, no. 1, pp. 25–31, 2013.
- [48] X. Li and P. J. Wong, "Numerical solutions of fourth-order fractional sub-diffusion problems via parametric quintic spline," ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift für Angewandte Mathematik und Mechanik, p. e201800094, 2019.

[49] A. H. Bhrawy, M. M. Alghamdi, and T. M. Taha, "A new modified generalized Laguerre operational matrix of fractional integration for solving fractional differential equations on the half line," Advances in Difference Equations, vol. 2012, no. 1, p. 179, 2012.

- [50] M. A. Abdelkawy and T. M. Taha, "An operational matrix of fractional derivatives of Laguerre polynomials," Walailak Journal of Science and Technology (WJST), vol. 11, no. 12, pp. 1041–1055, 2014.
- [51] P. Pandey, S. Das, E. Craciun, and T. Sadowski, "Two-dimensional nonlinear time fractional reaction-diffusion equation in application to sub-diffusion process of the multicomponent fluid in porous media," *Meccanica*, vol. 56, no. 1, pp. 99–115, 2021.
- [52] M. Shakeel, I. Hussain, H. Ahmad, I. Ahmad, P. Thounthong, and Y.-F. Zhang, "Meshless technique for the solution of time-fractional partial differential equations having real-world applications," *Journal of Function Spaces*, vol. 2020, 2020.
- [53] L. Zada and I. Aziz, "Numerical solution of fractional partial differential equations via Haar wavelet," *Numerical Methods for Partial Differential Equations*, 2020.
- [54] O. A. Arqub, M. S. Osman, A.-H. Abdel-Aty, A.-B. A. Mohamed, and S. Momani, "A numerical algorithm for the solutions of ABC singular Lane-Emden type models arising in astrophysics using reproducing kernel discretization method," *Mathematics*, vol. 8, no. 6, p. 923, 2020.
- [55] M. Heydari, "Chebyshev cardinal functions for a new class of nonlinear optimal control problems generated by Atangana–Baleanu–Caputo variable-order fractional derivative," Chaos, Solitons & Fractals, vol. 130, p. 109401, 2020.
- [56] E. K. Akgül, A. Akgül, and D. Baleanu, "Laplace transform method for economic models with constant proportional Caputo derivative," Fractal and Fractional, vol. 4, no. 3, p. 30, 2020.
- [57] M. A. Bayrak, A. Demir, and E. Ozbilge, "Numerical solution of fractional diffusion equation by chebyshev collocation method and residual power series method," Alexandria Engineering Journal, vol. 59, no. 6, pp. 4709–4717, 2020.
- [58] W. Boukaram, M. Lucchesi, G. Turkiyyah, O. Le Maitre, O. Knio, and D. Keyes, "Hierarchical matrix approximations for space-fractional diffusion equations," Computer Methods in Applied Mechanics and Engineering, vol. 369, p. 113191, 2020.

[59] S. Kumar, P. Pandey, and S. Das, "Gegenbauer wavelet operational matrix method for solving variable-order non-linear reaction-diffusion and Galilei invariant advection-diffusion equations," Computational and Applied Mathematics, vol. 38, no. 4, p. 162, 2019.

- [60] P. Pandey, S. Kumar, H. Jafari, and S. Das, "An operational matrix for solving time-fractional order Cahn-Hilliard equation," *Thermal Science*, no. 00, pp. 369– 369, 2019.
- [61] A. A. Salih and S. Shihab, "New operational matrices approach for optimal control based on modified Chebyshev polynomials," Samarra Journal of Pure and Applied Science, vol. 2, no. 2, pp. 68–78, 2020.
- [62] P. Pandey, S. Kumar, and S. Das, "Approximate analytical solution of coupled fractional order reaction-advection-diffusion equations," The European Physical Journal Plus, vol. 134, no. 7, p. 364, 2019.
- [63] W. M. Abd-Elhameed and Y. H. Youssri, "A novel operational matrix of Caputo fractional derivatives of Fibonacci polynomials: spectral solutions of fractional differential equations," *Entropy*, vol. 18, no. 10, p. 345, 2016.
- [64] A. A. Kilbas, H. M. Srivastava, and J. J. Trujillo, Theory and applications of fractional differential equations, vol. 204. elsevier, 2006.
- [65] I. Podlubny, Fractional differential equations: an introduction to fractional derivatives, fractional differential equations, to methods of their solution and some of their applications, vol. 198. Elsevier, 1998.
- [66] J. W. Cahn and J. E. Hilliard, "Free energy of a nonuniform system. i. interfacial free energy," *The Journal of chemical physics*, vol. 28, no. 2, pp. 258–267, 1958.
- [67] C. M. Elliott and Z. Songmu, "On the cahn-hilliard equation," Archive for Rational Mechanics and Analysis, vol. 96, no. 4, pp. 339–357, 1986.
- [68] C. G. Gal and A. Miranville, "Uniform global attractors for non-isothermal viscous and non-viscous Cahn–Hilliard equations with dynamic boundary conditions," Nonlinear Analysis: Real World Applications, vol. 10, no. 3, pp. 1738–1766, 2009.
- [69] A. Berti and I. Bochicchio, "A mathematical model for phase separation: A generalized Cahn-Hilliard equation," Mathematical Methods in the Applied Sciences, vol. 34, no. 10, pp. 1193–1201, 2011.

[70] H. Tanaka, "Viscoelastic phase separation," *Journal of Physics: Condensed Matter*, vol. 12, no. 15, p. R207, 2000.

- [71] M. Abramowitz and I. Stegun, "Handbook of mathematical functions dover new york math google scholar," 1964.
- [72] M. Khader, "The use of generalized Laguerre polynomials in spectral methods for solving fractional delay differential equations," *Journal of computational and non-linear dynamics*, vol. 8, no. 4, 2013.
- [73] M. Khader, T. S. El Danaf, and A. Hendy, "Efficient spectral collocation method for solving multi-term fractional differential equations based on the generalized Laguerre polynomials," Fractional Calculus Appl, vol. 3, no. 13, pp. 1–14, 2012.
- [74] Y. Povstenko, "Fundamental solutions to time-fractional advection diffusion equation in a case of two space variables," Mathematical Problems in Engineering, vol. 2014, 2014.
- [75] Y. Povstenko, T. Kyrylych, and G. Rygał, "Fractional diffusion in a solid with mass absorption," *Entropy*, vol. 19, no. 5, p. 203, 2017.
- [76] Y. Povstenko and T. Kyrylych, "Time-fractional diffusion with mass absorption under harmonic impact," Fractional Calculus and Applied Analysis, vol. 21, no. 1, pp. 118–133, 2018.
- [77] Y. Povstenko and T. Kyrylych, "Two approaches to obtaining the space-time fractional advection-diffusion equation," *Entropy*, vol. 19, no. 7, p. 297, 2017.
- [78] Y. Povstenko and J. Klekot, "The dirichlet problem for the time-fractional advection-diffusion equation in a line segment," *Boundary Value Problems*, vol. 2016, no. 1, p. 89, 2016.
- [79] S. Chen, F. Liu, and K. Burrage, "Numerical simulation of a new two-dimensional variable-order fractional percolation equation in non-homogeneous porous media," Computers & Mathematics with Applications, vol. 68, no. 12, pp. 2133–2141, 2014.
- [80] H. Chou, B. Lee, and C. Chen, "The transient infiltration process for seepage flow from cracks," Advances in Subsurface Flow and Transport: Eastern and Western Approaches III, 2006.
- [81] A. Huang et al., "A new decomposition for solving percolation equations in porous media," in *Third International Symposium on Aerothermodynamics of Internal Flows, Beijing, China*, pp. 417–420, 1996.

[82] J.-H. He, "Approximate analytical solution for seepage flow with fractional derivatives in porous media," *Computer Methods in Applied Mechanics and Engineering*, vol. 167, no. 1-2, pp. 57–68, 1998.

- [83] M. S. Hashemi, Z. Balmeh, and D. Baleanu, "Exact solutions, Lie symmetry analysis and conservation laws of the time fractional diffusion-absorption equation," in Mathematical Methods in Engineering, pp. 97–109, Springer, 2019.
- [84] A. Graham, Kronecker products and matrix calculus with applications. Courier Dover Publications, 2018.
- [85] J. Brewer, "Kronecker products and matrix calculus in system theory," *IEEE Transactions on circuits and systems*, vol. 25, no. 9, pp. 772–781, 1978.
- [86] Z. Lewandowski and J. Szynal, "An upper bound for the Laguerre polynomials," Journal of computational and applied mathematics, vol. 99, no. 1-2, pp. 529–533, 1998.
- [87] K. D. Dwivedi, S. Das, D. Baleanu, et al., "Numerical solution of nonlinear space—time fractional-order advection—reaction—diffusion equation," Journal of Computational and Nonlinear Dynamics, vol. 15, no. 6, 2020.
- [88] R. M. Wald, "Construction of solutions of gravitational, electromagnetic, or other perturbation equations from solutions of decoupled equations," *Physical Review Let*ters, vol. 41, no. 4, p. 203, 1978.
- [89] A. Yildiz and C. Tang, "Electromagnetic cavity resonances in accelerated systems," Physical Review, vol. 146, no. 4, p. 947, 1966.
- [90] Y. A. Rossikhin and M. V. Shitikova, "Application of fractional calculus for dynamic problems of solid mechanics: novel trends and recent results," *Applied Mechanics Reviews*, vol. 63, no. 1, p. 010801, 2010.
- [91] B. Shiri and D. Baleanu, "System of fractional differential algebraic equations with applications," *Chaos, Solitons & Fractals*, vol. 120, pp. 203–212, 2019.
- [92] J. Sundnes, G. Lines, K. Mardal, and A. Tveito, "Multigrid block preconditioning for a coupled system of partial differential equations modeling the electrical activity in the heart," Computer Methods in Biomechanics & Biomedical Engineering, vol. 5, no. 6, pp. 397–409, 2002.
- [93] M. Caputo, "Diffusion of fluids in porous media with memory," Geothermics, vol. 28, no. 1, pp. 113–130, 1999.

[94] G. Iaffaldano, M. Caputo, and S. Martino, "Experimental and theoretical memory diffusion of water in sand," *Hydrology and Earth System Sciences*, vol. 10, no. 1, pp. 93–100, 2006.

- [95] S. Das, P. K. Gupta, and P. Ghosh, "An approximate solution of nonlinear fractional reaction-diffusion equation," Applied mathematical modelling, vol. 35, no. 8, pp. 4071–4076, 2011.
- [96] M. F. El Amin, A. G. Radwan, and S. Sun, "Analytical solution for fractional derivative gas-flow equation in porous media," *Results in physics*, vol. 7, pp. 2432– 2438, 2017.
- [97] M. F. El Amin, "Analytical solution of the apparent-permeability gas-transport equation in porous media," *The European Physical Journal Plus*, vol. 132, no. 3, p. 129, 2017.
- [98] A. Singh, S. Das, S. H. Ong, and H. Jafari, "Numerical solution of nonlinear reaction—advection—diffusion equation," *Journal of Computational and Nonlinear Dynamics*, vol. 14, no. 4, 2019.
- [99] J. M. Burgers, "A mathematical model illustrating the theory of turbulence," in *Advances in applied mechanics*, vol. 1, pp. 171–199, Elsevier, 1948.
- [100] J. D. Cole, "On a quasi-linear parabolic equation occurring in aerodynamics," *Quarterly of applied mathematics*, vol. 9, no. 3, pp. 225–236, 1951.
- [101] J. Nee and J. Duan, "Limit set of trajectories of the coupled viscous Burgers' equations," *Applied mathematics letters*, vol. 11, no. 1, pp. 57–61, 1998.
- [102] S. E. Esipov, "Coupled Burgers equations: a model of polydispersive sedimentation," *Physical Review E*, vol. 52, no. 4, p. 3711, 1995.
- [103] W. Hereman and A. Nuseir, "Symbolic methods to construct exact solutions of nonlinear partial differential equations," *Mathematics and Computers in Simulation*, vol. 43, no. 1, pp. 13–27, 1997.
- [104] R. Mittal, H. Kaur, and V. Mishra, "Haar wavelet-based numerical investigation of coupled viscous Burgers' equation," *International Journal of Computer Mathemat*ics, vol. 92, no. 8, pp. 1643–1659, 2015.
- [105] Ö. Oruç, F. Bulut, and A. Esen, "Chebyshev wavelet method for numerical solutions of coupled Burgers' equation," *Hacettepe Journal of Mathematics and Statistics*, vol. 48, no. 1, pp. 1–16, 2019.

[106] H. Brunner, L. Ling, and M. Yamamoto, "Numerical simulations of 2d fractional subdiffusion problems," *Journal of Computational Physics*, vol. 229, no. 18, pp. 6613– 6622, 2010.

- [107] A. Ghorbani, "Beyond adomian polynomials: he polynomials," *Chaos, Solitons & Fractals*, vol. 39, no. 3, pp. 1486–1492, 2009.
- [108] A. Ghorbani and J. Saberi-Nadjafi, "He's homotopy perturbation method for calculating adomian polynomials," *International Journal of Nonlinear Sciences and Numerical Simulation*, vol. 8, no. 2, pp. 229–232, 2007.
- [109] D. Ganji and A. Sadighi, "Application of he's homotopy-perturbation method to nonlinear coupled systems of reaction-diffusion equations," *International Journal of Nonlinear Sciences and Numerical Simulation*, vol. 7, no. 4, pp. 411–418, 2006.
- [110] L. Cveticanin, "Homotopy-perturbation method for pure nonlinear differential equation," *Chaos, Solitons & Fractals*, vol. 30, no. 5, pp. 1221–1230, 2006.
- [111] Z.-J. Fu, W. Chen, and H.-T. Yang, "Boundary particle method for Laplace transformed time fractional diffusion equations," *Journal of Computational Physics*, vol. 235, pp. 52–66, 2013.
- [112] J.-H. He, "Homotopy perturbation method: a new nonlinear analytical technique," *Applied Mathematics and computation*, vol. 135, no. 1, pp. 73–79, 2003.
- [113] M. Şenol, M. Alquran, and H. D. Kasmaei, "On the comparison of perturbationiteration algorithm and residual power series method to solve fractional Zakharov-Kuznetsov equation," Results in Physics, vol. 9, pp. 321–327, 2018.

1. **Prashant Pandey**, S. Kumar, H. Jafari, S. Das, "An operational matrix for solving time-fractional order Cahn-Hilliard equation", (**Thermal Science**, 23 (6), S2045-S2052, 2019).

- Prashant Pandey, S. Das, E-M. Craciun, T. Sadowski, "Two-dimensional nonlinear time fractional reaction-diffusion equation in application to sub-diffusion process of the multicomponent fluid in porous media", (Meccanica, 56 (1), 99-115, 2021).
- 3. Prashant Pandey, S. Kumar, S. Das, "Approximate analytical solution of coupled fractional order reaction-advection-diffusion equations", (The European Physical Journal Plus, 134 (7), 364, 2019).
- 4. Prashant Pandey, S. Kumar, "Approximate analytical solution of two-dimensional space-time fractional diffusion equation", (Mathematical Methods in the Applied Sciences 43 (12), 7194-7207, 2020).