

# CONTENTS

<b>TITLE PAGE</b>	<b>i</b>
<b>CERTIFICATE</b>	<b>iii</b>
<b>DECLARATION BY THE CANDIDATE</b>	<b>v</b>
<b>COPYRIGHT TRANSFER CERTIFICATE</b>	<b>vii</b>
<b>DEDICATION</b>	<b>ix</b>
<b>ACKNOWLEDGEMENTS</b>	<b>xi</b>
<b>CONTENTS</b>	<b>xiii</b>
<b>LIST OF FIGURES</b>	<b>xvii</b>
<b>LIST OF SYMBOLS</b>	<b>xix</b>
<b>ABBREVIATIONS</b>	<b>xxi</b>
<b>PREFACE</b>	<b>xxiii</b>
<b>1 INTRODUCTION AND LITERATURE REVIEW</b>	<b>1</b>
1.1 Thermoelasticity: Perspectives and Applications . . . . .	1
1.2 Development of the Conventional (Classical) Thermoelasticity Theory . . . . .	2
1.2.1 Formulation of the Classical Coupled Thermoelasticity Theory . . . . .	4
1.3 Limitations of the Classical Coupled Thermoelasticity . . . . .	8
1.4 Generalized Thermoelasticity Theory . . . . .	9
1.4.1 Lord-Shulman (LS) Thermoelasticity Theory or Extended Thermoelasticity Theory (ETE) . . . . .	10
1.4.2 Green-Naghdi (GN) Thermoelasticity Theory . . . . .	11
1.4.3 Dual-Phase-Lag (DPL) Thermoelasticity Theory . . . . .	13

1.4.4	Three-Phase-Lag (TPL) Thermoelasticity Theory . . . . .	15
1.4.5	Green-Lindsay (GL) Thermoelasticity Theory . . . . .	16
1.4.6	Modified Green-Lindsay (MGL) Thermoelasticity Theory . . .	18
1.4.7	Two-Temperature Thermoelasticity Theory . . . . .	19
1.4.8	Other Generalized Thermoelasticity Theories . . . . .	20
1.5	Porothermoelasticity Theory . . . . .	21
1.6	Literature Review . . . . .	23
1.7	Objective of the Thesis . . . . .	41
<b>2</b>	<b>AN INVESTIGATION OF THE TEMPERATURE RATE DEPENDENT THERMOELASTICITY THEORY USING A COMPLETE FINITE ELEMENT APPROACH</b>	<b>43</b>
2.1	Introduction <sup>1</sup> . . . . .	43
2.2	Basic Governing Equations . . . . .	46
2.3	Problem Formulation . . . . .	47
2.4	Finite Element Formulation . . . . .	48
2.5	Discretization in Time . . . . .	54
2.6	Numerical Results . . . . .	57
2.7	Conclusion . . . . .	64
<b>3</b>	<b>ON THE SOLUTION OF A THERMOELASTIC PROBLEM OF FUNCTIONALLY GRADED HOLLOW DISK UNDER STRAIN AND TEMPERATURE-RATE DEPENDENT THEORY</b>	<b>65</b>
3.1	Introduction <sup>2</sup> . . . . .	65
3.2	Basic Governing Equations and Problem Formulation . . . . .	68
3.3	Finite Element Formulation . . . . .	72
3.4	Formulation for the Time Domain . . . . .	75
3.4.1	I: Galerkin type FEM Formulation . . . . .	75
3.4.2	II: Newmark Scheme . . . . .	76
3.5	Numerical Results and Discussion . . . . .	78
3.6	Conclusion . . . . .	93
<b>4</b>	<b>TEMPERATURE-RATE DEPENDENT TWO-TEMPERATURE THEORY OF THERMOELASTICITY</b>	<b>95</b>
4.1	Theory of Temperature-rate Dependent Two- Temperature Thermoelasticity for Anisotropic Medium <sup>3</sup> . . . . .	95
4.1.1	Introduction . . . . .	95

4.1.2	Formulation of the Theory . . . . .	98
4.1.3	Thermoelastic Assumptions . . . . .	99
4.1.4	Formulation of the Governing Equations and Constitutive Relations	100
4.1.5	Uniqueness theorem . . . . .	105
4.1.6	Application: A One Dimensional (half space) Problem . . . . .	108
4.1.7	Numerical Results and Discussion . . . . .	113
4.1.8	Conclusion . . . . .	122
4.2	Thermomechanical Interactions Due to Mode-I Crack under Modified Temperature-Rate Dependent Two-Temperature Thermoelasticity Theory <sup>4</sup> . . . . .	124
4.2.1	Introduction . . . . .	124
4.2.2	Basic Governing Equations . . . . .	125
4.2.3	Formulation of the Problem . . . . .	127
4.2.4	Solution of the Problem in the Laplace and Fourier Transform Domain . . . . .	129
4.2.5	Formulation of the Dual Integral Equation . . . . .	133
4.2.6	Solution of the Dual Integral Equations . . . . .	136
4.2.7	Numerical Results and Discussion . . . . .	137
4.2.8	Conclusion . . . . .	144
<b>5</b>	<b>TEMPERATURE-RATE DEPENDENT THEORY OF POROTHERMOELASTICITY</b>	<b>145</b>
5.1	Theory of Temperature-Rate Dependent Porothermoelasticity for Anisotropic Medium <sup>5</sup> . . . . .	145
5.1.1	Introduction . . . . .	145
5.1.2	Formulation of the Theory . . . . .	147
5.1.3	Constitutive Assumptions . . . . .	150
5.1.4	Linear theory of Temperature-Rate Dependent Porothermoelasticity . . . . .	152
5.1.5	Conclusion . . . . .	156
5.2	Some Theorems on the Temperature-Rate Dependent theory of Porothermoelasticity <sup>6</sup> . . . . .	157
5.2.1	Introduction . . . . .	157
5.2.2	Basic Governing Equations . . . . .	159
5.2.3	Uniqueness Theorem . . . . .	161
5.2.4	Formulation of the Variation Principle . . . . .	165

5.2.5	Reciprocity Theorem . . . . .	172
5.2.6	Conclusion . . . . .	177
5.3	A Half Space Problem of Porothermoelasticity Based on the Temperature-Rate Dependent Theory <sup>7</sup> . . . . .	178
5.3.1	Introduction . . . . .	178
5.3.2	Formulation of the Problem . . . . .	179
5.3.3	Numerical Discussion . . . . .	183
5.3.4	Conclusion . . . . .	191
<b>6</b>	<b>SUMMARY OF THE THESIS AND FUTURE SCOPE</b>	<b>193</b>
6.1	Summary . . . . .	193
6.2	Suggestions for Future Work . . . . .	200
<b>REFERENCES</b>		<b>203</b>
<b>Appendix</b>		<b>231</b>
<b>PUBLICATIONS AND CONFERENCES</b>		<b>235</b>

# LIST OF FIGURES

2.4.1	Finite element profile . . . . .	49
2.6.1	Variation of displacement ( $u$ ) with $r$ and $t$ under GL theory . . . . .	58
2.6.2	Variation of temperature ( $\theta$ ) with $r$ and $t$ under GL theory . . . . .	58
2.6.3	Variation of radial stress ( $\sigma_{rr}$ ) with $r$ and $t$ under GL theory . . . . .	59
2.6.4	Variation of circumferential stress ( $\sigma_{\phi\phi}$ ) with $r$ and $t$ under GL theory . .	59
2.6.5	Distribution of displacement ( $u$ ) under GL and LS theories at $t = 1.0, 1.5$ .	61
2.6.6	Distribution of temperature ( $\theta$ ) under GL and LS theories at $t = 1.0, 1.5$ .	61
2.6.7	Distribution of radial stress ( $\sigma_{rr}$ ) under GL and LS theories at $t = 1.0, 1.5$	62
2.6.8	Distribution of circumferential stress ( $\sigma_{\phi\phi}$ ) under GL and LS theories at $t = 1.0, 1.5$ . . . . .	62
2.6.9	Temperature distribution at $t = 0.39$ for solutions obtained using trans- FEM and Complete FEM method . . . . .	63
3.2.1	(a) Variation on volume fraction for different $n$ , (b) Distribution of metallic (shown in red color) and ceramic (shown in black color) property inside the hollow disk for $n = 1$ . . . . .	70
3.5.1	Temperature distribution at $t = 0.40$ and $t = 0.69$ under MGL theory for all methods . . . . .	80
3.5.2	Comparison of CPU time for three different methods: Complete FEM, FEM with Newmark and Trans-FEM methods . . . . .	81
3.5.3	Variation of displacement ( $u$ ) with $r$ and $t$ under GL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	82
3.5.4	Variation of displacement ( $u$ ) with $r$ and $t$ under MGL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	83
3.5.5	Variation of temperature ( $\theta$ ) with $r$ and $t$ under GL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	84
3.5.6	Variation of temperature ( $\theta$ ) with $r$ and $t$ under MGL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	85
3.5.7	Variation of radial stress ( $\sigma_{rr}$ ) with $r$ and $t$ under GL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	86

---

3.5.8	Variation of radial stress ( $\sigma_{rr}$ ) with $r$ and $t$ under MGL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	87
3.5.9	Variation of circumferential stress ( $\sigma_{\phi\phi}$ ) with $r$ and $t$ under GL theory for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	88
3.5.10	Variation of circumferential stress ( $\sigma_{\phi\phi}$ ) with $r$ and $t$ under MGL for different $n$ , (a) $n = 0$ and (b) $n = 2$ . . . . .	89
3.5.11	The effect of non-homogeneity on displacement ( $u$ ) at $t = 0.40$ under GL and MGL model . . . . .	90
3.5.12	The effect of non-homogeneity on temperature ( $\theta$ ) at $t = 0.40$ under GL and MGL model . . . . .	90
3.5.13	The effect of non-homogeneity on radial stress ( $\sigma_{rr}$ ) at $t = 0.40$ under GL and MGL model . . . . .	91
3.5.14	The effect of non-homogeneity on circumferential stress ( $\sigma_{\phi\phi}$ ) at $t = 0.40$ under GL and MGL model . . . . .	91
4.1.1	Variation of conductive temperature ( $\phi$ ) at $t_1 = 0.5$ and $a_1 = 0.5$ . . . . .	114
4.1.2	Variation of thermodynamic temperature ( $\theta$ ) at $t_1 = 0.5$ and $a_1 = 0.5$ . . . . .	115
4.1.3	Variation of displacement ( $u$ ) at $t_1 = 0.5$ and $a_1 = 0.5$ . . . . .	116
4.1.4	Variation of stress ( $\sigma_{xx}$ ) at $t_1 = 0.5$ and $a_1 = 0.5$ . . . . .	117
4.1.5	Distribution of conductive temperature ( $\phi$ ) at different $t_1$ and $a_1$ . . . . .	118
4.1.6	Distribution of thermodynamic temperature ( $\theta$ ) at different $t_1$ and $a_1$ . . . . .	119
4.1.7	Distribution of displacement ( $u$ ) at different $t_1$ and $a_1$ . . . . .	120
4.1.8	Distribution of stress ( $\sigma_{xx}$ ) at different $t_1$ and $a_1$ . . . . .	121
4.2.1	Geometry of the crack . . . . .	127
4.2.2	Variation of temperature (a) Conductive temperature ( $\phi$ ) and (b) Thermodynamic temperature ( $\theta$ ) . . . . .	140
4.2.3	Variation of displacement components (a) Horizontal displacement ( $u$ ) and (b) Vertical displacement ( $v$ ) . . . . .	141
4.2.4	Variation of stress components (a) $\sigma_{xx}$ and (b) $\sigma_{yy}$ . . . . .	142
4.2.5	Distribution of shear stress ( $\sigma_{xy}$ ) along $x$ at $t = 0.35$ . . . . .	143
4.2.6	Distribution of conductive temperature ( $\phi$ ) along $x$ at $y = 0.2$ . . . . .	143
5.3.1	Variation of displacement ( $u$ ) due to solid phase at different time . . . . .	185
5.3.2	Variation of displacement ( $U$ ) due to liquid phase at different time . . . . .	186
5.3.3	Variation of temperature ( $\vartheta_s$ ) due to solid phase at different time . . . . .	187
5.3.4	Variation of temperature ( $\vartheta_f$ ) due to liquid phase at different time . . . . .	188
5.3.5	Variation of stress ( $\tau_{xx}$ ) due to solid phase at different time . . . . .	189
5.3.6	Variation of stress ( $\tau$ ) due to liquid phase at different time . . . . .	190