

# Appendix A

## List of Publications

### A.1 Published Journal papers

- Tripurari Das Gupta, Kalpana Chaudhary, Rajvikram Madurai Elavarasan, R. K. Saket, Irfan Khan and Eklas Hossain, “Design modification in single-tooth winding double-stator switched reluctance motor for torque ripple mitigation,” *IEEE Access*, vol. 9, pp. 19078–19096, 2021.
- Tripurari Das Gupta and Kalpana Chaudhary, “Finite element method based design and analysis of a low torque ripple double-stator switched reluctance motor,” *Progress In Electromagnetics Research C*, vol. 111, pp. 191–206, 2021.

### A.2 Submitted manuscript

- Tripurari Das Gupta and Kalpana Chaudhary, “Research on torque ripple minimization of double-stator switched reluctance motor using finite element method,” submitted in *Advances in Electrical and Computer Engineering*.



# References

- [1] M. Barcaro, N. Bianchi, and F. Magnussen, “PM motors for hybrid electric vehicles,” *Open Fuels Energy Sci. J.*, vol. 2, pp. 135–141, May 2009.
- [2] J. Nerg, M. Rilla, V. Ruuskanen, J. Pyrhonen, and S. Ruotsalainen, “Direct-driven interior magnet permanent-magnet synchronous motors for a full electric sports car,” *IEEE Trans. Ind. Electron.*, vol. 61, no. 8, pp. 4286–4294, Aug. 2014.
- [3] Z. Q. Liu, K. Wang and F. Li, ”Design and analysis of permanent magnet homopolar machine for flywheel energy storage system,” *IEEE Transactions on Magnetics*, vol. 55, no. 7, pp. 1–6, July 2019.
- [4] S. Leitner, H. Gruebler and A. Muetze, “Innovative Low-Cost Sub-Fractional HP BLDC Claw-Pole Machine Design for Fan Applications,” *IEEE Transactions on Industry Applications*, vol. 55, no. 3, pp. 2558–2568, May-June 2019.
- [5] S. Murshid and B. Singh, “Single Stage Autonomous Solar Water Pumping System Using PMSM Drive,” *IEEE Transactions on Industry Applications*, vol. 56, no. 4, pp. 3985–3994, July-Aug. 2020.
- [6] R. R. Kumar, P. Devi, C. Chetri, A. S. S. Vardhan, R. M. Elavarasan, L. Mihet-Popa and R. K. Saket, “Design and Characteristics Investigation of Novel Dual Stator Pseudo-Pole Five-Phase Permanent Magnet Synchronous Generator for Wind Power Application” *IEEE Access*, vol. 8, pp. 175788–175804, 2020.
- [7] K. Kiyota, H. Sugimoto, and A. Chiba, “Comparing electric motors: An analysis using four standard driving schedules,” *IEEE Ind. Appl. Mag.*, vol. 20, no. 4, pp. 1220, Jul./Aug. 2014.

- [8] A. Chiba and K. Kiyota, "Review of research and development of switched reluctance motor for hybrid electrical vehicle," *Proc. WEMDCD*, Turin, Italy, Mar. 2015, pp. 127–131.
- [9] D. Gerada, A. Mebarki, N. L. Brown, C. Gerada, A. Cavagnino and A. Boglietti, "High-speed electrical machines: technologies, trends, and developments" *IEEE Transactions on Industrial Electronics*, vol. 61, no. 6, pp. 2946–2959, June 2014.
- [10] Han, G., H. Chen, and G. Guan, "Low-cost SRM drive system with reduced current sensors and position sensors" *IET Electric Power Applications*, vol. 13, no. 7, pp. 853-862, July 2019.
- [11] M. Ma, Z. Chang, Y. Hu, F. Li, C. Gan, and W. Cao, "An integrated switched reluctance motor drive topology with voltage-boosting and onboard charging capabilities for plug-in hybrid electric vehicles (PHEVs)," *IEEE Access*, vol. 6, pp. 1550–1559, 2018.
- [12] A. Chiba, K. Kiyota, N. Hoshi, M. Takemoto, and S. Ogasawara, "Development of a rare-earth-free SR motor with high torque density for hybrid vehicles" *IEEE Trans. Energy Convers.*, vol. 30, no. 1, pp. 175–182, Mar. 2015.
- [13] F. Yi and W. Cai, "A quasi-Z-source integrated multiport power converter as switched reluctance motor drives for capacitance reduction and wide speed-range operation" *IEEE Trans. Power Electron.*, vol. 31, no. 11, pp. 7661–7676, Nov. 2016.
- [14] C. Gan, J. Wu, Y. Hu, S. Yang, W. Cao, and J. L. Kirtley, "Online sensorless position estimation for switched reluctance motors using one current sensor," *IEEE Trans. Power Electron.*, vol. 31, no. 10, pp. 7248–7263, Oct. 2016.
- [15] Ling, X., B. Li, L. Gong, Y. Huang, and C. Liu, "Simulation of switched reluctance motor drive system based on multi-physics modeling method" *IEEE Access*, Vol. 5, 26184–26189, 2017.
- [16] Sree Ranjini K S and S. Murugan "Design and performance comparison of permanent magnet brushless motors and switched reluctance motors for extended temperature

- applications,” *Progress in Electromagnetics Research M*, vol. no. 67, pp. 137–146, 2018.
- [17] C. Theodore Peachee, Donald J. Williams and Steven P. Randall, “Washing machine including a segmented stator switched reluctance motor,” U.S. Patent, 6 584 813 B2, Mar. 26, 2001.
- [18] B. Singh, A. K. Mishra and R. Kumar, “Solar powered water pumping system employing switched reluctance motor drive,” *IEEE Transactions on Industry Applications*, vol. 52, no. 5, pp. 3949–3957, Sept.-Oct. 2016.
- [19] J. Borg Bartolo, M. Degano, J. Espina and C. Gerada, “Design and initial testing of a high-speed 45-kW switched reluctance drive for aerospace application,” *IEEE Transactions on Industrial Electronics*, vol. 64, no. 2, pp. 988–997, Feb. 2017.
- [20] J. Lin, N. Schofield and A. Emadi, “External-rotor 6-10 switched reluctance motor for an electric bicycle,” *IEEE Transactions on Transportation Electrification*, vol. 1, no. 4, pp. 348–356, Dec. 2015.
- [21] Krishnan, R., S.Y. Park, and K. Ha, “Theory and operation of a four-quadrant switched reluctance motor drive with a single controllable switch-the lowest cost four-quadrant brushless motor drive” *IEEE Transactions on Industry Applications*, vol. 41, no. 4, pp. 1047–1055, JulyAugust 2005.
- [22] Sun, Q., J. Wu, C. Gan, Y. Hu, N. Jin, and J. Guo, “A new phase current reconstruction scheme for four-phase SRM drives using improved converter topology without voltage penalty,” *IEEE Transactions on Industrial Electronics*, vol. 65, no. 1, pp. 133–144, January 2018.
- [23] J. Kim, K. Ha and R. Krishnan, “Single-controllable-switch-based switched reluctance motor drive for low cost, variable-speed applications,” *IEEE Transactions on Power Electronics*, vol. 27, no. 1, pp. 379–387, Jan. 2012.
- [24] Gan, C., J. Wu, Q. Sun, W. Kong, H. Li, and Y. Hu, “A review on machine topologies and control techniques for low-noise switched reluctance motors in electric vehicle applications,” *IEEE Access*, vol. 6, pp. 31430–31443, 2018.

- [25] R. Madhavan and B. G. Fernandes, “Axial Flux Segmented SRM With a Higher Number of Rotor Segments for Electric Vehicles,” *IEEE Transactions on Energy Conversion*, vol. 28, no. 1, pp. 203–213, March 2013.
- [26] Koreboina, V.B., Narasimharaju, B.L. and Vinod Kumar, D.M., “Performance investigation of simplified PWM MPPT approach for direct PV-fed switched reluctance motor in water pumping system,” *IET Electric Power Applications*, vol. 11, no. 9, pp. 1645–1655. Nov. 2017.
- [27] A. K. Mishra and B. Singh, “Self-governing single-stage photovoltaic water pumping system with voltage balancing control for a four-phase SRM drive,” *IET Electric Power Applications*, vol. 14, no. 1, pp. 119–130, Jan. 2020.
- [28] R. Todd, V. Valdivia, F. J. Bryan, A. Barrado, A. Lzaro and A. J. Forsyth, “Behavioural modelling of a switched reluctance motor drive for aircraft power systems,” *IET Electrical Systems in Transportation*, vol. 4, no. 4, pp. 107–113, Dec. 2014.
- [29] L. Castellini, S. Lucidi and M. Villani, “Design optimization of switched reluctance motor for aerospace application,” *2015 IEEE International Electric Machines & Drives Conference (IEMDC)*, 2015, pp. 1678–1682.
- [30] Yuan, Y., Sun, Y. and Huang, Y., “Design and analysis of bearingless flywheel motor specially for flywheel energy storage,” *Electronics Letters*, vol. 52, no. 1, pp. 66–68, 2016.
- [31] Ho, C., J. Wang, K. Hu, and C. Liaw, “Development and operation control of a switched reluctance motor driven flywheel,” *IEEE Transactions on Power Electronics*, vol. 34, no. 1, pp. 52–537, Jan. 2019.
- [32] J. Liang, L. Jian, G. Xu, and Z. Shao, “Analysis of electromagnetic behavior in switched reluctance motor for the application of integrated air conditioner on-board charger system,” *Progress In Electromagnetics Research*, vol. 124, pp. 347–364, 2012.
- [33] K. Isobe, K. Nakamura, and O. Ichinokura. “A consideration of High Speed SR Motor for Electric Power Tools,” *Journal of the Magnetics Society of Japan*, vol. 38, no. 5, pp. 194–198, 2014.

- [34] S. M. Castano, R. Yang, C. Mak, B. Bilgin and A. Emadi, “External-rotor switched reluctance motor for direct-drive home appliances,” *IECON 2018 - 44th Annual Conference of the IEEE Industrial Electronics Society*, 2018, pp. 514–521.
- [35] S. P. Nikam, S. Sau and B. G. Fernandes, “Design of switched reluctance motor based electric drive-train for intra-campus two wheeler,” *IECON 2013 - 39th Annual Conference of the IEEE Industrial Electronics Society*, 2013, pp. 4612–4617.
- [36] J. Lin, N. Schofield and A. Emadi, “External-rotor 6 – 10 switched reluctance motor for an electric bicycle,” *IEEE Transactions on Transportation Electrification*, vol. 1, no. 4, pp. 348–356, Dec. 2015.
- [37] H. Hayashi, K. Nakamura, A. Chiba, T. Fukao, K. Tungpimolrut, and D. Dorrell, “Efficiency improvements of switched reluctance motors with high-quality iron steel and enhanced conductor slot fill,” *IEEE Trans. Energy Convers.*, vol. 24, no. 4, pp. 819–825, Dec. 2009.
- [38] P. Desai, M. Krishnamurthy, N. Schofield, and A. Emadi, “Novel switched reluctance machine configuration with higher number of rotor poles than stator poles: Concept to implementation,” *IEEE Trans. Ind. Electron.*, vol. 57, no. 2, pp. 649–659, Feb. 2010.
- [39] C. Lee, R. Krishnan, and N. Lobo, “Novel two-phase switched reluctance machine using common-pole E-core structure: concept, analysis, and experimental verification,” *IEEE transactions on industry applications*, vol. 45, no. 2, pp. 703711, 2009.
- [40] H. Eskandari and M. Mirsalim, “An improved 9/12 two-phase E-core switched reluctance machine,” *IEEE Transactions on Energy Conversion*, vol. 28, no. 4, pp. 951958, 2013.
- [41] B.C. Mecrow, J.W. Finch, E.A. El-Kharashi, and A.G. Jack, “Switched reluctance motors with segmental rotors,” *IEE Proc.- Electr. Power Appl.*, vol. 149, no. 4, pp. 245–254, July 2002.
- [42] B. C. Mecrow, E. A. El-Kharashi, J.W. Finch, and A. G. Jack, “Segmental rotor switched reluctance motors with single-tooth windings,” *IEE Proc.- Electr. Power Appl.*, vol. 150, no. 5, pp. 591–599, Sep. 2003.

- [43] B. C. Mecrow, E. A. El-Kharashi, J. W. Finch and A. G. Jack, "Preliminary performance evaluation of switched reluctance motors with segmental rotors," *IEEE Transactions on Energy Conversion*, vol. 19, no. 4, pp. 679–686, Dec. 2004.
- [44] E. Gouda and M. Salah H, "A proposed design, implementation and control of doubly fed switched reluctance motor," *CES Transactions on Electrical Machines and Systems*, vol. 3, no. 1, pp. 101–106, March 2019.
- [45] M. N. Anwar and O. Husain, "Radial force calculation and acoustic noise prediction in switched reluctance machines," *IEEE Transactions on Industry Applications*, vol. 36, no. 6, pp. 1589–1597, Nov.-Dec. 2000.
- [46] Yonghong Huang, Chi Chen, Ye Yuan, Fengxiao Huang, Qian Wen Xiang, and Fan Yang, "Analysis of electromagnetic vibration and noise characteristics of bearingless switched reluctance motor," *Progress In Electromagnetics Research M*, vol. 85, pp. 83–94, 2019.
- [47] F. Lin and S. Yang, "An approach to producing controlled radial force in a switched reluctance motor," *IEEE Transactions on Industrial Electronics*, vol. 54, no. 4, pp. 2137–2146, Aug. 2007.
- [48] C. Gan, J. Wu, M. Shen, S. Yang, Y. Hu, and W. Cao, "Investigation of skewing effects on the vibration reduction of three-phase switched reluctance motors," *IEEE Trans. Magn.*, vol. 51, no. 9, pp. 1–9, Sep. 2015.
- [49] K. Kiyota, T. Kakishima, A. Chiba and M. A. Rahman, "Cylindrical rotor design for acoustic Noise and windage loss reduction in switched reluctance motor for HEV applications," *IEEE Transactions on Industry Applications*, vol. 52, no. 1, pp. 154–162, Jan.-Feb. 2016.
- [50] N. S. Prakash, R. V. Prabhakar, and B. G. Fernandes, "A segmented switched reluctance motor as hub drive for an electric vehicle," Indian Patent 331 582 B, Sep. 20, 2011.
- [51] C. H. Perry, "Switched reluctance motor and switched reluctance apparatus for hybrid vehicles," U.S. Patent, 10 075 050 B2, Mar. 26, 2015.



- [52] P. Boaventura-Delanoé, “Switched reluctance permanent magnet motor,” U.S. Patent 9 831 753 B2, Apr. 14, 2016.
- [53] M. Abbasian, M. Moallem, and B. Fahimi, “Double-stator switched reluctance machines (DSSRM): Fundamentals and magnetic force analysis,” *IEEE Trans. Energy Convers.*, vol. 25, no. 3, pp. 589–597, Sep. 2010.
- [54] W. S. Yao, “Rapid optimization of double-stators switched reluctance motor with equivalent magnetic circuit,” *Energies*, vol. 10, no. 10, 2017.
- [55] E. Cosoroaba, E. Bostanci, Y. Li, W. Wang, and B. Fahimi, “Comparison of winding configurations in double-stator switched reluctance machines,” *IET Electr. Power Appl.*, vol. 11, no. 8, pp. 1407–1415, 2017.
- [56] E. Bostanci, M. Moallem, A. Parsapour, and B. Fahimi, “Opportunities and challenges of switched reluctance motor drives for electric propulsion: A comparative study,” *IEEE Trans. Transport. Electrific.*, vol. 3, no. 1, pp. 58–75, Mar. 2017.
- [57] Y. Yang, Z. Deng, G. Yang, X. Cao and Q. Zhang, “A Control Strategy for Bearingless Switched-Reluctance Motors” *IEEE Transactions on Power Electronics*, vol. 25, no. 11, pp. 2807–2819, Nov. 2010
- [58] X. Cao, H. Yang, L. Zhang, and Z. Deng, “Compensation strategy of levitation forces for single-winding bearingless switched reluctance motor with one winding total short circuited,” *IEEE Trans. Ind. Electron.*, vol. 63, no. 9, pp. 5534–5546, Sep. 2016.
- [59] M. Dev Choudhury, F. Ahmed, G. Kumar, K. Kalita, and K. Tammi, “Design methodology for a special single winding based bearingless switched reluctance motor,” *J. Eng.*, vol. 2017, no. 7, pp. 274–284, 2017.
- [60] Y. Huang, F. Huang, Y. Yuan, F. Yang, and K. Xie, “Design and analysis of a novel bearingless segmented switched reluctance motor,” *IEEE Access*, vol. 7, pp. 94342–94349, 2019.
- [61] S. Song, Z. Xia, Z. Zhang, and W. Liu, “Control performance analysis and improvement of a modular power converter for three-phase SRM with Y-connected windings and neutral line,” *IEEE Trans. Ind. Electron.*, vol. 63, no. 10, pp. 6020–6030, Oct. 2016.

- [62] A. Klein-Hessling, A. Hofmann, and R. W. D. Doncker, "Direct instantaneous torque and force control: a control approach for switched reluctance machines," *IET Electr. Power Appl.*, vol. 11, pp. 935–943, 2017.
- [63] F. Peng, J. Ye and A. Emadi, "A Digital PWM Current Controller for Switched Reluctance Motor Drives," *IEEE Transactions on Power Electronics*, vol. 31, no. 10, pp. 7087–7098, Oct. 2016.
- [64] J. Lin, T. Lambert, Y. Yang, B. Bilgin, R. Lankin, and A. Emadi, "A novel axial flux switched reluctance motor with multi-level air gap geometry," *Proc. IEEE Elect. Power Energy Conf.*, 2016, pp. 18.
- [65] M. Cosovic, S. Smaka, I. Salihbegovic, and S . Masic, "Design optimization of 8/14 switched reluctance machine for electric vehicle," *20th International Conference on Electrical Machines*, 2012, pp. 2654–2659.
- [66] X. Deng, B. Mecrow, H. Wu, and R. Martin, "Design and development of low torque ripple variable-speed drive system with six-phase switched reluctance motors," *IEEE Trans. Energy Convers.*, vol. 33, no. 1, pp. 420–429, Mar. 2018.
- [67] T. Celik, "Segmental rotor switched reluctance drive," Ph.D. dissertation, School Elect., Electron. Comput. Eng., Newcastle Univ., Tyne, U.K., Aug. 2011.
- [68] X. D. Xue, K. W. E. Cheng, and S. L. Ho, "Optimization and evaluation of torque-sharing functions for torque ripple minimization in switched reluctance motor drives," *IEEE Trans. Power Electron.*, vol. 24, no. 9, pp. 2076–2090, Sep. 2009.
- [69] V. P. Vujicic, "Minimization of torque ripple and copper losses in switched reluctance drive," *IEEE Trans. Power Electron.*, vol. 27, no. 1, pp. 388–399, Jan. 2012.
- [70] Y. Jin, B. Bilgin, and A. Emadi, "An offline torque sharing function for torque ripple reduction in switched reluctance motor drives," *IEEE Trans. Energy Convers.*, vol. 30, no. 2, pp. 726–735, Jun. 2015.
- [71] R. B. Inderka and R. W. A. A. De Doncker, "DITC-direct instantaneous torque control of switched reluctance drives," *IEEE Trans. Ind. Appl.*, vol. 39, no. 4, pp. 1046–1051, Jul./Aug. 2003.

- [72] N. H. Fuengwarodsakul, M. Menne, R. B. Inderka, and R. W. D. Doncker, “High-dynamic four-quadrant switched reluctance drive based on DITC” *IEEE Trans. Ind. Appl.*, vol. 41, no. 5, pp. 1232–1242, Sep./Oct. 2005.
- [73] Abbas Ketabi, Ata Yadghar, and Mohammad Javad Navardi, “Torque and ripple improving of a SR motor using robust particle swarm optimization of drive current and dimension,” *Progress In Electromagnetics Research M*, vol. 45, pp. 195–207, 2016.
- [74] Chu Chen, Huijie Guo, and Ge Zhang, “SOSM direct torque and direct suspension force control for double stator bearingless switched reluctance motor,” *Progress In Electromagnetics Research C*, vol. 96, pp. 179–192, 2019.
- [75] S. Wang, Z. Hu and X. Cui, “Research on novel direct instantaneous torque control strategy for switched reluctance motor,” *IEEE Access*, vol. 8, pp. 66910–66916, 2020.
- [76] Qianni Li, Aide Xu, Lifang Zhou, and Chaoyi Shang, “A deadbeat current control method for switched reluctance motor,” *Progress In Electromagnetics Research Letters*, vol. 91, pp. 123–128, 2020.
- [77] R. Krishnan, *Switched Reluctance Motor Drives: Modeling, Simulation, Analysis, Design, and Applications*. Hoboken, NJ, USA: CRC Press, 2001.
- [78] Sahin, C., A. E. Amac, and M. Karacor, “Reducing torque ripple of switched reluctance machines by relocation of rotor moulding clinches,” *IET Electric Power Applications*, vol. 6, no. 9, pp. 753–760, Nov. 2012.
- [79] Li, G., J. Ojeda, and S. Hlioui, “Modification in rotor pole geometry of mutually coupled switched reluctance machine for torque ripple mitigating,” *IEEE Trans. Magn.*, Vol. 48, No. 6, 2025-2034, Jun. 2012.
- [80] Y. Li, S. Ravi and D. C. Aliprantis, “Tooth shape optimization of switched reluctance motors for improved torque profiles,” *IEEE International Electric Machines & Drives Conference (IEMDC)*, 2015, pp. 569–575.
- [81] M. A. Kabir and I. Husain, “Segmented rotor design of concentrated wound switched reluctance motor (SRM) for torque ripple minimization,” *IEEE Energy Conversion Congress and Exposition (ECCE)*, 2016, pp. 1–6.

- [82] Jing, L. and J. Cheng, “Research on torque ripple optimization of switched reluctance motor based on finite element method,” *Progress In Electromagnetics Research M*, vol. 74, pp. 115–123, 2018.
- [83] S. Sasidharan and T. B. Isha, “Geometric Modification of a Switched Reluctance Motor for Minimization of Torque Ripple using Finite Element Analysis for Electric Vehicle Application,” *Journal of Engineering Science and Technology Review*, vol. 12, no. 2, pp. 81–86, 2019.
- [84] M. Aydin, Z. Q. Zhu, T. A. Lipo, and D. Howe, “Minimization of cogging torque in axial-flux permanent-magnet machines: Design concepts,” *IEEE Trans. Magn.*, vol. 43, no. 9, pp. 3614–3622, Sep. 2007.
- [85] M. Gulec and M. Aydin, “Influence of magnet grouping in reduction of cogging torque for a slotted double-rotor axial-flux PM motor,” *International Symposium on Power Electronics Power Electronics, Electrical Drives, Automation and Motion*, 2012, pp. 812-817.
- [86] R. Madhavan and B. G. Fernandes, “Performance improvement in the axial flux-segmented rotor-switched reluctance motor,” *IEEE Trans. Energy Convers.*, vol. 29, no. 3, pp. 641–651, Sep. 2014.
- [87] M. J. Kermanipour and B. Ganji, “Modification in geometric structure of double-sided axial flux switched reluctance motor for mitigating torque ripple,” *Can. J. Electr. Comput. Eng.*, vol. 38, no. 4, pp. 318–322, 2015.
- [88] N. Tojima, T. Jikumaru, N. Handa, K. Ishimoto, G. Kuwata, S. Ohashi, and T. Hirao, “Double stator switched reluctance rotating machine,” U.S. Patent 10 367 398 B2, Sep. 29, 2016.
- [89] Q. Sun, J. Wu, C. Gan, C. Shi, and J. Guo, “DSSRM design with multiple pole arcs optimization for high torque and low torque ripple applications,” *IEEE Access*, vol. 6, pp. 27166–27175, 2018.
- [90] T. J. E. Miller, *Switched reluctance motors and their control*. London, U.K.: CRC Press, 1993.

- [91] P. N. Materu and R. Krishnan, "Estimation of switched reluctance motor losses," *IEEE Trans. Ind. Appl.*, vol. 28, no. 3, pp. 668–679, Jun. 1992.
- [92] C. Mademlis and I. Kioskeridis, "Performance optimization in switched reluctance motor drives with online commutation angle control," *IEEE Trans. Energy Convers.*, vol. 18, no. 3, pp. 448–457, Sep. 2003.
- [93] Asgar, M., E. Afjei, and H. Torkaman, "A new strategy for design and analysis of a double-stator switched reluctance motor: Electromagnetics, FEM, and experiment" *IEEE Trans. Magn.*, vol. 51, no. 12, pp. 1–8, Dec. 2015.
- [94] Asgar, M. and E. Afjei, "Radial force reduction in a new flat-type double-stator switched reluctance motor," *IEEE Transactions on Energy Conversion*, vol. 31, no. 1, pp. 141–149, March 2016.
- [95] Rekik, M., M. Besbes, C. Marchand, B. Multon, S. Loudot, and D. Lhotellier, "Improvement in the field-weakening performance of switched reluctance machine with continuous mode," *IET Electric Power Applications*, vol. 1, no. 5, pp. 785–792, Sept. 2007.