

## TABLE OF CONTENTS

|  |       |
|--|-------|
| List of Figures.....   | xiii  |
| List of Tables .....   | xix   |
| List of abbreviations and symbols.....                               | xxiii |
| Preface.....   | xxvi  |
| Chapter 1 .....  | 1     |
| 1 Introduction and Objectives.....                                   | 1     |
| 1.1 Background.....  | 1     |
| 1.2 Motor Imagery (MI)-based BCI.....                                | 3     |
| 1.2.1 Block Diagram of an MI-Based BCI Device.....                   | 4     |
| 1.2.2 MI task.....   | 6     |
| 1.3 Steady state visual evoked potentials (SSVEPs)-based BCI.....    | 6     |
| 1.4 Challenges .....   | 8     |
| 1.4.1 Removal of Ocular artifacts from single-channel EEG: .....     | 8     |
| 1.4.2 Feature selection of MI-EEG signals: .....                     | 8     |
| 1.4.3 Spectral- Spatial feature optimization of MI-EEG signals:..... | 8     |
| 1.4.4 Multi-view MI-EEG classification.....                          | 9     |
| 1.4.5 Improving recognition rate of SSVEP in real-time .....         | 9     |
| 1.5 Objectives.....  | 9     |
| Chapter 2 .....  | 11    |
| 2 Literature Review .....  | 11    |
| 2.1 Background.....  | 11    |
| 2.2 Brain Signals Recording .....                                    | 12    |
| 2.3 Signal processing in BCI.....                                    | 13    |
| 2.3.1 Pre-Processing: Removal of artifacts and noises .....          | 14    |
| 2.4 Signal processing in MI-based BCI .....                          | 16    |
| 2.4.1 Feature Extraction in MI-BCI.....                              | 18    |
| 2.4.2 Feature Selection.....   | 19    |
| 2.4.3 Classification .....   | 22    |
| 2.4.4 Spatial filtering-based models in MI-BCI: .....                | 24    |
| 2.4.5 Time- window optimization models in MI-BCI: .....              | 27    |
| 2.5 Signal processing in SSVEP-based BCI.....                        | 27    |
| Chapter 3 .....  | 30    |

|          |  |           |
|----------|--|-----------|
| <b>3</b> | <b>Removal of Ocular artifacts from Single channel EEG signal using DTCWT with Quantum inspired Adaptive Threshold.....</b>                          | <b>30</b> |
| 3.1      | Introduction .....   | 30        |
| 3.2      | Materials and methods.....   | 31        |
| 3.2.1    | Dual-Tree Complex Wavelet Transform (DTCWT).....   | 31        |
| 3.2.2    | Thresholding .....   | 32        |
| 3.2.3    | Quantum inspired adaptive threshold (QAT) .....  | 34        |
| 3.3      | Application of DTCWT-QAT for removal of ocular artifacts from EEG  | 35        |
| 3.4      | Results and Discussion .....   | 37        |
| 3.4.1    | EEG simulation .....   | 37        |
| 3.5      | Application to Real EEG data .....   | 40        |
| 3.6      | Conclusion .....   | 41        |
|          | Chapter 4.....   | 42        |
| <b>4</b> | <b>Feature Selection using Regularized Neighbourhood Component Analysis to Enhance the Classification Performance of Motor Imagery Signals. ....</b> | <b>42</b> |
| 4.1      | Introduction .....   | 42        |
| 4.2      | Methods and Materials .....  | 43        |
| 4.2.1    | EEG Dataset and paradigm .....   | 43        |
| 4.2.2    | Preprocessing.....   | 44        |
| 4.2.3    | Feature Extraction .....   | 45        |
| 4.2.4    | Feature Selection .....  | 47        |
| 4.2.5    | Neighbourhood component analysis.....  | 50        |
| 4.2.6    | Proposed Method: RNCA as Feature Selection .....   | 51        |
| 4.2.7    | Classification.....  | 53        |
| 4.3      | Results.....   | 54        |
| 4.3.1    | Feature selection results: .....   | 54        |
| 4.3.2    | Classification Performance: .....  | 56        |
| 4.4      | Discussion .....   | 59        |
| 4.4.1    | Selection of optimal features by RNCA.....   | 60        |
| 4.4.2    | Configurable parameter .....   | 62        |
| 4.4.3    | Computational complexity .....   | 63        |
| 4.5      | Conclusion .....   | 65        |
|          | Chapter 5.....   | 66        |
| <b>5</b> | <b>Motor imagery EEG spectral-spatial feature optimization using Dual-Tree Complex Wavelet and Neighbourhood Component Analysis.....</b>             | <b>66</b> |
| 5.1      | Introduction .....   | 66        |

|                 |  |     |
|-----------------|--|-----|
| 5.2             | Methods and Materials .....  | 68  |
| 5.2.1           | Notations .....  | 68  |
| 5.2.2           | Band Pass Filter design using dual-tree complex wavelet transform .....  | 68  |
| 5.2.3           | Common Spatial Patterns .....  | 69  |
| 5.2.4           | Neighbourhood Component Analysis .....   | 71  |
| 5.2.5           | Proposed spectral-spatial feature optimization approach .....  | 72  |
| 5.3             | Experimental study .....   | 75  |
| 5.3.1           | Datasets .....   | 75  |
| 5.3.2           | Competing Methods.....   | 76  |
| 5.3.3           | Performance measures .....   | 78  |
| 5.4             | Results .....  | 79  |
| 5.5             | Discussion.....  | 84  |
| 5.5.1           | Time- frequency analysis of DTCWT-filtered EEG .....   | 84  |
| 5.5.2           | Spectro-spatial feature optimization.....  | 86  |
| 5.5.3           | Training with different length of trial data .....   | 90  |
| 5.5.4           | Extension.....   | 91  |
| 5.6             | Conclusion.....  | 91  |
| Chapter 6 ..... |  | 93  |
| 6               | Time window and frequency band optimization using regularized neighbourhood component analysis for Multi-View Motor Imagery EEG classification ..... | 93  |
| 6.1             | Introduction .....   | 93  |
| 6.2             | Methods.....   | 95  |
| 6.2.1           | Preprocessing of EEG.....  | 95  |
| 6.2.2           | Feature extraction from Multi-view EEG data.....   | 96  |
| 6.2.3           | Multi-view Feature selection approach: Regularized Neighbourhood component analysis.....   | 100 |
| 6.2.4           | Classification .....   | 105 |
| 6.3             | Experimental study .....   | 106 |
| 6.3.1           | Dataset description .....  | 106 |
| 6.3.2           | Performance evaluation .....   | 107 |
| 6.4             | Results .....  | 108 |
| 6.5             | Discussion.....  | 112 |
| 6.5.1           | Selected spatial patterns at multiple frequency bands and time windows .....   | 112 |
| 6.5.2           | Feature dimensionality reduction.....  | 116 |

|                           |  |     |
|---------------------------|--|-----|
| 6.5.3                     | Performance with different trial length .....  | 118 |
| 6.5.4                     | Limitations and Future scope.....  | 119 |
| 6.6                       | Conclusion .....   | 121 |
| Chapter 7.....            |  | 123 |
| 7                         | CCA Model with Training Approach to Improve Recognition Rate of SSVEP<br>in Real Time..... | 123 |
| 7.1                       | Introduction .....   | 123 |
| 7.2                       | Methods and Materials .....  | 124 |
| 7.2.1                     | Canonical Correlation Analysis (CCA).....  | 124 |
| 7.2.2                     | Linear Discriminant Analysis (LDA) .....   | 124 |
| 7.2.3                     | Proposed Method.....   | 125 |
| 7.3                       | Experimental Setup .....   | 126 |
| 7.3.1                     | Generation of visual stimulus.....   | 126 |
| 7.3.2                     | Data Acquisition .....   | 126 |
| 7.3.3                     | Experiment paradigm .....  | 127 |
| 7.4                       | Result and Discussion.....   | 128 |
| 7.5                       | Conclusion .....   | 130 |
| Chapter 8.....            |  | 132 |
| 8                         | Conclusion and Summary .....   | 132 |
| 8.1                       | Scope for Further Work.....  | 135 |
| References .....          |  | 136 |
| List of Publications..... |  | 157 |