

References

- Abdulrahman Oyekanmi A., Abd Latiff A. A., Daud Z., Saphira Radin Mohamed R. M., Ismail N., Ab Aziz A., Rafatullah M., Hossain K., Ahmad A. and Kamoldeen Abiodun A., "Adsorption of cadmium and lead from palm oil mill effluent using bone-composite: optimisation and isotherm studies", *International Journal of Environmental Analytical Chemistry*, **99(8)** (2019) 707-725.
- Agbor V. B., Cicek N., Sparling R., Berlin A. and Levin D. B., "Biomass pretreatment: fundamentals toward application", *Biotechnology advances*, **29(6)** (2011) 675-685.
- Ahmed J., Mulla M., Arfat Y. A., Bher A., Jacob H. and Auras R., "Compression molded LLDPE films loaded with bimetallic (Ag-Cu) nanoparticles and cinnamon essential oil for chicken meat packaging applications", *LWT*, **93** (2018) 329-338.
- Ait-Amir B., Pougnet P. and El Hami A. 2015. 6 - Meta-Model Development. In A. El Hami, & P. Pougnet (Eds.), *Embedded Mechatronic Systems 2*: 151-179: Elsevier.
- Alemdar A. and Sain M., "Biocomposites from wheat straw nanofibers: Morphology, thermal and mechanical properties", *Composites Science and Technology*, **68(2)** (2008) 557-565.
- Arrakhiz F., El Achaby M., Malha M., Bensalah M., Fassi-Fehri O., Bouhfid R., Benmoussa K. and Qaiss A., "Mechanical and thermal properties of natural fibers reinforced polymer composites: Doum/low density polyethylene", *Materials & Design*, **43** (2013) 200-205.
- Arrakhiz F., Elachaby M., Bouhfid R., Vaudreuil S., Essassi M. and Qaiss A., "Mechanical and thermal properties of polypropylene reinforced with Alfa fiber under different chemical treatment", *Materials & Design*, **35** (2012) 318-322.
- Asumani O., Reid R. and Paskaramoorthy R., "The effects of alkali-silane treatment on the tensile and flexural properties of short fibre non-woven kenaf reinforced polypropylene composites", *Composites Part A: Applied Science and Manufacturing*, **43(9)** (2012) 1431-1440.
- Averous L., Fringant C. and Moro L., "Starch-based biodegradable materials suitable for thermoforming packaging", *Starch-Stärke*, **53(8)** (2001) 368-371.
- Ayrimis N., Kaymakci A., Akbulut T. and Elmas G. M., "Mechanical performance of composites based on wastes of polyethylene aluminum and lignocellulosics", *Composites Part B: Engineering*, **47** (2013) 150-154.
- Azarifar M., Ghanbarzadeh B., Khiabani M. S., Basti A. A., Abdulkhani A., Noshirvani N. and Hosseini M., "The optimization of gelatin-CMC based active films containing chitin nanofiber and Trachyspermum ammi essential oil by response surface methodology", *Carbohydrate polymers*, **208** (2019a) 457-468.
- Azarifar M., Ghanbarzadeh B., Sowti Khiabani M., Akhondzadeh Basti A., Abdulkhani A., Noshirvani N. and Hosseini M., "The optimization of gelatin-CMC based active films containing chitin nanofiber and Trachyspermum ammi essential oil by response surface methodology", *Carbohydrate Polymers*, **208** (2019b) 457-468.
- Azlin-Hasim S., Cruz-Romero M. C., Morris M. A., Cummins E. and Kerry J. P., "Effects of a combination of antimicrobial silver low density polyethylene nanocomposite films and modified atmosphere packaging on the shelf life of chicken breast fillets", *Food Packaging and Shelf Life*, **4** (2015) 26-35.

- Babaei I., Madanipour M., Farsi M. and Farajpoor A., "Physical and mechanical properties of foamed HDPE/wheat straw flour/nanoclay hybrid composite", *Composites Part B: Engineering*, **56** (2014) 163-170.
- Baek Y., Kang J., Theato P. and Yoon J., "Measuring hydrophilicity of RO membranes by contact angles via sessile drop and captive bubble method: A comparative study", *Desalination*, **303** (2012) 23-28.
- Bagheri V., Ghanbarzadeh B., Ayaseh A., Ostadrahimi A., Ehsani A., Alizadeh-Sani M. and Adun P. A., "The optimization of physico-mechanical properties of bionanocomposite films based on gluten/ carboxymethyl cellulose/ cellulose nanofiber using response surface methodology", *Polymer Testing*, **78** (2019) 105989.
- Bajracharya R. M., Manalo A. C., Karunasena W. and Lau K.-t., "Characterisation of recycled mixed plastic solid wastes: Coupon and full-scale investigation", *Waste management*, **48** (2016) 72-80.
- Bezerra M. A., Santelli R. E., Oliveira E. P., Villar L. S. and Escaleira L. A., "Response surface methodology (RSM) as a tool for optimization in analytical chemistry", *Talanta*, **76(5)** (2008) 965-977.
- Bledzki A. K., Mamun A. A. and Volk J., "Physical, chemical and surface properties of wheat husk, rye husk and soft wood and their polypropylene composites", *Composites Part A: Applied Science and Manufacturing*, **41(4)** (2010) 480-488.
- Boonsiriwit A., Xiao Y., Joung J., Kim M., Singh S. and Lee Y. S., "Alkaline halloysite nanotubes/low density polyethylene nanocomposite films with increased ethylene absorption capacity: Applications in cherry tomato packaging", *Food Packaging and Shelf Life*, **25** (2020) 100533.
- Bourmaud A. and Baley C., "Investigations on the recycling of hemp and sisal fibre reinforced polypropylene composites", *Polymer Degradation and stability*, **92(6)** (2007) 1034-1045.
- Bourmaud A. and Baley C., "Rigidity analysis of polypropylene/vegetal fibre composites after recycling", *Polymer degradation and stability*, **94(3)** (2009) 297-305.
- Bourmaud A., Le Duigou A. and Baley C., "What is the technical and environmental interest in reusing a recycled polypropylene–hemp fibre composite?", *Polymer Degradation and Stability*, **96(10)** (2011) 1732-1739.
- Buekens A. and Yang J., "Recycling of WEEE plastics: a review" *Journal of Material Cycles and Waste Management*, **16(3)** (2014) 415-434.
- Campos-Requena V. H., Rivas B. L., Pérez M. A. and Wilhelm M., "Application of design of experiments, response surface methodology and partial least squares regression on nanocomposites synthesis", *Polymer bulletin*, **71(8)** (2014) 1961-1982.
- Cao X. V., Ismail H., Rashid A. A., Takeichi T. and Vo-Huu T., "Maleated natural rubber as a coupling agent for recycled high density polyethylene/natural rubber/kenaf powder biocomposites", *Polymer-Plastics Technology and Engineering*, **51(9)** (2012) 904-910.
- Cao Y. and Tan H., "Structural characterization of cellulose with enzymatic treatment", *Journal of molecular structure*, **705(1-3)** (2004) 189-193.
- Chaitanya S., Singh A. P. and Singh I., Processing of lignocellulosic fiber-reinforced biodegradable composites, Natural Fiber-Reinforced Biodegradable and Bioresorbable Polymer Composites, USA, 2017.

- Chang P. R., Jian R., Zheng P., Yu J. and Ma X., "Preparation and properties of glycerol plasticized-starch (GPS)/cellulose nanoparticle (CN) composites", *Carbohydrate Polymers*, **79(2)** (2010) 301-305.
- Chawla K. and Bastos A., "The mechanical properties of jute fibers and polyester/jute composites", *Mechanical Behaviour of Materials*, **3** (1979) 191-196.
- Colín-Chávez C., Soto-Valdez H. and Peralta E., "Diffusion of carotenoids from mono and bilayer polyethylene active packaging into soybean oil", *Food Packaging and Shelf Life*, **1(2)** (2014) 170-178.
- Czigány T., "Special manufacturing and characteristics of basalt fiber reinforced hybrid polypropylene composites: mechanical properties and acoustic emission study", *Composites science and technology*, **66(16)** (2006) 3210-3220.
- Daramola O. O., Taiwo A. S., Oladele I. O., Olajide J. L., Adeleke S. A., Adewuyi B. O. and Sadiku E. R., "Mechanical properties of high density polyethylene matrix composites reinforced with chitosan particles", *Materials Today: Proceedings* (2020).
- da Silva L. V., Júnior J. H. S. A., Angrizani C. C. and Amico S. C., "Short beam strength of curaua, sisal, glass and hybrid composites", *Journal of Reinforced Plastics and Composites*, **32(3)** (2013) 197-206.
- Dayo A. Q., Gao B.-c., Wang J., Liu W.-b., Derradji M., Shah A. H. and Babar A. A., "Natural hemp fiber reinforced polybenzoxazine composites: curing behavior, mechanical and thermal properties", *Composites Science and Technology*, **144** (2017) 114-124.
- Devi S., Gupta C., Jat S. and Parmar M., "Crop residue recycling for economic and environmental sustainability: The case of India", *Open Agricultural*, **2** (2017) 486-494
- Dhakal H. N., Ismail S. O., Zhang Z., Barber A., Welsh E., Maigret J.-E. and Beaugrand J., "Development of sustainable biodegradable lignocellulosic hemp fiber/polycaprolactone biocomposites for light weight applications", *Composites Part A: Applied Science and Manufacturing*, **113** (2018) 350-358.
- Dhakal H. N., Sarasini F., Santulli C., Tirillò J., Zhang Z. and Arumugam V., "Effect of basalt fibre hybridisation on post-impact mechanical behaviour of hemp fibre reinforced composites", *Composites Part A: Applied Science and Manufacturing*, **75** (2015) 54-67.
- Dhar H., Kumar S. and Kumar R., "A review on organic waste to energy systems in India", *Bioresource technology*, **245** (2017) 1229-1237.
- Díaz S., Ortega Z., McCourt M., Kearns M. P. and Benítez A. N., "Recycling of polymeric fraction of cable waste by rotational moulding", *Waste Management*, **76** (2018) 199-206.
- Dixit S. and Yadav V. L., "Comparative study of polystyrene/chemically modified wheat straw composite for green packaging application", *Polymer Bulletin* (2019a).
- Dixit S. and Yadav V. L., "Optimization of polyethylene/polypropylene/alkali modified wheat straw composites for packaging application using RSM", *Journal of Cleaner Production* (2019b) 118228.
- Dupeyre D. and Vignon M., "Fibres from semi-retted hemp bundles by steam explosion treatment", *Biomass and Bioenergy*, **14(3)** (1998) 251-260.
- El Achaby M., El Miri N., Aboulkas A., Zahouily M., Bilal E., Barakat A. and Solhy A., "Processing and properties of eco-friendly bio-nanocomposite films filled with cellulose nanocrystals from sugarcane bagasse", *International journal of biological macromolecules*, **96** (2017) 340-352.

- Espitia P. J. P., Avena-Bustillos R. J., Du W.-X., Teófilo R. F., Soares N. F. and McHugh T. H., "Optimal antimicrobial formulation and physical–mechanical properties of edible films based on açai and pectin for food preservation", *Food Packaging and Shelf Life*, **2(1)** (2014) 38-49.
- Etaati A., Pather S., Fang Z. and Wang H., "The study of fibre/matrix bond strength in short hemp polypropylene composites from dynamic mechanical analysis", *Composites Part B: Engineering*, **62** (2014) 19-28.
- Etaati A., Wang H., Pather S., Yan Z. and Mehdizadeh S. A., "3D X-ray microtomography study on fibre breakage in noil hemp fibre reinforced polypropylene composites", *Composites Part B: Engineering*, **50** (2013) 239-246.
- Europe P., "The Facts-2017", *An analysis of European plastics production, demand and waste* (2017).
- Fakhri L. A., Ghanbarzadeh B., Dehghannya J., Abbasi F. and Ranjbar H., "Optimization of mechanical and color properties of polystyrene/nanoclay/nano ZnO based nanocomposite packaging sheet using response surface methodology", *Food packaging and shelf life*, **17** (2018) 11-24.
- Faruk O., Bledzki A. K., Fink H.-P. and Sain M., "Biocomposites reinforced with natural fibers: 2000–2010", *Progress in polymer science*, **37(11)** (2012) 1552-1596.
- Fazeli M., Keley M. and Biazar E., "Preparation and characterization of starch-based composite films reinforced by cellulose nanofibers", *International journal of biological macromolecules*, **116** (2018) 272-280.
- Gaikwad K. K., Singh S. and Lee Y. S., "A pyrogallol-coated modified LDPE film as an oxygen scavenging film for active packaging materials", *Progress in Organic Coatings*, **111** (2017) 186-195.
- Gamage G. R., Park H.-J. and Kim K. M., "Effectiveness of antimicrobial coated oriented polypropylene/polyethylene films in sprout packaging", *Food Research International*, **42(7)** (2009) 832-839.
- Ganjyal G., Reddy N., Yang Y. and Hanna M., "Biodegradable packaging foams of starch acetate blended with corn stalk fibers", *Journal of Applied Polymer Science*, **93(6)** (2004) 2627-2633.
- Giteru S. G., Ali M. A. and Oey I., "Solvent strength and biopolymer blending effects on physicochemical properties of zein-chitosan-polyvinyl alcohol composite films", *Food hydrocolloids*, **87** (2019) 270-286.
- Grubeša I. N., Marković B., Gojević A. and Brdarić J., "Effect of hemp fibers on fire resistance of concrete", *Construction and Building Materials*, **184** (2018) 473-484.
- Gulmine J., Janissek P., Heise H. and Akcelrud L., "Polyethylene characterization by FTIR", *Polymer testing*, **21(5)** (2002) 557-563.
- Haddar M., Elloumi A., Koubaa A., Bradai C., Migneault S. and Elhalouani F., "Synergetic effect of Posidonia oceanica fibres and deinking paper sludge on the thermo-mechanical properties of high density polyethylene composites", *Industrial Crops and Products*, **121** (2018) 26-35.
- Heydari A., Alemzadeh I. and Vossoughi M., "Functional properties of biodegradable corn starch nanocomposites for food packaging applications", *Materials & Design*, **50** (2013) 954-961.
- Holbery J. and Houston D., "Natural-fiber-reinforced polymer composites in automotive applications", *Jom*, **58(11)** (2006) 80-86.

- Hou X., Sun F., Yan D., Xu H., Dong Z., Li Q. and Yang Y., "Preparation of lightweight polypropylene composites reinforced by cotton stalk fibers from combined steam flash-explosion and alkaline treatment", *Journal of cleaner production*, **83** (2014) 454-462.
- HPS A. K., Saurabh C. K., Asniza M., Tye Y. Y., Fazita M. R. N., Syakir M. I., Fizree H. M., Yusra A. F. I., Haafiz M. K. M. and Kassim M. A., *Nanofibrillated cellulose reinforcement in thermoset polymer composites, Cellulose-Reinforced Nanofibre Composites*, Woodhead Publishing, Malaysia, 2017.
- Islam M. S., Pickering K. L. and Foreman N. J., "Influence of alkali fiber treatment and fiber processing on the mechanical properties of hemp/epoxy composites", *Journal of applied polymer science*, **119(6)** (2011) 3696-3707.
- Islam M. S., Rahman M. M. and Hasan M., "Kenaf Fiber Based Bio-Composites: Processing, Characterization and Potential Applications", *Reference Module in Materials Science and Materials Engineering* (2019).
- Iwata T., "Biodegradable and bio-based polymers: future prospects of eco-friendly plastics", *Angewandte Chemie International Edition*, **54(11)** (2015) 3210-3215.
- Jarabo R., Fuente E., Monte M., Savastano Jr H., Mutjé P. and Negro C., "Use of cellulose fibers from hemp core in fiber-cement production. Effect on flocculation, retention, drainage and product properties", *Industrial Crops and Products*, **39** (2012) 89-96.
- Jancy S., Shruthy R. and Preetha R., "Fabrication of packaging film reinforced with cellulose nanoparticles synthesised from jack fruit non-edible part using response surface methodology", *International Journal of Biological Macromolecules*, **142** (2020) 63-72.
- Jawaid M., Khalil H. A., Bakar A. A., Hassan A. and Dungani R., "Effect of jute fibre loading on the mechanical and thermal properties of oil palm-epoxy composites", *Journal of Composite Materials*, **47(13)** (2013) 1633-1641.
- Jiang H., Wei Y., Cheng Q. and Zhu Z., "Scratch behavior of low density polyethylene film: Effects of pre-stretch and aging", *Materials & Design*, **157** (2018) 235-243.
- Jo Y., Garcia C. V., Ko S., Lee W., Shin G. H., Choi J. C., Park S.-J. and Kim J. T., "Characterization and antibacterial properties of nanosilver-applied polyethylene and polypropylene composite films for food packaging applications", *Food bioscience*, **23** (2018) 83-90.
- Joshi S. V., Drzal L., Mohanty A. and Arora S., "Are natural fiber composites environmentally superior to glass fiber reinforced composites?", *Composites Part A: Applied science and manufacturing*, **35(3)** (2004) 371-376.
- Kalia S. and Vashistha S., "Surface modification of sisal fibers (*Agave sisalana*) using bacterial cellulase and methyl methacrylate", *Journal of Polymers and the Environment*, **20(1)** (2012) 142-151.
- Kamyotra J. and Sinha D., *CPCB Bulletin*, (2016) 20-21.
- Kargarzadeh H., Johar N. and Ahmad I., "Starch biocomposite film reinforced by multiscale rice husk fiber", *Composites Science and Technology*, **151** (2017) 147-155.
- Khalaj M.-J., Ahmadi H., Lesankhosh R. and Khalaj G., "Study of physical and mechanical properties of polypropylene nanocomposites for food packaging application: Nano-clay modified with iron nanoparticles", *Trends in Food Science & Technology*, **51** (2016) 41-48.
- Khalil H. A., Davoudpour Y., Saurabh C. K., Hossain M. S., Adnan A., Dungani R., Paridah M., Sarker M. Z. I., Fazita M. N. and Syakir M., "A review on

- nanocellulosic fibres as new material for sustainable packaging: Process and applications", *Renewable and Sustainable Energy Reviews*, **64** (2016) 823-836.
- Khan B. A., Na H., Chevali V., Warner P., Zhu J. and Wang H., "Glycidyl methacrylate-compatible poly (lactic acid)/hemp hurd biocomposites: Processing, crystallization, and thermo-mechanical response", *Journal of Materials Science & Technology*, **34(2)** (2018) 387-397.
- Kim S. and Holtzapfle M. T., "Lime pretreatment and enzymatic hydrolysis of corn stover", *Bioresource technology*, **96(18)** (2005) 1994-2006.
- Laadila M. A., Hegde K., Rouissi T., Brar S. K., Galvez R., Sorelli L., Cheikh R. B., Paiva M. and Abokitse K., "Green synthesis of novel biocomposites from treated cellulosic fibers and recycled bio-plastic polylactic acid", *Journal of cleaner production*, **164** (2017) 575-586.
- Law K. L. and Thompson R. C., "Microplastics in the seas", *Science*, **345(6193)** (2014) 144-145.
- Learidi R., "Experimental design in chemistry: a tutorial", *Analytica chimica acta*, **652(1-2)** (2009) 161-172.
- Lebossé R., Ducruet V. and Feigenbaum A., "Interactions between reactive aroma compounds from model citrus juice with polypropylene packaging film", *Journal of Agricultural and Food Chemistry*, **45(8)** (1997) 2836-2842.
- Lee J.-W., Son S.-M. and Hong S.-I., "Characterization of protein-coated polypropylene films as a novel composite structure for active food packaging application", *Journal of Food Engineering*, **86(4)** (2008) 484-493.
- Lee T. S., Choi H. Y., Choi H. N., Lee K.-Y., Kim S.-H., Lee S. G. and Yong D. K., "Effect of surface treatment of ramie fiber on the interfacial adhesion of ramie/acetylated epoxidized soybean oil (AESO) green composite", *Journal of Adhesion Science and Technology*, **27(12)** (2013) 1335-1347.
- Liu G., Song Y., Wang J., Zhuang H., Ma L., Li C., Liu Y. and Zhang J., "Effects of nanoclay type on the physical and antimicrobial properties of PVOH-based nanocomposite films", *LWT-Food Science and Technology*, **57(2)** (2014) 562-568.
- Liu M., Thygesen A., Summerscales J. and Meyer A. S., "Targeted pre-treatment of hemp bast fibres for optimal performance in biocomposite materials: A review", *Industrial crops and products*, **108** (2017) 660-683.
- Lu N. and Oza S., "Thermal stability and thermo-mechanical properties of hemp-high density polyethylene composites: effect of two different chemical modifications", *Composites Part B: Engineering*, **44(1)** (2013) 484-490.
- Lu S.-Y., Qian J.-Q., Wu Z.-G., Ye W.-D., Wu G.-F., Pan Y.-B. and Zhang K.-Y., Application of statistical method to evaluate immobilization variables of trypsin entrapped with sol-gel method, *Journal of Biochemical Technology*, **1(3)** (2009).
- Lubin G. 2013. Handbook of composites: Springer Science & Business Media.
- Luo H., Xiong G., Ma C., Chang P., Yao F., Zhu Y., Zhang C. and Wan Y., "Mechanical and thermo-mechanical behaviors of sizing-treated corn fiber/polylactide composites", *Polymer Testing*, **39** (2014) 45-52.
- Luzi F., Fortunati E., Jiménez A., Puglia D., Pezzolla D., Gigliotti G., Kenny J. M., Chiralt A. and Torre L., "Production and characterization of PLA_PBS biodegradable blends reinforced with cellulose nanocrystals extracted from hemp fibres", *Industrial Crops and Products*, **93** (2016) 276-289.
- Madhusudhana H., Desai B. and Venkatesha C., "Experimental Investigation on Parameter Effects on Fracture Toughness of Hemp Fiber Reinforced Polymer Composites", *Materials Today: Proceedings*, **5(9)** (2018) 20002-20012.

- Maity D., Mollick M. M. R., Mondal D., Bhowmick B., Bain M. K., Bankura K., Sarkar J., Acharya K. and Chattopadhyay D., "Synthesis of methylcellulose–silver nanocomposite and investigation of mechanical and antimicrobial properties", *Carbohydrate polymers*, **90(4)** (2012) 1818-1825.
- Majid R. A., Ismail H. and Taib R. M., "Effects of polyethylene-g-maleic anhydride on properties of low density polyethylene/thermoplastic sago starch reinforced kenaf fibre composites", *Iranian Polymer Journal*, **19(7)** (2010) 501-510.
- Mansor M. R., Mustafa Z., Fadzullah S. H. S. M., Omar G., Salim M. A. and Akop M. Z., "Recent Advances in Polyethylene-Based Biocomposites", *Natural Fibre Reinforced Vinyl Ester and Vinyl Polymer Composites*, (2018)71-96.
- Maran J. P., Sivakumar V., Thirugnanasambandham K. and Sridhar R., "Response surface modeling and analysis of barrier and optical properties of maize starch edible films", *International journal of biological macromolecules*, **60** (2013) 412-421.
- Merlini C., Soldi V. and Barra G. M., "Influence of fiber surface treatment and length on physico-chemical properties of short random banana fiber-reinforced castor oil polyurethane composites", *Polymer Testing*, **30(8)** (2011) 833-840.
- Misra M., Pandey J. K. and Mohanty A., *Biocomposites: design and mechanical performance*: Woodhead Publishing, India, 2015.
- Mogoşanu G. D. and Grumezescu A. M., "Natural and synthetic polymers for wounds and burns dressing", *International Journal of Pharmaceutics*, **463(2)** (2014) 127-136.
- Mohamed R., Al-Gheethi A., Abdulrahman A., Sainudin M. S. b., Bakar S. A. and Kassim A. H. M., "Optimization of ceramic waste filter for bathroom greywater treatment using central composite design (CCD)", *Journal of Environmental Chemical Engineering*, **6(2)** (2018) 1578-1588.
- Mohammed L., Ansari M. N., Pua G., Jawaid M. and Islam M. S., "A review on natural fiber reinforced polymer composite and its applications", *International Journal of Polymer Science*, **2015** (2015)1-15.
- Mulla M., Ahmed J., Al-Attar H., Castro-Aguirre E., Arfat Y. A. and Auras R., "Antimicrobial efficacy of clove essential oil infused into chemically modified LLDPE film for chicken meat packaging", *Food Control*, **73** (2017) 663-671.
- Mussatto S. I., Chapter 8 - Biomass Pretreatment With Acids. In S. I. Mussatto (Ed.), *Biomass Fractionation Technologies for a Lignocellulosic Feedstock Based Biorefinery*, Elsevier, Amsterdam, 2016.
- Mustapha F. A., Jai J., Nik Raikhan N. H., Sharif Z. I. M. and Yusof N. M., "Response surface methodology analysis towards biodegradability and antimicrobial activity of biopolymer film containing turmeric oil against *Aspergillus niger*", *Food Control*, **99** (2019) 106-113.
- Nargotra P., Sharma V., Gupta M., Kour S. and Bajaj B. K., "Application of ionic liquid and alkali pretreatment for enhancing saccharification of sunflower stalk biomass for potential biofuel-ethanol production", *Bioresource technology*, **267** (2018) 560-568.
- Naskar A., Khan H., Sarkar R., Kumar S., Halder D. and Jana S., "Anti-biofilm activity and food packaging application of room temperature solution process based polyethylene glycol capped Ag-ZnO-graphene nanocomposite", *Materials Science and Engineering: C*, **91** (2018) 743-753.
- Numata K. and Kaplan D. L., "Silk-based delivery systems of bioactive molecules", *Advanced drug delivery reviews*, **62(15)** (2010) 1497-1508.

- Nyambo C., Mohanty A. K. and Misra M., "Effect of maleated compatibilizer on performance of PLA/wheat Straw-Based green composites", *Macromolecular Materials and Engineering*, **296(8)** (2011) 710-718.
- Orasugh J. T., Saha N. R., Rana D., Sarkar G., Mollick M. M. R., Chattoopadhyay A., Mitra B. C., Mondal D., Ghosh S. K. and Chattopadhyay D., "Jute cellulose nano-fibrils/hydroxypropylmethylcellulose nanocomposite: A novel material with potential for application in packaging and transdermal drug delivery system", *Industrial Crops and Products*, **112** (2018) 633-643.
- Orsuwan A. and Sothornvit R. , "Polysaccharide Nanobased Packaging Materials for Food Application", *Food Packaging and Preservation: Elsevier, Thailand*, 2018.
- Oyekanmi A. A., Ahmad A., Hossain K. and Rafatullah M., "Adsorption of Rhodamine B dye from aqueous solution onto acid treated banana peel: Response surface methodology, kinetics and isotherm studies", *PloS one*, **14(5)** (2019a) e0216878.
- Oyekanmi A. A., Ahmad A., Hossain K. and Rafatullah M., "Statistical optimization for adsorption of Rhodamine B dye from aqueous solutions", *Journal of Molecular Liquids*, **281** (2019b) 48-58.
- Panthapulakkal S. and Sain M., "Injection molded wheat straw and corn stem filled polypropylene composites", *Journal of Polymers and the Environment*, **14(3)** (2006) 265-272.
- Panthapulakkal S. and Sain M., *The use of wheat straw fibres as reinforcements in composites, Biofiber Reinforcements in Composite Materials*, Woodhead publishing, Canada, 2015.
- Paul V., Kanny K. and Redhi G. G., "Mechanical, thermal and morphological properties of a bio-based composite derived from banana plant source", *Composites Part A: Applied Science and Manufacturing*, **68** (2015) 90-100.
- Pereira P. H. F., Rosa M. d. F., Cioffi M. O. H., Benini K. C. C. d. C., Milanese A. C., Voorwald H. J. C. and Mulinari D. R., "Vegetal fibers in polymeric composites: a review", *Polímeros*, **25(1)** (2015) 9-22.
- Perumal A. B., Sellamuthu P. S., Nambiar R. B. and Sadiku E. R., "Development of polyvinyl alcohol/chitosan bio-nanocomposite films reinforced with cellulose nanocrystals isolated from rice straw", *Applied Surface Science*, **449** (2018a) 591-602.
- Perumal A. B., Sellamuthu P. S., Nambiar R. B., Sadiku E. R., Phiri G. and Jayaramudu J., "Effects of multiscale rice straw (*Oryza sativa*) as reinforcing filler in montmorillonite-polyvinyl alcohol biocomposite packaging film for enhancing the storability of postharvest mango fruit (*Mangifera indica* L.)", *Applied Clay Science*, **158** (2018b) 1-10.
- Peyroux J., Dubois M., Tomasella E., Batisse N., Kharitonov A. P., Flahaut D., Romana L. and Thomas P., "Surface modification of low-density polyethylene packaging film via direct fluorination", *Surface and Coatings Technology*, **292** (2016) 144-154.
- Peyroux J., Dubois M., Tomasella E., Frézet L., Kharitonov A. P. and Flahaut D., "Enhancement of surface properties on Low Density Polyethylene packaging films using various fluorination routes", *European Polymer Journal*, **66** (2015) 18-32.
- Pickering K. L., Sawpan M. A., Jayaraman J. and Fernyhough A., "Influence of loading rate, alkali fibre treatment and crystallinity on fracture toughness of random short hemp fibre reinforced polylactide bio-composites", *Composites Part A: Applied Science and Manufacturing*, **42(9)** (2011) 1148-1156.

- Pigatto C., Santos Almeida Júnior J. H., Luiz Ornaghi Júnior H., Rodríguez A. L., Mählmann C. M. and Amico S. C., "Study of polypropylene/ethylene-propylene-diene monomer blends reinforced with sisal fibers", *Polymer Composites*, **33(12)** (2012) 2262-2270.
- Rane A. V., Kanny K., Abitha V. K. and Thomas S., Chapter 5 - Methods for Synthesis of Nanoparticles and Fabrication of Nanocomposites. In S. Mohan Bhagyaraj, O. S. Oluwafemi, N. Kalarikkal, & S. Thomas (Eds.), *Synthesis of Inorganic Nanomaterials*, Woodhead Publishing, India, 2018.
- Râpă M., Miteluț A. C., Tănase E. E., Grosu E., Popescu P., Popa M. E., Rosnes J. T., Sivertsvik M., Darie-Niță R. N. and Vasile C., "Influence of chitosan on mechanical, thermal, barrier and antimicrobial properties of PLA-biocomposites for food packaging", *Composites Part B: Engineering*, **102** (2016) 112-121.
- Razali N. F., Mohammad A. W., Hilal N., Leo C. P. and Alam J., "Optimisation of polyethersulfone/polyaniline blended membranes using response surface methodology approach", *Desalination*, **311** (2013) 182-191.
- Ritchie H. and Roser M., *Plastic Pollution, Our World in Data* (2018).
- Roes A., Marsili E., Nieuwlaar E. and Patel M. K., "Environmental and cost assessment of a polypropylene nanocomposite", *Journal of Polymers and the Environment*, **15(3)** (2007) 212-226.
- Roumeli E., Terzopoulou Z., Pavlidou E., Chrissafis K., Papadopoulou E., Athanasiadou E., Triantafyllidis K. and Bikiaris D. N., "Effect of maleic anhydride on the mechanical and thermal properties of hemp/high-density polyethylene green composites", *Journal of Thermal Analysis and Calorimetry*, **121(1)** (2015) 93-105.
- S S. K. and Hiremath S. S., "Natural Fiber Reinforced Composites in the Context of Biodegradability: A Review", *Reference Module in Materials Science and Materials Engineering: Elsevier* (2019).
- Sabetzadeh M., Bagheri R. and Masoomi M., "Effect of nanoclay on the properties of low density polyethylene/linear low density polyethylene/thermoplastic starch blend films", *Carbohydrate polymers*, **141** (2016) 75-81.
- Saha N. R., Roy I., Sarkar G., Bhattacharyya A., Das R., Rana D., Banerjee R., Paul A. K., Mishra R. and Chattopadhyay D., "Development of active packaging material based on cellulose acetate butyrate/polyethylene glycol/aryl ammonium cation modified clay", *Carbohydrate polymers*, **187** (2018) 8-18.
- Sánchez-Safont E. L., Aldureid A., Lagarón J. M., Gámez-Pérez J. and Cabedo L., "Biocomposites of different lignocellulosic wastes for sustainable food packaging applications", *Composites Part B: Engineering*, **145** (2018) 215-225.
- Sánchez-Safont E. L., González-Ausejo J., Gámez-Pérez J., Lagarón J. M. and Cabedo L., "Poly (3-Hydroxybutyrate-co-3-Hydroxyvalerate)/Purified cellulose fiber composites by melt blending: characterization and degradation in composting conditions", **4(2)** (2016) 123-132.
- Sarasini F., Tirillò J., Sergi C., Seghini M. C., Cozzarini L. and Graupner N., "Effect of basalt fibre hybridisation and sizing removal on mechanical and thermal properties of hemp fibre reinforced HDPE composites", *Composite Structures*, **188** (2018) 394-406.
- Satopathy M. K. and Das P., "Optimization of crystal violet dye removal using novel soil-silver nanocomposite as nanoadsorbent using response surface methodology", *Journal of Environmental Chemical Engineering*, **2(1)** (2014) 708-714.

- Satyanarayana K. G., Arizaga G. G. and Wypych F., "Biodegradable composites based on lignocellulosic fibers—An overview", *Progress in polymer science*, **34(9)** (2009) 982-1021.
- Sayeed M. A., Sayem A. S. and Haider J., "Opportunities With Renewable Jute Fiber Composites to Reduce Eco-Impact of Nonrenewable Polymers", *Materials Science and Materials Engineering. Elsevier* (2019).
- Seggiani M., Cinelli P., Mallegni N., Balestri E., Puccini M., Vitolo S., Lardicci C. and Lazzeri A., "New bio-composites based on polyhydroxyalkanoates and *posidonia oceanica* fibres for applications in a marine environment", *Materials*, **10(4)** (2017) 326.
- Semanová J., Skláršová B., Šimon P. and Šimko P., "Elimination of polycyclic aromatic hydrocarbons from smoked sausages by migration into polyethylene packaging", *Food chemistry*, **201** (2016) 1-6.
- Senthilkumar K., Saba N., Rajini N., Chandrasekar M., Jawaid M., Siengchin S. and Alotman O. Y., "Mechanical properties evaluation of sisal fibre reinforced polymer composites: a review", *Construction and Building Materials*, **174** (2018) 713-729.
- Shahinur S. and Hasan M., "Jute/Coir/Banana Fiber Reinforced Bio-Composites: Critical Review of Design, Fabrication, Properties and Applications", *Reference Module in Materials Science and Materials Engineering: Elsevier* (2019).
- Simmons L., Tsuchiya K. and Numata K., "Chemoenzymatic modification of silk fibroin with poly (2, 6-dimethyl-1, 5-phenylene ether) using horseradish peroxidase", *RSC Advances*, **6(34)** (2016) 28737-28744.
- Singh A. S., Halder S. and Wang J., "Extraction of bamboo micron fibers by optimized mechano-chemical process using a central composite design and their surface modification", *Materials Chemistry and Physics*, **199** (2017) 23-33.
- Sirviö J. A., Kolehmainen A., Liimatainen H., Niinimäki J. and Hormi O. E., "Biocomposite cellulose-alginate films: Promising packaging materials", *Food chemistry*, **151** (2014a) 343-351.
- Sirviö J. A., Kolehmainen A., Liimatainen H., Niinimäki J. and Hormi O. E. O., "Biocomposite cellulose-alginate films: Promising packaging materials", *Food Chemistry*, **151** (2014b) 343-351.
- Srivastava K. R., Singh M. K., Mishra P. K. and Srivastava P., "Pretreatment of banana pseudostem fibre for green composite packaging film preparation with polyvinyl alcohol", *Journal of Polymer Research*, **26(4)** (2019) 95.
- Stevulova N., Cigasova J., Estokova A., Terpakova E., Geffert A., Kacik F., Singovszka E. and Holub M., "Properties characterization of chemically modified hemp hurds", *Materials*, **7(12)** (2014) 8131-8150.
- Suardana N., Piao Y. and Lim J. K., "Mechanical properties of hemp fibers and hemp/pp composites: effects of chemical surface treatment", *Materials physics and mechanics*, **11(1)** (2011) 1-8.
- Suffo M., Mata M. d. I. and Molina S. I., "A sugar-beet waste based thermoplastic agro-composite as substitute for raw materials", *Journal of Cleaner Production*, **257** (2020) 120382.
- Tajeddin B., "A Comparison of Mape and Peg Effects on the Mechanical Characteristics of Wheat Straw/Ldpe Biocomposites for Packaging Application", *Polymers and Polymer Composites*, **23(9)** (2015) 663-668.
- Tan I., Ahmad A. and Hameed B., "Optimization of preparation conditions for activated carbons from coconut husk using response surface methodology", *Chemical Engineering Journal*, **137(3)** (2008) 462-470.

- Tănase E. E., Popa M. E., Râpă M. and Popa O., "PHB/Cellulose fibers based materials: physical, mechanical and barrier properties", *Agriculture and Agricultural Science Procedia*, **6** (2015) 608-615.
- Tang C. Y., Kwon Y.-N. and Leckie J. O., "Effect of membrane chemistry and coating layer on physiochemical properties of thin film composite polyamide RO and NF membranes: I. FTIR and XPS characterization of polyamide and coating layer chemistry", *Desalination*, **242(1-3)** (2009a) 149-167.
- Tang C. Y., Kwon Y.-N. and Leckie J. O., "Effect of membrane chemistry and coating layer on physiochemical properties of thin film composite polyamide RO and NF membranes: II. Membrane physiochemical properties and their dependence on polyamide and coating layers", *Desalination*, **242(1)** (2009b) 168-182.
- Tang Y., Shen X., Zhang J., Guo D., Kong F. and Zhang N., "Extraction of cellulose nano-crystals from old corrugated container fiber using phosphoric acid and enzymatic hydrolysis followed by sonication", *Carbohydrate polymers*, **125** (2015) 360-366.
- Thakur V. K., Thakur M. K. and Gupta R. K., "Rapid synthesis of graft copolymers from natural cellulose fibers", *Carbohydrate polymers*, **98(1)** (2013) 820-828.
- Thakur V. K., Thakur M. K. and Gupta R. K., "raw natural fiber-based polymer composites", *International Journal of Polymer Analysis and Characterization*, **19(3)** (2014) 256-271.
- Tsuchiya K., Ifuku N., Koyama Y. and Numata K., "Development of regenerated silk films coated with fluorinated polypeptides to achieve high water repellency and biodegradability in seawater", *Polymer Degradation and Stability*, **160** (2019) 96-101.
- Uehara G. A., França M. P. and Canevarolo Junior S. V., "Recycling assessment of multilayer flexible packaging films using design of experiments", *Polímeros*, **25(4)** (2015) 371-381.
- Vilaseca F., Del Rey R., Serrat R., Alba J., Mutje P. and Espinach F. X., "Macro and micro-mechanics behavior of stiffness in alkaline treated hemp core fibres polypropylene-based composites" *Composites Part B: Engineering*, **144** (2018) 118-125.
- Wu L.-B., Su Q.-Z., Lin Q.-B., Peng W.-D., Chen C.-F., Wang Z.-W. and Hu C.-Y., "Impact of migration test method on the release of silver from nanosilver-polyethylene composite films into an acidic food simulant", *Food Packaging and Shelf Life*, **14** (2017) 83-87.
- Wu Y., Xia C., Cai L., Shi S. Q. and Cheng J., "Water-resistant hemp fiber-reinforced composites: In-situ surface protection by polyethylene film", *Industrial Crops and Products*, **112** (2018) 210-216.
- Xiangli F., Wei W., Chen Y., Jin W. and Xu N., "Optimization of preparation conditions for polydimethylsiloxane (PDMS)/ceramic composite pervaporation membranes using response surface methodology", *Journal of membrane science*, **311(1-2)** (2008) 23-33.
- Xie J. and Hung Y.-C., "UV-A activated TiO₂ embedded biodegradable polymer film for antimicrobial food packaging application", *LWT*, **96** (2018) 307-314.
- Yang H., Yan R., Chen H., Lee D. H. and Zheng C., "Characteristics of hemicellulose, cellulose and lignin pyrolysis", *Fuel*, **86(12-13)** (2007) 1781-1788.
- Yang S., Bai S. and Wang Q., "Sustainable packaging biocomposites from polylactic acid and wheat straw: enhanced physical performance by solid state shear milling process", *Composites Science and Technology*, **158** (2018) 34-42.

- Youssef A. M., El-Gendy A. and Kamel S., "Evaluation of corn husk fibers reinforced recycled low density polyethylene composites", *Materials Chemistry and Physics*, **152** (2015) 26-33.
- Zabihzadeh S. M., "Effect of lignocellulosic type on long-term hygroscopic behavior of natural filler/HDPE composites", *Journal of Polymers and the Environment*, **19(1)** (2011) 133-136.
- Zegaoui A., Derradji M., Ma R.-k., Cai W.-a., Medjahed A., Liu W.-b., Dayo A. Q., Wang J. and Wang G.-x., "Influence of fiber volume fractions on the performances of alkali modified hemp fibers reinforced cyanate ester/benzoxazine blend composites", *Materials Chemistry and Physics*, **213** (2018) 146-156.
- Zeng Q., Yu A., Lu G. and Paul D., "Clay-based polymer nanocomposites: research and commercial development", *Journal of nanoscience and nanotechnology*, **5(10)** (2005) 1574-1592.
- Zhao X., Ji K., Kurt K., Cornish K. and Vodovotz Y., "Optimal mechanical properties of biodegradable natural rubber-toughened PHBV bioplastics intended for food packaging applications", *Food Packaging and Shelf Life*, **21** (2019) 100348.
- Zia J., Paul U. C., Heredia-Guerrero J. A., Athanassiou A. and Fragouli D., "Low-density polyethylene/curcumin melt extruded composites with enhanced water vapor barrier and antioxidant properties for active food packaging", *Polymer*, **175** (2019) 137-145.
- Zobel M., "The odour permeability of polypropylene packaging film", *Polymer Testing*, **5(2)** (1985) 153-165.

List of Publications

- **Dixit S.** and Yadav V. L., Optimization of polyethylene/polypropylene/alkali modified wheat straw composites for packaging application using RSM, *Journal of Cleaner Production*, **240** (2019a) 118228.
- **Dixit S.**, Mishra G and Yadav V. L., Optimization of novel bio-composite packaging film based on alkali-treated Hemp fiber/polyethylene/polypropylene using response surface methodology approach, *Polymer Bulletin* (2021).
- **Dixit S.** and Yadav V. L., Synthesis of green thermally resistant composite: A review, *Indian Journal of Chemical Technology (IJCT)*, **26(6)** (2019b) 494-503.
- **Dixit S.** and Yadav V. L. 2020a. Biodegradable Polymer Composite Films for Green Packaging Applications. In O. V. Kharissova, L. M. T. Martínez, & B. I. Kharisov (Eds.), *Handbook of Nanomaterials and Nanocomposites for Energy and Environmental Applications*: 1-17. Cham: Springer International Publishing.
- **Dixit S.** and Yadav V. L., Comparative study of polystyrene/chemically modified wheat straw composite for green packaging application, *Polymer Bulletin*, **77(3)** (2020b) 1307-1326.