
References

- A. Awasthi, G. Singh, V. Dhyani, J. Kumar, Y.S. Reddy, V.P. Adarsh, A. Puthiyamadam, K.K. Mullepureddy, R.K. Sukumaran, S. B. Ummalyma, D. Sahoo, T. Bhaskar, Co pyrolysis of phumdi and para grass biomass from Loktak Lake, *Bioresour. Technol.* 285 (2019) 121308.
- A. Chandrasekaran, S. Ramachandran, S. Subbiah, Determination of kinetic parameters in the pyrolysis operation and thermal behavior of *Prosopis juliflora* using thermogravimetric analysis, *Bioresour. Technol.* 233 (2017) 413–422.
- A. Demirbas, Calculation of higher heating values of biomass fuels. *Fuel* 76 (1997) 431-434.
- A. Demirbas, G. Arin, An overview of biomass pyrolysis, *Energy Sources* 24(5) (2002) 471–482.
- A. Karmakar, S. Karmakar, S. Mukherjee, Biodiesel production from neem towards feedstock diversification: Indian perspective, *Renew. Sustain. Energy Rev.* 16(1) (2012) 1050–1060.
- A. Malika, N. Jacques, E.F. Jaafar, B. Fatima, A. Mohammed, Pyrolysis investigation of food wastes by TG-MS-DSC technique, *Biomass Conv. Bioref.* 6 (2016) 161-172.
- A. Shaaban, S.M. SE, N.M.M. Mitan, M.F. Dimin, Characterization of biochar derived from rubber wood sawdust through slow pyrolysis on surface porosities and functional groups, *Procedia Engineering* 68 (2013) 365-371.
- A. Shakya, A. Núñez-Delgado, T. Agarwal, Biochar synthesis from sweet lime peel for hexavalent chromium remediation from aqueous solution, *J. Environ. Manage.* 251 (2019) 109570.
- A. Sharma, V. Pareek, D. Zhang, Biomass pyrolysis - A review of modelling, process parameters and catalytic studies, *Renew. Sustain. Energy Rev.*, 50 (2015) 1081-1096.

- A. Sriram, G. Swaminathan, Pyrolysis of *Musa balbisiana* flower petal using thermogravimetric studies, *Bioresour. Technol.*, 265 (2018) 236–46.
- A. Tyłak, P. Oleszczuk, R. Dobrowolsk, Sorption and desorption of Cr(VI) ions from water by biochars in different environmental conditions, *Environ. Sci. Pollut. Res.* 22 (2015) 5985–5994.
- A.H.M.G. Hyder, S.A. Begum, N.O. Egiebor, Adsorption isotherm and kinetic studies of hexavalent chromium removal from aqueous solution onto bone char, *J. Environ. Chem. Eng.* 3 (2015) 1329–1336.
- A.K. Varma, L.S. Thakur, R. Shankar, P. Mondal, Pyrolysis of wood sawdust: Effects of process parameters on products yield and characterization of products, *Waste Manage.* 89 (2019) 224–235.
- A.K. Varma, P. Mondal, Physicochemical characterization and kinetic study of pine needle for pyrolysis process, *J. Therm. Anal. Calorim.* 124 (2016) 487-497.
- A.K. Varma, P. Mondal, Pyrolysis of pine needles: effects of process parameters on products yield and analysis of products. *J. Therm. Anal. Calorim.* 131 (2018) 2057-2072.
- A.M. Azeez, D. Meier, J. Odermatt, T. Willner, Fast pyrolysis of African and European lignocellulosic biomasses using Py-GC/MS and fluidized bed reactor, *Energy Fuels* 24 (2010) 2078-2085.
- A.M. Celaya, A.T. Lade, J.L. Goldfarb, Co-combustion of brewer's spent grains and Illinois No. 6 coal: impact of blend ratio on pyrolysis and oxidation behavior, *Fuel Process. Technol.*, 129 (2017) 39-51.
- A.M.P. Anahas, G. Muralitharan, Characterization of heterocystous cyanobacterial strains for biodiesel production based on fatty acid content analysis and hydrocarbon production. *Energy Convers. Manag.* 157 (2018) 423-437.

- A.O. Abyade, T.J. Hugo, M. Carrier, E.L. Meyer, R. Stahl, J.H. Knoetze, J.F. Gorgens, Non-isothermal kinetic analysis of the devolatilization of corn cobs and sugar cane baggase in an inert atmosphere, *Thermochimica Acta* 517 (2011) 81-89.
- A.O. Balogun, O.A. Lasode, A.G. McDonald, Devolatilisation kinetics and pyrolytic analyses of *Tectona grandis* (teak), *Bioresour Technol.* 156 (2014) 57-62.
- A.R. Filho, P.S. Curti, Chemical kinetic model and thermodynamic compensation effect of alkaline hydrolysis of waste poly (ethylene terephthalate) in non-aqueous ethylene glycol solution, *Ind. Eng. Chem. Res.* 45 (2006) 7985–7996.
- A.S. Rathore, G.K. Gupta, M. Kapur, M.K. Mondal, Study on Mass Transfer Characteristics for Cr (VI) Removal by Adsorption onto Residual Black Toner Ink. *Environ Prog Sustain Energy* 36 (2017) 1022-1029.
- A.S.N. Mahmood, J.G. Brammer, A. Hornung, A. Steele, S. Poulston, The intermediate pyrolysis and catalytic steam reforming of Brewers spent grain, *J. Anal. Appl. Pyrolysis* 103 (2013) 328–342.
- A.T. Tag, G. Duman, S. Ucar, J. Yanik, Effect of feedstock type and pyrolysis temperature on potential applications of biochar, *J. Anal. Appl. Pyrolysis* 120 (2016) 200-206.
- A.U. Arvindekar, K.S. Laddha, An efficient microwave assisted extraction of anthraquinones from *Rheum emodi*: Optimization using RSM, UV and HPLC analysis and antioxidant studies, *Ind. crops prod.* 83 (2016) 587-95.
- A.V. Bridgwater, Biomass fast pyrolysis, *Therm. Sci.* 8(2) (2004) 21-49.
- A.V. Bridgwater, G.V.C. Peacocke, Fast pyrolysis processes for biomass, *Renew. Sustain. Energy Rev.* 4(1) (2000) 1-73.
- A.V. Bridgwater, Renewable fuels and chemicals by thermal processing of biomass. *Chem. Eng. J.* 91(2–3) (2003) 87–102.

- Annual report. (1995-96). Ministry of Environment and Forests, Government of India, New Delhi. (Accessed on 15/12/2017)
- APHA, AWWA, WPCF, Standard methods for examination of water and wastewater, American Public Health Association, 14th ed., Washington, DC (1975).
- B. Choudhary, D. Paul, Isotherms, kinetics and thermodynamics of hexavalent chromium removal using biochar, *J. Environ. Chem. Eng.* 6 (2) (2018) 2335-2343.
- B. Jankovic, B. Adnadevic, J. Jovanovic, Application of model-fitting and model-free kinetics to the study of non-isothermal dehydration of equilibriumswollen poly (acrylic acid) hydrogel: thermogravimetric analysis, *Thermochim. Acta*, 452 (2007) 106–115.
- B. Kavitha, P.V.L. Reddy, B. Kim, S.S. Lee, S.K. Pandey, K.H. Kim, Benefits and limitations of biochar amendment in agricultural soils: A review, *J. Environ. Manage.* 227 (2018) 146-154.
- B. Singh, M. Camps-Arbestian, J. Lehman, *Biochar: A guide to analytical methods*. CRC Press, Taylor & Francis group (2017).
- B.B. Uzun, E.A. Varol, F. Ates, N. Ozbay, A.E. Putun, Synthetic fuel production from tea waste: characterization of bio-oil and bio-char, *Fuel* 89 (2010) 176-84.
- C. Azar, K. Lindgren, B. Andersson, Global energy scenario meeting stringent CO₂ constraints-cost-effective fuel choices in the transportation sector, *Energy Policy* 31 (2003) 961-976.
- C. Branca, C. Di Blasi, C. Mango, I. Hrablay, Products and kinetics of glucomannan pyrolysis, *Ind. Eng. Chem. Res.* 52 (2013) 5030-5039.
- C. Cheng, M. Jia, L. Cui, Y. Li, L. Xu, X. Jin, Adsorption of Cr (VI) ion on tannic acid/grapheme oxide composite aerogel: kinetics, equilibrium, and thermodynamics studies, *Biomass Conv Bioref.*, (2020). <https://doi.org/10.1007/s13399-020-00899-4>.

- C. Sheng, J.L.T. Azevedo, Estimating the higher heating value of biomass fuels from basic analysis data, *Biomass Bioenergy* 28 (2005) 499-507.
- C. Wang, L. Gu, X. Liu, X. Zhang, L. Cao, X. Hu, Sorption behavior of Cr(VI) on pineapple-peel-derived biochar and the influence of coexisting pyrene. *Int. Biodeterior. Biodegr.* 111 (2016) 78-84.
- C. Wu, V.L. Budarin, M.J. Gronnow, M.D. Bruyn, J.A. Onwudili, J.H. Clark, P.T. Williams, Conventional and microwave-assisted pyrolysis of biomass under different heating rates, *J. Anal. Appl. Pyrolysis* 107 (2014) 276–283.
- C. Zhang, R. Zhang, X. Li, Y. Li, W. Shi, X. Ren, X. Xu, Bench-scale fluidized bed fast pyrolysis of peanut shell for bio-oil production, *Environ. Prog. Sustain. Energy* 30 (2011) 11-18.
- C.D. Doyle, Estimating isothermal life from thermogravimetric data, *J. Appl. Polymer Sci.* 6(24) (1962) 639–642.
- C.H. Lim, I.Y. Mohammad, Y.A. Abakr, F.K. Kazi, S. Yusup, I.H. Lam, Novel input-output prediction approach for biomass pyrolysis. *J. Cleaner Prod.* 30 (2016) 1-11.
- C.J. Gomez, E. Meszaros, E. Jakab, E. Velo, L. Puigianer, Thermogravimetry/ mass spectroscopy study of woody residues and an herbaceous biomass crop using PCA techniques, *J. Anal. Appl. Pyrolysis*, 80 (2007) 416-426.
- D. Angin, S. Sensoz, Effect of pyrolysis temperature on chemical and surface properties of biochar of rapeseed (*Brassica Napus L.*). *Int. J. of Phytoremediation* 16 (2014) 684-693.
- D. Chen, D. Liu, H. Zhang, Y. Chen, Q. Li, Bamboo pyrolysis using TG-FTIR and a lab-scale reactor: Analysis of pyrolysis behavior, product properties, and carbon and energy yields. *Fuel* 148 (2015) 79-86.

- D. Mohan, C.U. Pittman, P.H. Steele, Pyrolysis of wood/biomass for bio-oil: a critical review, *Energy Fuels* 20 (2006) 848-889.
- D. Mohan, K.P. Singh, V.K. Singh, Removal of hexavalent chromium from aqueous Solution using low-cost Activated carbons derived from agricultural waste materials and activated carbon fabric cloth, *Ind. Eng. Chem. Res.* 44 (2005) 1027-1042.
- D. Mohan, S. Rajput, V.K. Singh, P.H. Steele, C.U. Pittman, Modeling and evaluation of chromium remediation from water using low cost bio-char, a green adsorbent. *J. Haz. Mater.* 188 (1-3) (2011) 319–333.
- D. Ozcimen, F. Karaosmanoglu, Production and characterization of bio-oil and biochar from rapeseed cake, *Renew. Energy* 29 (2004) 779-787.
- D. Pradhan, R.K. Singh, H. Bendu, R. Mund, Pyrolysis of Mahua seed (*Madhuca indica*) – Production of biofuel and its characterization. *Energy Conver. Manage.* 108 (2016) 529–538.
- D. Savova, E. Apak, E. Ekinici, F. Yardim, N. Petrov, T. Budinova, M. Razvigorova, V. Minkova, Biomass conversion to carbon adsorbents and gas. *Biomass Bioenergy* 21 (2) (2001)133-142.
- D. Vamvuka, Bio-oil, solid and gaseous biofuels from biomass pyrolysis processes – an overview, *Int. J. Energy Res.* 35 (10) (2011) 835–862.
- D.E. Dugaard, R.C. Brown, Enthalpy for pyrolysis for several types of biomass, *Energy Fuels* 17 (2003) 934-939.
- E. Biagini, F. Barontini, L. Tognotti, Devolatilization of biomass fuels and biomass components studied by TG/FTIR technique, *Ind. Eng. Chem. Res.* 13 (2006) 4486-4493.

- E. Lacovidou, J. Hahladakis, I. Deans, C. Velis, P. Purnell, Technical properties of biomass and solid recovered fuel (SRF) co-fired with coal: Impact on multi-dimensional resource recovery value, *Waste Manage.* 73 (2018) 535-545.
- E.A. Varol, A.E. Putun, Preparation and characterization of pyrolytic chars from different biomass samples, *J. Anal. Appl. Pyrolysis* 98 (2012) 29-36.
- E.A. Varol, E. Putun, A.E. Putun, Slow pyrolysis of pistachio shell, *Fuel* 86 (2007) 1892-1899.
- F. Abnisa, A. Arami-Niya, W.M.A. Wan Daud, J.N. Sahu, I.M. Noor, Utilization of oil palm tree residues to produce bio-oil and bio-char via pyrolysis, *Energy Convers. Manage.* 76 (2013) 1073-1082.
- F. Abnisa, W.M.A.W. Daud, J.N. Sahu, Optimization and characterization studies on bio-oil production from palm shell by pyrolysis using response surface methodology, *Biomass Bioenergy* 35 (2011) 3604-3616.
- F. Ates, N. Erginel, Optimization of bio-oil production using response surface methodology and formation of polycyclic aromatic hydrocarbons (PAHs) at elevated pressure, *Fuel Process. Technol.* 142 (2016) 279-286.
- F. Fu, Q. Wang, Removal of heavy metal ions from waste waters – a review. *J Environ Manage* 92(3) (2011) 407–418.
- F. Karaosmanoglu, E. Tetik, E. Gollu, Biofuel production using slow pyrolysis of the straw and stalk of the rapeseed plant, *Fuel Process. Technol.* 59 (1999) 1-12.
- F.M. Guangul, S.A. Sulaiman, A. Ramli, Study of the effects of operating factors on the resulting producer gas of oil palm fronds gasification with a single throat downdraft gasifier, *Renew. Energy* 72 (2014) 271-283.

- F.X. Collard, J. Blin, A review on pyrolysis of biomass constituents: Mechanisms and composition of the products obtained from the conversion of cellulose, hemicelluloses and lignin, *Renew. Sustain. Energy Rev.* 38 (2014) 594–608.
- FAO, Global forest resource assessment 2000. FAO Forestry Paper no. 140. Food and Agricultural Organization of United Nations, Rome, Italy (2001).
- FAO, Intensive multiple use management in tropics. FAO Forestry Paper no. 55. Food and Agricultural Organization of United Nations, Rome, Italy (1985).
- G. James, D.A. Sabatini, C.T. Chiou, D. Rutherford, A.C. Scott, H.K. Karapanagioti, Evaluation phenanthrene sorption on various wood chars, *Water Research* 39 (2005) 549-558.
- G. Mishra, J. Kumar, T. Bhaskar, Kinetic studies on the pyrolysis of pinewood, *Bioresour. Technol.* 182 (2015) 282–288.
- G. Rojith, I.S.B. Singh, Delignification, cellulose crystallinity change and surface modification of coir pith induced by oxidative delignification treatment, *Int. J. Environ. Bioenergy* 3 (2012) 46-55.
- G. Wang, W. Li, B. Li, H. Chen, TG study on pyrolysis of biomass and its three components under syngas, *Fuel* 87 (2008) 552-558.
- G.K. Gupta, M. Ram, R. Bala, M. Kapur, M.K. Mondal, Pyrolysis of chemically treated corncob for biochar production and its application in Cr(VI) removal, *Environ. Prog. Sustain. Energy* 37 (2018) 1606-1617.
- H. Deveci, Y. Kar, Adsorption of hexavalent chromium from aqueous solutions by biochars obtained during biomass pyrolysis, *J. Ind. Eng. Chem.* 19 (2013) 190–196.
- H. Haykiri-Acma, S. Yaman, Interaction between biomass and different rank coals during co-pyrolysis. *Renew. Energy* 35 (1) (2010) 288-292.

- H. Jiang, Z. Cheng, T. Zhao, M. Liu, M. Zhang, J. Li, M. Hu, L. Zhang, J. Li, Pyrolysis kinetics of spent lark mushroom substrate and characterization of bio-oil obtained from the substrate, *Energy Converse. Manage.* 88 (2014) 259-266.
- H. Shekari, M.H. Sayadi, M.R. Rezaei, A. Allahresani, Synthesis of nickel ferrite/titanium oxide magnetic nanocomposite and its use to remove hexavalent chromium from aqueous solutions, *Surf. Interfaces* 8 (2017) 199-205.
- H. Yang, R. Yan, H. Chen, D.H. Lee, C. Zheng, Characteristics of hemicelluloses, cellulose and lignin pyrolysis, *Fuel* 86 (2007) 1781-1788.
- H. Zhang, R. Xiao, H. Huang, G. Xiao, Comparison of non-catalytic and catalytic fast pyrolysis of corncob in a fluidized bed reactor, *Bioresour. Technol.* 100 (2009) 1428-1434.
- H.J. Park, Y.K. Park, J.L. Dong, J.S. Kim, J.K. Jeon, S.S. Kim, J. Kim, B. Song, J. Park, K.J. Lee, Pyrolysis characteristics of Oriental white oak: kinetic study and fast pyrolysis in a fluidized bed with an improved reaction system, *Fuel Process. Technol.* 90 (2009) 186-195.
- H.M. Kadlimatti, B.R. Mohan, M.B. Saidutta, Bio-oil from microwave assisted pyrolysis of food waste-optimization using response surface methodology, *Biomass Bioenergy* 123 (2019) 25-33.
- H.M.F. Freundlich, Uber die adsorption in losungen, *Z. Phys. Chem. (Leipzig)* 57A (1906) 385-470.
- H.P. Yang, R. Yan, H.P. Chen, D.H. Lee, C.G. Cheng, Characteristics of hemicellulose, cellulose and lignin pyrolysis, *Fuel* 86 (12-13) (2007) 1781-1788.
- H.T. Kahraman, E. Pehlivan, Cr⁶⁺ removal using oleaster (*Elaeagnus*) seed and cherry (*Prunus avium*) stone biochar, *Powder Technol* 306 (2017) 61-67.

H.Z. Zhang, C.R. Chen, E.M. Gray, S.E. Boyd, Effect of feedstock and pyrolysis temperature on properties of biochar governing end use efficacy, *Biomass Bioenergy* 105 (2017) 136–146.

<https://ourworldindata.org/energy-production-consumption>

<https://www.iea.org/reports/global-energy-co2-status-report-2019>

<https://www.iea.org/topics/world-energy-outlook>

I. Demiral, A. Eryazici, S. Sensoz, Bio-oil production from pyrolysis of corncob (*Zea mays* L.), *Biomass Bioenergy* 36 (2012) 43-49.

I. Demiral, S.C. Kul, Pyrolysis of apricot kernel shell in a fixed-bed reactor: Characterization of bio-oil and char, *J. Anal. Appl. Pyrolysis* 107 (2014) 17-24.

I. Langmuir, The adsorption of gases on plane surfaces of glass, mica and platinum, *J. Am. Chem. Soc.* 40 (1918) 1361–1367.

I.Y. Mohammed, Y.A. Abakr, S. Yusup, F.K. Kazi, Valorization of Napier grass via intermediate pyrolysis: Optimization using response surface methodology and pyrolysis products characterization, *J. Cleaner Prod.* 142 (4) (2017) 1848-1866.

J. Abrego, J. Arauzo, J.L. Sanchez, A. Gonzalo, T. Cordero, J. Rodriguez-Mirasol, Structural changes of sewage sludge char during fixed-bed pyrolysis, *Ind. Eng. Chem. Res.* 48 (2009) 3211-3221.

J. Akhtar, N.S. Amin, A review on operating parameters for optimum liquid oil yield in biomass pyrolysis. *Renew. Sustain. Energy Rev.* 16 (2012) 5101–5109.

J. Cai, Y. He, X. Yu, S.W. Banks, Y. Yang, X. Zhang, Y. Yu, R. Liu, A.V. Bridgwater, Review of physicochemical properties and analytical characterization of lignocellulosic biomass, *Renew. Sustain. Energy Rev.* 76 (2017) 309-322.

J. Lee, K.H. Kim, E.E. Kwon, Biochar as catalyst. *Renew. Sust. Energy Rev.* 77 (2017) 70–79.

-
- J. Lehmann, S. Joseph, *Biochar for Environmental Management*. 2nd ed. New York: Routledge (2015).
- J. Parikh, S.A. Channiwala, G.K. Ghosal, A correlation for calculating HHV from proximate analysis of solid fuels, *Fuel* 84 (2005) 487-494.
- J. Shen, X.S. Wang, M. Garcia-Perez, D. Mourant, M.J. Rhodes, C.Z. Li, Effects of particle size on the fast pyrolysis of oil mallee biomass, *Fuel* 88 (2009) 1810-1817.
- J. Sheng, D. Ji, F. Yu, L. Cui, Q. Zeng, N. Ai, J. Ji, Influence of chemical treatment on rice straw pyrolysis by TG-FTIR, *IERI Procedia* 8 (2014) 30-34.
- J. Wang, S. Wang, Preparation, modification and environmental application of biochar: A review, *J. Cleaner. Production*, 227 (2019) 1002-1022.
- J. Zhang, F. Lu, H. Zhang, L. Shao, D. Chen, P. He, Multistage visualization of the structural and the characteristics changes of sewage sludge biochar oriented towards potential agronomic and environmental implications, *Sci. Rep.* 5 (2015) 9406.
- J.A. Caballero, J.A. Conesa, R. Font, A. Marcilla, Pyrolysis kinetics of almond shells and olive stones considering their organic fractions, *J. Anal. Appl. Pyrolysis* 42(2) (1997) 159-175.
- J.A. Capunitan, S.C. Capareda, Assessing the potential for biofuel production of corn stover pyrolysis using a pressurized batch reactor, *Fuel* 95 (2012) 563-572.
- J.L. Gardea-Torresdey, K.J. Tiemann, V. Armendariz, L. Bess-Oberto, R.R. Chianelli, J. Rios, J.G. Parsons, G. Gamez, Characterization of Cr (VI) binding and reduction to Cr (III) by the agricultural byproducts of *Avena monida* (Oat) biomass, *J. Hazard. Mater.* B80 (2000) 175-188.
- J.M. Criado, "Kinetic analysis of DTG data from master curves," *Thermochim Acta* 24(1) (1978) 186-189.

- J.P. Lange, Lignocellulose conversion: an introduction to chemistry, process and economics, *Biofuel Bioprod Biorifin* 1(1) (2007) 39–48.
- J.P. Soetardji, C. Widjaja, Y. Djojorahardjo, F.E. Soetaredjo, S. Ismadji, Bio-oil from jackfruit peel waste, *Procedia Chemistry* 9 (2014) 158-164.
- J.S. Cha, S.H. Park, S.C. Jung, C. Ryu, J.K. Jeon, M.C. Shin, Y.K. Park, Production and utilization of biochar: a review. *J. Ind. Eng. Chem.* 40 (2016) 1–15
- J.S. Saini, R. Saini, L. Tewari, Lignocellulosic agricultural wastes as biomass feedstocks for second-generation bioethanol production: concepts and recent developments, *3 Biotech.* 5 (2015) 337-353.
- K. Anupam, A.K. Sharma, P.S. Lal, S. Dutta, S. Maity, Preparation, Characterization and optimization for upgrading *Leucaena leucocephala* bark to biochar fuel with high energy yielding, *Energy* 106 (2016) 743-756.
- K. Kebelmann, A. Hornung, U. Karsten, G. Griffiths, Intermediate pyrolysis and product identification by TGA and Py-GC/MS of green microalgae and their extracted protein and lipid components, *Biomass Bioenergy* 49 (2013) 38–48.
- K. N. Dhanavath, K. Shah, S. Bankupalli, S.K. Bhargava, R. Parthasarathy, Derivation of optimum operating conditions for the slow pyrolysis of Mahua press seed cake in a fixed bed batch reactor for bio–oil production, *J. Env. Chem. Eng.* 5 (4) (2017) 4051-4063.
- K. Raveendran, A. Ganesh, K.C. Khilar, Influence of mineral matter on biomass pyrolysis characteristics, *Fuel* 74 (12) (1995) 1812-1822.
- K. Slopiecka, P. Bartocci, F. Fantozzi, Thermogravimetric analysis and kinetic study of poplar wood pyrolysis, *Applied Energy*, 97 (2012) 491-497.

- K.A. Motghare, A.P. Rathod, K.L. Wasewar, N.K. Labhsetwar, Comparative study of different waste biomass for energy application, *Waste Manage.* 47 (2015) 40-45.
- K.A. Spokas, Review of the stability of the biocharin soils: Predictability of O/C molar ratios, *Carbon Manage.* 1(2) (2010) 289-303.
- K.M. Bhat, H.O. Ma, Teak growers unite! *ITTO Tropic For Update*, 14(1) (2004) 3-5.
- K.N. Dhanavath, K. Shah, S. Bankupalli, S.K. Bhargava, R. Parthasarathy, Derivation of optimum operating conditions for the slow pyrolysis of Mahua press seed cake in a fixed bed batch reactor for bio-oil production, *J. Env. Chem. Eng.* 5 (2017) 4051-4063.
- L. Burhenne, J. Messmer, T. Aicher, M. Laborie, The effect of biomass components lignin, cellulose and hemicellulose on TGA and fixed bed pyrolysis, *J. Anal. Appl. Pyrol.* 101 (2013) 177-184.
- L. Li, J.S. Rowbotham, C.H. Greenwell, P.W. Dyer, An introduction to pyrolysis and catalytic pyrolysis: versatile techniques for biomass conversion. In *New and Future Developments in Catalysis: Catalytic Biomass Conversion*. In: Suib SL, editor. Amsterdam, The Netherlands: Elsevier (2013) 173-208.
- L. Wei, S. Liang, N.M. Guho, A.J. Hanson, M.W. Smith, M.G. Perez, A.G. McDonald, Production and characterization of bio-oil and biochar from the pyrolysis of residual bacterial biomass from polyhydroxy alkanoate production process, *J. Anal. Appl. Pyrolysis* 115 (2015) 268-278.
- L. Zhang, C.C.P. Champagne, Overview of recent advances in thermochemical conversion of biomass, *Energy Convers. Manage.* 51 (2010) 969-982.
- L.T. Vlaev, I.G. Markovska, L.A. Lyubchev, Non-isothermal kinetics of pyrolysis of rice Husk, *Thermochim Acta*, 406 (1-2) (2003) 1-7.
- L.T. Vlaev, V.G. Georgieva, S.D. Genieva, Products and kinetics of non-isothermal decomposition of vanadium (IV) oxide compounds, *J. Therm. Anal. Calorm.* 88 (2007)

805-812.

M. Poletto, A.J. Zattera, R.M.C. Santana, Thermal decomposition of wood: Kinetics and degradation mechanisms, *Bioresour. Technol.* 126 (2012) 7–12.

M. Ahiduzzaman, A.K.M. Sardul Islam, Preparation of porous bio-char and activated carbon from rice husk by leaching ash and chemical activation, *Springer Plus* 5 (2016) 1248-1261.

M. Balat, G. Ayar, Biomass energy in the world, use of biomass and potential trends. *Energy Sources* 27 (10) (2005) 931-940.

M. Bardalai, D.K. Mahanta, Characterisation of pyrolysis oil derived from teak tree sawdust and rice husk, *Journal of Engineering Science and Technology*, 13 (2018) 242-253.

M. Chen, F. He, D. Hu, C. Bao, Q. Huang, Broadened operating pH range for adsorption/reduction of aqueous Cr (VI) using biochar from directly treated jute (*Corchorus capsularis* L.) fibers by H₃PO₄, *Chem. Eng. J.* 381 (1) (2020) 122739.

M. Ertas, M.H. Alma, Pyrolysis of laurel (*Laurus nobilis* L.) extraction residues in fixed-bed reactor: characterization of bio-oil and bio-char. *J. Anal. Appl. Pyrolysis* 88(1) (2010) 22-29.

M. Kapur, M.K. Mondal, Mass transfer and related phenomena for Cr (VI) adsorption from aqueous solutions onto *Mangifera indica* sawdust, *Chem. Eng. J.* 218 (2013) 138-146.

M. Kapur, R. Gupta, M.K. Mondal, Parametric optimization of Cu (II) and Ni (II) adsorption onto coal dust and magnetized sawdust using box-behnken design of experiments. *Environ. Prog. Sustain. Energy* 35 (2016) 1597-604.

- M. Kumar, P.K. Mishra, S.N. Upadhyay, Pyrolysis of Saccharum munja: Optimization of process parameters using response surface methodology (RSM) and evaluation of kinetic parameters, *Bioresour. Technol. Reports* 8 (2019) 100332.
- M. Mladenovic, M. Paprika, A. Marinkovic, Denitrification techniques for biomass combustion, *Renew. Sustain. Energy Rev.* 82 (2018) 3350-3364.
- M. Muthukumar, D. Mohan, M. Rajendran, Optimization of mix proportions of mineral aggregates using Box-Behnken design of experiments. *Cem. Concr. Res.* 25 (2003) 751-758.
- M. Nigam, S. Rajoriya, S.R. Singh, P. Kumar, Adsorption of Cr (VI) ion from tannery wastewater on tea waste: Kinetics, equilibrium and thermodynamics studies, *J. Ind. Eng. Chem.* 7 (2019) 103188.
- M. Ram, M.K. Mondal, Comparative study of native and impregnated coconut husk with pulp and paper industry waste water for fuel gas production, *Energy* 156 (2018) 122-131.
- M. Tripathi, J.N. Sahu, P. Ganesan, Effect of process parameters on production of biochar from biomass waste through pyrolysis: a review, *Renew. Sust. Energy Rev.* 55 (2016) 467–481.
- M. Zhai, J. Liu, W.L. Guo, X. Wang, Y. Zhang, P. Dong, J. Sun, Gasification characteristics of sawdust char at a high-temperature steam atmosphere, *Energy* 128 (2017) 509-518.
- M.A. Hossain, P. Ganesan, J. Jewaratnam, K. Chinna, Optimization of process parameters for microwave pyrolysis of oil palm fiber (OPF) for hydrogen and biochar production, *Energy Conversion and Management* 133 (2017) 349–362.
- M.A. Kader, M.R. Islam, M. Parveen, H. Haniu, K. Takai, Pyrolysis decomposition of tamarind seed for alternative fuel, *Bioresour. Technol.* 149 (2013) 1-7.

-
- M.F. Ibrahim, S.W. Kim, S. Abd-Aziz, Advanced bioprocessing strategies for biobutanol production from biomass, *Renew. Sustain. Energy Rev.* 91 (2018) 1192-1204.
- M.I. Al-Wabel, A. Al-Omran, A.H. El-Naggar, M. Nadeem, A.R.A. Usman, Pyrolysis temperature induced changes in characteristics and chemical composition of biochar produced from conocarpus wastes, *Bioresour. Technol.* 131 (2013) 374-379.
- M.I. Jahirul, M.G. Rasul, A.A. Chowdhury, N. Ashwath, Biofuels production through biomass pyrolysis - A Technological review, *Energies* 5 (2012) 4952-5001.
- M.J. Temkin, V. Pyzhev, Recent modifications to Langmuir isotherms, *Acta Physicochim. URSS* 12 (1940) 217-222.
- M.K. Hossain, V. Strezov, K.Y. Chan, A. Ziolkowski, P.F. Nelson, Influence of pyrolysis temperature on production and nutrient properties of wastewater sludge biochar, *J. Environ. Manage.* 92 (1) (2011) 223-228.
- M.R. Baray Guerrero, M.M. Silva Paula, M. Melendez Zaragoza, J. Salinas Gutierrez, V. Guzman Velderrain, A. Lopez Ortiz, V. Colins-Maetinez, Thermogravimetric study on pyrolysis kinetics of apple pomace as waste biomass, *Int. J. Hydrogen Energy* 39 (29) (2014) 16619-16627.
- M.R. Islam, M.S.H.K. Tushar, H. Haniu, Production of liquid fuels and chemicals from pyrolysis of Bangladeshi bicycle/rickshaw tire wastes, *J. Anal. Appl. Pyrolysis* 82 (2008) 96-109.
- M.S. Ahmad, M.A. Mehmood, O.S. Al Ayed, G. Ye, H. Luo, M. Ibrahim, U. Rashid, I. Arbi Nehdi, G. Qadir, Kinetic analyses and pyrolytic behavior of Para grass (*Urochloa mutica*) for its bioenergy potential, *Bioresour. Technol.* 224 (2017) 708-713.

- N. Akhtar, D. Goyal, A. Goyal, Physico-chemical characteristics of leaf litter biomass to delineate the chemistries involved in biofuel production, *J. Taiwan Ins. Chem. Eng.* 62 (2016) 239-246.
- N. Canabarro, J.F. Soares, C.G. Anchieta, C.S. Kelling, M. Mazutti, Thermochemical processes for biofuels production from biomass, *Sustain. Chem. Process* 22 (1) (2013) 1- 22.
- N. Grioui, K. Halouani, F.A. Agblevor, Bio-oil from pyrolysis of Tunisian almond shell: comparative study and investigation of aging effect during long storage, *Energy Sustain. Dev.* 21 (2014) 100-112.
- N. Mahinpey, P. Murugan, T. Mani, R. Raina, Analysis of bio-oil, biogas and biochar from pressurized pyrolysis of wheat straw using tubular reactor, *Energy Fuels* 23 (2009) 2736–2742
- N. Sellin, D.R. Krohi, C. Marangoni, O. Souza, Oxidative fast pyrolysis of banana leaves in fluidized bed reactor, *Renew. Energy* 96 (2016) 56-64.
- N.B. Singh, A. Kumar, S. Rai, Potential production of bioenergy from biomass in an Indian perspective, *Renew. Sustain. Energy Rev.* 39 (2014) 65–78.
- N.D. Choudhury, R.S. Chutia, T. Bhaskar, R. Kataki, Pyrolysis of jute dust: effect of reaction parameters and analysis of products. *J. Mater. Cycles Waste Manage.* 16 (2014) 449-459.
- O. Cepeliogullar, A.E. Putun, Products characterization study of a slow pyrolysis of biomass-plastic mixtures in a fixed-bed reactor, *J. Anal. Appl. Pyrolysis* 110 (2014) 363-374.
- O. Oginni, K. Singh, Pyrolysis characteristics of *Arundo donax* harvested from a reclaimed mine land, *Industrial Crops & Products* 133 (2019) 44–53.

-
- O. Senneca, Kinetics of pyrolysis, combustion and gasification of three biomass fuels, *Fuel Processing Technology* 88 (2007) 87-97.
- O.D. Mante, F.A. Agblevor, S.T. Oyama, R. McClung, The influence of recycling non-condensable gases in the fractional catalytic pyrolysis of biomass, *Bioresour. Technol.* 111 (2012) 482-490.
- O.S. Al-Ayed, M. Matouq, Z. Anbar, A.M. Khaleed, E. Abu-Nameh, Oil shale pyrolysis kinetics and variable activation energy principle, *Appl. Energy* 87 (2010) 1269-1272.
- P. Gaurh, H. Pramanik, A novel approach of solid waste management via aromatization using multiphase catalytic pyrolysis of waste polyethylene, *Waste Manage.* 71 (2018) 86-96.
- P. He, Y. Liu, L. Shao, H. Zhang, F. Lu, Particle size dependence of the physicochemical properties of biochar, *Chemosphere* 212 (2018) 385-392.
- P. Saikia, U.N. Gupta, R.S. Barman, R. Kataki, R.S. Chutia, B.P. Baruah, Production and characterization of bio-oil produced from *Ipomoea carnea* bio-weed, *Bioenerg. Res.* 8 (2015) 1212-1223.
- P. Yang, D. Guo, Z. Chen, B. Cui, B. Xiao, S. Liu, M. Hu, Removal of Cr (VI) from Aqueous Solution using Magnetic Biochar Synthesized by a Single Step Method, 38 (11) (2017) 1665-1674.
- P.A. Brownsort, Biomass pyrolysis processes: review of scope, control and variability. Edinburgh, UK: Biochar Research Center; 2009.
- P.A. Horne, P.T. Williams, Influence of temperature on the products from the flash pyrolysis of biomass, *Fuel* 75 (1996) 1051-1059.
- Q. Chang, G. Wang, Study on the macromolecular coagulant PEX which traps heavy metals. *Chem Eng Sci* 62 (2007) 4636-4643.

- R. Bala, V. Gautam, M.K. Mondal, Improved biogas yield from organic fractions of municipal solid waste as preliminary step for fuel cell technology and hydrogen generation. *Int. J. Hydrogen Energy* 44 (2019) 164-173.
- R. Garg, N. Anand, D. Kumar, Pyrolysis of babool seeds (*Acacia nilotica*) in a fixed bed reactor and bio-oil characterization, *Renew. Energy* 96 (2016) 167-171.
- R. K. Mishra, V. kumar, K. Mohanty, Pyrolysis kinetics behaviour and thermal pyrolysis of *Samanea saman* seed towards the production of renewable fuel, *J. Energy Inst.* 93 (3) (2020) 1148-1162.
- R. Kaur, P. Gera, M.K. Jha, T. Bhaskar, Pyrolysis kinetics and thermodynamic parameters of castor (*Ricinus communis*) residue using thermogravimetric analysis, *Bioresource Technology*, 250 (2018) 422–428.
- R. Khosravi, M. Fazlzadehdavil, B. Barikbin, A.A. Taghizadeh, Removal of hexavalent chromium from aqueous solution by granular and powdered *Peganum Harmala*. *Appl. Surf. Sci.* 292 (2014) 670–677.
- R. Omar, A. Idris, R. Yunus, K. Khalid, M.I. Aida Isma, Characterization of empty fruit bunch for microwave-assisted pyrolysis. *Fuel*. 90 (2011) 1536–1544.
- R. Saikia, B. Baruah, D. Kalita, K.K. Pant, N. Gogoi, R. Kataki, Pyrolysis and Kinetic Analyses of a Perennial Grass (*Saccharum ravannae* L.) from North-East India: Optimization through Response Surface Methodology and Product Characterization, *Bioresour. Technol.* 253 (2018) 304-314.
- R. Wahab, F. Khan, N.K. Kaushik, J. Musarrat, A.A. Al-Khedhairi, Photocatalytic TMO-NMs adsorbent: temperature-time dependent Safranin degradation, sorption study validated under optimized effective equilibrium models parameter with standardized statistical analysis, *Sci. Rep.* 7 (2017) 42509.
- R.E. Guedes, A.S. Luna, A.R. Torres, Operating parameters for bio-oil production in

- biomass pyrolysis: A Review. 129 (2018) 134-149.
- R.K. Mishra, K. Mohanty, Pyrolysis kinetics and thermal behavior of waste sawdust biomass using thermogravimetric analysis, *Bioresour. Technol.* 251 (2018) 63-74.
- R.K. Sharma, J.B. Wooten, V.L. Baliga, X. Lin, W.G. Chan, M.R. Hajjaligol, Characterization of chars from pyrolysis of lignin, *Fuel* 83 (2004) 1469-1482.
- R.K. Singh, K.P. Shadangi, Liquid fuel from castor seeds by pyrolysis, *Fuel* 58 (2010) 9054-9062.
- S. Acar, A. Ayanoglu, Determination of higher heating values (HHVs) of biomass fuels, *Energy Educ. Sci. Technol. Part A* 28(2) (2012) 749-758.
- S. Al Arni, B. Bosio, E. Arato, Syngas from sugarcane pyrolysis: an experimental study for fuel cell applications, *Renew. Energy* 35(1) (2010) 2935.
- S. Dubey, S.N. Upadhyay, Y.C. Sharma, Optimization of removal of Cr by -alumina nano-adsorbent using response surface methodology, *Ecol. Eng.* 97 (2016) 272 – 283.
- S. Gul, J.K. Whalen, Biochemical cycling of nitrogen and phosphorus in biochar amended soils. *Soil Biol. Biochem.* 103 (2019) 1-15.
- S. Ismadji, Y. Sundaryanto, S.B. Hartono, L.E.K. Setiawan, A. Ayucitra, Activated carbon from char obtained from vacuum pyrolysis of teak sawdust: pore structure development and characterization, *Bioresour Technol.* 96 (2005) 1364-1369.
- S. Li, X. Chen, A. Liu, L. Wang, G. Yu, Co-pyrolysis characteristic of biomass and bituminous coal, *Bioresour. Technol.* 179 (2015) 414–420.
- S. Maiti, S. Purakayastha, B. Ghosh, Thermal characteristics of mustard straw and stalk in nitrogen at different heating rates, *Fuel* 86 (2007) 1513-1518.
- S. Mortazavian, A. Saber, J. Hong, J.H. Bae, D. Chun, N. Wong, D. Gerrity, J. Batist, K.J. Kim, J. Moon, Synthesis, characterization, and kinetic study of activated carbon modified by polysulfide rubber coating for aqueous hexavalent chromium removal, *J.*

Ind. Eng. Chem. 69 (2019) 196–210.

S. Naik, V.V. Goud, P.K. Rout, K. Jacobson, A.K. Dalai, Characterization of Canadian biomass for alternative renewable biofuel, *Renew. Energy* 35 (8) (2010) 1624-1631.

S. Nanda, P. Mohanty, J.A. Kozinski, A.K. Dalai, Physico-chemical properties of bio-oils from pyrolysis of lignocellulosic biomass with high and slow heating rate, *Energy and Environment research* 4 (2014) 21-32.

S. Nizamuddin, N. Mubarak, M. Tripathi, N.S. Jayakumar, J.N. Sahu, P. Ganesan, Chemical dielectric and structural characterization of optimized hydrochar produced from hydrothermal carbonization of palm shell, *Fuel* 163 (2016) 88-97.

S. Ren, H. Lei, L. Wang, Q. Bu, S. Chen, J. Wu, Hydrocarbon and hydrogen-rich syngas production by biomass catalytic pyrolysis and bio-oil upgrading over biochar catalysts, *RSC Adv.* 4 (2014) 10731-10737.

S. Srivastava, S.B. Agrawal, M.K. Mondal, Synthesis, characterization and application of *Lagerstroemia speciosa* embedded magnetic nanoparticle for Cr(VI) adsorption from aqueous solution, *J. Environ. Sci.* 55 (2017) 283 – 293.

S. Sundararaju, A. Manjula, V. Kumaravel, T. Muneeswaran, T. Vennila, Biosorption of nickel ions using fungal biomass *Penicillium* sp. MRF1 for the treatment of nickel electroplating industrial effluent, *Biomass Conv Bioref.*, (2020). <https://doi.org/10.1007/s13399-020-00679-0>.

S. Vincent, R. Prado, O. Kuzmina, K. Potter, J. Bhardwaj, N.D. Wanasekara, R.L. Harniman, A. Koutsomitopoulou, S.J. Eichhorn, T. Welton, S.S. Rahatekar, Regenerated cellulose and willow lignin blends as potential renewable precursors for carbon fibers, *Sustainable chem. Eng.* 6 (2018) 5903-5910.

S. Vyazovkin, A.K. Burnham, J.M. Criado, L.A. Perez-Maqueda, C. Popescud, N. Sbirrazzuolie, ICTAC kinetics committee recommendations for performing kinetic

- computations on thermal analysis data, *Thermochim. Acta*, 520 (1-2) (2011) 1-19.
- S. Wang, X. Guo, K. Wang, Z. Luo, Influence of the interaction of components on the pyrolysis behavior of biomass, *J. Anal. Appl. Pyrol.* 91 (1) (2011) 183-189.
- S. Yorgun, D. Yildiz, Slow pyrolysis of paulownias wood: Effects of pyrolysis parameters on product yield and bio-oil characterization, *J. Anal. Appl. Pyrolysis* 114 (2015) 68-78.
- S. Zhang, T. Chen, Y. Xiong, Q. Dong, Effects of wet torrefaction on the physicochemical properties and pyrolysis product properties of rice husk, *Energy Convers. Manage.* 141 (1) (2017) 403–409.
- S.A. El-Sayed, M.E. Mostafa, Kinetic parameters determination of biomass pyrolysis fuels using TGA and DTA technique, *Waste Biomass Valor.*, 6 (2015) 401-415.
- S.C. Turmanova, S.D. Genieva, A.S. Dimitrova, L.T. Vlaev, Non-isothermal degradation kinetics of filled with rice husk ash polypropene composites, *Express polym. Lett.* 2 (2008) 133-146.
- S.E. Lebo, J.D. Gargulak, T.J. McNally, Lignin. *Kirk-Othmer Encyclopedia of Chemical Technology*. John, Wiley & Sons, Inc. 2001.
- S.H. Abbas, I.M. Ismail, T.M. Mostafa, A.H. Sulaymon, Biosorption of heavy metals: a review. *J. Chem. Sci. Tech.* 3(4) (2014) 74–102.
- S.K. Singh, K. Nandeshwar, J.D. Ekhe, Thermochemical lignin depolymerization and conversion to aromatics in subcritical methanol: effects of catalytic conditions, *New J. Chem.* 40 (2016) 3677-3685.
- S.L.C. Ferreira, R.E. Bruns, H.S. Ferreira, G.D. Matos, J.M. David, G.C. Brandao, E.G.P. daSilva, L.A. Portugal, P.S. dos Reis, A.S. Souza, W.N.L. dos Santos, Box-Behnken design: An alternative for the optimization of analytical methods, *Anal. Chim. Acta* 597 (2007) 179–186.

- S.O. Owalude, A.C. Tella, Removal of hexavalent chromium from aqueous solutions by adsorption on modified groundnut hull. *Beni-Seuf. Univ. J. Appl. Sci.* 5 (2016) 377–388.
- S.V. Vassilev, D. Baxter, L.K. Andersen, C.G. Vassileva, T.J. Morgan, An overview of the organic and inorganic phase composition of biomass, *Fuel* 94 (2012) 1–33.
- S.Y. Foong, R.K. Liew, Y. Yang, Y.W. Cheng, P.N.Y. Yek, W.A.W. Mahari, X.Y. Lee, C.S. Han, D.V.N. Vo, Q.V. Le, M. Aghbashlo, M. Tabatabaei, C. Sonne, W. Peng, S.S. Lam, Valorization of biomass waste to engineered activated biochar by microwave pyrolysis: Progress, challenges, and future directions *Chem. Eng. J.* 389 (2020) 124401.
- T. Aysu, H. Durak, Pyrolysis of giant mullein (*Verbascum thapsus* L.) in a fixed-bed reactor: Effects of pyrolysis parameters on product yields and character. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects* 38 (5) (2016) 661–669.
- T. Damartzis, D. Vamvuka, S. Sfakiotakis, A. Zabaniotou, Thermal degradation studies and kinetic modeling of cardoon (*Cynara cardunculus*) pyrolysis using thermogravimetric analysis (TGA), *Bioresour. Technol.* 102 (2011) 6230–6238.
- T. Rout, D. Pradhan, R.K. Singh, N. Kumari, Exhaustive study of products obtained from coconut shell pyrolysis, *J. Environ. Chem. Eng.* 4 (2016) 3696–3705.
- T. Siengchum, M. Isenberg, S.S.C. Chuang, Fast pyrolysis of coconut biomass-An FTIR study, *Fuel* 105 (2013) 559–565.
- T. Wongsiriamnuay, N. Tippayawong, Non-isothermal pyrolysis characteristics of giant sensitive plants using thermogravimetric analysis, *Bioresour. Technol.* 101 (2010) 5638–5644.
- T. Yuan, A. Tahmasebi, J. Yu, Comparative study on pyrolysis of lignocellulosic and algal biomass using a thermogravimetric and a fixed-bed reactor, *Bioresour. Technol.*

175 (2015) 333–341.

T.R.K.C. Doddapaneni, J. Konttinen, T.I. Hukka, A. Moilanen, Influence of torrefaction pretreatment on the pyrolysis of Eucalyptus clone: A study on kinetics, reaction mechanism and heat flow, *Ind. Crops Prod.* 92 (2016) 244–254.

V. Dhyani, J. Kumar, T. Bhaskar, “Thermal decomposition kinetics of sorghum straw via thermogravimetric analysis,” *Bioresour. Technol.*, 245 (2017) 1122–1129.

V. Dhyani, T. Bhaskar, A comprehensive review on the pyrolysis of lignocellulosic biomass, *Renew. Energy* 129 (2018) 695–716.

V. Vinodhini, N. Das, Biowaste materials as sorbents to remove chromium (VI) from aqueous environment-a comparative study, *J. Agric. Biol. Sci.* 4(6) (2009) 19–25.

W. Charusiri, N. Numcharoenpinij, Characterization of the optimal catalytic pyrolysis conditions for bio-oil production from brown salwood (*Acacia mangium* Willd) residues, *Biomass Bioenergy* 106 (2017) 127–136.

W. Kwapinski, C.M.P. Byrne, E. Kryachko, P. Wolfram, C. Adley, J.J. Leahy, E.H. Novotny, M.H.B. Hayes, Biochar from biomass and waste, *Waste Biomass Valor.* 1 (2010) 177–189.

W.J. Weber, J.C. Morris, Equilibria and capacities for adsorption on carbon, *J. Sanitary Eng. Div.* 90 (1964) 79–107.

W.N.R.W. Isahak, M.W.M. Hisham, M.A. Yarmo, T.Y. Hin, A review on bio-oil production from biomass by using pyrolysis method, *Renew. Sustain. Energy Rev.* 16 (8) (2012) 5910–5923.

X. Huang, J.P. Cao, X.Y. Zhao, J.X. Wang, X. Fan, Y.P. Zhao, X.Y. Wei, Pyrolysis kinetics of soybean straw using thermogravimetric analysis, *Fuel* 169 (2016) 93–98.

X. Yuan, T. He, H. Cao, Q. Yuan, Cattle manure pyrolysis process: Kinetic and thermodynamic analysis with isoconversional methods, *Renewable Energy*, 107 (2017)

489–496.

Y. Chen, B. Wang, J. Xin, P. Sun, D. Wu, Adsorption behavior and mechanism of Cr(VI) by modified biochar derived from *Enteromorpha prolifera*, *Ecotoxicology and Environmental Safety* 164 (2018) 440-447.

Y. Chun, G. Sheng, C.T. Chiou, B. Xing, Compositions and sorptive properties of crop residue-derived chars. *Environ. Sci. Technol.* 38 (2004) 4649-4655.

Y. Guan, Y. Ma, K. Zhang, H. Chen, G. Xu, W. Liu, Y. Yang, Co-pyrolysis behaviours of energy grass and lignite, *Energy Convers. Manage.* 93 (2015) 132-140.

Y. Guo, W. Song, J. Lu, Q. Ma, D. Xu, S. Wang, Hydrothermal liquefaction of *Cyanophyta*: Evaluation of potential bio-crude oil production and component analysis, *Algal Res.* 11 (2015) 242-247.

Y. Liang, B. Cheng, Y. Si, D. Cao, H. Jiang, G. Han, X. Liu, Thermal decomposition kinetics and characteristics of *Spartina alterniflora* via thermogravimetric analysis, *Renew. Energy* 68 (2014) 111-117.

Y. Tang, L. Chen, X. Wei, Q. Yao, T. Li, Removal of lead ions from aqueous solution by the dried aquatic plant, *Lemna perpusilla* Torr, *J. Hazard. Mater.* 244–245 (2013) 603–612.

Y. Xiang, Y. Xiang, L. Wang, Thermal decomposition kinetic of hybrid poplar sawdust as biomass to biofuel, *J. Environ. Chem. Eng.*, 4 (2016) 3303-3308.

Y. Xu, B. Chen, Investigation of thermodynamic parameters in the pyrolysis conversion of biomass and manure to biochars using thermogravimetric analysis, *Bioresour. Technol.* 146 (2013) 485-493.

Y. Zhang, Y. Niu, H. Zou, Y. Lei, J. Zheng, H. Zhuang, S. Hui, Characteristics of biomass fast pyrolysis in a wire-mesh reactor, *Fuel* 200 (2017) 225–235.

Y.D. Singh, P. Mahanta, U. Bora, Comprehensive characterization of lignocellulosic biomass through proximate, ultimate and compositional analysis for bioenergy production, *Renew. Energy* 103 (2017) 490-500.

Y.S. Kim, Y.S. Kim, S.H. Kim, “Investigation of thermodynamic parameters in the thermal decomposition of plastic waste-waste lube oil compounds,” *Environ. Sci. Technol.*, 44 (2010) 5313–5317.

Z. A. AL-Othman, R. Ali, M. Naushad, Hexavalent chromium removal from aqueous medium by activated carbon prepared from peanut shell: Adsorption kinetics, equilibrium and thermodynamic studies, *Chem. Eng. J.* 184 (2012) 238–247.

Z. Chen, Q. Zhu, X. Wang, B. Xiao, S. Liu, Pyrolysis behaviours and kinetic studies on Eucalyptus residues using thermogravimetric analysis, *Energy Convers. Manage.* 105 (2015) 251-259.

Z. Liu, A. Quek, S.K. Hoekman, R. Balasubramanian, Production of solid biochar fuel from waste biomass by hydrothermal carbonization, *Fuel* 103 (2013) 943 - 949.

Z. Liu, G. Han, Production of solid fuel biochar from waste biomass by low temperature pyrolysis, *Fuel* 158 (2015) 159–165.

Z. Sumic, A. Vakula, A. Tepic, J. Cakarevic, J. Vitas, B. Pavlic, Modelling and optimization of red currants vacuum drying process by response surface methodology (RSM), *Food chem.* 203 (2016) 465-475.

Z. Wang, A.G. McDonald, R.J. Westerhof, S.R. Kersten, C.M. Cuba-Torres, S. Ha, B. Pecha, M. Garcia-Perez, Effect of cellulose crystallinity on the formation of a liquid intermediate and on product distribution during pyrolysis, *J. Anal. Appl. Pyrol.* 100 (2013) 56-66.

Z. Wang, J. Cao, J. Wang, Pyrolysis characteristics of pine wood in a slowly heating and gas sweeping fixed-bed reactor, *J. Anal. Appl. Pyrolysis* 84 (2009) 179-184.

List of publications:

1. **Goutam Kishore Gupta**, Monoj Kumar Mondal. Iso-conversional kinetic and thermodynamic studies of Indian sagwan sawdust pyrolysis for its bioenergy potential. *Environmental Progress & Sustainable Energy (AICHE)*, 2018, 38 (4); 1-11.
2. **Goutam Kishore Gupta**, Pavan Kumar Gupta, Monoj Kumar Mondal. Experimental process parameters optimization and in-depth product characterizations for teak sawdust pyrolysis. *Waste Management*, 2019, 87; 499-511.
3. **Goutam Kishore Gupta**, Monoj Kumar Mondal. Bio-energy generation from sagwan sawdust via pyrolysis: Product distributions, characterizations and optimization using response surface methodology. *Energy*, 2019, 170; 423-437.
4. **Goutam Kishore Gupta**, Monoj Kumar Mondal. Bio-energy generation from agricultural wastes and enrichment of end products. *Refining Biomass Residues for Sustainable Energy and Bioproducts*, Elsevier.
5. **Goutam Kishore Gupta**, Monoj Kumar Mondal. Mechanism of Cr(VI) uptake onto sagwan sawdust derived biochar and statistical optimization via response surface methodology. *Biomass Conversion and Biorefinery*, 2020. (Accepted)