

CONTENTS

<i>Description</i>	<i>Title</i>	<i>Page No.</i>
Certificates		ii
Acknowledgement		v
Contents		vi
List of figure		ix
List of table		xiii
List of abbreviation		xv
Abstract		xviii
CHAPTER 1		
INTRODUCTION		
1.1 Introduction		1
1.2 Components of Dragline		3
1.3 Dragline Boom		4
1.4 Boom Configurations		5
1.5 Dragline Boom Assembly Components		6
1.6 Boom Suspension Ropes		8
1.7 Intermediate Boom Suspension Ropes. (IBS)		8
1.8 Loading Conditions		8
1.9 Simulation Techniques		9
1.10 Failure criteria		11
1.11 Statement of the Problem		11
1.12 Objectives and scope of study		13
CHAPTER 2		
LITERATURE REVIEW		
2.1 Overview of dragline		14
2.2 Dragline operations in India		16
2.3 Dragline Selection		17
2.3.1 Reach factor of the dragline		18
2.3.2 Bucket Capacity		19

2.3.3	Maximum Suspended Load (MSL)	20
2.3.4	Selection Chart	21
2.4	Assembly of Dragline.....	21
2.5	Design of dragline components.....	22
2.5.1	Dragline boom	23
2.5.2	Dragline Bucket.....	23
2.5.3	Suspension ropes	25
2.6	Dragline Boom Design.....	27
2.7	Loading of dragline boom.....	28
2.8	Design of Joints in boom matrix	29
2.8.1	The joint according to EUROCODE 3 and CIDECT.....	29
2.8.2	Type of joints used in lattice structures	30
2.9	Failure Modes of Joints	31
2.9.1	Local yield of the brace	31
2.9.2	Chord web failure	32
2.9.3	Chord shear failure	32
2.9.4	Local yielding of overlapping brace.....	33
2.9.5	Local chord member yielding with overlapping braces	34
2.9.6	Brace shear when overlapped by another brace of the same type.....	34
2.9.7	Local yielding of brace when subjected to bending moment.....	35
2.9.8	Chord web failure when subjected to bending moment.....	35
2.10	Fatigue life.....	36
2.11	Fatigue life S-N Curve.....	38
2.12	Failure analysis criteria.....	39
2.13	Finite element analysis	41
2.13.1	Basic idea of finite element analysis	42
2.13.2	Applications of finite element analysis in earthmoving equipment.....	43

2.14 Summary of the literature review	45
CHAPTER 3	
RESEARCH METHODOLOGY	
3.1 Methodology for analysis of dragline boom	46
3.2 Data Collection.....	49
3.3 Solid 3D Model Generation of Dragline Boom	50
3.4 Solid 3D Model Generation of Dragline boom Cluster (Joint).....	54
3.5 Simulation and analysis of dragline boom	55
3.6 Structural material properties of dragline boom	58
3.7 Finite element meshing and boundary conditions for static loading.....	59
3.8 Static loading condition.....	60
3.9 Dynamic Loading Condition.....	63
3.10 Boundary conditions for dynamic loading	65
3.11 Static load computation	66
3.11.1 Dead load on boom structure (self-weight of the boom).....	66
3.11.2 When empty bucket is on ground below dragline boom in vertical position	67
3.11.3 When bucket is completely filled with sandstone and positioned below dragline boom in vertical position.....	68
3.12 Evaluation of axial tension in suspension wire ropes.....	68
3.13 Parametric analysis of dragline boom cluster.....	70
CHAPTER 4	
RESULTS AND DISCUSSION	
4.1 Modeling results for dragline boom	74
4.2 Stress analysis of the dragline boom	75
4.3 Stress analysis of the dragline boom under static loading condition	75
4.3.1 Boom under self- weight condition	75
4.3.2 Analysis of self-weight of boom along with the empty bucket acting on boom	81

4.3.3 Bucket with payload below boom point	88
4.4 Summary of the static load cases	93
4.5 Fatigue sensitivity of dragline boom joint.....	96
4.6 Dynamic loading condition analysis of dragline boom.....	97
4.6.1 Boom swing to motion with bucket payload.....	97
4.6.2 Boom swing-back phase with empty bucket	103
4.7 Summary for the dynamic loading case	108
4.8 Results of Axial forces (tension) in wire ropes	110
4.9 Results of Parametric study of boom clusters	111
4.9.1 Effect of change of chord diameter change.....	111
4.9.2 Effect of change in chord thickness.....	113
4.9.3 Effect of change in the brace diameter	115
4.9.4 Effect of change in brace thickness	116
4.10 Summary of parametric variation analysis	118
4.11 Verification of results	120
 CHAPTER 5	
CONCLUSIONS AND RECOMMENDATION FOR FUTURE WORK	122
REFERENCES.....	126
APPENDIX A	135
List of Publications.....	139

LIST OF FIGURE

Figure 1.1 Main components of dragline (Modified from Karpuz & Demirel, 2016).....	4
Figure 1.2 BE Boom with cluster arrangement and weld sequence Label A, B, C, A12 and a, b, c, d, e (Dragline Dictionary Edition, 2014)	5
Figure 1.3 Marion Boom detailing node section (Dragline Dictionary Edition, 2014).....	6
Figure 1.4 Dragline boom with its complete assembly.....	7
Figure 1.5 Boom foot and Boom point sheave of a dragline (Dragline Dictionary Edition, 2014)	7
Figure 2.1 Dragline in a coal mine (Anonymous, 2008)	14
Figure 2.2 Economic comparison of a truck shovel and dragline (Hartman, 2002).....	15
Figure 2.3 Reach Factor and operation radius	18
Figure 2.4 Dragline standard selection chart (Bucyrus Erie Company, 1977).....	21
Figure 2.5 Schematic diagrams of dragline components (Mckinnell, 1995).....	22
Figure 2.6 Dragline bucket suspension system (Modified after Ridley, 2004)	24
Figure 2.7 Typical rope construction (Chaplin, 2005).....	25
Figure 2.8 Boom foot and Boom point sheave of a dragline (Dragline Dictionary, 2004)	27
Figure 2.9 The design of a dragline boom with main loadings (Dayawansa et al, 2006).....	28
Figure 2.10 Types of joints between hollow and open sections (CEN, 2010b).....	30
Figure 2.11 Local yields of the brace (CEN, 2010b).....	32
Figure 2.12 Chord web failures (CEN, 2010b).....	32
Figure 2.13 Chord shear failure (CEN, 2010b).....	33
Figure 2.14 Type of joint with overlapping braces (CEN, 2010b)	34
Figure 2.15 T joint subjected to bending moment (CEN, 2010b)	35
Figure 2.16 Failure modes for joints between circular hollow sections (Han, 2017).....	36
Figure 2.17 S-N curve for a material (William and David, 2003).....	38

Figure 2.18 Yield surface corresponding to the Von Mises yield criterion (Hearn, 1997)	40
Figure 2.19 FEA (a) Meshing (b) Stress Distribution (Abo-Elnor et al. 2004).....	43
Figure 3.1 Flow chart illustrating the design of research.....	46
Figure 3.2 (a-d) Images from field visits. (a) Dragline model 8200 in SASAN coal mine (b) Ganga dragline model in NCL (c) 24/96 dragline model in NCL and (d) Zoom view of boom foot of the dragline.....	50
Figure 3.3 Basic Dragline Structure (Anonymous, 2004)	52
Figure 3.4 Wireframe model of dragline boom	53
Figure 3.5 Dragline Boom model with cross section assigned in ANSYS workbench design modeler	53
Figure 3.6 Selected joint locations for fatigue analysis	54
Figure 3.7 Dragline Boom cluster (joint) design model	55
Figure 3.8 Solution procedures in ANSYS for a critical location in a global beam model.....	57
Figure 3.9 Global beam model with solid sub - model of cluster.....	58
Figure 3.10 Meshed global beam model in Ansys.....	59
Figure 3.11 Meshed solid sub-model at the local joint regions	60
Figure 3.12 (a) loading and (b) unloading segment of a dragline cycle	61
Figure 3.13 Boundary and loading condition of boom model under static conditions (a) boom with self – weight, (b) boom with empty bucket weight, (c) boom with payload in bucket ...	61
Figure 3.14 Boundary and loading condition of solid submodel under static conditions.....	62
Figure 3.15 Typical dragline swing angles (Rai, P, 2000).....	63
Figure 3.16 Dragline swing angle variation with time (Erdem, B., & DUzgUn, H. (2005)....	64
Figure 3.17 Boundary condition for swing motion of boom	66
Figure 3.18 Figure showing set up for evaluating axial forces in a dragline suspension ropes.....	70

Figure 3.19 Design of CHS Multiplaner KK Joint	72
Figure 4.1 Global beam model of dragline boom	74
Figure 4.2 Global beam model results for a) deformation, b) axial stress c) maximum bending stress and d) maximum combined stress.....	77
Figure 4.3 Equivalent stresses (Von-Mises) stress distribution for four selected joints.....	78
Figure 4.4 Fatigue life results for selected locations	79
Figure 4.5 Fatigue based FOS for selected joint locations	81
Figure 4.6 Global beam model results for (a) deformation, (b) axial stress (c) maximum bending stress and (d) maximum combined stress	83
Figure 4.7 Equivalent stresses (Von-Mises) stress distribution for four selected joints.....	84
Figure 4.8 Fatigue life results for selected locations	85
Figure 4.9 Factor of safety for selected joint locations.....	87
Figure 4.10 Global beam model results for a) deformation, b) axial stress c) maximum bending stress and d) maximum combined stress.....	89
Figure 4.11 Equivalent stresses (Von-Mises) stress distribution for four selected joints.....	90
Figure 4.12 Fatigue life results for selected locations	91
Figure 4.13 Factor of safety for selected joint locations.....	93
Figure 4.14 Fatigue sensitivity of joint 1 under static loading condition (maximum loading)	96
Figure 4.15 Global beam model results for a) deformation, b) axial stress c) maximum bending stress and d) maximum combined stress.....	99
Figure 4.16 Equivalent stress (Von-Mises) stress distribution for four selected joints	100
Figure 4.17 Fatigue life results for selected locations	101
Figure 4.18 Factor of safety for selected joint locations.....	102
Figure 4.19 Global beam model results for a) deformation, b) axial stress c) maximum bending stress and d) maximum combined stress.....	104

Figure 4.20 Equivalent stresses (Von-Mises) stress distribution for four selected joints.....	105
Figure 4.21 Fatigue life results for selected locations	106
Figure 4.22 Factor of safety for selected joint locations.....	107
Figure 4.23 Main chord diameters of (a) 406 mm (b) 390 mm (c) 350 mm and (d) 300 mm	112
Figure 4.24 Main chord thicknesses of (a) 20 mm (b) 16 mm (c) 12 mm and (d) 8 mm	114
Figure 4.25 Equivalent stress results for brace diameters of (a) 207 mm (b) 190 mm (c) 100 mm and (d) 80 mm.....	115
Figure 4.26 Equivalent stress results for brace thickness of (a) 8 mm (b) 6 mm (c) 4 mm and (d) 2 mm.....	117
Figure 4.27 (a) Boom failures in an Indian coal mine and, (b) location of crack within the boom cluster.....	120
Figure A.1 S-N curves for RHS and CHS joints in lattice structures – hot-spot stress method.....	135
Figure A.2 Stresses on boom head and boom foot weldment under self-weight condition....	136
Figure A.3 Stresses on boom head and boom foot weldment under maximum loading condition	136

LIST OF TABLES

Table 2.1 List of dragline used in Indian coal mines. (Patel R.K. et. al., 2017).....	17
Table 3.1 Specifications of boom and bucket for construction of model	48
Table 3.2 Material properties of overburden	49
Table 3.3 Chemical composition of tubular steel	58
Table 3.4 Mechanical properties of tubular steel.....	59
Table 3.5 Variation of parameters for the design of Joint 2	73
Table 4.1 Self-weight loading case of global beam model.....	76
Table 4.2 Equivalent stress results of critical joints	79
Table 4.3 Fatigue life results for critical joint locations	80
Table 4.4 Factor of safety results for critical joints	80
Table 4.5 Self-weight loading case of global beam model.....	83
Table 4.6 Equivalent stress results of critical joints	83
Table 4.7 Fatigue life results for critical joints.....	85
Table 4.8 Factor of safety results for critical joints	87
Table 4.9 Static analysis results for global beam model.....	89
Table 4.10 Equivalent stress results of critical joints	91
Table 4.11 Fatigue life results for critical joints.....	92
Table 4.12 factor of safety results for critical joints	92
Table 4.13 Comparative Static analysis results for various study cases of global beam model.....	94
Table 4.14 Comparative Static analysis results for various study cases of solid sub- model..	95
Table 4.15 Results for global beam model	99
Table 4.16 Equivalent stress results of critical joints	99
Table 4.17 Fatigue life results for critical joints.....	101

Table 4.18 Factor of safety results for critical joints	103
Table 4.19 Results for global beam model	104
Table 4.20 Equivalent stress results of critical joints	105
Table 4.21 Fatigue life results for critical joints	106
Table 4.22 Factor of safety results for critical joints	108
Table 4.23 Comparative dynamic analysis results for global beam model	109
Table 4.24 Comparative dynamic analysis results for solid sub-model	109
Table 4.25 Tensile axial forces in various wire ropes of dragline	111
Table 4.26 Effect of main chord diameter on stress value.....	113
Table 4.27 Effect of change in main chord thickness	114
Table 4.28 Effect of change in the brace diameter	116
Table 4.29 Effect of change in brace thickness	118
Table 4.30 Results showing equivalent Stresses for parametric changes in the model.....	119
Table A.1 Minimum breaking strength of the mining wire ropes (mining surface broacher)	137
Table A.2 Failure mode and their respective type of repair in a dragline (Minerals 2016)...	138