Table of contents

| | Page Nos. |
|---|------------|
| Certificates | ii-v |
| Acknowledgments | vi- vii |
| Table of contents | viii-xii |
| List of figures | xiii-xiv |
| List of schemes | XV |
| List of tables | xvi |
| Abbreviations | xvii-xviii |
| Preface | xix-xxi |
| Chapter 1: Introduction | 1-24 |
| 1.1 General introduction | 1 |
| 1.2 History and discovery of glycerol | 3 |
| 1.3 Physical properties of glycerol | 4 |
| 1.4 Importance of glycerol | 5 |
| 1.5 Global production of glycerol | 6 |
| 1.6 Need for value addition of glycerol | 7 |
| 1.7 Value added products of glycerol | 8 |
| 1.7.1 Esterification of glycerol | 8 |
| 1.7.2 Dehydration of glycerol | 9 |
| 1.7.3 Oxidation of glycerol | 9 |
| 1.7.4 Etherification of glycerol | 10 |
| 1.7.5 Acetalization of glycerol | 11 |
| 1.7.6 Glycerol to synthesis gas | 12 |
| 1.7.7 Polymerisation of glycerol | 12 |
| 1.7.8 Halogenation of glycerol | 13 |
| 1.7.9 Hydrogenolysis of glycerol | 14 |
| 1.8 Importance of glycerol carbonate | 15 |
| 1.9 Synthetic routes for glycerol carbonate from glycerol | 17 |

| 1.9.1 Carboxylation of glycerol | 17 |
|--|-------|
| 1.9.2 Carbon monoxide + glycerol | 18 |
| 1.9.3 Phosgene + glycerol | 19 |
| 1.9.4 Urea +glycerol | 19 |
| 1.9.5 Alkylene carbonate + glycerol | 20 |
| 1.9.6 Di alkyl carbonate + Glycerol | 20 |
| 1.10 Research gaps | 22 |
| 1.11 Objectives | 24 |
| Chapter 2: Literature Review | 25-35 |
| 2.1 Introduction | 25 |
| 2.2 Glycerol production and consumption | 25 |
| 2.3 Catalytic conversion of glycerol to various value-added products | 26 |
| 2.4 Catalytic approach in glycerolysis reaction | 26 |
| 2.5 Catalytic approach in carbonylation of glycerol | 28 |
| 2.6 Catalytic approach in transesterification of glycerol | 29 |
| 2.7. Reaction Mechanism involved in transesterification of glycerol | 34 |
| Chapter 3: Materials and Methodology | 36-48 |
| 3.1 Introduction | 36 |
| 3.2 Reagents and catalysts | 36 |
| 3.3 Methods for preparation of catalysts | 36 |
| 3.3.1 Wet impregnation method | 36 |
| 3.3.2 Precipitation method | 37 |
| 3.4 Methods adopted in present work for catalyst designing | 38 |
| 3.4.1 Synthesis of Mg modified ZnO catalyst (Mg/ZnO) | 38 |
| 3.4.2 Synthesis of bimetallic NiMgO _x catalyst | 39 |
| 3.4.3 Synthesis of transition metal based spinels of MgO | 39 |
| 3.5 Characterization of designed catalysts | 40 |

| 3.5.1 TGA-DSC | 40 |
|---|-------------|
| 3.5.2 X-ray diffraction pattern (XRD) | 41 |
| 3.5.3 FT-IR Spectra | 42 |
| 3.5.4 SEM-EDX Spectra | 43 |
| 3.5.5 XPS Spectra | 43 |
| 3.5.6 BET surface area | 44 |
| 3.5.7 Basic strength by Hammett Indicator method | 45 |
| 3.6 Activity study | 46 |
| 3.6.1 Gas chromatography (GC) analysis | 47 |
| 3.6.2 NMR Spectra | 47 |
| Chapter 4: Synthesis of glycerol carbonate using Mg doped ZnO heterogeneous base catalyst | 49-7 |
| 4.1 Introduction | 49 |
| 4.2 Synthesis of Mg modified ZnO catalyst (Mg/ZnO) | 49 |
| 4.3 Characterization of Mg/ZnO catalyst | 50 |
| 4.3.1 TGA-DSC | 50 |
| 4.3.2 X-ray diffraction Pattern (XRD) | 51 |
| 4.3.3 FT-IR | 54 |
| 4.3.4 SEM-EDX | 55 |
| 4.3.5 XPS Spectra | 56 |
| 4.3.6 Surface area and Basicity study | 57 |
| 4.4 Evaluation of catalyst for glycerol carbonate synthesis | 59 |
| 4.5 Detailed study on activity of Mg modified ZnO catalyst | 62 |
| 4.6 Optimization study of reaction parameters | 65 |
| 4.6.1 Reaction temperature | 65 |
| 4.6.2 Reaction time | 66 |
| 4.6.3 DMC to glycerol molar ratio | 66 |
| 4.6.4 catalyst loading percentage | 67 |
| 4.6.5 Reusability of catalyst | 69 |

| 4.7 Conclusions | 71 |
|---|--------|
| Chapter 5: Synthesis of glycerol carbonate using bimetallic NiMgOx catalyst | 72-93 |
| 5.1 Introduction | 72 |
| 5.2 catalyst synthesis process | 72 |
| 5.3 Characterization of catalyst | 74 |
| 5.3.1 TGA-DSC | 74 |
| 5.3.2 X-ray diffraction (XRD) | 75 |
| 5.3.3 FT-IR Spectra | 77 |
| 5.3.4 SEM-EDX | 79 |
| 5.3.5 XPS | 80 |
| 5.3.6 Basicity and Surface Area study | 81 |
| 5.4 Evaluation of catalyst for glycerol carbonate synthesis | 83 |
| 5.5 Detailed study of reaction mechanism in transesterification of glycerol | 86 |
| 5.6 Optimization study of reaction parameters | 87 |
| 5.6.1 Effect of catalyst loading percentage | 87 |
| 5.6.2 Effect of DMC to glycerol molar ratio | 88 |
| 5.6.3 Effect of reaction temperature | 88 |
| 5.6.4 Effect of reaction time | 89 |
| 5.6.5 Reusability of catalyst | 90 |
| 5.7 Conclusion | 92 |
| Chapter 6: Comparative study of Mg based spinels like MgCr ₂ O ₄ and MgV ₂ O ₄ for glycerol carbonate synthesis | 94-116 |
| 6.1 Introduction | 94 |
| 6.2 Synthesis of Spinel like catalysts | 95 |
| 6.3 Characterization of synthesized catalysts | 96 |
| 6.3.1 TGA | 96 |
| 6.3.2 X-ray diffraction | 98 |
| 6.3.3 SEM-EDX spectra | 100 |

| 6.3.4 BET surface area and Basicity study | 102 |
|---|---------|
| 6.3.5 XPS Spectra | 104 |
| 6.4 Evaluation of catalyst for glycerol carbonate synthesis | 106 |
| 6.5 Detailed study of reaction mechanism in transesterification of glycerol | 109 |
| 6.6 Optimization study of reaction parameters | 111 |
| 6.6.1 Reaction temperature | 111 |
| 6.6.2 Reaction time | 111 |
| 6.6.3 DMC to glycerol molar ratio | 112 |
| 6.6.4 Catalyst loading percentage | 112 |
| 6.6.5 Reusability of catalyst | 113 |
| 6.7 Conclusion | 116 |
| Chapter 7: Overall conclusions & work summary | 117-129 |
| 7.1 Synthesis of glycerol carbonate on Mg/ZnO catalyst | 117 |
| 7.2 Synthesis of glycerol carbonate on NiMgOx catalyst | 118 |
| 7.3 Synthesis of glycerol carbonate on spinels like MCO and MVO | 119 |
| 7.4 Future scope | 120 |
| References | 130-153 |
| List of publications and conferences | 154-156 |
| Appendix | 157-158 |

List of Figures

| | Page no. |
|--|----------|
| Chapter 1 | |
| Fig 1.1 World energy consumption by end-use sector quadrillion Btu | 2 |
| Fig 1.2 Structure of Glycerol | 3 |
| Fig 1.3 Application of glycerol | 6 |
| Fig 1.4 Worldwide production of glycerol from biodiesel industries | 7 |
| Fig 1.5 Application of glycerol carbonate | 17 |
| Fig 1.6 Synthetic pathway for glycerol carbonate | 22 |
| Chapter 2 | |
| Fig 2.1 Plausible reaction mechanism for glycerol carbonate synthesis | 35 |
| Chapter 4 | |
| Fig 4.1 TGA-DSC curve of synthesized 3 wt % Mg/ZnO catalyst | 51 |
| Fig 4.2 XRD pattern of Mg/ZnO catalyst | 53 |
| Fig 4.3 FT-IR spectra of Mg/ZnO catalyst | 54 |
| Fig 4.4 SEM image of synthesized Mg/ZnO catalyst | 56 |
| Fig 4.5 EDX pattern of Mg/ZnO catalyst | 56 |
| Fig 4.6 XPS spectra of Mg/ZnO catalyst | 57 |
| Fig 4.7 ¹ H and ¹³ C NMR spectra of synthesized glycerol carbonate | 61 |
| Fig 4.8 Mechanistic path way of Mg/ZnO catalyst in glycerol transesterification | 63 |
| Fig 4.9 Effect of reaction parameters on the GL conversion percentage | 68 |
| Fig 4.10 Reusability study of Mg/ZnO catalyst | 69 |
| Chapter 5 | |
| Fig 5.1 TGA-DSC curve of synthesized NiMgOx catalyst | 75 |
| Fig 5.2 XRD pattern of synthesized NiMgOx catalyst | 77 |
| Fig 5.3 FT-IR spectra of NiMgOx catalyst | 78 |
| Fig 5.4 SEM-EDX pattern of NiMgOx catalyst | 80 |

| Fig 5.5 XPS spectra of synthesized NiMgOx catalyst | 81 |
|---|-----|
| Fig 5.6 N ₂ adsorption /desorption isotherm of NiMgOx catalyst | 82 |
| Fig 5.7 ¹ H and ¹³ C NMR spectra of glycerol carbonate synthesized | 85 |
| Fig 5.8 Plausible reaction mechanism of glycerol catalysed by NiMgOx catalyst | 87 |
| Fig 5.9 Effect of reaction parameters on transesterification of glycerol | 90 |
| Fig 5.10 Reusability study of NiMgOx catalyst | 91 |
| Fig 5.11 Comparative XRD and SEM study of fresh and reused catalyst | 92 |
| Chapter 6 | |
| Fig 6.1 TGA graph of synthesized spinel catalyst | 97 |
| Fig 6.2 XRD pattern of MVO and MCO spinels | 99 |
| Fig 6.3 SEM-EDX pattern of spinels catalyst | 101 |
| Fig 6.4 BET-surface area of synthesized spinels catalyst | 103 |
| Fig 6.5 XPS spectra of MCO spinel catalyst | 105 |
| Fig 6.6 XPS spectra of MVO spinel catalyst | 106 |
| Fig 6.7 ¹ H and ¹³ C NMR spectra of synthesized glycerol carbonate | 108 |
| Fig 6.8 Plausible reaction mechanism of glycerol transesterification | 110 |
| Fig 6.9 Optimization study of reaction parameters by use of MCO catalyst | 113 |
| Fig 6.10 Reusability graph of MCO spinel catalyst | 115 |
| Fig 6.11 XRD and SEM-EDX pattern of reused MCO catalyst | 115 |
| Chapter 7 | |
| Fig 7.1 Corelation of activity of catalysts with glycerol carbonate yield percentage | 120 |

List of Schemes

| | Page no. |
|---|----------|
| Scheme 4.1 Synthesis of Mg/ZnO catalyst via wet impregnation method | 50 |
| Scheme 5.1 Synthesis of NiMgOx catalyst by Co-precipitation route | 73 |
| Scheme 6.1 Synthesis of MCO and MVO via Co-precipitation route | 96 |

List of Tables

| | Page no. |
|---|----------|
| Chapter 1 | |
| Table 1.1 General properties of Glycerol | 4 |
| Table 1.2 Physical properties of glycerol carbonate | 16 |
| Chapter 4 | |
| Table 4.1 Properties of Mg/ZnO catalyst at different calcination temperature | 58 |
| Table 4.2 Catalyst screening for synthesis of glycerol carbonate | 64 |
| Table 4.3 Effect of Mg loading and catalytic performance of Mg/ZnO catalyst | 65 |
| Table 4.4 Catalyst deactivation Test | 70 |
| Chapter 5 | |
| Table 5.1 Properties of Synthesized 1:1, 1:2, 1:3 Ni Mg catalysts | 83 |
| Chapter 6 | |
| Table 6.1 Structural parameters and phase composition of synthesized spinels | 100 |
| Table 6.2 Basicity of synthesized catalysts | 104 |
| Chapter 7 | |
| Table 7.1 Summary of the experimental work | 128 |