

## References:

- Acosta, M., Novak, N., Rojas, V., Patel, S., Vaish, R., Koruza, J., Rossetti, G. A., Rödel, J., “BaTiO<sub>3</sub>-based piezoelectrics: Fundamentals, current status, and perspectives”, *Appl. Phys. Rev.* **4**, (2017) 041305.
- Alexe, M. & Hesse, D., “Tip-enhanced photovoltaic effects in bismuth ferrite”, *Nat. Commun.* **2**, (2011) 256.
- Appleby, D. J. R., Ponon, N. K., Kwa, K. S. K., Ganti, S., Hannemann, U., Petrov, P. K., Alford, N. M., O’Neill, A., “Ferroelectric properties in thin film barium titanate grown using pulsed laser deposition”, *J. Appl. Phys.* **116**, (2014) 124105.
- Anttu, N.; Xu, H. Q., “Efficient light management in vertical nanowire arrays for photovoltaics”, *Opti. Exp.*, **21**(3), (2013) A558-75.
- Atwater, H. A. and Polman, A., “Plasmonics for improved photovoltaic devices”, *Nat. Mater.* **9**, (2010) 205-213.
- Azough, F., Freer, R., Thrall, M., Cernik, R., Tuna, F., Collison, D., “Microstructure and properties of Co-, Ni-, Zn-, Nb- and W-modified multiferroic BiFeO<sub>3</sub> ceramics”, *J. Eur. Ceram. Soc.*, **30**(3), (2010) 727-736.
- Bai, Y., Jantunen, H., and Juuti, J., “Ferroelectric oxides for solar energy conversion, multi source energy harvesting/sensing, and opto-ferroelectric applications”, *Chem Sus Chem* **12**, (2019) 2540-2549.
- Baettig, P., Shelle, C. F., LeSar, R., Waghmare, U. V., Spaldin, N. A., “Theoretical Prediction of New High-Performance Lead-Free Piezoelectrics”, *Chem. Mater.* **17**, (2005) 1376-1380.
- Baettig, P., and Spaldin, N.A., “Ab initio prediction of a multiferroic with large polarization and magnetization”, *Appl. Phys. Lett.*, **86** (2005) 012505.
- Barone, P., and Picozzi, S., “Mechanisms and Origin of ferroelcrticity”, *Comptes Rendus Physique*, **16**, 2 (2015) 143-152.
- Bartasyte, A., Margueron, S., Santiso, J., Hlinka, J., Simon, E., Gregora, I., Chaix-Pluchery, O., Kreisel, J., Jimenez, C., Weiss, F., Kubilius, V. and Abrutis, A., “Domain structure and Raman modes in PbTiO<sub>3</sub>”, *Phase Transitions*, **84**(5), (2011) 509-520.
- Basu, S. R., Martin, L. W., Chu, Y. H., Gajek, M., Ramesh, R., Rai, R. C., Xu, X., Musfeldt, J. L., “Photoconductivity in BiFeO<sub>3</sub> thin films”, *Appl. Phys. Lett.* **92**, (2008) 091905.
- Belinicher, V. I. and Sturman, B. I., “The photogalvanic effect in media lacking a center of symmetry”, *Sov. Phys. Usp.* **23**, (1980) 199-223.

Bennett, J. W., Grinberg, I. & Rappe, A. M., “New highly polar semiconductor ferroelectrics through d<sup>8</sup> cation-O vacancy substitution into PbTiO<sub>3</sub>: A theoretical study”, *J. Am. Chem. Soc.* **130**, (2008) 17409-17412.

Bhatnagar, A., Kim, Y. H., Hesse, D., Alexe, M., “Persistent Photoconductivity in Strained Epitaxial BiFeO<sub>3</sub> Thin Films”, *Nano Lett.* **14** (2014) 5224-5228.

Bhatnagar, A., Chaudhuri, A. R., Kim, Y. H., Hesse, D. & Alexe, M., “Role of domain walls in the abnormal photovoltaic effect in BiFeO<sub>3</sub>”, *Nat. Commun.* **4**, (2013) 2835.

Bhavanasi, V., Singh, C. B., Datta, D., Singh, V., Shahi, K., and Kumar, S. “Structural, optical and light scattering properties of Post etched RF sputtered ZnO:AI thin films deposited at various substrate temperature”, *Opt. Mater.*, **35**, (2013) 1352-1359.

Biswas, P.P., Chinthakuntla, T., Duraisamy, D., Venkatesan, G.N., Venkatachalam, S. and Murugavel, P., “Photovoltaic and photocapacitance effects in ferroelectric BiFeO<sub>3</sub> thin film”, *Appl. Phys. Lett.*, **110**(19), (2017) 192906.

Bohren, C. F., and Huffman, D. R., *Absorption and Scattering of Light by Small Particles*, Wiley, (2008).

Borkar, H., Rao, V., Tomar, M., Gupta, V., Scott, J. F., and Kumar, A., “Giant enhancement in ferroelectric polarization under illumination”, *Mater. Today Commun.*, **14**, (2016) 116-123.

Borisevich, A. Y., Chang, H. J., Hujiben, H., Oxley, M. P., Okamoto, S., Niranjan, M. K., Burton, J. D., Tsymbal, E. Y., Chu, Y. H., Yu, P., Ramesh, R., Kalinin, S. V., and Pennycook, S. J., “Suppression of octahedral tilts and associated changes in electronic properties at epitaxial oxide heterostructure interfaces”, *Phys. Rev. Lett.* **105**, (2010) 087204.

Bozgeyik, M. S., “Frequency dependent Ferroelctric properties of BaZrO<sub>3</sub> modified Sr<sub>0.8</sub>Bi<sub>2.2</sub>Ta<sub>2</sub>O<sub>9</sub> thin films”, *Chin. J. Phys.* **51**, (2013) 327-336.

Brisset, H., Blanchard, P., Illien, B., Riou, A., and Roncali, J., “Bandgap control through reduction of bond length alteration in bridged poly(diethlenylethylene)s”, *Chem. Commun.* **6**, (1997) 569-570.

Brody, P. S. “High voltage photovoltaic effect in barium titanate and lead titanate lead zirconate ceramics”, *J. Solid State Chem.* **12** (1975) 193-200.

Brody, P. S. “Large polarization-dependent photovoltages in ceramic BaTiO<sub>3</sub> + 5 wt.% CaTiO<sub>3</sub>”, *Solid State Commun.* **12**, (1973) 673-676.

Brody, P. S., “Temperature dependence of the short circuit photocurrent in ferroelectric ceramics”, *Ferroelectrics* **10**, (1976) 143-146.

Battaglia, C., Escarre, J., Soderstrom, K., Charriere, M., Despeisse, M., Haug, F-J., and Ballif, C., “Nanomoulding of transparent zinc oxide electrodes for efficient light trapping in solar cells”, Nat. Photon., **5**, (2011) 535-538.

Butler, K. T. Frost, J. M. and Walsh, A., “Ferroelectric materials for solar energy conversion: photoferroics revisited”, Energy Environ. Sci., **8**, (2015) 838-848.

Burns, G., Scott, B.A., “Raman studies of underdamped soft modes in PbTiO<sub>3</sub>”, Phys. Rev. Lett. **25**, (1970) 167-170.

Buixaderas, E., Gregora, I., Savinov, M., Hlinka, J., Li Jin, D., Damjanovic, B., and Malic, B., “Compositional behavior of Raman-active phonons in Pb(Zr<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> ceramics”, Phys. Rev. B, **91**, (2015) 014104.

Cao, D., Wang, C., Zheng, F., Dong, W., Fang, L., Shen, M. “High-Efficiency Ferroelectric-Film Solar Cells with an n-type Cu<sub>2</sub>O Cathode Buffer Layer”, Nano Lett., **12**, (2012) 2803-2809.

Cao, D., Zhang, H., Fang, L., Dong, W., Zheng, F., Shen, M., “Polarization effect on the photocurrent of Pt sandwiched multi-crystalline ferroelectric films”, Mater. Chem. Phys., **129**, (2011) 783-786.

Capasso, F., “Band-gap engineering: from physics and materials to new semiconductor devices”, Sci., **235**, (1987) 172-176.

Carvajal, J.R., “Recent advances in magnetic structure determination by neutron powder diffraction”, Physica B **192**, (1993) 55-69.

Celorio,V., Bradley, K., Weber, O. J., Hall, S. R., and Fermin, D. J., “Photoelectrochemical properties of LaFeO<sub>3</sub> Nanoparticles”, Chem. Electro. Chem. **1** (10), (2014) 1667-1671.

Chatterjee, S., Bera, A., Pal, A. J., “p-i-n Heterojunctions with BiFeO<sub>3</sub> Perovskite Nanoparticles and p- and n-Type Oxides: Photovoltaic Properties”, ACS Appl. Mater. Interfaces, **6**, (2014) 20479-20486.

Chakrabartty, J., Nechache, R., Nicklaus, M., Li, S., Ruediger, A., and Rosei, F. “Photovoltaic effect in multiphase Bi-Mn-O thin films”, Opt. Exp., **22**, (2014) A80-A89.

Chakrabartty, J., Nechache, R., Harnagea, C., Li, S., Rosei, F., “Enhanced photovoltaic properties in bilayer BiFeO<sub>3</sub>/Bi-Mn-O thin films”, Nanotechnology **27**, (2016) 215402.

Chen, K.-H., Tsai, T.-M., Cheng, C.-M., Huang, S.-J., Chang, K.-C., Liang, S.-P., Young, T.-F., “Schottky Emission Distance and Barrier Height Properties of Bipolar Switching Gd:SiO<sub>x</sub> RRAM Devices under Different Oxygen Concentration Environments”, Mater., **11**, (2018) 43.

Chiu, F., “A review on conduction mechanisms in dielectric films”, *Adv. Mater. Sci. Eng.* **2014** (2014) 578168.

Chen, C., Xu, K. B., Cui, Y. M. and Wang, C. C. “Polaronic relaxation in LaFeO<sub>3</sub>”, *Mater. Lett.*, **89**, (2012) 153-155.

Chen, J.-D., Jin, T.-Y., Li, Y.-Q., Tang, J.-X., “Recent progress of light manipulation strategies in organic and perovskite solar cells”, *Nanoscale*, **11**, (2019) 18517-18536.

Chen, X., Zhang, H., Wang, T., Wang, F., and Shi, W., “Optical and photoluminescence properties of BiFeO<sub>3</sub> thin films grown on ITO-coated glass substrates by chemical solution deposition”, *Phys. Status Solidi A*, **209** (2012) 1456-1460.

Chen, G.; Zou, K.; Yuxi, Y.; Zhang, Y.; Zhang, Q.; Lu, Y.; He, Y., “Effects of the Film Thickness and Poling Electric Field on Photovoltaic Performances of (Pb,La)(Zr,Ti)O<sub>3</sub> Ferroelectric Thin Film-Based Devices”, *Ceram. Int.*, **46**, (2020) 4148-4153.

Chen, J., You, D., Zhang, Y., Zhang, T., Yao, C., Zhang, Q., Li, M., Lu, Y., and He, Y., “Highly Sensitive and Tunable Self-Powered UV Photodetectors Driven Jointly by p-n Junction and Ferroelectric Polarization”, *ACS Appl. Mater. Interfaces*, **12**, (2020) 53957-53965.

Chen, J.; Priya, A. S.; You, D.; Pei, W.; Zhang, Q.; Lu, Y.; Li, M.; Guo, J.; He, Y. “Self-Driven Ultraviolet Photodetectors Based on Ferroelectric Depolarization Field and Interfacial Potential”, *Sens. Actuators, A*, **315**, (2020) 112267.

Chen, J.; Pei, W.; Chen, G.; Zhang, Q.; Lu, Y.; Huang, H.; Li, M.; He, Y., “Greatly Enhanced Photocurrent in Inorganic Perovskite [KNbO<sub>3</sub>]<sub>0.9</sub>[BaNi<sub>0.5</sub>Nb<sub>0.5</sub>O<sub>3- $\sigma$</sub> ]<sub>0.1</sub> Ferroelectric Thin-Film Solar Cell”, *J. Am. Ceram. Soc.*, **101** (2018) 4892-4898.

Cheung, S. K. and Cheung, N. W., “Extraction of Schottky diode paramters from forward current-voltage characteristics”, *Appl. Phys. Lett.*, **49**, (1986) 85-87.

Choi, T., Lee, S., Choi, Y., Kiryukhin, V. and Cheong, S.-W. “Switchable ferroelectric diode and photovoltaic effect in BiFeO<sub>3</sub>”, *Sci.*, **324**, (2009) 63-66.

Choi, W. S. & Lee, H. N. Band gap tuning in ferroelectric Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> by alloying with LaTMO<sub>3</sub> (TM = Ti, V, Cr, Mn, Co, Ni, and Al). *Appl. Phys. Lett.* **100**, (2012) 132903.

Choi, W. S., Chisholm, M. F., Singh, D. J., Choi, T., Jellison Jr., G. E., and Lee, H. N. , “Wide Bandgap tunability in complex transition metal oxides by site-specific substitution”, *Nat. Commun.* **3** (2012) 689.

Chnoweth, A., “Surface space-charge layers in barium titanate”, *Phys. Rev.* **102**, (1956) 705.

Chu, K., Jang, B.-K., Sung, J. H., Shin, Y. A., Lee, E.-S., Song, K., Lee, J. H., Woo, C.-S, Kim, S. J., Choi, S.-Y., Koo, T. Y., Kim, Y.-H., Oh, S.-H., Jo, M.-H., and Yang, C.-

H., “Enhancement of the anisotropic photocurrent in ferroelectric oxides by strain gradients”, Nat. Nanotech., **10**, (2015) 972-979.

Cohen, R. E., “Origin of ferroelectricity in perovskite oxide”, Nat., **358** (1992) 136-138.

Consonni, V., Briscoe, J., Kärber, E., Li, X. and Cossuet, T., “ZnO nanowires for solar cells: a comprehensive review”, Nanotechnology **30** (2019) 362001.

Costa, R.C. da, Toledo, T.A. de, Espinosa, J.W.M., Pizani, P.S., “Atomic substitution effects on the structural and vibrational properties of  $Ni_xPb_{1-x}TiO_3$ : X-ray diffraction and Raman scattering investigations”, AIP Adv. **5**, (2015) 077113-077117.

Cowan, S. R., Roy, A. and Heeger, A. J. “Recombination in polymer-fullerene bulk heterojunction solar cells”, Phys. Rev. B, **82**, (2010) 245207.

D. Chu, T. Hamada, K. Kato, Y. Masuda, “Growth and electrical properties of ZnO films prepared by chemical bath deposition method”, Physica Status Solidi A, **206** (2009) 718-723.

Datta, K., Neder, R. B., Chen, J., Neufeind, J. C., Mihailova, B., “Unique polarization shrinking in ferroelectric  $(1-x)Na_{0.5}Bi_{0.5}TiO_3-xBaTiO_3$  at its morphotropic phase boundary”, Phys. Rev. Lett., **119**, (2017) 207604.

Datta, K., Richter, A., Göbbels, M., Neder, R. B. & Mihailova, B., “Mesoscopic-scale structure and dynamics near the morphotropic phase boundary of  $(1-x)PbTiO_3-xBiScO_3$ ”, Phys. Rev. B **92**(1), (2015) 024107.

Datta, K., Neder, R. B., Chen, J., Neufeind, J. C., Mihailova, B., “Atomic-level structural correlations across the morphotropic phase boundary of a ferroelectric solid solutions:  $xBiMg_{1/2}Ti_{1/2}-(1-x)PbTiO_3$ ”, Sci. Rep. **7**, (2017) 471.

da Costa, R.C., Rodrigues, A.D., Pizani, P.S., “Phase mixture, solid solution or composite: Raman scattering analyses of  $Ni_xPb_{1-x}TiO_3$  and  $(NiTiO_3)_x + (PbTiO_3)_{1-x}$ ”, J. Alloys Compd., **697**, (2017) 68-71.

Das, S., Ghara, S., Mahadevan, P., Sundaresan, A., Gopalakrishnan, J., Sarma, D. D. “Designing a Lower Bandgap Bulk Ferroelectric Material with a Sizable Polarization at the Room Temperature”, ACS Energy Lett., **3**, (2018) 1176-1182.

Das, P. P., Agarkar, S. A., Mukhopadhyay, S., Manju, U., Ogale, S. B., and Devi, P. S., “Defects in Chemically Synthesized and Thermally Processed ZnO Nanorods: Implications for Active Layer Properties in Dye-Sensitized Solar Cells”, Inorg. Chem. **53** (2014) 3961–3972.

Das, S., Wang, B., Paudel, T. R., Park, S. M., Tsymbal, E. Y., Chen, L.-Q., Lee, D., Noh, T. W., “Enhanced flexoelectricity at reduced dimensions revealed by mechanically tunable quantum tunnelling”, Nat. Commun., **10**(1), (2019) 537.

Davis, E. A. and Mott, N. F., "Conduction in non-crystalline systems V. Conductivity, optical absorption and photoconductivity in amorphous semiconductors", *Philos. Mag.*, **22** (1970) 903-922.

Dey, S. K., Budd, K. D., and Payne, D. A., "Thin-film ferroelectrics of PZT of sol-gel processing", *IEEE Trans. Ultrason. Ferroelectr. Freq. Control*, **35**(1), (1988) 80-81.

Diedenhofen, S. L., Janssen, O. T. A., Grzela, G., Bakkers, E.P.A.M. and Gómez Rivas, J., "Strong geometrical dependence of the absorption of light in arrays of semiconductor nanowires", *ACS Nano* **5**, (2011) 2316-2323.

Dietz, G. W., Antpohler, W., Klee, M., and Waser, R., "Electrode influence on the charge transport through SrTiO<sub>3</sub> thin", *J. Appl. Phys.*, **78**, (1995) 6113-6121.

Ding, J.N., Chen, M.J., Qiu, J.H. and Yuan, N.Y., "Photovoltaic properties of ferroelectric solar cells based on polycrystalline BiFeO<sub>3</sub> films sputtered on indium tin oxide substrates", *Sci. China: Phy. Mech. Astro.*, **58**(3), (2015) 037701.

Dmowski, W. et al., "Local Lattice Dynamics and the Origin of the Relaxor Ferroelectric Behavior", *Phys. Rev. Lett.* **100**, (2008) 137602.

Egami, T., "Local Structure of Ferroelectric Materials", *Annu. Rev. Mater. Res.*, **37**, (2007) 297-315.

Eitel, R., Randall, C. A., Shrout, T. R., and Park, S. E., "Preparation and Characterization of High Temperature Perovskite Ferroelectrics in the Solid-Solution (1-x)BiScO<sub>3</sub>-xPbTiO<sub>3</sub>", *Jpn. J. Appl. Phys., Part 1* **41**, (2002) 2099.

Fan, Z.; Sun, K.; Wang, J. "Perovskites for photovoltaics: a combined review of organic-inorganic halide perovskites and ferroelectric oxide perovskites", *J. Mater. Chem. A*, **3**, (2015) 18809-18828.

Fang, L., You, L., Zhou, Y., Ren, P., Lim, Z. S., and Wang, J. "Switchable photovoltaic response from polarization modulated interfaces in BiFeO<sub>3</sub> thin films", *Appl. Phys. Lett.* **104**, (2014) 142903.

Fridkin, V., "Bulk photovoltaic effect in noncentrosymmetric crystals", *Crystallogr. Rep.*, **46**, (2001) 654-658.

Fridkin, V. M., et al., "Photoconductivity in ferroelectrics", *Ferroelectrics*, **6**, (1973) 71-82.

Fong. D. D., Kolpak, A. M. et al., "Stabilization of monodomain polarization in ultrathin PbTiO<sub>3</sub> films", *Phys. Rev. Lett.* **96**, (2006) 127601.

Forbes, R. G., "Physics of generalized Fowler-Nordheim-type equations", *J. Vac. Sci. Technol. B* **26**, (2008) 788-793.

Fowler, R. H., Nordheim, L., “Electron Emission in Intense Electric Fields”, Proc. R. Soc. A, **119**, (1928)173-181.

Fu, H. and Cohen, R. “Polarization rotation mechanism for ultrahigh electromechanical response in single-crystal piezoelectrics”, Nat. **403**, (2000) 281-283.

Jiang, F., and Kojima, S., “Raman Scattering of 0.91Pb(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-0.09PbTiO<sub>3</sub> Relaxor Ferroelectric Single Crystal”, Jpn. J. Appl. Phys., **38**, (1999) 5128-5132.

Gao, P., Grätzel, M., and Nazeeruddin, M. K., “Organohalide lead perovskites for photovoltaic applications”, Energy Environ. Sci., **2014**(7), (2014) 2448-2463.

Garrett, M. H., Chang, J. Y., Jenssen, H. P., and Warde, C., “High beam-coupling gain and deep- and shallow-trap effects in cobalt-doped barium titanate, BaTiO<sub>3</sub>:Co”, J. Opt. Soc. Am. B, **9** (1992) 1407-1415.

Garnett, E. and Yang, P., “Light trapping in silicon nanowire solar cells”, Nano Lett., **10**, (2010) 1082-1087.

Glass, A. M., Linde, D. von der and Negran, T. J. “High-voltage bulk photovoltaic effect and the photorefractive process in LiNbO<sub>3</sub>” Appl. Phys Lett., **25**, (1974) 233-235.

Goldschmidt, V. M. “Die Gesetze der Krystallochemie”, Die Naturwissenschaften. **14**(21), (1926) 477-485.

Gratzel, M., “The light and shade of perovskite solar cells,” Nat. Mater. **13**(9), (2014) 838-842.

Grinberg, I., Suchomel, M. R., Davies, P. K. & Rappe, A. M., “Predicting morphotropic phase boundary locations and transition temperatures in Pb- and Bi-based perovskite solid solutions from crystal chemical data and first-principles calculations”, J. Appl. Phys. **98**(1), (2005) 094111.

Green, M. A. and Pillai, S., “Harnessing plasmonics for solar cells”, Nat. Photon. **6** (2012) 130–132.

Grinberg, I., West, D. V., Torres, M., Gou, G.; Stein, D. M., Wu, L., Chen, G., Gallo, E. M., Akbashev, A. R., Davies, P. K., et al. “Perovskite Oxides for Visible-Light-Absorbing Ferroelectric and Photovoltaic Materials”, Nat., **503**, (2013) 509-512.

Guo, Y.P., Guo, B., Dong, W., Li, H. and Liu, H.Z., “Evidence for oxygen vacancy or ferroelectric polarization induced switchable diode and photovoltaic effects in BiFeO<sub>3</sub> based thin films”, Nanotechnology, **24**(27), (2013) 275201.

Guo , M., Diao , P., Cai, S. M . , “Photoelectrochemical Properties of Highly Oriented ZnO Nanotube Array Films on ITO Substrates”, Chin. Chem. Lett. **15** (2004) 1113-1116.

Gou, G. Y., Bennett, J. W., Takenaka, H., Rappe, A. M., "Post density functional theoretical studies of highly polar semiconductive  $\text{Pb}(\text{Ti}_{1-x}\text{Ni}_x)\text{O}_{3-x}$  solid solutions: Effects of cation arrangement on band gap", Phys. Rev. B., **83**, (2011) 205115.

Gruverman, A., Rodriguez, B. J., Kingon, A. I., Nemanich, R. J., Tagantsev, A. K., Cross, J. S., and Tsukada, M., "Mechanical stress effect on imprint behavior of integrated ferroelectric capacitors", Appl. Phys. Lett., **83**, (2003) 728-730.

Gunter, P., "Photovoltages, photocurrents and photorefractive effects in  $\text{KNbO}_3:\text{Fe}$ ", Ferroelectrics, **22**, (1978) 671.

Guthner, P. and Dransfeld, K., "Local poling of ferroelectric polymers by scanning force microscopy", Appl. Phy. Lett., **61**, (1992) 1137.

Han, H., Kim, D., Chae, S., Park, J., Nam, S. Y., Choi, M., Yong, K., Kim, H. J., Son, J., and Jang, H. M., "Switchable ferroelectric photovoltaic effects in epitaxial h-R $\text{FeO}_3$  thin films" Nanoscale **10**, (2018) 13261-13269.

Han, Y. L., Liu, W. F., Wu, P., Xu, X. L., Guo, M. C., Rao, G. H., and Wang, S. Y., "Effect of aliovalent Pd substitution on multiferroic properties in  $\text{BiFeO}_3$  nanoparticles", J. Alloys Compd. **661**, (2016) 115-121.

Han, S. E. & Chen, G., "Optical absorption enhancement in silicon nanohole arrays for solar photovoltaics", Nano Lett. **10**, (2010) 1012-1015.

Harnagea, C., Cojocaru, C. V., Gautreau , O., Nechache, R., Normandin, F., Veres, T., & Pignolet, A., "Piezoresponse Force Microscopy of PLD-grown Multiferroic  $\text{BiFeO}_3$  Films and Mesostructures", Integrated Ferroelectrics, **83**, (2006) 1-12.

Hawley, C. J., Wu, L. Y., Xiao, G., Grinberg, I., Rappe, A. M., Davies, P. K., et al., "Structural and ferroelectric phase evolution in  $\text{KNbO}_3(1-x)$   $\text{BaNi}_{1/2}\text{Nb}_{1/2}\text{O}_{3-\delta(x)}$  ( $x=0,0.1$ )", Phys. Rev. B **96**, (2017) 054117.

Hu, L. & Chen, G. "Analysis of optical absorption in silicon nanowire arrays for photovoltaic applications", Nano Lett. **7**, (2007) 3249–3252.

Husson, E. "Raman spectroscopy applied to the study of phase transitions", Key Eng. Mater **155-156**, (1998) 1-40.

Huang, H., "Solar energy: Ferroelectric photovoltaics", Nat. Photon., **4**(3), (2010) 134-135.

Huang, W., Harnagea, C., Benetti, D., Chaker, M., Rosei, F., and Nechache, R., "Multiferroic  $\text{Bi}_2\text{FeCrO}_6$  based p-i-n heterojunction photovoltaic devices", J. Mater. Chem. A, **5**, (2017) 10355-10364.

Huang, J., Yin, Z., Zheng, Q., "Applications of  $\text{ZnO}$  in organic and hybrid solar cells", Energy Environ Sci., **4**, (2011) 3861-3877.

Huang, Q., Fan, Z., Rao, J., Yang, T., Zhang, X., Chen, D., Qin, M., Zeng, M., Lu, X., Zhou, G., Gao, X., and Liu, J.-M., “Significant Modulation of Ferroelectric Photovoltaic Behavior by a Giant Macroscopic Flexoelectric Effect Induced by Strain-Relaxed Epitaxy” *Adv. Electron. Mater.*, **8**, (2022) 2100612.

Hung, C.-H., and Whang, W.-T., “A novel low-temperature growth and characterization of single crystal ZnO nanorods”, *Materials Chemistry and Physics*, **82** (2003) 705-710.

Huang, S., Shi, L., Tian, Z., Yuan, S., Wang, L., Gong, G., Yin, C., and Zerihun, G. “High-temperature colossal dielectric response in RFeO<sub>3</sub> (R = La, Pr, and Sm) ceramics”, *Ceram. Int.* **41**, (2014) 691-698.

Ito, S., Chen, P., Conte, P., Nazeeruddin, M. K., Liska, P., Pechy, P., and Gratzel, M., “Fabrication of screen-printing pastes from TiO<sub>2</sub> powders for dye-sensitised solar cells”, *Prog. Photovolt. Res. Appl.*, **15**, (2007) 603-612.

Inoue, R., Ishikawa, S., Imura, R., Kitanaka, Y., Oguchi, T., Noguchi, Y., Miyayama, M., “Giant Photovoltaic Effect of Ferroelectric Domain Walls in Perovskite Single Crystals”, *Sci. Rep.*, **5**, (2015) 14741.

Iljinis, A., Marcinauskas , L., Stankus, V., “In situ deposition of PbTiO<sub>3</sub> thin films by direct current reactive magnetron sputtering”, *Appl. Surface Sci.*, **381**, (2016) 6-11.

Iljinis, A., Stankus, V., Cyviene, J., Abakeviciene, B., “Formation of PbTiO<sub>3</sub> thin films on seed layers using DC magnetron layer-by-layer deposition”, *Vacuum*, **122**, (2015) 310-313.

Ikuno, T., Okamoto, H., Sugiyama, Y., Nakano, H., Yamada, F., and Kamiya, I., “Electron transport properties of Si nanosheets: Transition from direct tunneling to Fowler-Nordheim tunnelling”, *Appl. Phys. Lett.*, **99**, (2011) 023107.

Intaha, U., Eitssayeam, S., Wang, J., and Tunkasiri, T., “Impedance study of giant dielectric permittivity in BaFe<sub>0.5</sub>Nb<sub>0.5</sub>O<sub>3</sub> perovskite ceramic”, *Curr. Appl. Phys.* **10**, (2010) 21-25.

Isabella, O., Vismara, R., Linssen, D., Wang, K., Fan, S., Zeman, M., “Advanced light trapping scheme in decoupled front and rear textured thin-film silicon solar cells”, *Sol. Energy* **162**, (2018) 344-356,

Ji, W., Yao, K., Liang, Y. C. “Bulk photovoltaic effect at visible wavelength in epitaxial ferroelectric BiFeO<sub>3</sub> thin films” *Adv. Mater.*, **22**, (2010) 1763-1766.

Ji, W., Yao, K. and Liang, Y.C., “Evidence of bulk photovoltaic effect and large tensor coefficient in ferroelectric BiFeO<sub>3</sub> thin films”, *Phys. Rev. B*, **84**(9), (2011) 094115.

Jiang, J., Chen, Z., Hu, Y., Xiang Y., Zhang L., Wang, Y., Wang, G.-C., and J. Shi, “Flexo-photovoltaic effect in MoS<sub>2</sub>” *Nat. Nanotechnol.*, **16**, (2021) 894-901.

Jiang, C. Y., Sun, X. W., Lo, G. Q. and Kwong, D. L., "Improved dye-sensitized solar cells with a ZnO-nano flower photoanode", *Appl. Phys. Lett.* **90** (2007) 263501.

Jiang, Z., Xu, Z., Xi, Z., Yang, Y., Wu, M., Li, Y., Li, X., Wang, Q., Li, C., Wu, and D., Wen, Z., "Flexoelectric-induced photovoltaic effects and tunable photocurrents in flexible LaFeO<sub>3</sub> epitaxial heterostructures", *J. Materomics*, **8**(2), (2022) 281-287.

Jin, L., Li, F., Zhang, S., "Decoding the Fingerprint of Ferroelectric Loops: Comprehension of the Material Properties and Structures", *J. Am. Ceram. Soc.*, **97** (2014) 1-27.

Josch, W., Munser, R., Ruppel, W. and Wurfel, P., "The photovoltaic effect and the charge transport in LiNbO<sub>3</sub>", *Ferroelectrics* **21**, (1978) 623-625.

Joshi, N. V., *Photoconductivity: Art: Science & Technology*, Marcel Dekker, 1990.

Jonscher, A. K., "The universal dielectric response", *Nat.* **267**, (1977) 673-679.

Kanhare, P., Nisar, J., Tang, Y., Pathak, B., Ahuja, R., Zheng, J., and Chen, Z., "Electronic structure, optical properties, and photocatalytic activities of LaFeO<sub>3</sub>-NaTaO<sub>3</sub> solid solution", *J. Phys. Chem. C*, **116**, (2012) 22767-22773.

Kao, K. C., and Hwang, W., *Electrical Transport in Solids* (Pergamon, New York, 1981).

Kholkin, A. L., Iakovlev, S. O., and Baptista, J. L., "Direct effect of illumination on ferroelectric properties of lead zirconate titanate thin films," *Appl. Phys. Lett.* **79**, (2001) 2055-2057.

Kim, D.-H., Lee, S.-D. , Kim, K.-K., Park, G.-S., Lee, J.-M., Kim, S.-W., "Free-standing ZnO nanorods and nanowalls by aqueous solution method", *J. Nanosci. Nanotech.* **8**, (2008) 4688-4691.

Kirchartz, T., Bisquert, J., Mora-Sero, I., and Garcia-Belmonte, G. "Classification of solar cells according to mechanisms of charge separation and charge collection", *Phys. Chem. Chem. Phys.*, **17**, (2015) 4007-4014.

Kirchartz, T. "Photon Management in Perovskite Solar Cells", *J. Phys. Chem. Lett.*, **10**, (2019) 5892-5896.

Kreisel, J., Alexe, M. and Thomas, P. A., "A photoferroelectric material is more than the sum of its parts", *Nat. Mater.* **11**, (2012) 260.

Krispin, P., and Ludwig, W. "Photodielectric Investigations on ZnS Phosphors", *Phys. Stat. Sol.* **5**, (1964) 57-582.

Koch, W. T. H., Munser, R., Ruppel, W. & Wurfel, P., "Bulk photovoltaic effect in BaTiO<sub>3</sub>". *Solid State Commun.*, **17**, (1975) 847-850.

Koops, C. G., “On the dispersion of resistivity and dielectric constant of some semiconductors at audiofrequencies”, Phys. Rev., **83**, (1951) 121.

Kola, L., Murali, D., Pal, S., Nanda, B. R. K., Murugavel, P., “Enhanced Bulk Photovoltaic Response in Sn Doped BaTiO<sub>3</sub> through Composition Dependent Structural Transformation”, Appl. Phys. Lett., **114**(18), (2019) 183901.

Krispin, P., and Ludwig, W., “Photodielectric Investigations on ZnS Phosphors”, Phys. Stat. Sol., **5**, (1964) 573-581.

L. Pintilie, I. Vrejoiu, G. L. Rhun, M. Alexe, “Short-circuit photocurrent in epitaxial lead zirconate-titanate thin films”, J. Appl. Phys. **101**, (2007) 064109.

Lampert, M. A. and Mark, P., Current Injection in Solids, Academic, New York, 1970.

Lee, D., Baek, S. H., Kim, T. H. , Yoon, J.-G., Folkman, C. M., Eom, C. B., and Noh, T. W., “Polarity control of carrier injection at ferroelectric/metal interfaces for electrically switchable diode and photovoltaic effects,” Phys. Rev. B, **84**, (2011) 125305.

Lee, Y-J., Ruby, D. S., Peters, D. W., McKenzie, B. B., and Hsu, J. W. P., “ZnO Nanostructures as Efficient Antireflection Layers in Solar Cells” Nano Lett., **8**, (2008) 1501-1505.

Lee, D., Yoon, A., Jang, S. Y., Yoon, J. -G, Chung, J. -S., Kim, M., Scott, J. F., and Noh, T. W., “Giant Flexoelectric Effect in Ferroelectric Epitaxial Thin Films”, Phys. Rev. Lett., **107**, (2011) 057602.

Lee, T.-H., Kim, D.-H., Kim, B.-Y., Choi, H.-Y., Oh, J.-H., Kang, C.-Y., and Nahm, S., “Structural and electrical properties of KNbO<sub>3</sub> thin film grown on a Pt/Ti/SiO<sub>2</sub>/Si substrate using the RF magnetron sputtering method” Acta Mater., **112**, (2016) 53-58.

Lenzlinger, M. and Snow, E. H., “Fowler-Nordheim Tunneling into Thermally Grown SiO<sub>2</sub>”, J. Appl. Phys. **40**, (1969) 278.

Li, C., Soh, K. C. K., and Wu, P., “Formability of AB<sub>3</sub>O<sub>9</sub> perovskites”, J. Alloys compd., **372**, (2004) 40-48.

Li, C., Cui, A., Chen, F., Jiang, K., Shang, L., Jiang, J., Hu, Z., Chu, J., “Preparation and Characterization of Narrow Bandgap Ferroelectric (K,Ba)(Ni,Nb)O<sub>3-δ</sub> Films for Mesoporous All-Oxide Solar Cells”, New J. Phys. **21**, (2019) 013011.

Li, X., Chen, C., Zhang, F., Huang, X., and Yi, Z., “Large visible-light-driven photostriction in Bi(Ni<sub>2/3</sub>Nb<sub>1/3</sub>)O<sub>3</sub>-PbTiO<sub>3</sub> ferroelectrics”, APL Mater., **8**, (2020) 061111.

Li, Z. X., Liu, X. L., Chen, W. J., Zhang, X. Y., Wang, Y., Xiang, W. M., and Zheng, Y., “Switchable diode effect in ferroelectric thin film: High dependence on poling process and temperature”, AIP Advances **4**, (2014) 127111.

Liang, Z., Zhang, Q., Wiranwetchayan, O., Xi, J., Yang, Z., Park, K., Li, C., Cao, G., “Effects of the morphology of a ZnO buffer layer on the photovoltaic performance of inverted polymer solar cells”, Adv. Funct. Mater. **22**, (2012) 2194-2201.

Liu, C. H., et al., “Ultrafast lateral photo-Dember effect in graphene induced by Nonequilibrium Hot carriers dynamics”, Nano Lett. **15**(6), (2015) 4234-4239.

Li, C., Wang, F., Sun, Y., Jiang, K., Gong, S., Hu, Z., Zhou, Z., Dong, X., and Chu, J., “Lattice dynamics, phase transition, and tunable fundamental band gap of photovoltaic  $(\text{K},\text{Ba})(\text{Ni},\text{Nb})\text{O}_{3-\delta}$  ceramics from spectral measurements and first-principles calculations” Phys. Rev. B **97** (2018) 094109.

Leung, S.-F., Zhang, Q., Xiu, F., Yu, D., Ho, J. C., Li, D., and Fan, Z., “Light Management with Nanostructures for Optoelectronic Devices”, J. Phys. Chem. Lett. **5**(2014) 1479–1495.

Li, Y., Fu, J., Mao, X., Chen, C., Liu, H., Gong, M. and Zeng, H., “Enhanced bulk photovoltaic effect in two-dimensional ferroelectric  $\text{CuInP}_2\text{S}_6$ ”, Nat. Commun., **12**, (2021) 5896.

Li, Q., Kumar, V., Li, Y., Zhang, H., Marks, T. J., and Chang, R. P. H., “Fabrication of ZnO Nanorods and Nanotubes in Aqueous Solutions”, Chem. Mater. **17** (2005) 1001–1006.

Liang, Z., Gao, R., Lan, J-L., Wiranwetchayan, O., Zhang, Q., Li, C., and Cao, G., “Growth of vertically aligned ZnO nanowalls for inverted polymer solar cells Solar”, Energy Materials & Solar Cells **117** (2013) 34–40

Lim, S. H., Mar, W., Matheu, P., Derkacs, D., and Yu, E. T., “Photocurrent spectroscopy of optical absorption enhancement in silicon photodiodes via scattering from surface plasmon polaritons in gold nanoparticles”, J. Appl. Phys. **101** (2007) 104309.

Liu, H., Chen, J., Ren, Y., Zhang, L., Pan, Z., Fan, L., and Xing, X., “Large Photovoltage and Controllable Photovoltaic Effect in  $\text{PbTiO}_3\text{-Bi}(\text{Ni}_{2/3+x}\text{Nb}_{1/3-x})\text{O}_{3-\delta}$  Ferroelectrics”, Adv. Electr. Mater. **1**, (2015) 1400051.

Liu, H., Chen, J., Jiang, X., Pan, Z., Zhang, L., Rong, Y., Lin, Z., and Xing, X., “Controllable negative thermal expansion, ferroelectric and semiconducting properties in  $\text{PbTiO}_3\text{-Bi}(\text{Co}_{2/3}\text{Nb}_{1/3})\text{O}_3$  solid solutions”, J. Mater. Chem. C, **5** (2017) 931-936.

Lombardi, J., Pearsall, F., Li, W., and O’Brien, S., “Synthesis and dielectric properties of nanocrystalline oxide perovskites,  $[\text{KNbO}_3]_{1-x}[\text{BaNi}_{0.5}\text{Nb}_{0.5}\text{O}_{3-\delta}]_x$ , derived from potassium niobate  $\text{KNbO}_3$  by gel collection, J. Mater. Chem. C, **4**, (2016) 7989-7998.

Look, D. C., "Recent Advances in ZnO Materials and Devices", Mater Sci Eng B Solid State Mater Adv Technol, **80** (2001) 383-387.

Lopez-Varo, P., Bertoluzzi, L., Bisquert, J., Alexe, M., Coll, M., Huang, J., Jimenez-Tejada, J. A., Kirchartz, T., Nechache, R., Rosei, F., Yuan, Y., "Physical aspects of ferroelectric semiconductors for photovoltaic solar energy conversion", Phys. Rep. **653**, (2016) 1-40.

Lowndes, D. H., Geohegan, D. B., Puretzky, A. A., Norton, D. P., and Rouleau, C. M., "Synthesis of novel thin-film materials by pulsed laser deposition", Sci., **273**, (1996) 898-903.

Luo, Z.-D, Park, D.-S., Yang, M.-M., and Alexe, M. "Light-Controlled Nanoscopic writing of Electronic memories using the Tip-Enhanced Bulk Photovoltaic Effect", ACS Appl. Mater. Interfaces **11**, (2019) 8276-8283

Matsuo, H., Kitanaka, Y., Inoue, R., Noguchi, Y., and Miyayama, M., "Cooperative effect of oxygen-vacancy-rich layer and ferroelectric polarization on photovoltaic properties in BiFeO<sub>3</sub> thin film capacitors", Appl. Phys. Lett., **108**, (2016) 032901.

Matsuo, H., Noguchi, Y. and Miyayama, M., "Gap-state engineering of visible-light-active ferroelectrics for photovoltaic applications", Nat. Commun., **8**, (2017) 207.

Mai, H.; Lu, T.; Li, Q.; Liu, Z.; Li, Y.; Kremer, F.; Li, L.; Withers, R. L.; Wen, H.; Liu, Y. Above-Band Gap Photoinduced Stabilization of Engineered Ferroelectric Domains. ACS Appl. Mater. Interfaces **10**, (2018) 12781-12789.

Maa, N., and Yang, Y., "Boosted photocurrent via cooling ferroelectric BaTiO<sub>3</sub> materials for self powered 405 nm light detection", Nano Energy **60** (2019) 95-102.

Ma, W. and Cross, L. E., "Flexoelectricity of barium titanate", Appl. Phys. Lett., **88** (2006) 232902.

Ma, N., and Yang, Y., "Boosted Photocurrent in Ferroelectric BaTiO<sub>3</sub> Materials via Two Dimensional Planar-Structured Contact Configurations", Nano Energy **50**, (2018) 417-424.

Ma, N., and Yang, Y., "Enhanced Self-Powered UV Photoresponse of Ferroelectric BaTiO<sub>3</sub> Materials by Pyroelectric Effect", Nano Energy **40**, (2017) 352-359.

Margaritescu, I., Datta, K., Chen, J., Mihailova, B., "Distinct temperature behavior of the local structure of (1-x)PbTiO<sub>3</sub>-xBiNi<sub>0.5</sub>Ti<sub>0.5</sub>O<sub>3</sub> at the morphotropic phase boundary", J. Raman Spectrosc., **51**, (2020) 1200-1209.

Martin, P. M., Handbook of deposition technologies for films and coatings science, Applications and Technology, Elsevier Inc., 2010.

Mehta, R. R.; Silverman, B. D.; Jacobs, J. T. "Depolarization fields in thin ferroelectric films", J. App. Phys. **44**, (1973) 3379-3385.

Mendes, M.J., Araújo, A., Vicente, A., Aguas, H., Ferreira, I., Fortunato, E., and Martins, R., “Design of optimized wave-optical spherical nanostructures for photonic-enhanced solar cells”, *Nano Energy* **26**, (2016) 286-296.

Mete, E., Odabas, S., Mao, H., Chung, T., Ellialtıođlu, Ş., Reimer, J. A., Gürseren, O., and Uner, D., “Double Perovskite Structure Induced by Co Addition to PbTiO<sub>3</sub>: Insights from DFT and Experimental Solid-State NMR Spectroscopy”, *J. Phys. Chem. C*, **123**(44), (2019) 27132-27139.

Mikhelashvili, V., Eisenstein, G., Uzdin, R., “Extraction of Schottky diode parameters with a bias dependent barrier height”, *Solid-state Electronics* **45**, (2001) 143-148.

Minh, D. L., Hoa, V.N.M., Dinh, N. N., Thuy, N. T., “Electric and thermoelectric properties of LaFeO<sub>3</sub> compounds doped by Ti, Co and Cu ions”, *VNU J. Math. Phys* **29**(3), (2013) 42

Mitra, A., Mahapatra, A. S., Mallick, A., Shaw, A., Bhakta, N., and Chakrabarti, P. K ., “Improved magneto-electric properties of LaFeO<sub>3</sub> in La<sub>0.8</sub>Gd<sub>0.2</sub>Fe<sub>0.97</sub>Nb<sub>0.03</sub>O<sub>3</sub>”, *Ceram. Int.*, **44**, (2018) 4442-4449.

Minh, N. Q., “Ceramic fuel cells”, *J. Am Ceram. Soc.*, **65**, (1993) 563-588.

Maxwell, J. C., Electricity and Magnetism vol.1, Oxford University Press, Oxford, England, p. 328 (1929).

Maiwa, H., Kim, S. H., and Ichinose, N., “Temperature dependence of the electrical and electromechanical properties of lead zirconate thin films”, *Appl. Phys. Lett.*, **83**, (2003) 4396-4398.

Mott, N. F., and Davis, E. A., “Electronic process in non-crystalline materials, Oxford University Press, Oxford, UK, (1979).

Mott, N. F., and Gurney, R. W., “Electronic processes n Ionic crystals, 2<sup>nd</sup> ed., Oxford: Oxford University Press (1948).

Moubah, R., Rousseau, O., Colson, D., Artemenko, A., Maglione, M. and Viret, M., Photoelectric effects in single domain BiFeO<sub>3</sub> crystals, *Adv. Funct. Mater.* **22**, (2012) 4814.

Mokkapati, S.; Saxena, D.; Tan, H. H.; Jagadish, C., “Optical design of nanowire absorbers for wavelength selective photodetectors”, *Sci. Rep.*, **5**, (2015) 15339.

Muskens, O. L., Gómez Rivas, J., Algra, R. E., Bakkers, E.P.A.M. and Lagendijk, A. “Designing light scattering in nanowire materials for photovoltaic applications”, *Nano Lett.*, **8**, (2008) 2638-2642.

Mukherjee, S., Phuyal, D., Segre, C. U., Das, S., Karis, O., Edvinsson, T., and Rensmo, H., “Structure and Electronic Effects from Mn and Nb Co-doping for Low Band Gap BaTiO<sub>3</sub> Ferroelectrics”, *J. Phys. Chem. C*, **125**(27), (2021) 14910-14923.

Nagai, T., Takahashi, H., Okazaki, R., Tanabe, K., Terasaki, I., and Taniguchi, H., “Optical control of dielectric permittivity in  $\text{LaAl}_{0.99}\text{Zn}_{0.01}\text{O}_{3-\delta}$ ”, *Appl. Phys. Lett.*, **110**, (2017) 172901.

Nagai, T., Tanabe, K., Terasaki, I., and Taniguchi, H., “Systematic tuning of the photo-dielectric effect in  $\text{Ba}(\text{Al}_{1-x}\text{Zn}_x)_2\text{O}_{4-\delta}$ ”, *Appl. Phys. Lett.*, **113**, (2018) 212902.

Nakamura, K., Mashiko, H., Yoshimatsu, K., and Ohtomo, A., “Impact of built-in potential across  $\text{LaFeO}_3/\text{SrTiO}_3$  heterojunctions on photocatalytic activity”, *Appl. Phys. Lett.*, **108**, (2016) 211605.

Nakamura, M., Kagawa, F., Tanigaki, T., Park, H. S., Matsuda, T., Shindo, D., Tokura, Y., and Kawasaki, M., “Spontaneous polarization and bulk photovoltaic effect driven by polar discontinuity in  $\text{LaFeO}_3/\text{SrTiO}_3$  heterojunctions”, *Phys. Rev. Lett.*, **116**, (2016) 156801.

Nakamura, M., Horiuchi, S., Kagawa, F., Ogawa, N., Kurumaji, T., Tokura, Y., and Kawasaki, M., “Shift current photovoltaic effect in a ferroelectric charge-transfer complex”, *Nat. Commun.*, **8**, (2017) 281.

Nalwa, H. S., Ed., *Handbook of thin film materials*, Academic Press, San Diego (2002).

Nechache, R., Harnagea, C., Li, S., Cardenas, L., Huang, W., Chakrabartty, J., Rosei, F., “Bandgap tuning of multiferroic oxide solar cells”, *Nat. Photonics* **9**, (2015) 61-67.

Nechache, R., Huang, W., Li, S., Rosei, F., “Photovoltaic properties of  $\text{Bi}_2\text{FeCrO}_6$  films epitaxially grown on (100)-oriented silicon substrates”, *Nanoscale* **8**, (2016) 3237-3243.

Nechache, R., Harnagea, C., Licoccia, S., Traversa, E., Ruediger, A., Pignolet, A., and Rosei, F., “Photovoltaic properties of  $\text{Bi}_2\text{FeCrO}_6$  epitaxial thin films”, *Appl. Phys. Lett.*, **98**, (2011) 202902.

Nelson, J. *The physics of solar cells*. Vol. 1 (World Scientific, 2003).

Nishida, K., Osada, M., Takeuchi, H., Yosiaki, I., Sakai, J., Ito, N., Yamamoto, T., “Raman Spectroscopy Study of Oxygen Vacancies in  $\text{PbTiO}_3$  Thin Films Generated Heat-Treated in Hydrogen Atmosphere”, *Jpn. J. Appl. Phys.*, **47**(9), (2008) 7510-7513

Niu, X., Li, H. and Liu, G., “Preparation, characterization and photocatalytic properties of  $\text{REFeO}_3$  ( $\text{RE} = \text{Sm}, \text{Eu}, \text{Gd}$ )”, *J. Mol. Catal. A Chem.*, **232**, (2005) 89-93.

Ni, L., Liu, Y., Ren, Z., Li, X., Xu, G., Song, C. and Han, G., “Theoretical and experimental study of Raman spectra of pre-perovskite  $\text{PbTiO}_3$ ”, *J. Appl. Phys.*, **110**, (2011) 063506.

O’Neill, D., Bowman, R. M., Gregg, J. M., “Dielectric enhancement and Maxwell-Wagner effects in ferroelectric superlattice structures”, *Appl. Phys. Lett.*, **77**, (2000) 1520-1522.

Ong, L. H. and Musleh, A., “Tilley-Zeks Model in switching phenomena of ferroelctric films”, *Ferroelec.* **380**, (2009) 150-159.

Olson, D.C., Lee, Y.-J., White, M.S., Kopidakis, N., Shaheen, S.E., Ginley, D.S., Voigt, J.A., Hsu, J.W.P., “Effect of polymer processing on the performance of poly (3-hexylthiophene)/ZnO nanorod photovoltaic devices”, *J. Phys. Chem. C*, **111**, (2007) 16640-16645.

Pabst, G. W., Martin, L. W., Chu, Y.-H., and Ramesh, R., “Leakage mechanisms in BiFeO<sub>3</sub> thin films”, *Appl. Phys. Lett.*, **90**, (2007) 072902.

Paillard, C., Bai, X., Infante, I. C., Guennou, M., Geneste, G., Alexe, M., Kreisel, J., and Dkhil, B., “Photovoltaics with Ferroelectrics: Current Status and Beyond”, *Adv. Mater.* **28**, (2016) 5153-5168.

Pal, S., Muthukrishnan, S., Sadhukhan, B., Sarath, N. V., Murali, D., and Murugavel, P. “Bulk Photovoltaic Effect in BaTiO<sub>3</sub>-based Ferroelectric Oxides: An Experimental and Theoretical Study”, *J. Appl. Phys.*, **129**, (2021) 084106.

Pandey, R., R. K. Pillutla, U. Shankar and A. K. Singh, “Absence of tetragonal distortion in (1-x)SrTiO<sub>3</sub>-xBi(Zn<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub> solid solution”, *J. Appl. Phys.* **113**, (2013) 184109.

Park, S. M., Wang, B., Paudel, T., Park, S. Y., Das, S., Kim, J. R., Ko, E. K., Lee, H. G., Park, N., Tao, L., Suh, D., Tsymbal, E. Y., Chen, L. -Q., Noh, T. W., and Lee, D., “Colossal flexoresistance in dielectrics”, *Nat. Commun.*, **11**, (2020) 2586.

Pastor, M., Bajpai, P. K., and Chaudhary, R. N. P., “Microstructural and electrical study of mixed phase of Pb(Ba<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>”, *Physica B* **391**, (2007) 1-5.

Peiro, A. M., Ravirajan, P., Govender, K., Boyle, D. S., O’Brien, P., Bradley, D. D. C., Nelsonb, J. and Durranta, J. R., “Hybrid polymer/metal oxide solar cells based on ZnO columnar structures”, *J. Mater. Chem.*, **16**, (2006) 2088-2096.

Perkins, C. K., Jenkins, M. A., Chiang, T.-H., Mansergh, R. H., Gouliouk, V., Kenane, N., Wager, J. F., Conley, J. F., Jr., and Keszler, D. A., “Demonstration of Fowler–Nordheim Tunneling in Simple Solution Processed Thin Films”, *ACS Appl. Mater. Interfaces* **10**, (2018) 36082-36087.

Pintilie, L., Vrejoiu, I., Rhun, G. L., and Alexe, M., “Short-circuit photocurrent in epitaxial lead zirconate-titanate thin films”, *J. Appl. Phys.*, **101**, (2007) 064109.

Pisare, R. V., Moskvin, A. S., Kalashnikova, A. M., and Rasing, Th., “Charge transfer transitions in multiferroic BiFeO<sub>3</sub> and related ferrite insulators”, *Phys. Rev. B* **79**, (2008) 235128.

Phokha, S., Pinitsoontom, S., Maensiri, S., and Ruirawat, S., “Structural, optical and magnetic properties of LaFeO<sub>3</sub> nanoparticles prepared by polymerized complex method”, *J. Sol-Gel Sci. Technol.* **71**, (2014) 333-341.

Phuyal, D., Mukherjee, S., Das, S., Jana, S., Kvashnina, K. O., Sarma, D. D., Rensmo, H.; Buortin, S. M., Karis, O., “The Origin of Low Bandgap and Ferroelectricity of a co-doped BaTiO<sub>3</sub>”, EuroPhys. Lett., **124**(2), (2018) 27005.

Phuyal, D., Mukherjee, S., Jana, S., Denoel, F., Kamalakar, M. V., Butorin, S. M., Kalaboukhov, A., Rensmo, H., and Karis, O., “Ferroelectric Properties of BaTiO<sub>3</sub> Thin Films co-doped with Mn and Nb”, AIP Adv., **9**(9), (2019) 095207.

Polman, A., and Atwater, H. A., “Photonic design principles for ultrahigh-efficiency photovoltaics”, Nat. Mat., **11**, (2012) 174-177.

Polman, A., Knight, M., Garnett, E. C., Ehrler, B., Sinke, W. C., “Photovoltaic materials: Present efficiencies and future challenges”, Sci., **352**, (2016) 307.

Polyakov, A. Y., Smirnov, N. B., Schemerov, I. V., Chernykh, A. V., Yakimov, E. B., Kochkova, A. I., Yang, Jiancheng, Fares, Chaker, Ren , F., and Pearton, S. J. , “Deep traps and persistent photocapacitance in  $\beta$ -(Al<sub>0.14</sub> Ga<sub>0.86</sub>)<sub>2</sub>O<sub>3</sub>/Ga<sub>2</sub>O<sub>3</sub> heterojunctions”, J. Appl. Phys., **125**, (2019) 095702.

Pradhan, D., Leung, K.T., “Controlled growth of two-dimensional and onedimensional ZnO nanostructures on indium tin oxide coated glass by direct electrodeposition”, Langmuir **24**, (2008) 9707-9716.

Prasad, B.V., Rao, G.N., Chen, J.W., Babu, D.S., “Abnormal high dielectric constant in SmFeO<sub>3</sub> semiconductor ceramics”, Mater. Res. Bull., **46**, (2011) 1670-1673.

Qi, T., Grinberg, I. & Rappe, A. M. “Band-gap engineering via local environment in complex oxides”, Phys. Rev. B **83**, (2011) 224108.

Qi, T., Curnan, M., Kim, S., Bennett, J. W., Grinberg, I., and Rappe, A. M., “First-principles study of band gap engineering via oxygen vacancy doping in perovskite ABB’O<sub>3</sub> solid solutions”, Phys. Rev. B, **84**, (2011) 1-6.

Qin, M., Yao, K. & Liang, Y. C. “High efficient photovoltaics in nanoscaled ferroelectric thin films”, Appl. Phys. Lett., **93**, (2008) 122904.

Qin, M., Yao, K., and Liang, Y. C. “Photovoltaic Mechanisms in Ferroelectric Thin Films with the Effects of the Electrodes and Interfaces”, Appl. Phys. Lett., **95**, (2009) 022912.

Qin, M., Yao, K., Liang, and Y. C., Shannigrahi, S., “Thickness effects on photoinduced current in ferroelectric (Pb<sub>0.97</sub>La<sub>0.03</sub>)(Zr<sub>0.52</sub>Ti<sub>0.48</sub>)O<sub>3</sub> thin films”, J. Appl. Phys. **101**, (2007) 014104.

Qiu, J., Guo, M., Feng, Y., and Wang, X., “Electrochemical deposition of branched hierarchical ZnO nanowire arrays and its photoelectrochemical properties”, Electrochim. Acta, **56** (2011) 5776-5782.

Quattropani, A., Stoeffler, D., Fix, T., Schmerber, G., Lenertz, M., Versini, G., Rehspringer, J. L., Slaoui, A., Dinia, A., and Colis, S., “Band-Gap tuning in ferroelctric BiFeCrO<sub>6</sub> double perovskite thin films”, *J. Phys. Chem. C*, **122**, (2018) 1070-1077.

Ramakrishnegowda N., Knoche, D. S., Mühlenbein, L., Lotnyk, A., and Bhatnagar, A., “Bulk-Controlled Photovoltaic Effect in Nanometer-Thick Ferroelectric Pb(Zr<sub>0.2</sub>Ti<sub>0.8</sub>)O<sub>3</sub> Thin Films and the Role of Domain Walls”, *ACS Appl. Nano Mater.* **3**(12), (2020) 11881-11888.

Randall, C. A., Bhalla, A. S., Shrout, T. R., and Cross, L. E., “Classification and consequences of complex lead perovskite ferroelectrics with regard to B-site cation order”, *J. Mater. Res.*, **5**(4), (1990) 829-834.

Randall, C. A. et al. “Investigation of a high T<sub>c</sub> piezoelectric system: (1-x)Bi(Mg<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub>-(x)PbTiO<sub>3</sub>”, *J. Appl. Phys.* **95**, (2004) 3633-3639.

Rai, R., Sinha, A., Sharmac, S., Sinha, N.K.P., “Investigation of structural and electrical properties of (1-x) Bi<sub>0.5</sub>Mg<sub>0.5</sub>TiO<sub>3-(x)</sub> PbTiO<sub>3</sub> ceramic system”, *J. Alloys Compd.*, **486**, (2009) 273-277.

Rani, A., Kolte, J., Gopalan, P., “Structural, electrical, magnetic and magnetoelectric properties of Co-doped BaTiO<sub>3</sub> multiferroic ceramics”, *Ceram. Int.* **44**, (2018) 16703-16711.

Ravirajan, P., Peiro', A. M., Nazeeruddin, M. K., Graetzel, M., Bradley, D. D. C., Durrant, J. R., and Nelson, J., “Hybrid Polymer/Zinc Oxide Photovoltaic Devices with Vertically Oriented ZnO Nanorods and an Amphiphilic Molecular Interface Layer”, *J. Phys. Chem. B*, **110**, 15, (2006) 7635–7639.

Reddy, S. L., Reddy, G. S., Endo, T., Electronic (Absorption) Spectra of 3d Transition Metal Complexes; INTECH, 2012.

Robel, I., Bunker, B. A., Kamat, P. V., “Single-Walled Carbon Nanotube-CdS Nanocomposites as Light-Harvesting Assemblies: Photoinduced Charge-Transfer Interactions”, *Adv. Mater.*, **17**, (2005) 2458-2463.

Rhodrick, E. H., and Williams, R. H., Metal-semiconductor Contacts, 2<sup>nd</sup> ed. Clarendon Press, Oxford, 1988.

Rubio-Marcos, F., Del Campo, A., Marchet, P., and Fernandez, J. F., “Ferroelectric domain wall motion induced by polarized light”, *Nat. Commun.*, **6**, (2015) 6594.

Ruppel, W., Von Baltz, R., and Würfel, P., “The Origin of the Photo-Emf in Ferroelectric and Non-Ferroelectric Materials”, *Ferroelectrics* **43**, (1982) 109-123.

Rytz, D., Wechsler, B. A., Garrett, M. H., Nelson, C. C., and Schwartz, R. N., “Photorefractive properties of BaTiO<sub>3</sub>:Co”, *J. Opt. Soc. Am. B*, **7**, (1990) 2245-2254.

Seidel, J., Fu, D., Yang, S.-Y., Alarcon-Llado, E., Wu, J., Ramesh, R., and Ager, J. W., "Efficient Photovoltaic Current Generation at Ferroelectric Domain Walls", Phys. Rev. Lett., **107**, (2011) 126805.

Singh, S. P., Singh, A. K., Pandey, D., Sharma, H., and Prakash, O. "Crystallographic phases, phase transitions, and barrier layer formation in  $(1-x)[\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{2/3})\text{O}_3]-x\text{PbTiO}_3$ ", J. Mater. Res., **18**, (2003) 2677-2687.

Sinha, A. K. Bhushan, B., Jagannath, Gupta, N., Sen, S., Prajapat, C. L., Nuwad, J., Bhatt, P., Mishra, S. K., Meena, S. S., Priyam, A., "Effect of cobalt-doping on dielectric, magnetic and optical properties of  $\text{BiFeO}_3$  nanocrystals synthesized by sol – gel technique", Solid State Sci., **102** (2020) 106168.

Sakr, G. B., Yahia, I. S., "Effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/n-CdMnTe/GaAs magnetic diode for photocapacitance applications", J. Alloys Compd., **503**, (2010) 213-219.

Sarkar, A., Khan, G. G., Chaudhuri, A., Das, A., and Mandal, K., "Multifunctional  $\text{BiFeO}_3/\text{TiO}_2$  nano-heterostructure: Photo-ferroelectricity, rectifying transport, and nonvolatile resistive switching property", Appl. Phys. Lett., **108**, (2016) 033112.

Sarkar, A., Singh, A. K., Sarkar, D., Khan, G. G., and Mandal, K., "Three dimensional nanoarchitecture of  $\text{BiFeO}_3$  anchored  $\text{TiO}_2$  nanotube arrays for electrochemical energy storage and solar energy conversion," ACS Sustainable Chem. Eng., **3**, (2015) 2254-2263.

Simmons, J., "Poole-Frenkel effect and Schottky effect in Metal-Insulator-Metal system", Phys. Rev., **155**, (1967) 657-660.

Schader, F. H., Aulbach, E., Webber, K. G., and Rossetti, Jr. G. A., "Influence of uniaxial stress on the ferroelectric-to-paraelectric phase change in barium titanate", J. Appl. Phys., **113**, (2013) 174103.

Schroeder, H., "Poole-Frenkel-effect as dominating current mechanism in thin oxide films - An illusion?", J. Appl. Phys. **117** (2015) 215103.

Sheikh, M. S., Ghosh, D., Dutta, A., Bhattacharya, S., and Sinha, T. P., "Lead free double perovskite oxide  $\text{Ln}_2\text{NiMnO}_6$  ( $\text{Ln} = \text{La}, \text{Eu}, \text{Dy}, \text{Lu}$ ), a new promising material for photovoltaic application", Mater. Sci. Eng. B, **226**, (2017) 10-17.

Shin, H. W., and J. Y. Son, "Flexoelectric switching characteristics depending on crystallinity of highly c-oriented epitaxial  $\text{SrBi}_2\text{Nb}_2\text{O}_9$  thin film", J. Alloys Compd., **788**, (2019) 311-317.

Si, S. F., Deng, H. M., Zhou, W. L., Wang, T. T., Yang, P. X., and Chu, J. H. "Modified structure and optical band-gap in perovskite ferroelectric  $(1-x)\text{KNbO}_3-x\text{BaCo}_{1/3}\text{Nb}_{2/3}\text{O}_3$  ceramics", Ceram. Int., **44**, (2018) 14638-14644.

Simões, A. Z., Cavalcante, L. S., Mourac, F., Longo, E., Varela, J. A., “Structure, ferroelectric/magnetoelectric properties and leakage current density of  $(\text{Bi}_{0.85}\text{Nd}_{0.15})\text{FeO}_3$  thin films”, *J. Alloys Compd.*, **509**, (2011) 5326-5335.

Singh, C. B., Kumar, D., Verma, N. K., and Singh, A. K., “Structural, dielectric, semiconducting and optical properties of high-energy ball milled  $\text{YFeO}_3$  nanoparticles”, *AIP Conf. Proc.*, **2115**, (2019) 030619.

Siny, I. G. & Katiyar, R. S., “Transition dynamics in relaxor ferroelectrics”, *Ferroelectrics*, **206**, (1998) 307-324.

Siny, I. G. and Smirnova, T. A., “Preceding paraphases in “diffuse transition” ferroelectrics”, *Ferroelectrics*, **90**(1), (1989) 191-194.

Smolenskii, G. A., and Chupis, I., *Sov. Phys. Usp.*, **25**, (1982) 475.

Spinelli, P., Verschuuren, M.A., and Polman, A., “Broadband omnidirectional antireflection coating based on subwavelength surface Mie resonators”, *Nat. Commun.*, **3**, (2012) 692.

Spanier, J. E., Fridkin, V. M., Rappe, A. M., Akbashev, A. R., Polemi, A., Qi, Y., Gu, Z., Young, S. M., Hawley, C. H., Imbrenda, D., Xiao, G., Bennett-Jackson, A. L., Johnson, C. L., “Power conversion efficiency exceeding the Shockley-Queisser limit in a ferroelectric insulator”, *Nat. Photon.*, **10**, (2016) 611-616.

Scafetta, M. D., Cordi, A. M., Rondinelli, J. M., and May, S. J., “Band structure and optical transitions in  $\text{LaFeO}_3$ : Theory and experiment”, *Phys: Condens. Matter* **26**, (2014) 505502.

Sturman, B. I., Fridkin, V. M., The photovoltaic and photorefractive effects in noncentrosymmetric materials, Gordon and Breach Science Publishers, 1992.

Sturman, B. I.; Fridkin, V. M. Photovoltaic and Photo-refractive Effects in Noncentrosymmetric Materials; CRC Press, 1992.

Schmool, D. S., Keller, N., Guyot, M., Krishnan, R., and Tessier, M., “magnetooptic” *J. Appl. Phys.*, **86**, (1999) 5712.

Schmidh, L. J., “Tracking down the truth of perovskite”, in 38<sup>th</sup> Rochester Mineralogical Symp. Program Notes, (2011) 31-32.

Suzuki , H., Miwa, Y., Miyazaki , H. , Takahashi , M., Ota, T., “Chemical solution deposition of conductive  $\text{SrRuO}_3$  thin film on Si substrate”, *Ceram. Int.*, **30** (2004) 1357-1360.

Schwartz, R. W., “Chemical solution deposition of perovskite thin films”, *Chem. Mater.*, **9** (11), (1997) 2325-2340.

Suchomel, M. R. and Davies, P. K., "Predicting the position of the morphotropic phase boundary in high temperature PbTiO<sub>3</sub>-Bi(B'B'') O<sub>3</sub> based dielectric ceramics", J. Appl. Phys., **96**, (2004) 4405-4410.

Sun, Z., Wei, J., Yang, T., Li, Y., Liu, Z., Chen, G., Wang, T., Sun, H., and Cheng, Z., "Integrating Band Engineering and the Flexoelectric Effect Induced by a Composition Gradient for High Photocurrent Density in Bismuth Ferrite Films", ACS Appl. Mater. Interfaces **13**(42), (2021) 49850-49859.

Swain, A. B., Rath, M., Pal , S., Ramachandra Rao, M. S., Subramanian , V., and Murugavel, P., "Self-polarization effect on large photovoltaic response in lead free ferroelectric 0.5Ba(Zr<sub>0.2</sub>Ti<sub>0.8</sub>)O<sub>3</sub>-0.5(Ba<sub>0.7</sub>Ca<sub>0.3</sub>)TiO<sub>3</sub> epitaxial film", Appl. Phys. Lett., **113**, (2018) 233902.

Sze, S. M., and Ng, K. K., Physics of Semiconductor Devices, 3<sup>rd</sup> ed. John Willey & Sons, New York, 2007.

Tan, L. Z.; Zheng, F.; Young, S. M.; Wang, F.; Liu, S.; Rappe, A. M., "Shift Current Bulk Photovoltaic Effect in Polar Materials-Hybrid and Oxide Perovskites and Beyond", NPJ Comput. Mater. **2**, (2016) 16026.

Tang, P., Tang, Y., Chen, H., Cao, F. and Pan, G., "Microwave-assisted synthesis of nano-particulate perovskite LaFeO<sub>3</sub> as a high active visible-light photocatalyst", Curr. Appl. Phys., **13**, (2013) 340-343.

Tauc, J., "Optical Properties and Electronic Structure of Amorphous Ge and Si", Mater. Res. Bull., **3**, (1968) 37-46.

Tauc, J., Optical Properties of Solids, ed. F. Abeles, NorthHolland, Amsterdam, **22** (1970) 903.

Tauc, J., Grigorovici, R. and Vancu, A., "Optical Properties and Electronic Structure of Amorphous Germanium", Physica Status Solidi, **15**, (1966) 627-637.

Takenaka, H., Grinberg, I. & Rappe, A., "Anisotropic Local Correlations and Dynamics in a Relaxor Ferroelectric", Phys. Rev. Lett. **110**(1), (2013) 147602.

Trithaveesak, O., Schubert, J., Buchal, C., "Ferroelectric properties of epitaxial BaTiO<sub>3</sub> thin films and heterostructures on different substrates", J. Appl. Phys., **98**, (2005) 114101.

Triest, N., Bussiere, G., Belisle, H., and Reber, C., "Why Does the Middle Band in the Absorption Spectrum of Ni(H<sub>2</sub>O)<sub>6</sub> 2+ Have Two Maxima?", J. Chem. Educ., 2000, **77**(2000) 670.

Theerthagiri, J., Salla, S., Senthil, R.A., Nithyadharseni, P., Madankumar, A., Arunachalam, P., Maiyalagan, T., and Kim, H.-S., "A review on ZnO nanostructured materials: energy, environmental and biological applications", Nanotechnology **30** (2019) 392001.

Thomas, R., Varadan, V. K., Komarneni, S., and Dube, D. C., “Diffuse phase transitions, electrical conduction, and low temperature dielectric properties of sol-gel derived ferroelectric barium titanate thin films”, *J. Appl. Phys.* **90**, (2001) 1480-1488.

Traversa, E., Matsushima, S., Okada, G., Sadaoka, Y., Sakai, Y., and Watanabe, W. *Sens. Actuators B*, **25**, (1995) 661.

Thirumalairajan, S., Girija, K., Mastelaro, V. R., and Ponpandian, N., “Investigation on magnetic and electric properties of morphologically different perovskite  $\text{LaFeO}_3$  nanostructures”, *J. Mater. Sci.: Mater. Electron.* **26**, (2015) 8652-8662.

Toan, N. N., Saukko, S., Lantto, V., “Gas sensing with semiconducting perovskite oxide  $\text{LaFeO}_3$ ”, *Physica B* **327**, (2003) 279-282.

Uchino, K., Miyazawa, Y., and Namura, S., “High Voltage photovoltaic effect in  $\text{PbTiO}_3$ -based ceramics”, *Jpn. J. Appl. Phys.* **21**, (1982) 1671-1674.

Upadhyay, A., Singh, A. K., “Grain size dependent phase stabilities and presence of a monoclinic (Pm) phase in the morphotropic phase boundary region of  $(1-x)\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3-x\text{PbTiO}_3$  piezoceramics”, *J. Appl. Phys.*, **117**(14), (2015) 144102.

Urbach, F., “The Long-Wavelength Edge of Photographic Sensitivity and of the Electronic Absorption of Solids”, *Phys. Rev.*, **92**, (1953) 1324.

Vasques, C., Kogerler, P., Lopez-Quintela, M. A., “Preparation of  $\text{LaFeO}_3$  particles by sol-gel technology”, *J. Mater. Res.*, **13**, (1998) 451-456.

Verma, N. K., Singh, A. K., “Discovery of ordered tetragonal and cubic phases in the morphotropic phase boundary region of  $(1-x)\text{Bi}(\text{Mg}_{3/4}\text{W}_{1/4})\text{O}_3-x\text{PbTiO}_3$  piezoceramics”, *Ceram. Inter.* **45**(14), (2019) 17395-17408.

Verma, N. K., Patel, S. K. S., Kumar, D., Singh, C. B., and Singh, A. K., “Effect of grain size on structural and dielectric properties of barium titanate piezoceramics synthesized by high energy ball milling”, *AIP Conf. Proc.* **1953**, (2018) 050075.

Wang, Y., Zhao, H., Zhang, L., Chena, J. and Xing, X., “ $\text{PbTiO}_3$ -based perovskite ferroelectric and multiferroic thin films”, *Phys. Chem. Chem. Phys.*, **19**, (2017) 17493.

Wang, C., Jin, K.-j., Xu, Z.-t., Wang, L., Ge, C., Lu, H.-b., Guo, H.-z., He, M., and Yang, G.-Z., “Switchable diode effect and ferroelectric resistive switching in epitaxial  $\text{BiFeO}_3$  thin films”, *Appl. Phys. Lett.*, **98**, (2011) 192901.

Wang, F. and Rappe, A. M., “First-principles calculation of the bulk photovoltaic effect in  $\text{KNbO}_3$  and  $(\text{K},\text{Ba})(\text{Ni},\text{Nb})\text{O}_3$ ”, *Phys. Rev. B*, **91**, (2015) 165124.

Wang, F. G., Grinberg, I., Jiang, L., Young, S. M., Davies, P. K., and Rappe, A. M. “Materials Design of Visible-Light Ferroelectric Photovoltaics from First Principles”, *Ferroelectrics* **483**, (2015) 1-12.

Wang, F., Young, S. M., Zheng, F., Grinberg, I., and Rappe, A. M., “Substantial bulk photovoltaic effect enhancement via nanolayering”, Nat. Commun., **7**, (2016) 13981.

Wang, F. G., Grinberg, I., and Rappe, A. M., “Semiconducting ferroelectric photovoltaics through Zn<sup>2+</sup> doping into KNbO<sub>3</sub> and polarization rotation”, Phys. Rev. B, **89**, (2014) 235105.

Wang, F. G. and Rappe, A.M., “First-principles calculation of the bulk photovoltaic effect in KNbO<sub>3</sub> and (K,Ba)(Ni,Nb)O<sub>3</sub>”, Phys. Rev. B, **91**(16), (2015) 165124.

Wang, R.-C., and Tsai, C.-C., “Efficient synthesis of ZnO nanoparticles, nanowalls, and nanowires by thermal decomposition of zinc acetate at a low temperature”, Appl. Phys. A, **94**, (2009) 241-245.

Wang, Y., Wang, P., Zhou, X., Li, C., Li, H., Hu, X., Li, F., Liu, X., Li, M., and Song, Y., “Diffraction-Grated Perovskite Induced Highly Efficient Solar Cells through Nanophotonic Light Trapping”, Adv. Energy Mater., **8**, (2018) 1702960.

Weber, I.T., Garel, M., Bouquet, V., Rousseau, A., Guilloux-Viry, and M., Longo, E., “A. Perrin a Preparation of KNbO<sub>3</sub> thin films onto alumina substrates by polymeric precursor method”, Thin Solid Films **493** (2005) 139 – 145.

Webster, J. (ed). Wiley Encyclopedia of Electrical Electronics Engineering (1999), John Wiley & Sons, Inc.

Wei, L., Sun, B., Zhao, W., Li, H., Chen, P. “Light regulated I-V hysteresis loop of Ag/BiFeO<sub>3</sub>/FTO thin film”, Appl. Surface Sci., **393**, (2017) 325-329.

Wu, P., Wang, G., Chen, R., Guo, Y., Ma, X. and Jiang, D., “Enhanced visible light absorption and photocatalytic activity of [KNbO<sub>3</sub>]<sub>1-x</sub>[BaNi<sub>0.5</sub>Nb<sub>0.5</sub>O<sub>3-δ</sub>]<sub>x</sub> synthesized by sol-gel based Pechini method”, RSC Adv., **6**, (2016) 82409.

Wu, J., and Wang, J., “BiFeO<sub>3</sub> thin films of (111)-orientation deposited on SrRuO<sub>3</sub> buffered Pt/TiO<sub>2</sub>/SiO<sub>2</sub>/Si(100) substrates”, Acta Mater., **58**, (2010) 1688-1697.

Wen, B., Zhang, Y., Liu, X., Ma, L., Wang, X., “Temperature-dependent ferroelectric hysteresis properties of modified lead zirconate titanate ceramics”, J. Mater. Sci. **47**, (2012) 4299-4304.

Wu, C. W., Nan, Y. H., Lin, Y., and Deng, “Giant dielectric permittivity observed in Li and Ti doped NiO”, Phys. Rev. Lett., **89**, (2002) 217601.

Wu, Z., Zhang, Y., Ma, K., Cao, Y., Lin, H., Jia, Y., Chen, J., and Li, H., “Strong visiblelight photovoltaic effect in multiferroic Pb(Fe<sub>1/2</sub>V<sub>1/2</sub>)O<sub>3</sub> bulk ceramics”, physica status solidi (RRL) - Rap. Res. Lett., **8**, (2014) 36-39.

Wu, P., Wang, G., Chen, R., Guo, Y., Ma, X., and Jiang, D., “Enhanced Visible Light Absorption and Photocatalytic Activity of [KNbO<sub>3</sub>]<sub>1-x</sub>[BaNi<sub>0.5</sub>Nb<sub>0.5</sub>O<sub>3-δ</sub>]<sub>x</sub> Synthesized by Sol-Gel based Pechini method” RSC Adv., **6**, (2016) 82409-82416.

Wu, J., Wang, J., “BiFeO<sub>3</sub> thin films of (1 1 1)-orientation deposited on SrRuO<sub>3</sub> buffered Pt/TiO<sub>2</sub>/SiO<sub>2</sub>/Si(1 0 0) substrates”, *Acta Mater.*, **58**, (2010) 1688-1697.

Wu, M., Jiang, Z., Lou, X., Zhang, F., Song, D., Ning, S., Guo, M., Pennycook, S. J., Dai, J.-Y. and Wen, Z., “Flexoelectric Thin-Film Photodetectors”, *Nano Lett.*, **21**(2021) 2946-2952.

Wu, P., Wang, G., Chen, R., Guo, Y., Ma, X. and Jiang, D., “Enhanced visible light absorption and photocatalytic activity of [KNbO<sub>3</sub>]<sub>1-x</sub>[BaNi<sub>0.5</sub>Nb<sub>0.5</sub>O<sub>3-δ</sub>]<sub>x</sub> synthesized by sol-gel based Pechini method”, *RSC Adv.*, **6** (2016) 82409-82416.

Würfel, P. *Physics of Solar Cells. From Principles to New Concepts*; Wiley: Weinheim, 2005.

Xiao-Xiao, G., Da-Ming, H., and Hadis, M., “Local Surface Potential of GaN Nanostructures Probed by Kelvin Force Microscopy”, *Chin. Phys. Lett.*, **20**(10), (2003) 1822-1825

Xie, Z., Yang, Y., Fang, L., Wang, Y., Ding, X., Yuan, G., and Liu, J-M., “Photovoltaic, photo-impedance, and photocapacitance effects of the flexible (111) BiFeO<sub>3</sub> film”, *Appl. Phys. Lett.*, **115**, (2019) 112902.

Xu, F., and Sun, L., “Solution-derived ZnO nanostructures for photoanodes of dye-sensitized solar cells”, *Energy Environ. Sci.*, **4**, (2011) 818-841.

Xu, J., Chen, Z., Zapien, J. A., C.-S Lee, and Zhang, W., “Surface Engineering of ZnO Nanostructures for Semiconductor-Sensitized Solar Cells”, *Adv. Mater.*, **26**, (2014) 5337-5367.

Xu , N., Zhao, H., Zhou, X., Wei , W., Lu , X., Ding, W., and Li, F. “Dependence of critical radius of the cubic perovskite ABO<sub>3</sub> oxides on the radius of A- and B-site cations”, *Int. J. Hydrg. Energy*, **35**, (2010) 7295-7301.

Yan, X., Tan, G., Ye, W., Ren, H., and Xia, A., “Conduction mechanisms and enhanced multiferroic properties of Sr doped Bi<sub>0.85-x</sub>Pr<sub>0.15</sub>Sr<sub>x</sub>Fe<sub>0.97</sub>Mn<sub>0.03</sub>O<sub>3</sub> thin films”, *J. Mater. Sci.: Mater. Electron.* **26**, (2015) 7407-7414.

Yang, M. M., Bhatnagar, A., Luo, Z. D., Alexe, M., “Enhancement of local photovoltaic current at ferroelectric domain walls in BiFeO<sub>3</sub>”, *Sci. Rep.* **7**, (2017) 43070.

Yang, M-M., Kim, D. J., and Alexe, M., “Flexo-photovoltaic effect”, *Sci.*, **360**(6391), (2018) 904-907.

Yang, M.-M., Luo, Z.-D., Kim, D. J., and Alexe, M., “Bulk photovoltaic effect in monodomain BiFeO<sub>3</sub> thin films”, *Appl. Phys. Lett.*, **110**, (2017) 183902.

Yang, Y. S., Lee, S. J., Yi, S., Chae, B. G., Lee, S. H., Joo, H. J., and Jang, M. S. “Schottky barrier effects in the photocurrent of sol–gel derived lead zirconate titanate thin film capacitors”, *Appl. Phys. Lett.*, **76**, (2000) 774-776.

Yang, X., Su, X., Shen, M., Zheng, F., Xin, Y., Zhang, L., Hua, M., Chen, Y., and Harris, V. G. “Enhancement of Photocurrent in Ferroelectric Films via the Incorporation of Narrow Bandgap Nanoparticles”, *Adv. Mater.*, **24**, (2012) 1202-1208.

Yang, S. Y., Martin, L. W., Byrnes, S. J., Conry, T. E., Basu, S. R., Paran, D., Reichertz, L., Ihlefeld, J., Adamo, C., Melville, A., Chu, Y.-H., Yang, C.-H., Musfeldt, J. L., Schlom, D. G., Ager, J. W. III, and Ramesh, R., “Photovoltaic Effects in BiFeO<sub>3</sub>”, *Appl. Phys. Lett.*, **95**, (2009) 062909.

Yang, S. Y., Seidel, J., Byrnes, S. J., Shafer, P., Yang, C.-H., Rossell, M. D., Yu, P., Chu, Y.-H., Scott, J. F., Ager, J. W., III, Martin, L. W., and Ramesh, R., “Above-Bandgap Voltages from Ferroelectric Photovoltaic Devices”, *Nat. Nanotechnol.*, **5**, (2010) 143-147.

Yahia, I. S., Yakuphanoglu, F., and Azim, O. A., “Unusual photocapacitance properties of a mono-crystalline silicon solar cell for optoelectronic applications”, *Sol. Energ. Mat. Sol. Cells*, **95**, (2011) 2598-2605.

Yashima, M., Omoto, K., Chen, J., Kato, H., Xing, X. R., “Evidence for (Bi,Pb)-O Covalency in the High T<sub>C</sub> Ferroelectric PbTiO<sub>3</sub>-BiFeO<sub>3</sub> with Large Tetragonality”, *Chem. Mater.* **23**, (2011) 3135-3137.

Yi, H.T., Choi, T., Choi, S.G., Oh, Y.S. and Cheong, S.W., “Mechanism of the switchable photovoltaic effect in ferroelectric BiFeO<sub>3</sub>”, *Adv. Mater.*, **23**(30), (2011) 3403-3407.

Yoneda, Y., Kasatani, H., Terauchi, H., Yano, Y., Terashima, T., and Bando, Y., “Ferroelectric phase transition in BaTiO<sub>3</sub> films”, *J. Cryst. Growth*, **150**, (1995) 1090-1093.

Young, S. M., Zheng, F., and Rappe, A. M., “First-Principles Calculation of the Bulk Photovoltaic Effect in Bismuth Ferrite”, *Phys. Rev. Lett.*, **109**, (2012) 236601.

Young, S. M. & Rappe, A. M. “First principles calculation of the shift current photovoltaic effect in ferroelectrics”, *Phys. Rev. Lett.*, **109**, (2012) 116601.

You, L., Zheng, F., Fang, L., Zhou, Y., Tan, L. Z., Zhang, Z., Ma, G., Schmidt, D., Rusydi, A., Wang, L., Chang, L., Rappe, A. M., and Wang, J., “Enhancing Ferroelectric Photovoltaic Effect by Polar Order Engineering”, *Sci. Adv.*, **4** (7), (2018) 1-10.

Yu, L., Jia, J., and Yi, G., “A New-Type Inorganic [KNbO<sub>3</sub>]<sub>0.9</sub>[BaCo<sub>1/2</sub>Nb<sub>1/2</sub>O<sub>3-δ</sub>]<sub>0.1</sub> Perovskite Oxide as Sensitizer for Photovoltaic Cell”, *Physica Status Solidi* **214**, (2017) 1600540.

Yu, L., Jia, J., Yi, G., Yu, S., and Han, M., “Bandgap Tuning of  $[KNbO_3]_{1-x}[BaCo_{1/2}Nb_{1/2}O_{3-\delta}]_x$  Ferroelectrics”, Mater. Lett., **184**, (2016) 166-168.

Yuan, Y., Xiao, Z., Yang, B., and Huang, J., “Arising Applications of Ferroelectric Materials in Photovoltaic Devices”, J. Mater. Chem. A, **2**, (2014) 6027-6041.

Yuan, X., Shi, L., Zhao, J., Zhou, S., Miao, X., and Guo, J., “Tunability of bandgap and Magnetism in K and Pb Codoped  $BiFeO_3$  nanoparticles for multiferroic Applications: The Role of Structural Transition and Fe Deficiency”, ACS Appl. Nano Mater., **2**, (2019) 1995-2004.

Yu, L., Deng, H. M., Zhou, W. L., Yang, P. X., and Chu, J. H., “Band gap engineering and magnetic switching in a novel perovskite  $(1-x)KNbO_3-xBaNb_{1/2}Fe_{1/2}O_3$ ”, Mater. Lett., **202**, (2017) 39-43.

Zenkevich, A., Matveyev, Y., Maksimova, K., Gaynudinov, R., Tolstikhina, A., Fridkin, V., “Giant bulk photovoltaic effect in thin ferroelectric  $BaTiO_3$  films”, Phys. Rev. B, **90**, (2014) 161409.

Zhai, X. Z., Deng, H. M., Zhou, W. L., Yang, P. X., Chu, J. H., and Zheng, Z., “Structural, optical and magnetic tunability in  $KBiFe_2O_5$  multiferroics”, RSC Adv., **5**, (2015) 82351-82356.

Zhang, H. and Toudert, J., “Optical management for efficiency enhancement in hybrid organic-inorganic lead halide perovskite solar cells”, Sci. Technol. Adv. Mater., **19**, (2018) 411-424.

Zhang, Q., Dandeneau, C. S., Zhou, X., and Cao, G., “ZnO Nanostructures for Dye-Sensitized Solar Cells”, Adv. Mater., **21**, (2009) 4087-4108.

Zhang, G. H., Wu, H., Li, G. B., Huang, Q. Z., Yang, C. Y., Huang, F. Q., Liao, F. H., and Lin, J. H. “New high  $T_c$  multiferroics  $KBiFe_2O_5$  with narrow band gap and promising photovoltaic effect”, Sci. Rep., **3**, (2013) 1265.

Zhang, J., Su, X., Shen, M., Dai, Z., Zhang, L., He, X., Cheng, W., Cao, M., and Zou, G., “Enlarging photovoltaic effect: combination of classic photoelectric and ferroelectric photovoltaic effects”, Sci. Rep., **3**, (2013) 2109.

Zhang, S., Stringer, C., Xia, R., Choi, S-M., Randall, C. A., and Shrout, T. R., “Investigation of bismuth-based perovskite system :  $(1-x) Bi(Ni_{2/3}Nb_{1/3})O_3-xPbTiO_3$ ”, J. Appl. Phys., **98**, (2005) 034103.

Zhang, S., Randall, C. A., and Shrout, T. R., “High Curie temperature piezocrystals in the  $BiScO_3-PbTiO_3$  perovskite system” Appl. Phys. Lett., **83**, (2003) 3150.

Zheng, L., Yu, P., Hu, K., Teng, F., Chen, H., and Fang, X., “Scalable-Production, Self-Powered  $TiO_2$  Nanowell-Organic Hybrid UV Photodetectors with Tunable Performances”, ACS Appl. Mater. Interfaces, **8**, (2016) 33924-33932.

Zheng, F. et al., “Above 1% efficiency of a ferroelectric solar cell based on the  $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$  film”, *J. Mater. Chem. A*, **2**, (2014) 1363.

Zheng, D., Deng, H., Si, S., Pan, Y., Zhang, Q., Guo, Y., Yang, P., and Chu, J. “Modified structural, optical, magnetic and ferroelectric properties in  $(1-x)\text{BaTiO}_3-x\text{BaCo}_{0.5}\text{Nb}_{0.5}\text{O}_{3-\delta}$  ceramics”, *Ceram. Int.*, **46**(5), (2020) 6073-6078.

Zheng, D., Deng, H., Pan, Y., Guo, Y., Zhao, F., Yang, P., and Chu, J., “Modified multiferroic properties in narrow bandgap  $(1-x)\text{BaTiO}_3-x\text{BaNb}_{1/3}\text{Cr}_{2/3}\text{O}_{3-\delta}$  ceramics”, *Ceram. Inter.*, **46**(17), (2020) 26823-26828.

Zheng, T., Deng, H., Zhou, W., Zhai, X., Cao, H., Yu, L., Yang, P., and Chu, J., “Bandgap modulation and magnetic switching in  $\text{PbTiO}_3$  ferroelectrics by transition elements doping”, *Ceram. Int.*, **42**, (2016) 6033-6038.

Zhou, W., Deng, H., Yang, P., and Chu, J., “Structural Phase Transition, Narrow Band Gap, and Room-Temperature Ferromagnetism in  $[\text{KNbO}_3]_{1-x}[\text{BaNi}_{1/2}\text{Nb}_{1/2}\text{O}_{3-\delta}]_x$  Ferroelectrics”, *Appl. Phys. Lett.*, **105**, (2014) 111904.

Zhou, W., Deng, H., Yu, L., Yang, P. and Chu, J., “Magnetism switching and band-gap narrowing in Ni-doped  $\text{PbTiO}_3$  thin films”, *J. Appl. Phys.*, **117**(19), (2015) 194102.

Zhou, H., Chen, Q., Li, G., Luo, S., Song, T.-B., Duan, H.-S., Hong, Z., You, J., Liu, Y., and Yang, Y., “Interface engineering of highly efficient perovskite solar cells”, *Sci.* **345**, (2014) 542-546.

Zhu, J., Hsu, C.- M., Yu, Z., Fan, S. and Cui, Y., “Nanodome solar cells with efficient light management and self-cleaning”, *Nano Lett.*, **10**, (2010) 1979-1984.

Zhu, J., Yu, Z., Burkhard, G.F., Hsu, C.-M., Connor, S.T., Xu, Y., Wang, Q., McGehee, M., Fan, S., and Cui, Y., “Optical Absorption Enhancement in Amorphous Silicon Nanowire and Nanocone Arrays”, *Nano Lett.* **9** (2009) 279–282.

Zhu, J., Yu, Z., Fan, S., Cui, Y., “Nanostructured photon management for high performance solar cells”, *Mater. Sci. Eng. R Rep.* **70** (2010) 330–340.

Zhou, J., Gu, Y., Hu, Y. , Mai, W., Yeh, P-H., Bao, G., Sood, A. K. , Polla, D. L. , and Wang, Z. L., “Gigantic enhancement in response and reset time of  $\text{ZnO}$  UV nanosensor by utilizing Schottky contact and surface functionalization” *Appl. Phys. Lett.* **94**, (2009)191103.



## List of Publications

1. Control of Layering in Aurivillius Phase Nanocomposite Thin Films and Influence on Ferromagnetism and Optical Absorption; L. Mühlenbein, **Chandra Bhal Singh**, A. K. Singh, I. Fina, C. Himcinschi, A. Lotnyk, and A. Bhatnagar; : *ACS Appl. Electron. Mater.*, 4, 1997–2004 (2022).
2. Synthesis and band-gap tuning of (Co, Bi) doped PbTiO<sub>3</sub> for photoferroelectrics applications; **Chandra Bhal Singh**, N.K. Verma and A.K. Singh; *Integrated Ferroelectrics* **194**, 145-151 (2018)
3. Synthesis and Structural Investigations on Multiferroic Ba<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub> Perovskite Manganites; Dinesh Kumar, **Chandra Bhal Singh**, N.K. Verma and A.K. Singh; *Ferroelectrics* **518**, 191-195 (2017).
4. Development of Textured Electrode, Index Matching Layer and Nanostructured Materials for Light Trapping inside Photovoltaic; **Chandra Bhal Singh**, A. K. Singh et al; *Materials Today: Proceedings* **5**.(2018).
5. Structural, Dielectric, Semiconducting and Optical Properties of High-Energy Ball Milled YFeO<sub>3</sub> Nano-particles; **Chandra Bhal Singh**, Dinesh Kumar, N. K. Verma and A. K. Singh; *AIP Conf. Proc.* (2019).
6. Synthesis, Structural and Semiconducting Properties of Ba(Ca<sub>1/3</sub>Sb<sub>2/3</sub>)O<sub>3</sub>-PbTiO<sub>3</sub> Solid Solutions, **Chandra Bhal Singh**, Dinesh Kumar, Prashant, N.K. Verma and A.K. Singh; *AIP Conf. Proc.* **1953**, 050041-4 (2018).
7. Evolution of Structural Characteristics of Nd<sub>0.7</sub>Ba<sub>0.3</sub>MnO<sub>3</sub> Perovskite Manganite as a Function of Crystallite Size; Dinesh Kumar, N.K. Verma, **Chandra Bhal Singh** and A.K. Singh; *AIP Conf. Proc.* **2009**, 020013-4 (2018).
8. Effect of Grain Size on Structural and Dielectric Properties of Barium Titanate Piezoceramics Synthesized by High Energy Ball Mill; N.K. Verma, S.K.S. Patel, Dinesh Kumar, **Chandra Bhal Singh**, and A.K. Singh; *AIP Conf. Proc.* **1953**, 050075-5 (2018).
9. Synthesis and Dielectric Characterization of BaZrNb<sub>2</sub>O<sub>8</sub> High Temperature Piezoelectric ceramics; N. K. Verma, G. Kamde, Dinesh Kumar, **Chandra Bhal Singh** and A. K. Singh; *AIP Conf. Proc.* (2019).

10. Low temperature solution-processed ZnO nano-structures as light trapping layer for 0.9KNbO<sub>3</sub>-0.1Ba(Ni<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> Perovskite Oxide Solar Cells ; **Chandra Bhal Singh** and A. K. Singh; (To be communicated)
11. Room Temperature synthesis of KBiFe<sub>2</sub>O<sub>5</sub> nanoflacks using Mechanochemical Method: Structural, Magnetic and dielectric property Study; **Chandra Bhal Singh**, Dinesh Kumar and A. K. Singh ( To be communicated)
12. Investigation of Structural, Optical and Photoresponse of RF Magnetron Sputtering of 0.9KNbO<sub>3</sub>-0.1Ba(Ni<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> Thin films; **Chandra Bhal Singh** and A. K. Singh; ( To be communicated)
13. Band gap Engineering and Photoelectric Properties of Transition elements doped BaTiO<sub>3</sub>; **Chandra Bhal Singh** and A. K. Singh (To be Communicated)
14. Band Gap Narrowing in 0.65PbTiO<sub>3</sub>-0.35Bi(Ni<sub>(2-y)/3</sub>Co<sub>y/3</sub>Nb<sub>1/3</sub>)O<sub>3</sub> Ferroelectric Ceramics by varying the Co/Ni stoichiometric ratio for Photoferroelectrics Applications **Chandra Bhal Singh** and A. K. Singh (To be Communicated)
15. Band gap Engineering of xPbTiO<sub>3</sub>-(1-x)Bi(Ni<sub>2/3</sub>Nb<sub>1/3</sub>)O<sub>3</sub> Multiferroic oxide and Composition Dependent Structural, Dielectric, Magnetic and Ferroelectric Properties **Chandra Bhal Singh** and A. K. Singh (To be Communicated)
16. Light induced Charge transportation, Nanoscale Polarization and Switchable Flexo-photovoltaic effect in (Co, Bi) doped PbTiO<sub>3</sub> Thin Film Photodetectors; **Chandra Bhal Singh** and A. K. Singh (To be Communicated)

## **List of Conferences/Workshops/Seminars/Symposiums Attended**

### **International Conferences:**

1. “**International Conference on Multifunctional Materials for Future Applications**” October 27-29, 2015 organized by Department of Chemistry, Indian Institute of Technology (BHU), Varanasi, India (**Poster presentation**).
2. “**5<sup>th</sup> International Conference on Advances in Energy Research**” December 2015 organized by IIT (Bombay), Mumbai, India (**Oral presentation**).
3. “**International Conference on Nanoscience and Technology**” February 29, 2016 to March 02, 2016 organized by Indian Institutes of Science Education and Research, Pune, India (**Poster presentation**).
4. “**International Conference on Technically Advanced Materials & Asian Meeting on Ferroelectricity**” November 07-10, 2016 organized by Department of Physics, University of Delhi, India (**Poster presentation**).
5. “**Indo-US International conference on nanotechnology (NSAAMB-2016)**” organized by Department of Chemistry, BHU, Varanasi (**Poster presentation**).
6. “**International Conference on Energy Options for Tomorrow ICEOT-2017**”, organized by The Neotia University, Kolkata (**Oral presentation**).
7. “**International Conference on Materials Engineering, IIM-ICME 2017**”, organized by IIM and IIT Kanpur, Kanpur, India (**Poster presentation**).
8. “**2<sup>nd</sup> International Conference on Condensed Matter and Applied Physics**” November 24-25, 2017 organized by Govt. Engineering College, Bikaner, Rajasthan, India (**Poster presentation**).
9. “**The International Symposium on Integrated Functionalities (ISIF - 2017)**”, December 10-13, 2017 held at Shangri-La’s Eros, New Delhi, India (**Oral Talk and Poster presentation**).
10. “**International Conference on Nano-structured Materials and Devices (ICNSMD-2018)**”, December 10-13, 2018, jointly organized by the Society for Technologically Advanced Materials of India (STAMI) and University of Delhi, Delhi (**Oral presentation**).
11. “**International Symposium on Semiconductor Materials & Devices ISSMD-2020**”, Oct 31 –Nov 2, 2020 jointly organized by Dr. B. R. Ambedkar National

Institute of Technology, Jalandhar, Semiconductor Society (India) & Society for Semiconductor Devices (**e-Poster presentation**).

12. “**International Workshop on Renewable energy & storage devices for sustainable Development IWRESD-2021**”, Jan. 12-14, 2021, organized by Amity University, Noida, U.P. India (**e-Poster presentation**).
13. “**International conference on Energy Materials & Devices (ICEMD-2022)**”, Jan 11-12, 2022 organized by the department of physics (MMV), BHU, Varanasi, India (**Oral Presentation**).

#### **National Conferences:**

14. “**Silver Jubilee Conference on Study of Matters using Intense Radiations & under extreme conditions**” November 03-06, 2016 organized by UGC-DAE-CSR, Indore Centre, Indore, India (**Poster presentation**).
15. “**45<sup>th</sup> National Seminar on Crystallography**” July 09-12, 2017 organized by School of Materials science and Technology, Indian Institute of Technology (BHU), Varanasi, India (**Oral Talk and Poster presentation**).
16. “**63<sup>rd</sup> DAE Solid State Physics Symposium**” December 18-22, 2018 organized by Guru Jambheshwar University of Science and Technology (GJUS&T), Hisar, Haryana, India (**Poster presentation**).

#### **National Workshops:**

17. QIP Short term course on “**Geometrical and Mathematical Crystallography with Applications to Structural Studies**” February 14-19, 2017 organized by School of Materials science and Technology, Indian Institute of Technology (BHU), Varanasi, India (**Workshop: participant**).
18. International Webinar on “**Emerging Areas in Chemical Sciences: Opportunities and challenges (EACS-2020)**”, Aug 12<sup>th</sup> – 13<sup>th</sup> 2020, organized by Guru Ghasidas Vishwavidyalay, Bilaspur, C.G., India [**Workshop: participant**].
19. Online short term training program “**Computational Tools for Physics (CTP-2020)**”, Nov. 23<sup>rd</sup> -27<sup>th</sup> .Organized by Sardar Vallabhbhai National Institute of Technology, Surat, India [**Workshop: participant**].

20. Online short term training program on “**Research opportunities in Semiconductor Materials & Devices (ROSMD-2021)**”, Oct. 22-26, 2021 organized by IITDM Kancheepuram [[Workshop: participant](#)].
21. Online program “**2<sup>nd</sup> International Nanoscale Analytics workshop**, Munich”, May 18-21, 2022 organized by neaspec, attocube systems AG, Germany [[Workshop: participant](#)]

**Institute level Presentations:**

22. **Institute day celebration** during February 26-27, 2015 organized by Indian Institute of Technology (BHU), Varanasi, India ([Poster presentation](#)).
23. **Institute day celebration** during April 26-27, 2016 organized by Indian Institute of Technology (BHU), Varanasi, India ([Poster presentation](#)).
24. **Institute day celebration** during February 25-26, 2017 organized by Indian Institute of Technology (BHU), Varanasi, India ([Poster presentation](#)).
25. **Institute day celebration** during February 16-18, 2018 organized by Indian Institute of Technology (BHU), Varanasi, India ([Poster presentation](#)).