

## **10. References**

- Abbas, N., et al. (2019). "Nanosponge-based hydrogel preparation of fluconazole for improved topical delivery." Tropical Journal of Pharmaceutical Research **18**(2): 215-222.
- Abebe, G. M. (2020). "The Role of bacterial biofilm in antibiotic resistance and food contamination." International Journal of Microbiology **17**(3): 131-138.
- Abou-Okeil, A., et al. (2018). "Lidocaine/β-cyclodextrin inclusion complex as drug delivery system." European Polymer Journal **108**(9): 304-310.
- Aggarwal, G., et al. (2016). "Development and comparison of nanosponge and niosome based gel for the topical delivery of tazarotene." Pharmaceutical Nanotechnology **4**(3): 213-228.
- Aiassa, V., et al. (2016). "Enhanced inhibition of bacterial biofilm formation and reduced leukocyte toxicity by chloramphenicol: β-cyclodextrin: N-acetylcysteine complex." Carbohydrate Polymers **152**(5): 672-678.
- Al-Marzouqi, A. H., et al. (2006). "Phase solubility and inclusion complex of itraconazole with β-cyclodextrin using supercritical carbon dioxide." Journal of Pharmaceutical Sciences **95**(2): 292-304.
- Al-Niaimi, F. and N. Y. Z. Chiang (2017). "Topical vitamin C and the skin: mechanisms of action and clinical applications." The Journal of Clinical and Aesthetic Dermatology **10**(7): 14-23.
- Aleem, O., et al. (2008). "Effect of beta-cyclodextrin and hydroxypropyl beta-cyclodextrin complexation on physicochemical properties and antimicrobial activity of cefdinir." Journal of Pharmaceutical and Biomedical Analysis **47**(3): 535-540.
- Allahyari, S., et al. (2020). "Preparation and characterization of cyclodextrin nanosponges for bortezomib delivery." Expert Opinion on Drug Delivery **17**(12): 1807-1816.
- Arciola, C. R., et al. (2015). "Polysaccharide intercellular adhesin in biofilm: structural and regulatory aspects." Frontiers in Cellular and Infection Microbiology **5**: 7.

- Argenziano, M., et al. (2019). "In vitro enhanced skin permeation and retention of imiquimod loaded in  $\beta$ -cyclodextrin nanosponge hydrogel." Pharmaceutics **11**(3): 138-152.
- Argenziano, M., et al. (2019). "In vitro enhanced skin permeation and retention of imiquimod loaded in  $\beta$ -cyclodextrin nanosponge hydrogel." Pharmaceutics **11**(3): 138.
- Asfour, H. Z. (2018). "Anti-quorum sensing natural compounds." Journal of Microscopic Ultrastructure **6**(1): 1-10.
- Ashby, M. J., et al. (1994). "Effect of antibiotics on non-growing planktonic cells and biofilms of Escherichia coli." Journal of Antimicrobial Chemotherapy **33**(3): 443-452.
- Ayan, A. K., et al. (2017). "Evaluation of radiolabeled curcumin-loaded solid lipid nanoparticles usage as an imaging agent in liver-spleen scintigraphy." Materials Science and Engineering: C **75**: 663-670.
- Aytac, Z., et al. (2016). "Encapsulation of gallic acid/cyclodextrin inclusion complex in electrospun polylactic acid nanofibers: Release behavior and antioxidant activity of gallic acid." Materials Science and Engineering: C **63**: 231-239.
- Baelo, A., et al. (2015). "Disassembling bacterial extracellular matrix with DNase-coated nanoparticles to enhance antibiotic delivery in biofilm infections." Journal of Controlled Release **209**: 150-158.
- Bazzaz, B. S. F., et al. (2016). "Antibacterial efficacy of rifampin loaded solid lipid nanoparticles against *Staphylococcus epidermidis* biofilm." Microbial Pathogenesis **93**(9): 137-144.
- Berkey, C., et al. (2019). "Role of sunscreen formulation and photostability to protect the biomechanical barrier function of skin." Biochemistry and Biophysics Reports **19**(4): 106-118.
- Berneburg, M., et al. (2000). "Photoaging of human skin." Photodermatology, Photoimmunology & Photomedicine: Review article **16**(6): 239-244.

Bernstein, E. F., et al. (2001). "Glycolic acid treatment increases type I collagen mRNA and hyaluronic acid content of human skin." Dermatologic Surgery **27**(5): 429-433.

Boks, N. P., et al. (2009). "Mobile and immobile adhesion of staphylococcal strains to hydrophilic and hydrophobic surfaces." Journal of Colloid and Interface Science **331**(1): 60-64.

Bora, N. S., et al. (2019). "Amelioration of UV radiation-induced photoaging by a combinational sunscreen formulation via aversion of oxidative collagen degradation and promotion of TGF-beta-Smad-mediated collagen production." European Journal of Pharmaceutical Sciences **127**(11): 261-275.

Brackman, G. and T. Coenye (2015). "Quorum sensing inhibitors as anti-biofilm agents." Current Pharmaceutical Design **21**(1): 5-11.

Bradford, M. M. (1976). "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding." Analytical Biochemistry **72**(11): 248-254.

Bravo, K., et al. (2017). "Passiflora tarminiana fruits reduce UVB-induced photoaging in human skin fibroblasts." Journal of Photochemistry and Photobiology B: Biology **168**: 78-88.

Broz, P. and D. M. Monack (2011). "Molecular mechanisms of inflammasome activation during microbial infections." Immunological Reviews **243**(1): 174-190.

Bulani, V. D., et al. (2016). "Inclusion complex of ellagic acid with  $\beta$ -cyclodextrin: Characterization and in vitro anti-inflammatory evaluation." Journal of Molecular Structure **1105**: 308-315.

Butani, D., et al. (2016). "Topical Amphotericin B solid lipid nanoparticles: Design and development." Colloids and Surfaces B: Biointerfaces **139**: 17-24.

Cavinato, M. and P. Jansen-Dürr (2017). "Molecular mechanisms of UVB-induced senescence of dermal fibroblasts and its relevance for photoaging of the human skin." Experimental Gerontology **94**(7): 78-82.

---

Chávez de Paz, L. E., et al. (2011). "Antimicrobial effect of chitosan nanoparticles on streptococcus mutans biofilms." Applied and Environmental Microbiology **77**(11): 3892-3895.

Chen, M., et al. (2013). "Novel strategies for the prevention and treatment of biofilm related infections." International Journal of Molecular Sciences **14**(9): 18488-18501.

Cho, Y.-H., et al. (2017). "Potential effect of compounds isolated from Coffea arabica against UV-B induced skin damage by protecting fibroblast cells." Journal of Photochemistry and Photobiology B: Biology **174**(6): 323-332.

Chung, J. H., et al. (2002). "Differential effects of photoaging vs intrinsic aging on the vascularization of human skin." Archives of Dermatology **138**(11): 1437-1442.

Clemente, N., et al. (2019). "Paclitaxel-loaded nanosponges inhibit growth and angiogenesis in melanoma cell models." Frontiers in Pharmacology **10**(2): 776-776.

Crouzet, M., et al. (2014). "Exploring early steps in biofilm formation: set-up of an experimental system for molecular studies." BMC Microbiology **14**(1): 253.

Cui, H., et al. (2018). "The antibacterial activity of clove oil/chitosan nanoparticles embedded gelatin nanofibers against Escherichia coli O157:H7 biofilms on cucumber." International Journal of Food Microbiology **266**(7): 69-78.

DaSilva, L., et al. (2013). "Biofilm formation within the interface of bovine root dentin treated with conjugated chitosan and sealer containing chitosan nanoparticles." Journal of Endodontics **39**(2): 249-253.

Del Pozo, J. L. (2018). "Biofilm-related disease." Expert Review of Anti-infective Therapy **16**(1): 51-65.

Donlan, R. M. (2002). "Biofilms: microbial life on surfaces." Emerging Infectious Diseases **8**(9): 881-890.

- Dora, C. P., et al. (2016). "Potential of erlotinib cyclodextrin nanosponge complex to enhance solubility, dissolution rate, in vitro cytotoxicity and oral bioavailability." *Carbohydrate Polymers* **137**(10): 339-349.
- Duarte, A., et al. (2015). "Resveratrol inclusion complexes: Antibacterial and anti-biofilm activity against Campylobacter spp. and Arcobacter butzleri." *Food Research International* **77**(6): 244-250.
- Durai, P. C., et al. (2012). "Aging in elderly: chronological versus photoaging." *Indian Journal of Dermatology* **57**(5): 343-352.
- Endo, E. H., et al. (2018). "Anti-biofilm activity of Rosmarinus officinalis, Punica granatum and Tetradenia riparia against methicillin-resistant Staphylococcus aureus (MRSA) and synergic interaction with penicillin." *Journal of Herbal Medicine* **14**(2): 48-54.
- Fei Liu, X., et al. (2001). "Antibacterial action of chitosan and carboxymethylated chitosan." *Journal of Applied Polymer Science* **79**(7): 1324-1335.
- Feliciano, C. P. and Y. Nagasaki (2017). "Oral nanotherapeutics: redox nanoparticles attenuate ultraviolet B radiation-induced skin inflammatory disorders in Kud: Hr-hairless mice." *Biomaterials* **142**(14): 162-170.
- Fey, P. D. and M. E. Olson (2010). "Current concepts in biofilm formation of *Staphylococcus epidermidis*." *Future Microbiology* **5**(6): 917-933.
- Flemming, H. C. and J. Wingender (2010). "The biofilm matrix." *Nature Reviews Microbiology* **8**(9): 623-633.
- Flemming, H. C., et al. (2016). "Biofilms: an emergent form of bacterial life." *Nature Reviews: Microbiology* **14**(9): 563-575.
- Fong, J. N. C. and F. H. Yildiz (2015). "Biofilm Matrix Proteins." *Microbiology Spectrum* **3**(2): 201-222.

Francolini, I. and G. Donelli (2010). "Prevention and control of biofilm-based medical-device-related infections." FEMS Immunology & Medical Microbiology **59**(3): 227-238.

Friedman, H., et al. (2003). "Microbial infections, immunomodulation, and drugs of abuse." Clinical Microbioly Reviews **16**(2): 209-219.

Gade, S., et al. (2019). "An ex vivo evaluation of moxifloxacin nanostructured lipid carrier enriched in situ gel for transcorneal permeation on goat cornea." Journal of Pharmaceutical Sciences **108**(9): 2905-2916.

Galli, F., et al. (2017). "Vitamin E: Emerging aspects and new directions." Free Radical Biology and Medicine **102**(3): 16-36.

Gangadharappa, H. V., et al. (2017). "Formulation, in vitro and in vivo evaluation of celecoxib nanospunge hydrogels for topical application." Journal of Drug Delivery Science and Technology **41**(5): 488-501.

Gao, S., et al. (2019). "Preparation and characterization of cyanazine-hydroxypropyl-beta-cyclodextrin inclusion complex." RSC Advances **9**(45): 26109-26115.

Garcês, A., et al. (2018). "Formulations based on solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) for cutaneous use: A review." European Journal of Pharmaceutical Sciences **112**(13): 159-167.

Garg, A., et al. (2010). "Preparation and characterization of hydroxypropyl-b-cyclodextrin inclusion complex of eugenol: differential pulse voltammetry and 1h-nmr." Chemical and Pharmaceutical Bulletin **58**(10): 1313-1319.

Giacometti, A., et al. (2003). "RNA III inhibiting peptide inhibits in vivo biofilm formation by drug-resistant *Staphylococcus aureus*." Antimicrobial Agents and Chemotherapy **47**(6): 1979-1983.

Gries, C. M. and T. Kielian (2017). "Staphylococcal Biofilms and Immune Polarization During Prosthetic Joint Infection." The Journal of the American Academy of Orthopaedic Surgeons **25**(1): S20-S24.

Gursalkar, T., et al. (2013). "Cyclodextrin based nanosponges for pharmaceutical use: A review." Acta Pharmaceutica **63**(3): 335-358.

Hamad, F. B. and E. B. Mubofu (2015). "Potential biological applications of bio-based anacardic acids and their derivatives." International Journal of Molecular Sciences **16**(4): 8569-8590.

Harriott, M. M. and M. C. Noverr (2009). "Candida albicans and Staphylococcus aureus form polymicrobial biofilms: effects on antimicrobial resistance." Antimicrobial Agents and Chemotherapy **53**(9): 3914-3922.

Harro, J. M., et al. (2010). "Vaccine development in Staphylococcus aureus: taking the biofilm phenotype into consideration." FEMS Immunology & Medical Microbiology **59**(3): 306-323.

Hathroubi, S., et al. (2018). "Actinobacillus pleuropneumoniae biofilms: Role in pathogenicity and potential impact for vaccination development." Animal Health Research Reviews **19**(1): 17-30.

Hemshekhar, M., et al. (2012). "Emerging roles of anacardic acid and its derivatives: a pharmacological overview." Basic & Clinical Pharmacology & Toxicology **110**(2): 122-132.

Herrera, E. and C. Barbas (2001). "Vitamin E: action, metabolism and perspectives." Journal of Physiology and Biochemistry **57**(1): 43-56.

Herring, T., et al. (2006). "Measurements of UV-generated free radicals/reactive oxygen species (ROS) in skin." Spectrochim Acta A Mol Biomol Spectrosc **63**(4): 840-845.

Høiby, N., et al. (2010). "Antibiotic resistance of bacterial biofilms." International Journal of Antimicrobial Agents **35**(4): 322-332.

Hollands, A., et al. (2016). "Natural product anacardic acid from cashew nut shells stimulates neutrophil extracellular trap production and bactericidal activity." Journal of Biological Chemistry **291**(27): 13964-13973.

---

Huang, H., et al. (2014). "Anacardic acid induces cell apoptosis associated with induction of ATF4-dependent endoplasmic reticulum stress." Toxicology Letters **228**(3): 170-178.

Hughes, M. C. B., et al. (2020). "Dietary antioxidant capacity and skin photoaging: A 15-year longitudinal study." The Journal of Investigative Dermatology **127**(7): 189-201.

Hwang, E., et al. (2014). "Gallic acid regulates skin photoaging in UVB-exposed fibroblast and hairless mice." Phytotherapy Research **28**(12): 1778-1788.

Iriventi, P., et al. (2020). "Design & development of nanosponge loaded topical gel of curcumin and caffeine mixture for augmented treatment of psoriasis." DARU Journal of Pharmaceutical Sciences.

Islan, G. A., et al. (2016). "Smart lipid nanoparticles containing levofloxacin and DNase for lung delivery. Design and characterization." Colloids and Surfaces B: Biointerfaces **143**(17): 168-176.

Jagtap, S. and M. Chandrakant (2018). "Enhanced dissolution and solubility of Epalrestat with  $\beta$ -Cyclodextrin ternary complex using Arginine." Journal of Drug Delivery and Therapeutics **8**(6): 62-67.

Jamal, M., et al. (2018). "Bacterial biofilm and associated infections." Journal of the Chinese Medical Association **81**(1): 7-11.

Jang, C. H., et al. (2010). "Effect of vancomycin-coated tympanostomy tubes on methicillin-resistant *Staphylococcus aureus* biofilm formation: in vitro study." The Journal of Laryngology and Otology **124**(6): 594-598.

Jenning, V., et al. (2002). "Medium scale production of solid lipid nanoparticles (SLN) by high pressure homogenization." Journal of Microencapsulation **19**(1): 1-10.

Jennings, L. K., et al. (2015). "Pel is a cationic exopolysaccharide that cross-links extracellular DNA in the *Pseudomonas aeruginosa* biofilm matrix." Proceedings of the National Academy of Sciences of the United States of America **112**(36): 11353-11358.

- Jourghanian, P., et al. (2016). "Sustained release curcumin loaded solid lipid nanoparticles." Advanced Pharmaceutical Bulletin **6**(1): 17-21.
- Kaplan, J. B. (2014). "Biofilm matrix-degrading enzymes." Methods in Molecular Biology **1147**(43): 203-213.
- Kaplan, J. B., et al. (2012). "Recombinant human DNase I decreases biofilm and increases antimicrobial susceptibility in staphylococci." The Journal of Antibiotics **65**(2): 73-77.
- Khalifa, L., et al. (2015). "Targeting Enterococcus faecalis biofilms with phage therapy." Applied and Environmental Microbiology **81**(8): 2696-2705.
- Kim, H. K. (2016). "Garlic supplementation ameliorates UV-induced photoaging in hairless mice by regulating antioxidative activity and MMPs expression." Molecules **21**(1): 70-86.
- Kim, M.-K., et al. (2013). "Topical application of anacardic acid (6-nonadecyl salicylic acid) reduces UV-induced histone modification, MMP-13, MMP-9, COX-2 and TNF- $\alpha$  expressions in hairless mice skin." Journal of Dermatological Science **70**(1): 64-67.
- Kim, M.-K., et al. (2017). "Anacardic acid ameliorates ultraviolet irradiation-induced damage to human skin." Journal of Dermatological Science **86**(3): 252-255.
- Kostakioti, M., et al. (2013). "Bacterial biofilms: development, dispersal, and therapeutic strategies in the dawn of the postantibiotic era." Cold Spring Harbor Perspectives in Medicine **3**(4): 103-114.
- Kubo, I., et al. (2006). "Antioxidant activity of anacardic acids." Food Chemistry **99**(3): 555-562.
- Kubo, I., et al. (1993). "Structure-antibacterial activity relationships of anacardic acids." Journal of Agricultural and Food Chemistry **41**(6): 1016-1019.
- Kumar, A., et al. (2017). "Biofilms: Survival and defense strategy for pathogens." International Journal of Medical Microbiology **307**(8): 481-489.

Kushwah, V., et al. (2018). "Co-delivery of docetaxel and gemcitabine by anacardic acid modified self-assembled albumin nanoparticles for effective breast cancer management." Acta Biomaterialia **73**(1): 424-436.

Kushwah, V., et al. (2018). "Co-delivery of docetaxel and gemcitabine by anacardic acid modified self-assembled albumin nanoparticles for effective breast cancer management." Acta Biomaterialia **73**: 424-436.

Langton, A. K., et al. (2019). "Retinoids in the treatment of skin photoageing: A histological study of topical all-trans retinoic acid efficacy in black skin." Journal of Investigative Dermatology **139**(9): 231-242.

Lee, W.-B., et al. (2017). "A microfluidic device for antimicrobial susceptibility testing based on a broth dilution method." Biosensors and Bioelectronics **87**(9): 669-678.

Leid, J. G., et al. (2005). "The exopolysaccharide alginate protects *Pseudomonas aeruginosa* biofilm bacteria from IFN-gamma-mediated macrophage killing." Journal of Immunology **175**(11): 7512-7518.

Lembo, D., et al. (2013). "Encapsulation of Acyclovir in new carboxylated cyclodextrin-based nanosponges improves the agent's antiviral efficacy." International Journal of Pharmaceutics **443**(1): 262-272.

Lewis, K. (2007). "Persister cells, dormancy and infectious disease." Nature Reviews Microbiology **5**(1): 48-56.

Li, N., et al. (2018). "Preparation of curcumin-hydroxypropyl- $\beta$ -cyclodextrin inclusion complex by cosolvency-lyophilization procedure to enhance oral bioavailability of the drug." Drug Development and Industrial Pharmacy **44**(12): 1966-1974.

Li, N., et al. (2005). "Inclusion complex of trimethoprim with  $\beta$ -cyclodextrin." Journal of Pharmaceutical and Biomedical Analysis **39**(3-4): 824-829.

Lima, R. A., et al. (2020). "Antimicrobial effect of anacardic acid-loaded zein nanoparticles loaded on *Streptococcus mutans* biofilms." Brazilian Journal of Microbiology **51**(4): 1623-1630.

- Lin, J.-Y., et al. (2003). "UV photoprotection by combination topical antioxidants vitamin C and vitamin E." Journal of the American Academy of Dermatology **48**(6): 866-874.
- Lister, J. L. and A. R. Horswill (2014). "Staphylococcus aureus biofilms: recent developments in biofilm dispersal." Frontiers in Cellular and Infection Microbiology **4**(2): 178-189.
- Ljunggren-Rose, Å., et al. (2020). "Anacardic acid induces IL-33 and promotes remyelination in CNS." Proceedings of the National Academy of Sciences **117**(35): 21527.
- Luan, L., et al. (2019). "Chinese white wax solid lipid nanoparticles as a novel nanocarrier of curcumin for inhibiting the formation of Staphylococcus aureus biofilms." Nanomaterials **9**(5): 763.
- Luo, Y., et al. (2015). "Solid lipid nanoparticles for oral drug delivery: chitosan coating improves stability, controlled delivery, mucoadhesion and cellular uptake." Carbohydrate Polymers **122**: 221-229.
- Mah, T. F. and G. A. O'Toole (2001). "Mechanisms of biofilm resistance to antimicrobial agents." Trends in Microbiology **9**(1): 34-39.
- Mangolim, C. S., et al. (2014). "Curcumin- $\beta$ -cyclodextrin inclusion complex: stability, solubility, characterisation by FT-IR, FT-Raman, X-ray diffraction and photoacoustic spectroscopy, and food application." Food Chemistry **153**(11): 361-370.
- Mann, E. E. and D. J. Wozniak (2012). "Pseudomonas biofilm matrix composition and niche biology." FEMS Microbiology Reviews **36**(4): 893-916.
- Meliani, A., et al. (2015). "Review of Pseudomonas attachment and biofilm formation in food industry." Poultry, Fisheries & Wildlife Sciences **17**(7): 1-7.
- Messiaen, A.-S., et al. (2013). "Transport of nanoparticles and tobramycin-loaded liposomes in Burkholderia cepacia complex biofilms." PLoS One **8**(11): e79220.

Meyer, B. (2003). "Approaches to prevention, removal and killing of biofilms." International Biodeterioration & Biodegradation **51**(4): 249-253.

Mihailisa, M., et al. (2016). "Preparation of functionalized cotton fabrics by means of melatonin loaded  $\beta$ -cyclodextrin nanosponges." Carbohydrate Polymers **142**: 24-30.

Minelli, R., et al. (2012). "Nanosponge-encapsulated camptothecin exerts anti-tumor activity in human prostate cancer cells." European Journal of Pharmaceutical Sciences **47**(4): 686-694.

Mognetti, B., et al. (2012). "In vitro enhancement of anticancer activity of paclitaxel by a Cremophor free cyclodextrin-based nanosponge formulation." Journal of Inclusion Phenomena and Macrocyclic Chemistry **74**(1-4): 201-210.

Montanaro, L., et al. (2011). "Extracellular DNA in biofilms." International Journal of Artificial Organs **34**(9): 824-831.

Morais, S. M., et al. (2017). "Anacardic Acid constituents from cashew nut shell liquid: NMR characterization and the effect of unsaturation on its biological activities." Pharmaceuticals **10**(1): 187-198.

Morais, T. C., et al. (2010). "Protective effect of anacardic acids from cashew (*Anacardium occidentale*) on ethanol-induced gastric damage in mice." Chemico-Biological Interaction **183**(1): 264-269.

Mukherjee, S., et al. (2009). "Solid lipid nanoparticles: a modern formulation approach in drug delivery system." Indian journal of pharmaceutical sciences **71**(4): 349-358.

Mulik, R. S., et al. (2010). "Transferrin mediated solid lipid nanoparticles containing curcumin: enhanced in vitro anticancer activity by induction of apoptosis." International Journal of Pharmaceutics **398**(1-2): 190-203.

Nafee, N., et al. (2014). "Antibiotic-free nanotherapeutics: ultra-small, mucus-penetrating solid lipid nanoparticles enhance the pulmonary delivery and anti-virulence efficacy of novel quorum sensing inhibitors." Journal of Controlled Release **192**(11): 131-140.

---

- Nikaido, H. (1989). "Outer membrane barrier as a mechanism of antimicrobial resistance." Antimicrobial Agents and Chemotherapy **33**(11): 1831-1836.
- Nikolic, I. L., et al. (2018). "Preparation, characterization and antimicrobial activity of inclusion complex of biochanin A with (2-hydroxypropyl)-beta-cyclodextrin." Journal of Pharmacy and Pharmacology **70**(11): 1485-1493.
- Oiram Filho, F., et al. (2017). "Development and validation of a reversed phase HPLC method for determination of Anacardic Acids in cashew (*Anacardium occidentale*) nut shell liquid." Journal of Chromatographic Science **56**(4): 300-306.
- Oiram Filho, F., et al. (2018). "Development and validation of a reversed phase HPLC method for determination of anacardic acids in cashew (*Anacardium occidentale*) nut shell liquid." Journal of Chromatographic Science **56**(4): 300-306.
- Oiram Filho, F., et al. (2019). "Productivity of a preparative high-performance liquid chromatography isolation of anacardic acids from cashew nut shell liquid." Separation Science Plus **2**(6): 192-199.
- Ol'khovich, M., et al. (2019). "A study of the inclusion complex of bioactive thiadiazole derivative with 2-hydroxypropyl- $\beta$ -cyclodextrin: Preparation, characterization and physicochemical properties." Journal of Molecular Liquids **273**(29): 653-662.
- Ol'khovich, M. V., et al. (2017). "Inclusion complex of antiasthmatic compound with 2-hydroxypropyl- $\beta$ -cyclodextrin: Preparation and physicochemical properties." Journal of Molecular Liquids **237**(11): 185-192.
- Omanakuttan, A., et al. (2012). "Anacardic acid inhibits the catalytic activity of matrix metalloproteinase-2 and matrix metalloproteinase-9." Molecular Pharmacology **82**(4): 614-622.
- Omanakuttan, A., et al. (2012). "Anacardic acid inhibits the catalytic activity of matrix metalloproteinase-2 and matrix metalloproteinase-9." Molecular Pharmacology **82**(4): 614-622.
- Omar, A., et al. (2017). "Microbial biofilms and chronic wounds." Microorganisms **5**(1): 9-18.

Oresajo, C., et al. (2008). "Protective effects of a topical antioxidant mixture containing vitamin C, ferulic acid, and phloretin against ultraviolet-induced photodamage in human skin." Journal of cosmetic dermatology **7**(4): 290-297.

Otto, M. (2013). "Staphylococcal infections: mechanisms of biofilm maturation and detachment as critical determinants of pathogenicity." Annual Review of Medicine **64**(9): 175-188.

Pandel, R., et al. (2013). "Skin photoaging and the role of antioxidants in its prevention." ISRN Dermatology **89**(7): 930164.

Pandya, N. T., et al. (2018). "Solid lipid nanoparticles as an efficient drug delivery system of olmesartan medoxomil for the treatment of hypertension." Colloids Surface. B, Biointerfaces **165**: 37-44.

Panich, U., et al. (2016). "Ultraviolet radiation-induced skin aging: The role of DNA damage and oxidative stress in epidermal stem cell damage mediated skin aging." Stem Cells International **29**(9): 737-748.

Paramashivappa, R., et al. (2001). "Novel method for isolation of major phenolic constituents from cashew (*Anacardium occidentale* L.) nut shell liquid." Journal of Agricultural and Food Chemistry **49**(5): 2548-2551.

Parasa, L. S., et al. (2011). "In vitro antimicrobial activity of cashew (*Anacardium occidentale*, L.) nuts shell liquid against methicillin resistant *Staphylococcus aureus* (MRSA) clinical isolates." International Journal of Pharmaceutical Sciences **3**(4): 436-440.

Patel, R. (2005). "Biofilms and antimicrobial resistance." Clinical Orthopaedics and Related Research **67**(437): 41-47.

Pawar, S. and P. Shende (2020). "Dual drug delivery of cyclodextrin cross-linked artemether and lumefantrine nanosponges for synergistic action using 23 full factorial designs." Colloids and Surfaces A: Physicochemical and Engineering Aspects **602**(56): 125-139.

Pedersen, E. S., et al. (2019). "Topical retinoids for the treatment of photoaged skin." Cutaneous Photoaging **19**(3): 341-351.

---

Petruk, G., et al. (2018). "Antioxidants from plants protect against skin photoaging." Oxidative Medicine and Cellular Longevity **132**(8): 211-220.

Philip, J. Y. N., et al. (2008). "Isolation of Anacardic Acid from natural cashew nut shell liquid (CNSL) using supercritical carbon dioxide." Journal of Agricultural and Food Chemistry **56**(20): 9350-9354.

Pittayapruet, P., et al. (2016). "Role of matrix metalloproteinases in photoaging and photocarcinogenesis." International Journal of Molecular Sciences **17**(6): 868.

Poole, K. (2005). "Efflux-mediated antimicrobial resistance." Journal of Antimicrobial Chemotherapy **56**(1): 20-51.

Qayyum, S. and A. U. Khan (2016). "Nanoparticles vs. biofilms: a battle against another paradigm of antibiotic resistance." RSC Medicinal Chemistry **7**(8): 1479-1498.

Quan, T., et al. (2004). "Solar ultraviolet irradiation reduces collagen in photoaged human skin by blocking transforming growth factor- $\beta$  type ii receptor/smad signaling." The American Journal of Pathology **165**(3): 741-751.

Rafati, N., et al. (2019). "Pyromellitic dianhydride crosslinked cyclodextrin nanosponges for curcumin controlled release; formulation, physicochemical characterization and cytotoxicity investigations." Journal of Microencapsulation **36**(8): 715-727.

Rajendiran, N. and S. Siva (2014). "Inclusion complex of sulfadimethoxine with cyclodextrins: Preparation and characterization." Carbohydrate Polymers **101**: 828-836.

Redondo-Salvo, S., et al. (2020). "Pathways for horizontal gene transfer in bacteria revealed by a global map of their plasmids." Nature Communications **11**(1): 1-13.

Riahi, R. R., et al. (2016). "Topical retinoids: Therapeutic mechanisms in the treatment of photodamaged skin." American Journal of Clinical Dermatology **17**(3): 265-276.

Robino, L. and P. Scavone (2020). "Nanotechnology in biofilm prevention." Future Microbiology **15**(6): 377-379.

---

Saedtler, M., et al. (2020). "Antibacterial Anacardic Acid derivatives." ACS Infectious Diseases **6**(7): 1674-1685.

Sajeevan, S., et al. (2018). "Impregnation of catheters with anacardic acid from cashew nut shell prevents *Staphylococcus aureus* biofilm development." Journal of Applied Microbiology **125**(5): 1286-1295.

Sajeevan, S. E., et al. (2018). "Impregnation of catheters with anacardic acid from cashew nut shell prevents *Staphylococcus aureus* biofilm development." Journal of Applied Microbiology **125**(5): 1286-1295.

Satpathy, S., et al. (2016). "Review on bacterial biofilm: An universal cause of contamination." Biocatalysis and Agricultural Biotechnology **7**(3): 56-66.

Savage, V. J., et al. (2013). "Staphylococcus aureus biofilms promote horizontal transfer of antibiotic resistance." Antimicrobial Agents & Chemotherapy **57**(4): 1968-1970.

Sayama, A., et al. (2010). "Morphological and biochemical changes during aging and photoaging of the skin of c57bl/6j mice." Journal of Toxicologic Pathology **23**(3): 133-139.

Schwartz, K., et al. (2016). "Extracellular DNA facilitates the formation of functional amyloids in *S taphylococcus aureus* biofilms." Molecular Microbiology **99**(1): 123-134.

Sefton, A. M. (2002). "Mechanisms of antimicrobial resistance: their clinical relevance in the new millennium." Drugs **62**(4): 557-566.

Severino, P., et al. (2017). "Antimicrobial activity of polymyxin-loaded solid lipid nanoparticles (PLX-SLN): Characterization of physicochemical properties and in vitro efficacy." European Journal of Pharmaceutical Sciences **106**(3): 177-184.

Shah, H. and S. Rawal Mahajan (2013). "Photoaging: New insights into its stimulators, complications, biochemical changes and therapeutic interventions." Biomedicine & Aging Pathology **3**(3): 161-169.

- Shakeri, M., et al. (2019). "Carvacrol and astaxanthin co-entrapment in beeswax solid lipid nanoparticles as an efficient nano-system with dual antioxidant and anti-biofilm activities." *LWT* **107**: 280-290.
- Sharma, M., et al. (2016). "Implications of designing clarithromycin loaded solid lipid nanoparticles on their pharmacokinetics, antibacterial activity and safety." *RSC Advances* **6**(80): 76621-76631.
- Sherje, A. P., et al. (2017). "Cyclodextrin-based nanosplices: A critical review." *Carbohydrate Polymers* **173**(4): 37-49.
- Shringirishi, M., et al. (2017). "Fabrication and characterization of nifedipine loaded  $\beta$ -cyclodextrin nanosplices: An in vitro and in vivo evaluation." *Journal of Drug Delivery Science and Technology* **41**(4): 344-350.
- Singh, B., et al. (2014). "Cefuroxime axetil loaded solid lipid nanoparticles for enhanced activity against *S. aureus* biofilm." *Colloids and Surfaces B: Biointerfaces* **121**(12): 92-98.
- Songkro, S., et al. (2011). "Investigation of inclusion complexes of citronella oil, citronellal and citronellol with  $\beta$ -cyclodextrin for mosquito repellent." *Journal of Inclusion Phenomena and Macrocyclic Chemistry* **72**(3-4): 339-355.
- Srinivasan, K. and T. Stalin (2014). "Study of inclusion complex between 2,6-dinitrobenzoic acid and  $\beta$ -cyclodextrin by  $^1\text{H}$  NMR, 2D  $^1\text{H}$  NMR (ROESY), FT-IR, XRD, SEM and photophysical methods." *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* **130**(4): 105-115.
- Subhakara Reddy, N., et al. (2011). "Synthesis and antibacterial activity of anacardic acid derivatives." *Letters in Drug Design & Discovery* **8**(7): 626-632.
- Suci, P. A., et al. (1994). "Investigation of Ciprofloxacin Penetration into *Pseudomonas-Aeruginosa* Biofilms." *Antimicrobial Agents and Chemotherapy* **38**(9): 2125-2133.
- Sudarshan, N., et al. (1992). "Antibacterial action of chitosan." *Food Biotechnology* **6**(3): 257-272.

Sung, B., et al. (2008). "Anacardic acid (6-nonaetyl salicylic acid), an inhibitor of histone acetyltransferase, suppresses expression of nuclear factor- $\kappa$ B-regulated gene products involved in cell survival, proliferation, invasion, and inflammation through inhibition of the inhibitory subunit of nuclear factor- $\kappa$ B $\alpha$  kinase, leading to potentiation of apoptosis." *Blood* **111**(10): 4880-4891.

Sursyakova, V. V., et al. (2019). "Thermodynamic parameters for the complexation of water-insoluble betulin derivatives with (2-hydroxypropyl)- $\gamma$ -cyclodextrin determined by phase-solubility technique combined with capillary zone electrophoresis." *Electrophoresis* **40**(12-13): 1656-1661.

Tan, Y., et al. (2018). "Enhancing antibiofilm activity with functional chitosan nanoparticles targeting biofilm cells and biofilm matrix." *Carbohydrate Polymers* **200**(11): 35-42.

Tao, F., et al. (2014). "Synthesis and characterization of  $\beta$ -cyclodextrin inclusion complexes of thymol and thyme oil for antimicrobial delivery applications." *LWT - Food Science and Technology* **59**(1): 247-255.

Taylor, E. N., et al. (2014). "Multi-scale strategy to eradicate *Pseudomonas aeruginosa* on surfaces using solid lipid nanoparticles loaded with free fatty acids." *Nanoscale* **6**(2): 825-832.

Tenover, F. C. (2006). "Mechanisms of antimicrobial resistance in bacteria." *The American journal of medicine* **119**(6): S3-S10.

Teodoro, G. R., et al. (2017). "Gallic acid/hydroxypropyl- $\beta$ -cyclodextrin complex: Improving solubility for application on in vitro/in vivo *Candida albicans* biofilms." *PLoS One* **12**(7): 351-364.

Tetz, G. V., et al. (2009). "Effect of DNase and Antibiotics on Biofilm Characteristics." *Antimicrobial Agents and Chemotherapy* **53**(3): 1204-1211.

Tetz, V. V. and G. V. Tetz (2010). "Effect of extracellular DNA destruction by DNase I on characteristics of forming biofilms." *DNA and Cell Biology* **29**(8): 399-405.

- Thomsen, H., et al. (2017). "Delivery of cyclodextrin polymers to bacterial biofilms - An exploratory study using rhodamine labelled cyclodextrins and multiphoton microscopy." *International Journal of Pharmaceutics* **531**(2): 650-657.
- Thomsen, H., et al. (2017). "Delivery of cyclodextrin polymers to bacterial biofilms — An exploratory study using rhodamine labelled cyclodextrins and multiphoton microscopy." *International Journal of Pharmaceutics* **531**(2): 650-657.
- Tkhilaishvili, T., et al. (2018). "Bacteriophage Sb-1 enhances antibiotic activity against biofilm, degrades exopolysaccharide matrix and targets persisters of *Staphylococcus aureus*." *International Journal of Antimicrobial Agents* **52**(6): 842-853.
- Traikovich, S. S. (1999). "Use of topical ascorbic acid and its effects on photodamaged skin topography." *Archives of otolaryngology—head & neck surgery* **125**(10): 1091-1098.
- Tyman, J. H. P., et al. (1989). "The extraction of natural cashew nut-shell liquid from the cashew nut (*Anacardium occidentale*)."*Journal of the American Oil Chemists' Society* **66**(4): 553-557.
- Van Langeveld, I., et al. (2017). "Multiple-Drug Resistance in Burn Patients: A Retrospective Study on the Impact of Antibiotic Resistance on Survival and Length of Stay." *Journal of Burn Care & Research* **38**(2): 99-105.
- Veerachamy, S., et al. (2014). "Bacterial adherence and biofilm formation on medical implants: a review." *Proceedings of the Institution of Mechanical Engineers* **228**(10): 1083-1099.
- Wang, X., et al. (2014). "Preparation, characterization, and thermal stability of  $\beta$ -cyclodextrin/soybean lecithin inclusion complex." *Carbohydrate Polymers* **101**(9): 1027-1032.
- Wasserman, D. and C. R. Dawson (1948). "Cashew nut shell liquid. III. The cardol component of Indian cashew nut shell liquid with reference to the liquid's vesicant activity1." *Journal of the American Chemical Society* **70**(11): 3675-3679.

- Wei, Y., et al. (2017). "Characterization of glabridin/hydroxypropyl-beta-cyclodextrin inclusion complex with robust solubility and enhanced bioactivity." Carbohydrate Polymers **159**(14): 152-160.
- Wenk, J., et al. (2001). "UV-induced oxidative stress and photoaging." Current Problems in Dermatology **29**(6): 83-94.
- Whitchurch, C. B., et al. (2002). "Extracellular DNA required for bacterial biofilm formation." Science **295**(5559): 1487.
- Wlaschek, M., et al. (2001). "Solar UV irradiation and dermal photoaging." Journal of Photochemistry and Photobiology B: Biology **63**(1): 41-51.
- Xu, J., et al. (2017). "Inclusion complex of nateglinide with sulfobutyl ether  $\beta$ -cyclodextrin: Preparation, characterization and water solubility." Journal of Molecular Structure **1141**(103): 328-334.
- Yildiz, Z. I., et al. (2018). "Menthol/cyclodextrin inclusion complex nanofibers: Enhanced water-solubility and high-temperature stability of menthol." Journal of Food Engineering **224**(33): 27-36.
- Yoshida, K.-i., et al. (1999). "Inclusion complex formation of cyclodextrin and polyaniline." Langmuir **15**(4): 910-913.
- Yuliana, M., et al. (2014). "Separation and purification of cardol, cardanol and anacardic acid from cashew (*Anacardium occidentale* L.) nut-shell liquid using a simple two-step column chromatography." Journal of the Taiwan Institute of Chemical Engineers **45**(5): 2187-2193.
- Zainuddin, R., et al. (2017). "Enhancement of oral bioavailability of anti-HIV drug rilpivirine HCl through nanosponge formulation." Drug Development and Industrial Pharmacy **43**(12): 2076-2084.
- Zhang, G. and F. Heridato (2016). "The intrinsic resistance of bacteria." Europe PMC **38**(10): 872-884.

Zhang, L. and T. Mah (2008). "Involvement of a novel efflux system in biofilm-specific resistance to antibiotics." Journal of Bacteriology **190**(13): 4447-4452.

Zhao, M., et al. (2010). "Identification of cyclodextrin inclusion complex of chlorogenic acid and its antimicrobial activity." Food Chemistry **120**(4): 1138-1142.

Zhu, X., et al. (2017). "Protective effects of quercetin on UVB irradiation-induced cytotoxicity through ROS clearance in keratinocyte cells." Oncology Reports **37**(1): 209-218.