

# References

- [1] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning*. Springer New York, 2009.
- [2] A. Kumar, S. K. Singh, S. Saxena, K. Lakshmanan, A. K. Sangaiah, H. Chauhan, S. Shrivastava, and R. K. Singh, “Deep feature learning for histopathological image classification of canine mammary tumors and human breast cancer,” *Information Sciences*, 2020, vol. 508, pp. 405–421.
- [3] A. Kumar, S. K. Singh, S. Saxena, A. K. Singh, S. Shrivastava, K. Lakshmanan, N. Kumar, and R. K. Singh, “Comhisp: A novel feature extractor for histopathological image classification based on fuzzy svm with within-class relative density,” *IEEE Transactions on Fuzzy Systems*, 2020, pp. 1–14.
- [4] B. K. Dedetürk and B. Akay, “Spam filtering using a logistic regression model trained by an artificial bee colony algorithm,” *Applied Soft Computing*, jun 2020, vol. 91, p. 106229.
- [5] S. S. Udmale and S. K. Singh, “Application of spectral kurtosis and improved extreme learning machine for bearing fault classification,” *IEEE Transactions on Instrumentation and Measurement*, nov 2019, vol. 68, no. 11, pp. 4222–4233.
- [6] M. Akkaş, R. SOKULLU, and H. E. Çetin, “Healthcare and patient monitoring using IoT,” *Internet of Things*, sep 2020, vol. 11, p. 100173.
- [7] A. Bagnall, J. Lines, A. Bostrom, J. Large, and E. Keogh, “The great time series classification bake off: a review and experimental evaluation of recent algorithmic advances,” *Data Mining and Knowledge Discovery*, nov 2016, vol. 31, no. 3, pp. 606–660.
- [8] M. Rußwurm, R. Tavenard, S. Lefèvre, and M. Körner, “Early classification for agricultural monitoring from satellite time series.”

- [9] Z. Xing, J. Pei, and P. S. Yu, “Early classification on time series,” *Knowledge and Information Systems*, apr 2011, vol. 31, no. 1, pp. 105–127.
- [10] U. Mori, A. Mendiburu, I. Miranda, and J. Lozano, “Early classification of time series using multi-objective optimization techniques,” *Information Sciences*, aug 2019, vol. 492, pp. 204–218.
- [11] U. Mori, A. Mendiburu, S. Dasgupta, and J. A. Lozano, “Early classification of time series by simultaneously optimizing the accuracy and earliness,” *IEEE Transactions on Neural Networks and Learning Systems*, oct 2018, vol. 29, no. 10, pp. 4569–4578.
- [12] J. Lv, X. Hu, L. Li, and P. Li, “An effective confidence-based early classification of time series,” *IEEE Access*, 2019, vol. 7, pp. 96 113–96 124.
- [13] G. He, W. Zhao, X. Xia, R. Peng, and X. Wu, “An ensemble of shapelet-based classifiers on inter-class and intra-class imbalanced multivariate time series at the early stage,” *Soft Computing*, jun 2018, vol. 23, no. 15, pp. 6097–6114.
- [14] T. Hartvigsen, C. Sen, X. Kong, and E. Rundensteiner, “Adaptive-halting policy network for early classification,” in *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining - KDD '19*. ACM Press, 2019.
- [15] M. Ghalwash, V. Radosavljevic, and Z. Obradovic, “Early diagnosis and its benefits in sepsis blood purification treatment,” in *2013 IEEE International Conference on Healthcare Informatics*. IEEE, sep 2013.
- [16] M. F. Ghalwash, D. Ramljak, and Z. Obradović, “Patient-specific early classification of multivariate observations,” *International Journal of Data Mining and Bioinformatics*, 2015, vol. 11, no. 4, p. 392. [Online]. Available: <https://doi.org/10.1504/ijdmb.2015.067955>
- [17] N. Hatami and C. Chira, “Classifiers with a reject option for early time-series classification,” in *Computational Intelligence and Ensemble Learning (CIEL), 2013 IEEE Symposium on*. IEEE, 2013, pp. 9–16.
- [18] A. Dachraoui, A. Bondu, and A. Cornuejols, “Early classification of individual electricity consumptions,” *RealStream2013 (ECML)*, 2013, pp. 18–21.

- 
- [19] G. Wagener, R. State, and A. Dulaunoy, “Malware behaviour analysis,” *Journal in Computer Virology*, dec 2007, vol. 4, no. 4, pp. 279–287.
- [20] A. Sharma and S. K. Singh, “Early classification of time series based on uncertainty measure,” in *2019 IEEE Conference on Information and Communication Technology*. IEEE, dec 2019.
- [21] Anshul Sharma and S. K. Singh, “Early classification of multivariate data by learning optimal decision rules,” *Multimedia Tools and Applications*, aug 2020.
- [22] A. Sharma, S. K. Singh, S. S. Udmale, A. K. Singh, and R. Singh, “Early transportation mode detection using smartphone sensing data,” *IEEE Sensors Journal*, 2020, pp. 1–1.
- [23] A. Sharma, A. Kumar, A. K. Pandey, and R. Singh, “Time series data representation and dimensionality reduction techniques,” in *Applications of Machine Learning*. Springer, 2020, pp. 267–284.
- [24] Y. Chen, E. Keogh, B. Hu, N. Begum, A. Bagnall, A. Mueen, and G. Batista, “The ucr time series classification archive,” July 2015.
- [25] A. Oliveira, “Malware analysis datasets: Api call sequences,” 2019.
- [26] L. Ge and L.-J. Ge, “Feature extraction of time series classification based on multi-method integration,” *Optik*, dec 2016, vol. 127, no. 23, pp. 11 070–11 074.
- [27] E. Keogh, K. Chakrabarti, M. Pazzani, and S. Mehrotra, “Dimensionality reduction for fast similarity search in large time series databases,” *Knowledge and Information Systems*, aug 2001, vol. 3, no. 3, pp. 263–286.
- [28] H. Shatkay and S. Zdonik, “Approximate queries and representations for large data sequences,” in *Proceedings of the Twelfth International Conference on Data Engineering*. IEEE Comput. Soc. Press, 1996, pp. 536–545.
- [29] J. Dan, W. Shi, F. Dong, and K. Hirota, “Piecewise trend approximation: A ratio-based time series representation,” *Abstract and Applied Analysis*, 2013, vol. 2013, pp. 1–7.
- [30] J. Lin, E. Keogh, L. Wei, and S. Lonardi, “Experiencing sax: a novel symbolic representation of time series,” *Data Mining and knowledge discovery*, 2007, vol. 15, no. 2, pp. 107–144.

- [31] P. Schäfer and M. Höggqvist, “SFA: a symbolic fourier approximation and index for similarity search in high dimensional datasets,” in *Proceedings of the 15th International Conference on Extending Database Technology - EDBT '12*. ACM Press, 2012, pp. 516–527.
- [32] J. Lin, R. Khade, and Y. Li, “Rotation-invariant similarity in time series using bag-of-patterns representation,” *Journal of Intelligent Information Systems*, apr 2012, vol. 39, no. 2, pp. 287–315.
- [33] P. Schäfer, “The BOSS is concerned with time series classification in the presence of noise,” *Data Mining and Knowledge Discovery*, sep 2014, vol. 29, no. 6, pp. 1505–1530.
- [34] L. Ye and E. Keogh, “Time series shapelets,” in *Proceedings of the 15th ACM SIGKDD international conference on Knowledge discovery and data mining - KDD '09*. ACM Press, 2009.
- [35] R. Agrawal, C. Faloutsos, and A. Swami, “Efficient similarity search in sequence databases,” in *Foundations of Data Organization and Algorithms*. Springer Berlin Heidelberg, 1993, pp. 69–84.
- [36] I. Batal and M. Hauskrecht, “A supervised time series feature extraction technique using DCT and DWT,” in *2009 International Conference on Machine Learning and Applications*. IEEE, dec 2009.
- [37] A. Sharma and S. K. Singh, “A novel approach for early malware detection,” *Transactions on Emerging Telecommunications Technologies*, apr 2020.
- [38] H. Ding, G. Trajcevski, P. Scheuermann, X. Wang, and E. Keogh, “Querying and mining of time series data,” *Proceedings of the VLDB Endowment*, aug 2008, vol. 1, no. 2, pp. 1542–1552.
- [39] D. J. Berndt and J. Clifford, “Using dynamic time warping to find patterns in time series.” in *KDD workshop*, vol. 10, no. 16. Seattle, WA, USA.:, 1994, pp. 359–370.
- [40] C. A. Ratanamahatana and E. Keogh, “Three myths about dynamic time warping data mining,” in *Proceedings of the 2005 SIAM International Conference on Data Mining*. Society for Industrial and Applied Mathematics, apr 2005.

- [41] D. S. Hirschberg, “Algorithms for the longest common subsequence problem,” *Journal of the ACM (JACM)*, 1977, vol. 24, no. 4, pp. 664–675.
- [42] L. Chen and R. Ng, “On the marriage of lp-norms and edit distance,” in *Proceedings of the Thirtieth international conference on Very large data bases-Volume 30*, 2004, pp. 792–803.
- [43] L. Chen, M. T. Özsu, and V. Oria, “Robust and fast similarity search for moving object trajectories,” in *Proceedings of the 2005 ACM SIGMOD international conference on Management of data*, 2005, pp. 491–502.
- [44] M. M. M. Fuad and P.-F. Marteau, “The extended edit distance metric,” in *2008 International Workshop on Content-Based Multimedia Indexing*. IEEE, 2008, pp. 242–248.
- [45] D. Dua and C. Graff, “UCI machine learning repository,” 2017. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [46] M. G. Baydogan, “Multivariate time series classification datasets,” 2015. [Online]. Available: <http://www.mustafabaydogan.com>
- [47] Z. Xing, J. Pei, and E. Keogh, “A brief survey on sequence classification,” *ACM SIGKDD Explorations Newsletter*, nov 2010, vol. 12, no. 1, p. 40.
- [48] H. Ding, G. Trajcevski, P. Scheuermann, X. Wang, and E. Keogh, “Querying and mining of time series data: experimental comparison of representations and distance measures,” *Proceedings of the VLDB Endowment*, 2008, vol. 1, no. 2, pp. 1542–1552.
- [49] A. Abanda, U. Mori, and J. A. Lozano, “A review on distance based time series classification,” *Data Mining and Knowledge Discovery*, 2019, vol. 33, no. 2, pp. 378–412.
- [50] R. J. Kate, “Using dynamic time warping distances as features for improved time series classification,” *Data Mining and Knowledge Discovery*, may 2015, vol. 30, no. 2, pp. 283–312.
- [51] J. Lines, L. M. Davis, J. Hills, and A. Bagnall, “A shapelet transform for time series classification,” in *Proceedings of the 18th ACM SIGKDD international conference on Knowledge discovery and data mining*, 2012, pp. 289–297.

- [52] D. D. Lewis, “Naive (bayes) at forty: The independence assumption in information retrieval,” in *European conference on machine learning*. Springer, 1998, pp. 4–15.
- [53] A. Bagnall and G. Janacek, “A run length transformation for discriminating between auto regressive time series,” *Journal of classification*, 2014, vol. 31, no. 2, pp. 154–178.
- [54] L. R. Rabiner, “A tutorial on hidden markov models and selected applications in speech recognition,” *Proceedings of the IEEE*, 1989, vol. 77, no. 2, pp. 257–286.
- [55] A. Dachraoui, “Cost-sensitive early classification of time series,” Ph.D. dissertation, Université Paris-Saclay, 2017.
- [56] M. B. Richman, T. B. Trafalis, and I. Adrianto, “Missing data imputation through machine learning algorithms,” in *Artificial Intelligence Methods in the Environmental Sciences*. Springer Netherlands, pp. 153–169.
- [57] G. E. Box, G. M. Jenkins, G. C. Reinsel, and G. M. Ljung, *Time series analysis: forecasting and control*. John Wiley & Sons, 2015.
- [58] A. Dachraoui, A. Bondu, and A. Cornuéjols, “Early classification of time series as a non myopic sequential decision making problem,” in *Machine Learning and Knowledge Discovery in Databases*. Springer International Publishing, 2015, pp. 433–447.
- [59] G. He, Y. Duan, R. Peng, X. Jing, T. Qian, and L. Wang, “Early classification on multivariate time series,” *Neurocomputing*, feb 2015, vol. 149, pp. 777–787.
- [60] U. Mori, A. Mendiburu, E. Keogh, and J. A. Lozano, “Reliable early classification of time series based on discriminating the classes over time,” *Data Mining and Knowledge Discovery*, apr 2016, vol. 31, no. 1, pp. 233–263.
- [61] C. Ma, X. Weng, and Z. Shan, “Early classification of multivariate time series based on piecewise aggregate approximation,” in *Health Information Science*. Springer International Publishing, 2017, pp. 81–88.
- [62] G. He, W. Zhao, and X. Xia, “Confidence-based early classification of multivariate time series with multiple interpretable rules,” *Pattern Analysis and Applications*, apr 2019.

- [63] A. Bregón, M. A. Simón, J. J. Rodríguez, C. Alonso, B. Pulido, and I. Moro, “Early fault classification in dynamic systems using case-based reasoning,” in *Current Topics in Artificial Intelligence*. Springer Berlin Heidelberg, 2006, pp. 211–220.
- [64] Z. Xing, J. Pei, G. Dong, and P. S. Yu, “Mining sequence classifiers for early prediction,” in *Proceedings of the 2008 SIAM international conference on data mining*. SIAM, 2008, pp. 644–655.
- [65] Z. Xing, J. Pei, and S. Y. Philip, “Early prediction on time series: A nearest neighbor approach,” in *Twenty-First International Joint Conference on Artificial Intelligence*. Citeseer, 2009.
- [66] Z. Xing, J. Pei, P. S. Yu, and K. Wang, “Extracting interpretable features for early classification on time series,” in *Proceedings of the 2011 SIAM International Conference on Data Mining*. SIAM, 2011, pp. 247–258.
- [67] M. F. Ghalwash, V. Radosavljevic, and Z. Obradovic, “Utilizing temporal patterns for estimating uncertainty in interpretable early decision making,” in *Proceedings of the 20th ACM SIGKDD international conference on Knowledge discovery and data mining - KDD- 14*. ACM Press, 2014.
- [68] M. F. Ghalwash and Z. Obradovic, “Early classification of multivariate temporal observations by extraction of interpretable shapelets,” *BMC Bioinformatics*, 2012, vol. 13, no. 1, p. 195.
- [69] M. F. Ghalwash, V. Radosavljevic, and Z. Obradovic, “Extraction of interpretable multivariate patterns for early diagnostics,” in *2013 IEEE 13th International Conference on Data Mining*. IEEE, dec 2013.
- [70] Y.-F. Lin, H.-H. Chen, V. S. Tseng, and J. Pei, “Reliable early classification on multivariate time series with numerical and categorical attributes,” in *Advances in Knowledge Discovery and Data Mining*. Springer International Publishing, 2015, pp. 199–211.
- [71] L. Zhao, H. Liang, D. Yu, X. Wang, and G. Zhao, “Asynchronous multivariate time series early prediction for ICU transfer,” in *Proceedings of the 2019 International Conference on Intelligent Medicine and Health - ICIMH 2019*. ACM Press, 2019.

- [72] H. S. Anderson, N. Parrish, K. Tsukida, and M. R. Gupta, “Reliable early classification of time series,” in *2012 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, Mar. 2012. [Online]. Available: <https://doi.org/10.1109/icassp.2012.6288318>
- [73] L. Yao, Y. Li, Y. Li, H. Zhang, M. Huai, J. Gao, and A. Zhang, “DTEC: Distance transformation based early time series classification,” in *Proceedings of the 2019 SIAM International Conference on Data Mining*. Society for Industrial and Applied Mathematics, may 2019, pp. 486–494.
- [74] S. Li, K. Li, and Y. Fu, “Early recognition of 3d human actions,” *ACM Transactions on Multimedia Computing, Communications, and Applications*, mar 2018, vol. 14, no. 1s, pp. 1–21.
- [75] E.-Y. Hsu, C.-L. Liu, and V. S. Tseng, “Multivariate time series early classification with interpretability using deep learning and attention mechanism,” in *Advances in Knowledge Discovery and Data Mining*. Springer International Publishing, 2019, pp. 541–553.
- [76] R. Tavenard and S. Malinowski, “Cost-aware early classification of time series,” in *Machine Learning and Knowledge Discovery in Databases*. Springer International Publishing, 2016, pp. 632–647.
- [77] N. Parrish, H. S. Anderson, M. R. Gupta, and D. Y. Hsiao, “Classifying with confidence from incomplete information,” *J. Mach. Learn. Res.*, Dec. 2013, vol. 14, no. 1, pp. 3561–3589.
- [78] C. J. A. González and J. J. R. Diez, “boosting interval - based literals: variable length and early classification,” in *Series in Machine Perception and Artificial Intelligence*. WORLD SCIENTIFIC, jun 2004, pp. 149–171.
- [79] M. Coralie, G. Perrin, E. Ramasso, and M. Rombaut, “A deep reinforcement learning approach for early classification of time series,” in *26th European Signal Processing Conference (EUSIPCO 2018)*, Rome, Italy, Sep. 2018. [Online]. Available: <https://hal.archives-ouvertes.fr/hal-01825472>
- [80] H. S. Anderson, N. Parrish, and M. R. Gupta, “Early time series classification with reliability guarantee.” Sandia National Lab.(SNL-NM), Albuquerque, NM (United States), Tech. Rep., 2012.

- [81] G. He, Y. Duan, T. Qian, and X. Chen, “Early prediction on imbalanced multivariate time series,” in *Proceedings of the 22nd ACM international conference on Conference on information & knowledge management - CIKM '13*. ACM Press, 2013.
- [82] G. He, Y. Duan, G. Zhou, and L. Wang, “Early classification on multivariate time series with core features,” in *Lecture Notes in Computer Science*. Springer International Publishing, 2014, pp. 410–422.
- [83] S. Ando and E. Suzuki, “Minimizing response time in time series classification,” *Knowledge and Information Systems*, mar 2015, vol. 46, no. 2, pp. 449–476.
- [84] W. Wang, C. Chen, W. Wang, P. Rai, and L. Carin, “Earliness-aware deep convolutional networks for early time series classification,” *CoRR*, 2016, vol. abs/1611.04578. [Online]. Available: <http://arxiv.org/abs/1611.04578>
- [85] H.-S. Huang, C.-L. Liu, and V. S. Tseng, “Multivariate time series early classification using multi-domain deep neural network,” in *2018 IEEE 5th International Conference on Data Science and Advanced Analytics (DSAA)*. IEEE, oct 2018.
- [86] M. Rußwurm, S. Lefèvre, N. Courty, R. Emonet, M. Körner, and R. Tavenard, “End-to-end learning for early classification of time series.”
- [87] Z. Xing, J. Pei, G. Dong, and P. S. Yu, “Mining sequence classifiers for early prediction,” in *Proceedings of the 2008 SIAM international conference on data mining*. SIAM, 2008, pp. 644–655.
- [88] G. Li and W. Yan, “Extracting distinctive shapelets with random selection for early classification,” in *Knowledge Science, Engineering and Management*. Springer International Publishing, 2020, pp. 471–484.
- [89] A. Rényi *et al.*, “On measures of entropy and information,” in *Proceedings of the Fourth Berkeley Symposium on Mathematical Statistics and Probability, Volume 1: Contributions to the Theory of Statistics*. The Regents of the University of California, 1961.
- [90] C. K. Williams and C. E. Rasmussen, *Gaussian processes for machine learning*. MIT Press Cambridge, MA, 2006, no. 3.
- [91] J. Platt *et al.*, “Probabilistic outputs for support vector machines and comparisons to regularized likelihood methods,” *Advances in large margin classifiers*, 1999, vol. 10, no. 3, pp. 61–74.

- [92] H. Zhang, “The optimality of naive bayes,” *AAAI*, 2004, vol. 1, no. 2, p. 3.
- [93] J. Sochman and J. Matas, “WaldBoost — learning for time constrained sequential detection,” in *2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05)*, vol. 2. IEEE, 2005, pp. 150–156.
- [94] A. Y. Ng, “Feature selection,  $l_1$  vs.  $l_2$  regularization, and rotational invariance,” in *Twenty-first international conference on Machine learning - ICML '04*. ACM Press, 2004.
- [95] C. Liu, S. Dong, B. Lu, and M. Abdel-Mottaleb, “Multimedia event detection with  $\ell_2$ -regularized logistic gaussian mixture regression,” *Neural Computing and Applications*, jan 2015, vol. 26, no. 7, pp. 1561–1574.
- [96] C. E. Rasmussen, “Gaussian processes in machine learning,” in *Advanced lectures on machine learning*. Springer, 2004, pp. 63–71.
- [97] K. Parsopoulos and M. Vrahatis, “Recent approaches to global optimization problems through particle swarm optimization,” *Natural Computing*, Jun 2002, vol. 1, no. 2, pp. 235–306.
- [98] Nicola Lama, Girolami Mark, *vbmp: Variational Bayesian Multinomial Probit Regression, R package version 1.42.0*, 2016.
- [99] C. Bendtsen., *pso: Particle Swarm Optimization*, 2012, r package version 1.0.3.
- [100] B. Calvo and G. Santafe, “scmamp: Statistical comparison of multiple algorithms in multiple problems,” *The R Journal*, 2015, vol. Accepted for publication.
- [101] L. Scrucca, “GA: A package for genetic algorithms in R,” *Journal of Statistical Software*, 2013, vol. 53, no. 4, pp. 1–37.
- [102] “Av test-malware statistics trends report. (2019),” [Accessed 20-Dec-2019]. [Online]. Available: <https://www.av-test.org/en/statistics/malware>
- [103] E. Gandotra, D. Bansal, and S. Sofat, “Malware analysis and classification: A survey,” *Journal of Information Security*, 2014, vol. 05, no. 02, pp. 56–64.
- [104] I. You and K. Yim, “Malware obfuscation techniques: A brief survey,” in *2010 International Conference on Broadband, Wireless Computing, Communication and Applications*. IEEE, nov 2010.

- [105] A. Moser, C. Kruegel, and E. Kirda, “Limits of static analysis for malware detection,” in *Twenty-Third Annual Computer Security Applications Conference (ACSAC 2007)*. IEEE, dec 2007.
- [106] P. Vinod, R. Jaipur, V. Laxmi, and M. Gaur, “Survey on malware detection methods,” in *Proceedings of the 3rd Hackers’ Workshop on computer and internet security (IITKHACK’09)*, 2009, pp. 74–79.
- [107] M. Rhode, P. Burnap, and K. Jones, “Early-stage malware prediction using recurrent neural networks,” *Computers & Security*, aug 2018, vol. 77, pp. 578–594.
- [108] M. M. Arzani, M. Fathy, A. A. Azirani, and E. Adeli, “Skeleton-based structured early activity prediction,” *Multimedia Tools and Applications*, apr 2020.
- [109] M. Hoai and F. D. la Torre, “Max-margin early event detectors,” *International Journal of Computer Vision*, dec 2013, vol. 107, no. 2, pp. 191–202.
- [110] B. Richhariya and M. Tanveer, “EEG signal classification using universum support vector machine,” *Expert Systems with Applications*, sep 2018, vol. 106, pp. 169–182.
- [111] U. Mori, A. Mendiburu, S. Dasgupta, and J. A. Lozano, “Early classification of time series from a cost minimization point of view,” in *Proceedings of the NIPS Time Series Workshop*, 2015.
- [112] R. Hassan, B. Cohanin, O. de Weck, and G. Venter, “A comparison of particle swarm optimization and the genetic algorithm,” in *46th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*. American Institute of Aeronautics and Astronautics, apr 2005.
- [113] R. T. Olszewski, “Generalized feature extraction for structural pattern recognition in time-series data,” CARNEGIE-MELLON UNIV PITTSBURGH PA SCHOOL OF COMPUTER SCIENCE, Tech. Rep., 2001.
- [114] M. Veres and M. Moussa, “Deep learning for intelligent transportation systems: A survey of emerging trends,” *IEEE Transactions on Intelligent Transportation Systems*, 2019, pp. 1–17.
- [115] S.-H. Fang, Y.-X. Fei, Z. Xu, and Y. Tsao, “Learning transportation modes from smartphone sensors based on deep neural network,” *IEEE Sensors Journal*, sep 2017, vol. 17, no. 18, pp. 6111–6118.

- [116] X. Liang, Y. Zhang, G. Wang, and S. Xu, "A deep learning model for transportation mode detection based on smartphone sensing data," *IEEE Transactions on Intelligent Transportation Systems*, 2019, pp. 1–13.
- [117] M. M. Bejani and M. Ghatee, "Convolutional neural network with adaptive regularization to classify driving styles on smartphones," *IEEE Transactions on Intelligent Transportation Systems*, feb 2020, vol. 21, no. 2, pp. 543–552.
- [118] J.-L. Yin, B.-H. Chen, K.-H. R. Lai, and Y. Li, "Automatic dangerous driving intensity analysis for advanced driver assistance systems from multimodal driving signals," *IEEE Sensors Journal*, jun 2018, vol. 18, no. 12, pp. 4785–4794.
- [119] K. Wang, J. He, and L. Zhang, "Attention-based convolutional neural network for weakly labeled human activities' recognition with wearable sensors," *IEEE Sensors Journal*, sep 2019, vol. 19, no. 17, pp. 7598–7604.
- [120] D. Shin, D. Aliaga, B. Tunçer, S. M. Arisona, S. Kim, D. Zünd, and G. Schmitt, "Urban sensing: Using smartphones for transportation mode classification," *Computers, Environment and Urban Systems*, sep 2015, vol. 53, pp. 76–86.
- [121] A. Basavaraju, J. Du, F. Zhou, and J. Ji, "A machine learning approach to road surface anomaly assessment using smartphone sensors," *IEEE Sensors Journal*, mar 2020, vol. 20, no. 5, pp. 2635–2647.
- [122] Y. Kim, P. Wang, and L. Mihaylova, "Scalable learning with a structural recurrent neural network for short-term traffic prediction," *IEEE Sensors Journal*, dec 2019, vol. 19, no. 23, pp. 11 359–11 366.
- [123] M. Elhoushi, J. Georgy, A. Noureldin, and M. J. Korenberg, "A survey on approaches of motion mode recognition using sensors," *IEEE Transactions on Intelligent Transportation Systems*, jul 2017, vol. 18, no. 7, pp. 1662–1686.
- [124] L. Wang, H. Gjoreski, M. Ciliberto, S. Mekki, S. Valentin, and D. Roggen, "Enabling reproducible research in sensor-based transportation mode recognition with the sussex-huawei dataset," *IEEE Access*, 2019, vol. 7, pp. 10 870–10 891.
- [125] R. Singh, T. Ahmed, A. Kumar, A. K. Singh, A. K. Pandey, and S. K. Singh, "Imbalanced breast cancer classification using transfer learning," *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, 2020, pp. 1–11.

- [126] A. Nawaz, H. Zhiqiu, W. Senzhang, Y. Hussain, I. Khan, and Z. Khan, "Convolutional LSTM based transportation mode learning from raw GPS trajectories," *IET Intelligent Transport Systems*, jun 2020, vol. 14, no. 6, pp. 570–577.
- [127] C. Wang, H. Luo, F. Zhao, and Y. Qin, "Combining residual and LSTM recurrent networks for transportation mode detection using multimodal sensors integrated in smartphones," *IEEE Transactions on Intelligent Transportation Systems*, 2020, pp. 1–13.
- [128] H. G. M. C. L. W. F. J. O. M. S. M. S. V. D. Roggen, "Sussex-huawei locomotion and transportation dataset," 2018. [Online]. Available: <http://dx.doi.org/10.21227/7vtt-8c19>
- [129] T. N. Sainath, O. Vinyals, A. Senior, and H. Sak, "Convolutional, long short-term memory, fully connected deep neural networks," in *2015 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, April 2015, pp. 4580–4584.
- [130] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, nov 1997, vol. 9, no. 8, pp. 1735–1780.
- [131] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," in *Advances in neural information processing systems*, 2012, pp. 1097–1105.
- [132] H. Gjoreski, M. Ciliberto, L. Wang, F. J. O. Morales, S. Mekki, S. Valentin, and D. Roggen, "The university of sussex-huawei locomotion and transportation dataset for multimodal analytics with mobile devices," *IEEE Access*, 2018, vol. 6, pp. 42 592–42 604.
- [133] J. Biancat, C. Brighenti, and A. Brighenti, "Review of transportation mode detection techniques," *ICST Transactions on Ambient Systems*, oct 2014, vol. 1, no. 4, p. e7.

# LIST OF PUBLICATIONS

## Refereed Journal Papers

- **Anshul Sharma** and Sanjay Kumar Singh, “A novel approach for early malware detection,” *Transactions on Emerging Telecommunications Technologies*, Wiley 2020. (IF:2.638)
- **Anshul Sharma** and Sanjay Kumar Singh, “Early classification of multivariate data by learning optimal decision rules,” *Multimedia Tools and Applications*, Springer Science and Business Media LLC, 2020. (IF:2.757)
- **Anshul Sharma**, Sanjay Kumar Singh, S. S. Udmale, A. K. Singh and R. Singh “Early transportation mode detection using smartphone sensing data,” *IEEE Sensors Journal*, 2021, vol. 21, no. 14, pp. 15651-15659 (IF:3.301)
- A. G. Nath, **Anshul Sharma**, S. S. Udmale, and Sanjay Kumar Singh, ”An early classification approach for improving structural rotor fault diagnosis,” *IEEE Transactions on Instrumentation and Measurement*, 2021, vol. 70, pp. 1-13. (IF:4.016)

## Refereed Conference Papers

- **Anshul Sharma** and Sanjay K. Singh, “Early classification of time series based on uncertainty measure,” IEEE conference on information and communication technology, 2019.

## Refereed Book Chapter

- **Anshul Sharma**, *et. al.*, “Time series data representation and dimensionality reduction techniques,” In Algorithms for intelligent systems. Springer Singapore, 2020