

# Contents

<b>List of Figures</b>	<b>xv</b>
<b>List of Tables</b>	<b>xxiii</b>
<b>Abbreviations</b>	<b>xxv</b>
<b>Symbols</b>	<b>xxvii</b>
<b>Preface</b>	<b>xxx</b>
<b>1 INTRODUCTION AND LITERATURE REVIEW</b>	<b>1</b>
1.1 Development of Aluminium and Aluminium Alloys . . . . .	1
1.2 Typical Aerospace Applications of Aluminium Alloys . . . . .	4
1.3 Classification of Aluminium Alloys . . . . .	7
1.4 Physical Metallurgy of Al-Zn-Mg-Cu Alloys . . . . .	9
1.4.1 Mechanism of precipitation hardening in 7xxx alloys . . . . .	13
1.4.2 Microstructural features . . . . .	14
1.5 The Process of Grain Refinement at Surface . . . . .	18
1.6 Ultrasonic Shot Peening (USSP) . . . . .	19
1.7 Effect of Ultrasonic Shot Peening on Surface Microstructure . . . . .	21
1.8 Thermal Stability . . . . .	25
1.9 Fatigue Behavior of Nanostructured Alloys . . . . .	27

---

1.10	Corrosion Behavior . . . . .	31
1.11	Scope of the Present Investigation . . . . .	33
1.12	Objectives of the Present Investigation . . . . .	33
<b>2</b>	<b>MATERIAL AND EXPERIMENTAL METHODS</b>	<b>35</b>
2.1	Introduction . . . . .	35
2.2	Material . . . . .	35
2.3	Ultrasonic Shot Peening (USSP) Treatment . . . . .	36
2.4	Microstructural Characterization . . . . .	37
2.4.1	Optical Microscopy . . . . .	38
2.4.2	Scanning Electron Microscopy (SEM) . . . . .	38
2.4.3	Transmission Electron Microscopy (TEM) . . . . .	39
2.4.4	X-Ray Diffraction (XRD) . . . . .	39
2.5	Mechanical Testing . . . . .	40
2.5.1	Hardness testing . . . . .	40
2.5.2	Tensile testing . . . . .	40
2.5.3	Low Cycle Fatigue (LCF) testing . . . . .	41
2.5.4	Slow Strain Rate Tensile (SSRT) testing . . . . .	42
2.6	Corrosion Measurements . . . . .	43
2.6.1	Electrochemical measurements . . . . .	43
2.6.2	Static immersion testing . . . . .	44
<b>3</b>	<b>MICROSTRUCTURAL CHARACTERIZATION AND MICROHARDNESS OF GRADIENT STRUCTURED AA7075</b>	<b>45</b>
3.1	Introduction . . . . .	45
3.2	Microstructure Characterization . . . . .	46
3.2.1	Surface topography . . . . .	46
3.2.2	Characterization of precipitates through TEM . . . . .	48
3.2.2.1	Surface microstructure of the USSP treated region . . .	51

---

3.2.2.2	Microstructure evolution of USSP treated AA7075 . . . . .	54
3.2.3	Electron Backscattered Diffraction (EBSD) analysis . . . . .	58
3.3	XRD Analysis of USSP Treated AA7074 . . . . .	62
3.4	Residual Stress Distribution . . . . .	66
3.5	Surface Roughness Variation . . . . .	68
3.6	Microhardness Variation . . . . .	69
3.7	Discussion . . . . .	71
3.8	Conclusions . . . . .	77
<b>4</b>	<b>THERMAL STABILITY OF NANOSTRUCTURED SURFACE LAYER</b>	<b>79</b>
4.1	Introduction . . . . .	79
4.2	Differential Scanning Calorimetry . . . . .	80
4.3	Microhardness Variation after Thermal Exposure . . . . .	81
4.4	Phase Analysis following Annealing . . . . .	82
4.5	Microstructural Evolution during Annealing . . . . .	86
4.6	Discussion . . . . .	88
4.6.1	Precipitation kinetics . . . . .	88
4.6.2	Thermal stability of nanostructured surface . . . . .	90
4.6.3	Activation energy for grain growth . . . . .	92
4.6.4	Mutimechanistic model of resulting hardness . . . . .	95
4.6.4.1	Grain-boundary hardening . . . . .	96
4.6.4.2	Solid-solution hardening . . . . .	97
4.6.4.3	Dislocation hardening . . . . .	97
4.6.4.4	Precipitation hardening . . . . .	98
4.6.4.5	Total hardening . . . . .	99
4.7	Conclusions . . . . .	100

---

<b>5 EFFECT OF ULTRASONIC SHOT PEENING ON LOW CYCLE FATIGUE BEHAVIOR</b>	<b>101</b>
5.1 Introduction . . . . .	101
5.2 Cyclic Stress Response . . . . .	102
5.3 Fracture Behavior . . . . .	107
5.4 Discussion . . . . .	107
5.5 Conclusions . . . . .	115
<b>6 ROLE OF THERMAL TREATMENTS PRE- AND POST- ULTRASONIC SHOT PEENING ON LCF BEHAVIOR</b>	<b>117</b>
6.1 Introduction . . . . .	117
6.2 Microstructure . . . . .	118
6.3 Tensile Properties . . . . .	122
6.4 Low Cycle Fatigue Behavior . . . . .	123
6.5 Discussion . . . . .	129
6.6 Conclusions . . . . .	135
<b>7 INFLUENCE OF ULTRASONIC SHOT PEENING ON CORROSION BEHAVIOR</b>	<b>137</b>
7.1 Introduction . . . . .	137
7.2 Corrosion Characteristics . . . . .	138
7.2.1 Potentiodynamic Polarization . . . . .	138
7.2.2 Electrochemical Impedance Studies . . . . .	140
7.2.3 Anodic Polarization . . . . .	144
7.2.4 Weight gain during exposure . . . . .	145
7.3 Discussion . . . . .	148
7.4 Conclusions . . . . .	157

---

<b>8 OPTIMIZATION OF USSP DURATION FOR ENHANCED CORROSION RESISTANCE</b>	<b>159</b>
8.1 Introduction . . . . .	159
8.2 Scanning Kelvin Probe Force Microcopy . . . . .	160
8.3 Corrosion Behavior . . . . .	161
8.3.1 Potentiodynamic Polarization . . . . .	161
8.3.2 Electrochemical Impedance Studies . . . . .	164
8.3.3 Potentiodynamic behavior after 360 hours of exposure . . . . .	169
8.3.4 X-ray Photoelectron Spectroscopy . . . . .	171
8.4 Stress Corrosion Behavior . . . . .	172
8.5 Discussion . . . . .	175
8.6 Conclusions . . . . .	187
<b>9 SUMMARY AND SUGGESTIONS FOR FUTURE WORK</b>	<b>189</b>
9.1 Introduction . . . . .	189
9.2 Summary . . . . .	189
9.2.1 Surface modification . . . . .	190
9.2.2 Thermal stability . . . . .	190
9.2.3 Low Cycle Fatigue behavior . . . . .	191
9.2.4 Corrosion and stress corrosion behavior . . . . .	192
9.3 Suggestions for Future Work . . . . .	193
<b>Bibliography</b>	<b>193</b>
<b>List of Publications</b>	<b>219</b>