

References

- Abbasi, H., Sharafi, H., Alidost, L., Bodagh, A., Zahiri, H. S., & Noghabi, K. A. (2013). Response surface optimization of biosurfactant produced by *Pseudomonas aeruginosa* MA01 isolated from spoiled apples. *Preparative Biochemistry and Biotechnology*, 43(4): 398–414.
- Abdel-Mawgoud, A. M., Aboulwafa, M. M. et al., (2008). Optimization of surfactin production by *Bacillus subtilis* isolate BS5. *Applied biochemistry and biotechnology*, 150(3): 305-325.
- Accorsini, F. R., Mutton, M. J. R. et al., (2012). Biosurfactants production by yeasts using soybean oil and glycerol as low cost substrate. *Brazilian Journal of Microbiology*, 43(1): 116-125.
- Al-Araji, L., Rahman, R. N. Z. R. A., Basri, M., & Salleh, A. B. (2007). Microbial surfactant. *Asia Pacific Journal of Molecular Biology & Biotechnology*, 15(3): 99–105.
- Armstrang, P., Wastie, M., et al. (2004). Diagnosing imaging, United State of America: Black well.
- Asfora Sarubbo, L., Moura de Luna, J. et al. (2006). Production and stability studies of the bioemulsifier obtained from a new strain of *Candida glabrata* UCP 1002. *Electronic Journal of Biotechnology*, 9(4).

- Ashish, Guta, N. and Dednath, M. (2011). Characterization of biosurfactant production by mutant strain of *Candida tropicalis*. *Environmental Science and Technology*, 6(2): 133-136.
- Aswathy, R. G., Yoshida, Y. et al. (2010). Near-infrared quantum dots for deep tissue imaging. *Analytical and bioanalytical chemistry*, 397(4): 1417-1435.
- Balaji, G., Rajesh, K. et al. (2013). Ultrasound-promoted synthesis, biological evaluation and molecular docking of novel 7-(2-chloroquinolin-4-yloxy)-4-methyl-2H-chromen-2-one derivatives. *Medicinal Chemistry Research*, 22(7): 3185-3192.
- Balan, S. S., Kumar, C. G. et al. (2017). Aneurinifactin, a new lipopeptide biosurfactant produced by a marine *Aneurinibacillus aneurinilyticus* SBP-11 isolated from Gulf of Mannar: Purification, characterization and its biological evaluation. *Microbiological research*, 194: 1-9.
- Banat, I. M., Makkar, R. S., et al. (2000). Potential commercial applications of microbial surfactants. *Applied microbiology and biotechnology*, 53(5): 495-508.
- Bao, M., Pi, Y., et al. (2014). Lipopeptide biosurfactant production bacteria *Acinetobacter* sp. D3-2 and its biodegradation of crude oil. *Environmental Science: Processes & Impacts*, 16(4): 897-903.
- Berendsen, H. J., van der Spoel, D. et al. (1995). GROMACS: a message-passing parallel molecular dynamics implementation. *Computer Physics Communications*, 91(1-3): 43-56.

- Berg, G., Seech, A. G., Lee, H., & Trevors, J. T. (1990). Identification and characterization of a soil bacterium with extracellular emulsifying activity. *Journal of Environmental Science & Health Part A*, 25(7): 753–764.
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escaleira, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, 76(5): 965–977.
- Bodour, A. A., & Miller-Maier, R. M. (1998). Application of a modified drop-collapse technique for surfactant quantitation and screening of biosurfactant-producing microorganisms. *Journal of Microbiological Methods*, 32(3): 273–280.
- Bolton, E., Wang, Y. et al.,. Integrated Platform of Small Molecules and Biological Activities. Chapter 12 In Annual Reports in Computational Chemistry, Washington, DC: American Chemical Society, 2008.
- Brooijmans, R. J. W., Pastink, M. I., & Siezen, R. J. (2009). Hydrocarbon-degrading bacteria: the oil-spill clean-up crew. *Microbial Biotechnology*, 2(6): 587–594.
- Brown, L. R., Vadie, A. A., & Stephens, J. O. (2002). Slowing Production Decline and Extending the Economic Life of an Oil Field: New MEOR Technology. *SPE Reservoir Evaluation & Engineering*, 5(1): 33–41.
- Cao, X.-H., Liao, Z.-Y et al. (2009). Evaluation of a lipopeptide biosurfactant from *Bacillus natto* TK-1 as a potential source of anti-adhesive, antimicrobial and antitumor activities. *Brazilian Journal of Microbiology*, 40(2): 373-379.

- Chauhan, A. K., & Varma, A. A Textbook of Molecular Biotechnology. I. K. International Pvt Ltd., 2009.
- Cirigliano, M. C., & Carman, G. M. (1985). Purification and Characterization of Liposan, a Bioemulsifier from *Candida lipolytica*. *Applied and Environmental Microbiology*, 50(4): 846–850.
- Cooper, D. G., & Goldenberg, B. G. (1987). Surface-active agents from two *Bacillus* species. *Applied and Environmental Microbiology*, 53(2): 224–229.
- Cooper, D. G., & Paddock, D. A. (1984). Production of a Biosurfactant from *Torulopsis bombicola*. *Applied and Environmental Microbiology*, 47(1): 173–176.
- Crescenzi, O., Tomaselli, S. et al. (2002). Solution structure of the Alzheimer amyloid β -peptide (1–42) in an apolar microenvironment. *The FEBS Journal*, 269(22): 5642–5648.
- Das, N., & Chandran, P. (2011). Microbial Degradation of Petroleum Hydrocarbon Contaminants: An Overview. *Biotechnology Research International*, 2011:1–13.
- Das, P., Mukherjee, S., & Sen, R. (2008). Antimicrobial potential of a lipopeptide biosurfactant derived from a marine *Bacillus circulans*. *Journal of Applied Microbiology*, 104(6): 1675–1684.
- Desai, J. D. and Banat I. M. (1997). Microbial production of surfactants and their commercial potential. *Microbiology and Molecular biology reviews*, 61(1): 47-64.

- Devarajan, S. and Sharmila J. S. (2014). Computational studies of beta amyloid (A β 42) with p75NTR receptor: a novel therapeutic target in Alzheimer's disease. *Advances in bioinformatics*, 2014: 1-6.
- Donio, M. B. S., Ronica, F. A., et al. (2013). Halomonas sp. BS4, A biosurfactant producing halophilic bacterium isolated from solar salt works in India and their biomedical importance. *SpringerPlus*, 2(1): 149.
- Dunn, M. S., Shennan, A. T., et al., (1991). Bovine surfactant replacement therapy in neonates of less than 30 weeks' gestation: a randomized controlled trial of prophylaxis versus treatment. *Pediatrics*, 87(3): 377-386.
- Ekpenyong, M. G., Antai, S. P., Asitok, A. D., & Ekpo, B. O. (2017). Plackett-Burman design and response surface optimization of medium trace nutrients for glycolipopeptide biosurfactant production. *Iranian Biomedical Journal*, 21(4): 249–260.
- Elibol, M. (2004). Optimization of medium composition for actinorhodin production by *Streptomyces coelicolor* A3(2) with response surface methodology. *Process Biochemistry*, 39(9): 1057–1062.
- Ellaiah, P., Prabhakar, T., Sreekanth, M., Taleb, A. T., Raju, P. B., & Saisha, V. (2002). Production of glycolipids containing biosurfactant by *Pseudomonas* species. *Indian Journal of Experimental Biology*, 40:1083-86.
- El-Sheshtawy, H. S., Aiad, I., Osman, M. E., Abo-ELnasr, A. A., & Kobisy, A. S. (2015). Production of biosurfactant from *Bacillus licheniformis* for microbial enhanced oil

- recovery and inhibition the growth of sulfate reducing bacteria. *Egyptian Journal of Petroleum*, 24(2): 155–162.
- Fattom, A., & Shilo, M. (1985). Production of emulcyan by *Phormidium J-1*: its activity and function. *FEMS Microbiology Letters*, 31(1): 3–9.
- Gerben, S. R., Lemkul, J. A. et al. (2014). Comparing atomistic molecular mechanics force fields for a difficult target: a case study on the Alzheimer's amyloid β -peptide. *Journal of Biomolecular Structure and Dynamics*, 32(11): 1817-1832.
- Gerber, F., Krafft, M. P. et al. (2005). Preventing Crystallization of Phospholipids in Monolayers: A New Approach to Lung-Surfactant Therapy. *Angewandte Chemie International Edition*, 44(18): 2749-2752.
- Gharaei-Fathabad, E. (2011). Biosurfactants in pharmaceutical industry: a mini-review. *American Journal of Drug Discovery and Development*, 1(1): 58-69.
- GhattyVenkataKrishna, P. K. & Mostofian, B. (2013). Dynamics of water in the amphiphilic pore of amyloid β fibrils. *Chemical Physics Letters*, 582: 1-5.
- Gilmour, S. G. (2006). Response Surface Designs for Experiments in Bioprocessing. *Biometrics*, 62(2): 323–331.
- Gudiña, E. J., Fernandes, E. C. et al. (2015). Biosurfactant production by *Bacillus subtilis* using corn steep liquor as culture medium. *Frontiers in microbiology*, 6(59):1-7.
- Gudiña, E. J., Rangarajan, V. et al. (2013). Potential therapeutic applications of biosurfactants. *Trends in pharmacological sciences*, 34(12): 667-675.

- Guerra-Santos, L. H., Käppeli, O., & Fiechter, A. (1986). Dependence of *Pseudomonas aeruginosa* continuous culture biosurfactant production on nutritional and environmental factors. *Applied Microbiology and Biotechnology*, 24(6), 443–448.
- Ashish, Gupta, N., Debnath, M. (2011) Characterization of Biosurfactant production by mutant strain of *Candida tropicalis*. *International Conference on Environmental Science and Technology (IPCBEE)*. 6:133–136
- Haba, E., Espuny, M., Busquets, M., & Manresa, A. (2000). Screening and production of rhamnolipids by *Pseudomonas aeruginosa* 47T2 NCIB 40044 from waste frying oils. *Journal of Applied Microbiology*, 88(3): 379–387.
- Hamaguchi, T., Ono, K. et al. (2006). Anti-amyloidogenic therapies: strategies for prevention and treatment of Alzheimer's disease. *Cellular and molecular life sciences*, 63(13): 1538-1552.
- Han, Y., Huang, X. et al. (2008). Micellization of surfactin and its effect on the aggregate conformation of amyloid β (1-40). *The Journal of Physical Chemistry B*, 112(47): 15195-15201.
- Hanwell, M. D., Curtis, D. E. et al., (2012). Avogadro: an advanced semantic chemical editor, visualization, and analysis platform. *Journal of cheminformatics* 4(1):1-17.
- Haymond, S., Luzzi, V. I. et al. (2006). A direct comparison between lamellar body counts and fluorescent polarization methods for predicting respiratory distress syndrome. *American journal of clinical pathology*, 126(6): 894-899.

- Hernández-Rodríguez, M., Correa-Basurto, J. et al. (2015). Virtual and in vitro screens reveal a potential pharmacophore that avoids the fibrillization of A β 1–42. *PLoS one*, 10(7): 1-22.
- Hommel, R., Stiiwer, O., Stuber, W., Haferburg, D., & Kleber, H. P. (1987). Production of water-soluble surface-active exolipids by *Torulopsis apicola*. *Applied Microbiology and Biotechnology*, 26(3): 199–205.
- Hsieh, F. C., Li, M. C., Lin, T. C., & Kao, S. S. (2004). Rapid detection and characterization of surfactin-producing *Bacillus subtilis* and closely related species based on PCR. *Current microbiology*, 49(3), 186-191.
- Inakollu, S., Hung, H. C., et al., (2004). Biosurfactant enhancement of microbial degradation of various structural classes of hydrocarbon in mixed waste systems. *Environmental Engineering Science*, 21(4): 463-469.
- Itokawa, H., Miyashita, T., Morita, H., Takeya, K., Hirano, T., Homma, M., & Oka, K. (1994). Structural and conformational studies of [Ile7] and [Leu7]surfactins from *Bacillus subtilis natto*. *Chemical & Pharmaceutical Bulletin*, 42(3): 604–607.
- Jack, T. R. (1993). M.O.R.E. to M.E.O.R.: An Overview of Microbially Enhanced Oil Recovery. *Developments in Petroleum Science*, 39:7-16.
- Jain, D., Collins-Thompson, D., Lee, H., & Trevors, J. (1991). A drop-collapsing test for screening surfactant-producing microorganisms. *Journal of Microbiological Methods*, 13(4): 271–279.

- Jellinger K. A., Bancher C. (1998). Neuropathology of Alzheimer's disease: a critical update. In: Gertz HJ., Arendt T. (eds) *Alzheimer's Disease — From Basic Research to Clinical Applications. Journal of Neural Transmission, Supplementa*, Springer, 54:77-95.
- Jung, J., Yu, K. O., Ramzi, A. B., Choe, S. H., Kim, S. W., & Han, S. O. (2012). Improvement of surfactin production in *Bacillus subtilis* using synthetic wastewater by overexpression of specific extracellular signaling peptides, comX and phrC. *Biotechnology and Bioengineering*, 109(9): 2349–2356.
- Kachholz, T., Schlingmann, M. (1987). Possible food and agricultural application of microbial surfactants: an assessment. In: Kosaric N, Cairns WL, Grey NCC, (eds.), *Biosurfactant and Biotechnology*, New York, Marcel Dekker Inc. 25: 183-208.
- Kameda, Y., Ouhira, S. et al. (1974). Antitumor activity of *Bacillus natto*. V. Isolation and characterization of surfactin in the culture medium of *Bacillus natto* KMD 2311. *Chemical and Pharmaceutical Bulletin*, 22(4): 938-944.
- Käppeli, O., & Finnerty, W. R. (1979). Partition of alkane by an extracellular vesicle derived from hexadecane-grown *Acinetobacter*. *Journal of Bacteriology*, 140(2): 707–712.
- Karadi, R., Lokesh, K., Sadanandan, B., & Venkatrangana, M. (2014). Standardization of biosurfactant enrichment process by factorial design and elucidating its physico-chemical and structural characteristics. *Journal of Biochemical Technology*, 3(5): 161–166.

- Karanth, N. G. K., Deo, P. G., & Veena Nadig, N. K. (1999). Microbial production of biosurfactants and their importance. *Current Science*, 77(1): 116-126.
- Kattwinkel, J., Bloom, B. T. et al. (1993). Prophylactic administration of calf lung surfactant extract is more effective than early treatment of respiratory distress syndrome in neonates of 29 through 32 weeks' gestation. *Pediatrics*, 92(1): 90-98.
- Kendig, J. W., Notter, R. H. et al., (1991). A comparison of surfactant as immediate prophylaxis and as rescue therapy in newborns of less than 30 weeks' gestation. *New England Journal of Medicine*, 324(13): 865-871.
- Khopade, A., Ren, B. et al. (2012). Production and characterization of biosurfactant from marine *Streptomyces* species B3. *Journal of colloid and interface science*, 367(1): 311-318.
- Kim, H. S., Yoon, B. D. et al., (1999). Characterization of a biosurfactant, mannosylerythritol lipid produced from *Candida* sp. SY16. *Applied microbiology and biotechnology*, 52(5): 713-721.
- Kim, S. H., Lim, E. J., Lee, S. O., Lee, J. D., & Lee, T. H. (2000). Purification and characterization of biosurfactants from *Nocardia* sp. L-417. *Biotechnology and Applied Biochemistry*, 31 (Pt 3): 249–253.
- Kim, S. Y., Kim, J. Y. et al., (2007). Surfactin from *Bacillus subtilis* displays anti-proliferative effect via apoptosis induction, cell cycle arrest and survival signalling suppression. *FEBS letters*, 581(5): 865-871.

- Kitamoto, D., Yanagishita, H., Shinbo, T., Nakane, T., Kamisawa, C., & Nakahara, T. (1993). Surface active properties and antimicrobial activities of mannosylerythritol lipids as biosurfactants produced by *Candida antarctica*. *Journal of Biotechnology*, 29(1), 91–96.
- Kitchen, D. B., Decornez, H. et al., (2004). Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature reviews Drug discovery*, 3(11): 935-949.
- Kosaric, N. (2001). Biosurfactants and their application for soil bioremediation. *Food Technology and Biotechnology*, 39(4): 295–304.
- Kosaric, N., & Sukan, F. V. (1993). Biosurfactants: Production: Properties: Applications. CRC Press.
- Kosaric. (1987). Biosurfactants and Biotechnology. CRC Press.
- Kroemer, R. T. (2007). Structure-based drug design: docking and scoring. *Current protein and peptide science*, 8(4): 312-328.
- Kumar, P., Pillay, V. et al., (2011). In silico theoretical molecular modeling for Alzheimer's disease: the nicotine-curcumin paradigm in neuroprotection and neurotherapy. *International journal of molecular sciences*, 12(1): 694-724.
- Kurl, S., Heinonen, K. M. et al., (1997). The first chest radiograph in neonates exhibiting respiratory distress at birth. *Clinical paediatrics*, 36(5): 285-289.

- Kuyukina, M. S., Ivshina, I. B. et al. (2001). Recovery of Rhodococcus biosurfactants using methyl tertiary-butyl ether extraction. *Journal of Microbiological Methods*, 46(2): 149-156.
- Ławniczak, Ł., Marecik, R. et al., (2013). Contributions of biosurfactants to natural or induced bioremediation. *Applied microbiology and biotechnology*, 97(6): 2327-2339.
- Lemkul, J. A. and Bevan D. R. (2010). Assessing the stability of Alzheimer's amyloid protofibrils using molecular dynamics. *The Journal of Physical Chemistry B*, 114(4): 1652-1660.
- Lemkul, J. A. and Bevan D. R. (2010). Destabilizing Alzheimer's A β 42 protofibrils with morin: mechanistic insights from molecular dynamics simulations. *Biochemistry*, 49(18): 3935-3946.
- Li, L. J., Nicholas, R., et al. (2005). Comparative study of photoluminescence of single-walled carbon nanotubes wrapped with sodium dodecyl sulfate, surfactin and polyvinylpyrrolidone. *Nanotechnology*, 16(5): S202.
- Liggins, G. C. and Howie, R. N. (1972). A controlled trial of antepartum glucocorticoid treatment for prevention of the respiratory distress syndrome in premature infants. *Pediatrics*, 50(4): 515-525.
- Lim, Y. T., Kim, S. et al. (2003). Selection of quantum dot wavelengths for biomedical assays and imaging. *Molecular imaging*, 2(1): 50-64.

- Lima, Á. S., & Alegre, R. M. (2009). Evaluation of emulsifier stability of biosurfactant produced by *Saccharomyces lipolytica* CCT-0913. *Brazilian Archives of Biology and Technology*, 52(2): 285–290.
- Lin, S. C. (1996). Biosurfactants: Recent advances. *Journal of Chemical Technology & Biotechnology*, 66(2), 109–120.
- Lin, S. C., Chen, Y. C., & Lin, Y. M. (1998). General approach for the development of high-performance liquid chromatography methods for biosurfactant analysis and purification. *Journal of Chromatography A*, 825(2): 149–159.
- Lindahl, E., Hess, B. et al., (2001). GROMACS 3.0: a package for molecular simulation and trajectory analysis. *Journal of molecular modelling*, 7(8): 306-317.
- Liu, B. L., & Tzeng, Y. M. (1998). Optimization of growth medium for the production of spores from *Bacillus thuringiensis* using response surface methodology. *Bioprocess Engineering*, 18(6), 413–418.
- Liu, J., Chen, Y., Xu, R., & Jia, Y. (2013). Screening and Evaluation of Biosurfactant-Producing Strains Isolated from Oilfield Wastewater. *Indian Journal of Microbiology*, 53(2), 168–174.
- Liu, Q., Lin, J., Wang, W., Huang, H., & Li, S. (2015). Production of surfactin isoforms by *Bacillus subtilis* BS-37 and its applicability to enhanced oil recovery under laboratory conditions. *Biochemical Engineering Journal*, 93: 31–37.
- Liu, X., Ren, B., Gao, H., Liu, M., Dai, H., et al. (2012). Optimization for the Production of Surfactin with a New Synergistic Antifungal Activity. *PLoS ONE*, 7(5), 1-9.

- Lobanov, M. Y., Bogatyreva, N. et al., (2008). Radius of gyration as an indicator of protein structure compactness. *Molecular Biology*, 42(4): 623-628.
- Logan, J. W. and Moya, F. R. (2009). Animal-derived surfactants for the treatment and prevention of neonatal respiratory distress syndrome: summary of clinical trials. *Therapeutics and clinical risk management*, 5: 251-260.
- Lührs, T., Ritter, C. et al. (2005). 3D structure of Alzheimer's amyloid- β (1–42) fibrils. *Proceedings of the National Academy of Sciences of the United States of America* 102(48): 17342-17347.
- Makkar, R. S., & Cameotra, S. S. (1997). Utilization of molasses for biosurfactant production by two *Bacillus* strains at thermophilic conditions. *Journal of the American Oil Chemists' Society*, 74(7): 887–889.
- Mansur, A. A., Pannirselvam, M., Al-Hothaly, K. A., Adetutu, E. M., & Ball, A. S. (2015). Recovery and Characterization of Oil from Waste Crude Oil Tank Bottom Sludge from Azzawiya Oil Refinery in Libya. *Journal of Advanced Chemical Engineering*, 5(1): 1-11.
- Mata-Sandoval, J. C., Karns, J., & Torrents, A. (1999). High-performance liquid chromatography method for the characterization of rhamnolipid mixtures produced by *Pseudomonas aeruginosa* UG2 on corn oil. *Journal of Chromatography A*, 864(2): 211–220.

- Mazaheri Assadi, M., & Tabatabaei, M. (2010). Biosurfactants and their use in upgrading petroleum vacuum distillation residue: a review. *International Journal of Environmental Research*, 4(4): 549–572.
- McInerney, M. J., Nagle, D. P., & Knapp, R. M. (2005). Microbially Enhanced Oil Recovery: Past, Present, and Future, pp215–238. In Ollivier B, Magot M (ed), *Petroleum Microbiology*. ASM Press, Washington, DC.
- McNeill, G. P., & Yamane, T. (1991). Further improvements in the yield of monoglycerides during enzymatic glycerolysis of fats and oils. *Journal of the American Oil Chemists' Society*, 68(1): 6–10.
- McNeill, G. P., Shimizu, S., & Yamane, T. (1990). Solid phase enzymatic glycerolysis of beef tallow resulting in a high yield of monoglyceride. *Journal of the American Oil Chemists' Society*, 67(11): 779–783.
- Md, F. (2012). Biosurfactant: production and application. *Journal of Petroleum and Environmental Biotechnology*, 3(124): 2.
- Medina-Franco, J. L., López-Vallejo, F. et al. (2011). Natural products as DNA methyltransferase inhibitors: a computer-aided discovery approach. *Molecular diversity*, 15(2): 293-304.
- Merritt, T. A., M. Hallman, et al. (1986). "Prophylactic treatment of very premature infants with human surfactant." *New England Journal of Medicine* 315(13): 785-790.
- Meyer, H. P. (2010). Sustainability and biotechnology. *Organic Process Research & Development* 15(1): 180-188.

- Moldes, A. B., Paradelo, R., Rubinos, D., Devesa-Rey, R., Cruz, J. M., & Barral, M. T. (2011). Ex situ treatment of hydrocarbon-contaminated soil using biosurfactants from *Lactobacillus pentosus*. *Journal of Agricultural and Food Chemistry*, 59(17): 9443–9447.
- Moldes, A. B., Paradelo, R. et al., (2011). Ex situ treatment of hydrocarbon-contaminated soil using biosurfactants from *Lactobacillus pentosus*. *Journal of agricultural and food chemistry*, 59(17): 9443-9447.
- Morikawa, M., Hirata, Y., & Imanaka, T. (2000). A study on the structure–function relationship of lipopeptide biosurfactants. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1488(3), 211–218.
- Morris, G. M., Huey, R. et al. (2009). AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *Journal of computational chemistry*, 30(16): 2785-2791.
- Mukherjee, S., Das, P. et al., (2006). Towards commercial production of microbial surfactants. *TRENDS in Biotechnology*, 24(11): 509-515.
- Mulligan, C. N. (2005). Environmental applications for biosurfactants. *Environmental pollution*, 133(2): 183-198.
- Mulligan, C. N., Cooper, D. G., & Neufeld, R. J. (1984). Selection of microbes producing biosurfactants in media without hydrocarbons. *Journal of Fermentation Technology*, 62(4): 311–314.

- Mulligan, C. N., Sharma, S. K., & Mudhoo, A. (2014). Biosurfactants: Research Trends and Applications. CRC Press.
- Muthusamy, K., Gopalakrishnan, S., Ravi, T. K., & Sivachidambaram, P. (2008). Biosurfactants: Properties, commercial production and application. *Current Science*, 94(6):736–747.
- Muthusamy, K., S. Gopalakrishnan, S. et al., (2008). Biosurfactants: properties, commercial production and application. *Current science*, 94(6):736-747.
- Myers, D. (2002). Surface activity and surfactant structures. Surfaces, Interfaces, and Colloids: Principles and Applications, Second Edition: 21-39.
- Naghibi, S., Mahdavi, E. et al. (2014). Diagnostic utility of chest x-rays in neonatal respiratory distress: determining the sensitivity and specificity. *International Journal of Pediatrics*, 2(4.2): 65-72.
- Naruse, N., Tenmyo, O., Kobaru, S., Kamei, H., Miyaki, T., Konishi, M., & Oki, T. (1990). Pumilacidin, A Complex Of New Antiviral Antibiotics. *The Journal of Antibiotics*, 43(3): 267–280.
- Neu, T. R. (1996). Significance of bacterial surface-active compounds in interaction of bacteria with interfaces. *Microbiological reviews*, 60(1): 151-166.
- Neu, T. R. and Marshall K. C. (1990). Bacterial polymers: physicochemical aspects of their interactions at interfaces. *Journal of biomaterials applications*, 5(2): 107-133.

Nguyen, P. N., Waton, G. et al., (2013). Behavior of an adsorbed phospholipid monolayer submitted to prolonged periodical surface density variations. *Angewandte Chemie International Edition*, 52(25): 6404-6408.

O'Boyle, N. M., Banck, M. et al., (2011). Open Babel: An open chemical toolbox. *Journal of cheminformatics*, 3(1): 33.

Ochoa Loza, F. J. (1998). Physico-chemical factors affecting rhamnolipid (biosurfactant) application for removal of metal contaminants from soil. University Libraries, University of Arizona.

Ochsner, U. A., Koch, A. K., Fiechter, A., & Reiser, J. (1994). Isolation and characterization of a regulatory gene affecting rhamnolipid biosurfactant synthesis in *Pseudomonas aeruginosa*. *Journal of Bacteriology*, 176(7): 2044–2054.

Pacwa-Płociniczak, M., Plaza, G. A. et al. (2011). Environmental applications of biosurfactants: recent advances. *International journal of molecular sciences*, 12(1): 633-654.

Park, S. Y., Kim, J. H. et al. (2013). Surfactin exhibits neuroprotective effects by inhibiting amyloid β -mediated microglial activation. *Neurotoxicology*, 38: 115-123.

Parra, J. L., Guinea, J., Manresa, M. A., Robert, M., Mercadé, M. E., Comelles, F., & Bosch, M. P. (1989). Chemical characterization and physicochemical behavior of biosurfactants. *Journal of the American Oil Chemists Society*, 66(1): 141–145.

Pereira, J. F., Gudiña, E. J., Costa, R., Vitorino, R., Teixeira, J. A., Coutinho, J. A., & Rodrigues, L. R. (2013). Optimization and characterization of biosurfactant

- production by *Bacillus subtilis* isolates towards microbial enhanced oil recovery applications. *Fuel*, 111: 259–268.
- Peypoux, F., Bonmatin, J. M., & Wallach, J. (1999). Recent trends in the biochemistry of surfactin. *Applied Microbiology and Biotechnology*, 51(5): 553–563.
- Pogue, B. W., Leblond, F. et al. (2010). Radiologic and near-infrared/optical spectroscopic imaging: where is the synergy?. *American Journal of Roentgenology*, 195(2): 321-332.
- Qazi, M. A., Subhan, M., Nighat, F., Ali, M. I., & Ahmed, S. (2013). Role of biosurfactant produced by *Fusarium* sp. BS-8 in enhanced oil recovery (EOR) through sand Pack column. *International Journal of Bioscience, Biochemistry and Bioinformatics*, 3(6):598-604.
- Rahman, P. K. and Randhawa K. K. S. (2015). Microbiotechnology Based Surfactants and Their Applications. *Frontiers in microbiology*, 6: 1-3.
- Rajendran, A., Thirugnanam, M., & Thangavelu, V. (2007). Statistical evaluation of medium components by Plackett-Burman experimental design and kinetic modeling of lipase production by *Pseudomonas fluorescens*. *Indian Journal Of Biotechnology*, 6: 469-478.
- Barre, S .L., & Kornprobst, J-M., (2014). Outstanding Marine Molecules. Wiley-Blackwell.

- Rodrigues, L., Banat, I. M., Teixeira, J., & Oliveira, R. (2006). Biosurfactants: potential applications in medicine. *The Journal of Antimicrobial Chemotherapy*, 57(4): 609–618.
- Ron, E. Z. and Rosenberg E. (2002). Biosurfactants and oil bioremediation. *Current opinion in biotechnology*, 13(3): 249-252.
- Rosen, M. J. and Kunjappu J. T. (2012). Surfactants and interfacial phenomena, John Wiley & Sons.
- Rosenberg, E., Zuckerberg, A., Rubinovitz, C., & Gutnick, D. L. (1979). Emulsifier of Arthrobacter RAG-1: isolation and emulsifying properties. *Applied and Environmental Microbiology*, 37(3): 402–408.
- Rubenfeld, G. D., Caldwell, E. et al., (2005). Incidence and outcomes of acute lung injury. *New England Journal of Medicine*, 353(16): 1685-1693.
- Rufino, R. D., de Luna, J. M., de Campos Takaki, G. M., & Sarubbo, L. A. (2014). Characterization and properties of the biosurfactant produced by *Candida lipolytica* UCP 0988. *Electronic Journal of Biotechnology*, 17(1): 34–38.
- Sadhukhan, B., Mondal, N. K., & Chattoraj, S. (2016). Optimisation using central composite design (CCD) and the desirability function for sorption of methylene blue from aqueous solution onto Lemna major. *Karbala International Journal of Modern Science*, 2(3): 145–155.

- Saikia, R. R., Deka, S. et al., (2012). Isolation of biosurfactant-producing *Pseudomonas aeruginosa* RS29 from oil-contaminated soil and evaluation of different nitrogen sources in biosurfactant production. *Annals of microbiology*, 62(2): 753-763.
- Santos, D. K. F., Rufino, R. D., Luna, J. M., Santos, V. A., & Sarubbo, L. A. (2016). Biosurfactants: multifunctional biomolecules of the 21st century. *International Journal of Molecular Sciences*, 17(3): 1-31.
- Satpute, S. K., Bhuyan, S. S., Pardesi, K. R., Mujumdar, S. S., Dhakephalkar, P. K., Shete, A. M., & Chopade, B. A. (2010). Molecular genetics of biosurfactant synthesis in microorganisms. *Advances in Experimental Medicine and Biology*, 672: 14–41.
- SchuÈttelkopf, A. W. and D. M. Van Aalten (2004). PRODRG: a tool for high-throughput crystallography of protein–ligand complexes. *Acta Crystallographica Section D: Biological Crystallography*, 60(8): 1355-1363.
- Seghal Kiran, G., Anto Thomas, T., Selvin, J., Sabarathnam, B., & Lipton, A. P. (2010). Optimization and characterization of a new lipopeptide biosurfactant produced by marine *Brevibacterium aureum* MSA13 in solid state culture. *Bioresource Technology*, 101(7): 2389–2396.
- Sekelsky, A. M. and G. S. Shreve (1999). Kinetic model of biosurfactant-enhanced hexadecane biodegradation by *Pseudomonas aeruginosa*. *Biotechnology and bioengineering* 63(4): 401-409.

- Sen, R. (1997). Response surface optimization of the critical media components for the production of surfactin. *Journal of Chemical Technology and Biotechnology*, 68(3): 263–270.
- Sen, R. (2010). Biosurfactants. Springer Science & Business Media.
- Seydlová, G. and Svobodová J. (2008). Review of surfactin chemical properties and the potential biomedical applications. *Open Medicine*, 3(2): 123-133.
- Seydlová, G., Čabala, R., & Svobodová, J. (2011). Surfactin - Novel Solutions for Global Issues. <https://doi.org/10.5772/13015>
- Shaligram, N. S. and Singhal, R. S. (2010). Surfactin- A Review on Biosynthesis, Fermentation, Purification and Applications. *Food technology and biotechnology*, 48(2): 119-134.
- Shaw, A. (1994). SURFACTANTS 94. *Soap Cosmetics Chemical Specialties* 70(9): 24-34.
- Shaw, R. A. and Mantsch, H. H. (2008). Infrared spectroscopy of biological fluids in clinical and diagnostic analysis. Encyclopedia of Analytical Chemistry. John Wiley & Sons.
- Shekhar, S., Sundaramanickam, A., & Balasubramanian, T. (2015). Biosurfactant Producing Microbes and their Potential Applications: A Review. *Critical Reviews in Environmental Science and Technology*, 45(14): 1522–1554.
- Shibulal, B., Al-Bahry, S. N., Al-Wahaibi, Y. M., Elshafie, A. E., Al-Bemani, A. S., & Joshi, S. J. (2014). Microbial Enhanced Heavy Oil Recovery by the Aid of

- Inhabitant Spore-Forming Bacteria: An Insight Review. *Scientific World Journal*, 2014:1-13
- Shukla, S. C., & Mishra, A. (2013). ϵ -Polylysine production from sugar cane molasses by a new isolates of *Bacillus* sp. and optimization of the fermentation condition. *Annals of Microbiology*, 63(4): 1513–1523.
- Sil, J., Dandapat, P., & Das, S. (2017). Health Care Applications of Different Biosurfactants:Review. *International Journal of Science and Research*, 6(10): 41-50.
- Silva, R. de C. F. S., Almeida, D. G., Rufino, R. D., Luna, J. M., Santos, V. A., & Sarubbo, L. A. (2014). Applications of Biosurfactants in the Petroleum Industry and the Remediation of Oil Spills. *International Journal of Molecular Sciences*, 15(7): 12523–12542.
- Silva, S. N. R. L., Farias, C. B. B., Rufino, R. D., Luna, J. M., & Sarubbo, L. A. (2010). Glycerol as substrate for the production of biosurfactant by *Pseudomonas aeruginosa* UCP0992. *Colloids and Surfaces. B, Biointerfaces*, 79(1): 174–183.
- Singh, P., Jain, R. et al. (2017). Current and emerging trends in bioremediation of petrochemical waste: A review. *Critical Reviews in Environmental Science and Technology*, 47(3):155-201.
- Sivapathasekaran, C., Mukherjee, S., Samanta, R., & Sen, R. (2009). High-performance liquid chromatography purification of biosurfactant isoforms produced by a marine bacterium. *Analytical and Bioanalytical Chemistry*, 395(3): 845–854.

- Soreghan, B., Kosmoski, J. et al., (1994). Surfactant properties of Alzheimer's A beta peptides and the mechanism of amyloid aggregation. *Journal of Biological Chemistry*, 269(46): 28551-28554.
- Sousa, M., Dantas, I. T., Feitosa, F. X., Alencar, A. E. V., Soares, S. A., Melo, V. M. M., Gonçalves, L. R. B., & Sant'ana, H. B. (2014). Performance of a biosurfactant produced by *Bacillus subtilis* LAMI005 on the formation of oil / biosurfactant / water emulsion: study of the phase behaviour of emulsified systems. *Brazilian Journal of Chemical Engineering*, 31(3), 613-623.
- Stanghellini, M., & Rasmussen, S. (1994). Hydroponics: a solution for zoosporic pathogens. *Plant Disease*, 78(12): 1129–1138.
- Suthar, H., Hingurao, K., Desai, A., & Nerurkar, A. (2008). Evaluation of bioemulsifier mediated Microbial Enhanced Oil Recovery using sand pack column. *Journal of Microbiological Methods*, 75(2): 225–230.
- Tadros, T. F. (2005). Adsorption of surfactants at the air/liquid and liquid/liquid interfaces, Applied Surfactants: Principles and Applications, 73–84.
- Tadros, T. F. (2005). Adsorption of surfactants at the air/liquid and liquid/liquid interfaces. Applied Surfactants: Principles and Applications, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 73–84.
- Tan, H., Champion, J. T., Artiola, J. F., Brusseau, M. L., & Miller, R. M. (1994). Complexation of cadmium by a rhamnolipid biosurfactant. *Environmental Science & Technology*, 28(13): 2402–2406.

- Tanyildizi, M. S., Özer, D., & Elibol, M. (2005). Optimization of α -amylase production by *Bacillus* sp. using response surface methodology. *Process Biochemistry*, 40(7): 2291–2296.
- Thaniyavarn, J., Roongsawang, N., Kameyama, T., Haruki, M., Imanaka, T., Morikawa, M., & Kanaya, S. (2003). Production and Characterization of Biosurfactants from *Bacillus licheniformis* F2.2. *Bioscience, Biotechnology, and Biochemistry*, 67(6): 1239–1244.
- Thavasi, R., Sharma, S., & Jayalakshmi, S. (2011). Evaluation of screening methods for the isolation of biosurfactant producing marine bacteria. *Journal of Petroleum & Environmental Biotechnology*, S1: 1–6.
- Van Haesendonck, I., & Vanzeveren, E. (2006). Rhamnolipids in bakery products. Patent No. US20060233935A1
- Varadavenkatesan, T., & Murty, V. R. (2013). Production Of A Lipopeptide Biosurfactant By A Novel *Bacillus* Sp. And Its Applicability To Enhanced Oil Recovery. *ISRN Microbiology*, 2013: 1-8.
- Varjani, S. J., & Upasani, V. N. (2017). Critical review on biosurfactant analysis, purification and characterization using rhamnolipid as a model biosurfactant. *Bioresource Technology*, 232: 389–397.
- Verma, A., N. Gupta, et al., (2015). Multifactorial approach to biosurfactant production by acclimatized strain *Candida tropicalis* MTCC 230 in the presence of hydrocarbons. *Journal of Surfactants and Detergents*, 18(1): 145-153.

- Viebahn, M., Smit, E. et al., (2009). Effect of genetically modified bacteria on ecosystems and their potential benefits for bioremediation and biocontrol of plant diseases—a review. *Climate change, intercropping, pest control and beneficial microorganisms*, Springer: 45-69.
- Walter, V., Syldatk, C., & Hausmann, R. (2013). Screening Concepts for the Isolation of Biosurfactant Producing Microorganisms. In: Madame Curie Bioscience Database [Internet]. Austin (TX): Landes Bioscience; 2000-2013.
- Wang, J., Ji, G., Tian, J., Zhang, H., Dong, H., & Yu, L. (2011). Functional characterization of a biosurfactant-producing thermo-tolerant bacteria isolated from an oil reservoir. *Petroleum Science*, 8(3): 353–356.
- Wei, Y. H., Lai, C. C. et al., (2007). Using Taguchi experimental design methods to optimize trace element composition for enhanced surfactin production by *Bacillus subtilis* ATCC 21332. *Process Biochemistry*, 42(1): 40-45.
- Wood, S. J., MacKenzie, L. et al., (1996). Selective inhibition of A fibril formation. *Journal of Biological Chemistry*, 271(8): 4086-4092.
- Yin, X. (2014). Formulations combining ramoplanin and rhamnolipids for combating bacterial infection, Patent No. US20140294925A1.
- Zaragoza, A., Aranda, F. J., Espuny, M. J., Teruel, J. A., Marqués, A., Manresa, A., & Ortiz, A. (2010). Hemolytic activity of a bacterial trehalose lipid biosurfactant produced by *Rhodococcus* sp.: evidence for a colloid-osmotic mechanism. *Langmuir*, 26(11): 8567–8572.

- Zhang, Y. W., Thompson, R. et al., (2011). APP processing in Alzheimer's disease.
Molecular brain, 4(1): 1-13.

Web references

<https://www.fractovia.org/news/industry-research-report/biosurfactants-market>

<http://www.marketwired.com/press-release/surfactants-market-to-be-worth-4620-billion-by-2022-grand-view-research-inc-2074859.htm>

<https://www.gminsights.com/pressrelease/biosurfactants-market-size>

<https://www.grandviewresearch.com/industry-analysis/biosurfactants-industry>