

List of Figures

No.	Captions	Page no.
Figure 1.1	Surfactant contribution in different sectors	3
Figure 1.2	Europe Biosurfactants Market size, by application, 2015 & 2023 (USD Million)	7
Figure 2.1	Biosurfactant produced by microbe	16
Figure 2.2	Removal of heavy metal from soil	33
Figure 2.3	Zoosporicidal activity of biosurfactant	34
Figure 2.4	Action of Biosurfactant on Skin	36
Figure 3.1	Growth curves of <i>Candida tropicalis</i> MTCC230 under different concentration of glucose and petrol	51
Figure 3.2	Growth curves of <i>Candida tropicalis</i> MTCC230 under different concentration of glucose and kerosene oil.	52
Figure 3.3	Growth curves of <i>Candida tropicalis</i> MTCC230 under different concentration of glucose and Kitchen waste oil (mustard oil).	53
Figure 3.4	Emulsification activity when different hydrocarbon used as carbon source for biosurfactant production (I- Kitchen waste oil, II-petrol, III-kerosene oil).	54
Figure 3.5	Emulsification index ($E_{24}\%$) shown by different hydrocarbons sources (P-Petrol, M-Mastured oil, K-Kerosene oil).	54
Figure 3.6	Optimization of pH	55
Figure 3.7	Optimization of temperature	56
Figure 3.8	Pareto chart of six-factor effects on Biosurfactant production. Upper four factors beyond the red line shows the significant effect on production ($P < 0.05$) and the factors below the red line shows the non-significant factor ($P > 0.05$).	68
Figure 3.9	2D Contour plot of Biosurfactant production in terms of E_{24} [Effect of Temperature and Microelements (A), Temperature and amm.Chloride (B), Microelements and amm.Chloride (C), Temperature and Hydrocarbon (D), Microelements and	75

	Hydrocarbon (E), amm.Chloride and Hydrocarbon (F).	
Figure 3.10	Optimum combination of different parameters for biosurfactant production	76
Figure 4.1	Effect of (a) pH, (b) salinity and (c) temperature on the stability of biosurfactant	86
Figure 4.2	CMC value of biosurfactant produced from an adaptive strain <i>C. tropicalis</i> MTCC230 (a), and from <i>B. Subtilis</i> MTCC2423(b).	88
Figure 4.3	Oil spreading analysis (a) control (b) oil displaced by biosurfactant produced from an adaptive strain <i>C.tropicalis</i> MTCC230.	89
Figure 4.4	Soil washing analysis (a) control: soil contaminated with engine oil, (b) contaminated soil washed with water, (c) contaminated soil washed with biosurfactant produced <i>Candida tropicalis</i> MTCC 230.	90
Figure 4.5	Thin layer chromatography of extracted biosurfactant produced from <i>C. tropicalis</i> MTCC230	91
Figure 4.6	Near Infrared (NIR) spectrum (a) surfactin produced from a <i>B. subtilis</i> MTCC2423 and (b) biosurfactant from an adaptive strain <i>C. tropicalis</i> MTCC230.	92
Figure 4.7	FTIR spectrum (a) Biosurfactant produced from <i>Candida tropicalis</i> MTCC230 and (b) surfactin produced from <i>Bacillus subtilis</i> MTCC 2423.	93
Figure 4.8	HPLC chromatogram of (a) standard surfactin (Sigma-Aldrich) and (b) biosurfactant produced from <i>Candida tropicalis</i> MTCC 230	95
Figure 4.9	ESI-TOF-MS: Intact mass of singly charged and doubly charged of biosurfactant produced from an acclimatized strain <i>C. tropicalis</i> MTCC230 (a) and (b) mass of surfactin standard surfactin (Sigma-Aldrich).	97
Figure 4.10	lab scale setup of sand pack column	99
Figure 5.1	Surfactin structure	103
Figure 5.2	(a) Docking view of surfactin (stick) to amyloid fibril (ribbon). (b) surfactin (blue color) molecule, amino acid residue chain A	109

	(green) and chain B (cyan) with in the 5 Å area of surfactin.	
Figure 5.3	Docking view of (a) surfactin (blue) to amyloid beta-peptide (green), (b) surfactin (blue) to amyloid beta-peptide (green) shows the residue near 5 Å around.	110
Figure 5.4	RMSD graph of amyloid fibril (black) and Surfactin + amyloid fibril complex (red).	111
Figure 5.5	Radius of gyration graph of amyloid fibril (black) and Surfactin + amyloid fibril complex (red).	112
Figure 5.6	RMSF graph of amyloid fibril (black) and Surfactin + amyloid fibril complex (red).	113
Figure 5.7	Salt bridge length of (A) amyloid fibril without surfactin molecule (11.5 Å) and (B) amyloid fibril with surfactin (9.0 Å).	115
Figure 5.8	SAS graph of amyloid fibril (black) and Surfactin + amyloid fibril complex (red).	116
Figure 6.1	Near IR spectrum of surfactin and lipopeptide (Biosurfactant) with the survanta.	124
Figure 6.2	Far IR spectrum of surfactin and lipopeptide (Biosurfactant) with the survanta	124
Figure 6.3	Near IR spectrum of lipopeptide (Biosurfactant) at different dilutions.	126
Figure 6.4	Near IR spectrum of Surfactin at different dilutions.	127
Figure 6.5	Near IR spectrum of Survanta at different dilutions.	127
Figure 6.6	Far IR spectrum of lipopeptide (Biosurfactant) at different dilutions.	128
Figure 6.7	Far IR spectrum of Surfactin at different dilutions.	129
Figure 6.8	Far IR spectrum of Survanta at different dilutions.	129