## Table of contents

Certificatesii-iv
Acknowledgementsvi-vii
Table of Contentsviii-xiii
List of Figuresxiv-xvii
List of Tablesxviii
List of Abbreviationsxix-xx
Prefacexxi-xxii
Chapter 1 Introduction and Literature Survey1
1.1 Introduction
1.2 Hydrogen as Indian prospects4
1.3 Current scenario of hydrogen generation4
1.4 Literature survey for catalytic ESR reactions5
1.5 Reaction Mechanism of ESR and Carbon Formation8
1.5. 1 Nature of Carbon Deposit11
1.5.2 Carbon synthesis mechanism involved during ESR14
1.5.3 Effect of reaction operating conditions16
1.5.4 Effect of catalyst preparation conditions (precursor and methods)18
1.6 Catalyst Modification Strategy19
1.6.1 Active metals
1.6.2 Bimetallic interaction
1.6.3 Support25
1.6.3.1 Alumina
1.6.3.2 Silica27

1.6.3.3 Ceria	28
1.6.3.4 Titania	29
1.6.4 Doping with other metals	30
1.6.4.1 Zirconium addition	30
1.6.4.2 Lanthanum addition	31
1.6.4.3 Alkali and alkaline earth metals	32
1.6.4.4 Yttria addition	34
1.6.5 Metal nanoparticles on supports	35
Research Objectives	40
Chapter 2 Experimental methods and characterization	43
2.1 Introduction	45
2.2 Catalyst preparation	45
2.3 Catalyst Characterization	45
2.3.1 Surface area	46
2.3.2 XRD	46
2.3.3 TPR	46
2.3.4 TGA	47
2.3.5 FTIR	47
2.3.6 Imaging techniques	47
2.3.7 XPS	48
2.4 Fabrication of experimental set up to investigate the catalyst activity	48
Chapter 3 Blank tests and active non-noble catalysts	53
3.1Introduction	55
3.2 Experimental	56
3.2.1 Preparation of catalyst	

3.2.2 Catalyst activity test	
3.3 Result and discussion	
3.3.1 Characterization studies	
3.3.1.1 Textural characterization	57
3.3.1.2 XRD analysis	
3.3.1.3 XPS analysis	58
3.3.1.4 Morphology analysis	60
3.3.2 Ethanol steam reforming study	61
3.4 Conclusion	
Chapter 4 Carbonaceous deactivation of Co catalyst after ES	R67
4.1 Introduction	69
4.2 Experimental	
4.2.1 Catalyst preparation	70
4.2.2 ESR Performance	70
4.3 Result and discussion	71
4.3.1 Characterization studies	71
4.3.1.2 Textural analysis	71
4.3.1.3 XRD Analysis	71
4.3.2 ESR performance test	73
4.4 Conclusion	
Chapter 5 ESR performance of synthesized Ni/Co <sub>3</sub> O <sub>4</sub> -LaCoO	3 from deactivated
Co-catalyst	79
5.1 Introduction	
5.2 Experimental	82
5.2.1 Catalyst preparation	82

5.2.2 ESR Performance test	83
5.3 Result and discussion	84
5.3.1 Characterization studies	84
5.3.1.1 Textural properties	84
5.3.1.2 XRD analysis	84
5.3.1.3 Morphology analysis	86
5.3.1.4 TPR analysis	
5.3.1.5 XPS analysis	89
5.3.2. ESR performance test	91
5.4 Conclusion	94
Chapter 6 ZSM-5 supported Co verses Ni catalysts for ESR	
6.1 Introduction	97
6.2 Experimental	98
6.2.1 Catalyst preparation	98
6.2.2 Catalytic performance tests	98
6.3 Result and discussion	99
6.3.1 Characterization studies	99
6.3.1.1 Textural analysis	
6.3.1.2 XRD analysis	99
6.3.1.3 FTIR analysis	100
6.3.1.4 TPR analysis	101
6.3.1.5 Morphology analysis	103
6.3.2 ESR performance test	103
6.4 Conclusion	106
Chapter 7 Effect of pre-reaction treatment on Co/CeO2 nano-cube fo	r ESR107

7.1 Introduction	109
7.2 Experimental	110
7.2.1 Catalyst preparation	110
7.2.2 ESR performance test	111
7.3 Result and discussion	112
7.3.1 Characterization studies	112
7.3.1.1 Textural analysis	112
7.3.1.2 XRD analysis	112
7.3.1.3 FT-IR analysis	114
7.3.1.4 Morphology analysis	
7.3.1.5 XPS analysis	117
7.3.2 ESR performance test	
7.4 Conclusion	121
Chapter 8 Promising nano bimetallic oxides of Ni-Co/CeO2 catal	yst for ESR123
8.1 Introduction	125
8.2 Experimental	
8.2.1Catalyst preparation	125
8.2.2 ESR performance Test	128
8.3 Result and discussion	
8.3.1 Characterization of catalyst	
8.3.1.1 Textural characterization	128
8.3.1.2 Thermal analysis of precipitate	128
8.3.1.3 XRD analysis	129
8.3.1.4 FTIR analysis	131
8.3.1.5 Morphology analysis	

8.3.2 ESR performance test	
8.4 Conclusion	
Chapter 9 Conclusion and Recommendations	141
9.1 Conclusion	
9.2 Scientific contributions	145
9.3 Recommendations	145
References	147-193
List of publications and conferences	
Appendix A: Gas chromatograph calibration for product gas	evaluation201-204

## List of figures

Figure 1.1 Typical forms of carbon formed during ESR12
Figure 1.2 FTIR raman spectra of typical carbon over different catalyst
Figure 1.3 Role of nickel nanoparticles in the growth of the filamentous carbon on the
surface of the nickel foam. (a) overview of as-grown filamentous carbon, (b) size-
dependent growth of a filamentous carbon from a small nickel nanoparticle (<50 nm), (c)
size-independent growth of a filamentous carbon from a large nickel nanoparticle (>100
nm), and (d) octopus-like network formation of filamentous carbon15
Figure 1.4 The proposed model mechanism of ESR over bimettalic Ni based catalyst
over SBA-15 support25
Figure 2.1 Schematic diagram of complete set up designed to perform ESR49
Figure 2.2 Designed set up to perform ESR
Figure 3.1 XRD pattern of Co, Ni and NiCo <sub>2</sub> O <sub>4</sub> catalysts
Figure 3.2 XPS peak de-convolution of Ni, Co and O for NiCo <sub>2</sub> O <sub>4</sub> 59
Figure 3.3 TEM (a, b and c), SEM image of fresh (d, e and f) and used (g, h and i)
catalysts for Co, Ni, and NiCo <sub>2</sub> O <sub>4</sub> respectively60
Figure 3.4 Conversion of ethanol and selectivity of produced gases with temperature in
the absence of catalyst
Figure 3.5 Catalyst activity and selectivity of Ni, Co and NiCo <sub>2</sub> O <sub>4</sub> for ESR (molar ratio
of $H_2O:C_2H_5OH = 3:1$ , WHSV= $35.4h^{-1}$ )
Figure 4.1 X-rays pattern of Co catalyst
Figure 4.2 SEM image and EDS of Co catalyst73

<b>Figure 4.3</b> Catalyst activity of Co for ESR (molar ratio of H <sub>2</sub> O:C <sub>2</sub> H <sub>5</sub> OH = 3:1, WHSV=
5.244h <sup>-1</sup> )74
Figure 4.4 Selectivity of gaseous products of ESR on Co catalyst at 723K plotted against
time on stream (Temperature= 723K, Time= 21h, molar ratio of $H_2O:C_2H_5OH = 3:1$ ,
$WHSV = 5.244h^{-1}$ )
Figure 4.5 SEM-EDS of spent Co-catalyst76
Figure 4.6 HR-XRD of fresh and spent catalyst77
Figure 4.7 TEM and HR-TEM images of Co and carbon nano filament77
Figure 5.1 HR-XRD analysis of each catalyst and crystal structure obtained after
Rietveld refinement of Co <sub>3</sub> O <sub>4</sub> - LaCoO <sub>3</sub>
<b>Figure 5.2</b> TEM images of Co (a), Co-C (b), Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (e), Co/Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (h)
and Ni/ Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (k). AFM image of Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (c). HR-SEM and HR-TEM
analysis of Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (d and f), Co/Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (g and i) and Ni/ Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub>
(j and l) respectively
Figure 5.3 TPR profile of the Co/Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> , Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> , Ni/Co <sub>3</sub> O <sub>4</sub> -
LaCoO <sub>3</sub>
Figure 5.4 XPS profile of Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> , Co/Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> and Ni/ Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub>
LaCoO <sub>3</sub>
Figure 5.5 Catalytic activity graphs in terms of ethanol conversion (a) and product
gasselectivity with temperature for $Co_3O_4$ -LaCoO <sub>3</sub> (b), $Co/Co_3O_4$ -LaCoO <sub>3</sub> (c),
Ni/Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> (d) each catalyst and TOS study for Ni/Co <sub>3</sub> O <sub>4</sub> -LaCoO <sub>3</sub> 93

Figure 6.1 HR-XRD of ZSM-5, NI/ZSM-5 and Co/ZSM-5.....100

Figure 6.2 ATR- FTIR of Fresh as well as spent catalyst101
Figure 6.3 H <sub>2</sub> -TPR profile of Co/ZSM-5 and Ni-ZSM-5102
Figure 6.4 HR-SEM and EDAX of Co/ZSM-5 (1a) and Ni/ZSM-5(2a)102
Figure 6.5 TEM and SAED images of spent Co/ZSM-5 (x) and Ni/ZSM-5 (y)103
Figure 6.6 The conversion of ethanol and selectivity of abundant gases with temperature
over Co/ZSM-5104
Figure 6.7 The conversion of ethanol and selectivity of abundant gases with temperature
over Ni/ZSM-5105
Figure 6.8 Performance stability with 6h time on stream study at temperature 873K for
Ni/ZSM-5106
Figure 7.1 Rietveld refinement analysis and prepared crystal structure of nanocube
CeO <sub>2</sub> 113
Figure 7.2 HR- XRD of Co/CeO <sub>2</sub> -H, Co/CeO <sub>2</sub> -CA and Co/CeO <sub>2</sub> -HA catalysts113
Figure 7.3 FT-IR spectra of Co/CeO <sub>2</sub> -CA, Co/CeO <sub>2</sub> -HA, Co/CeO <sub>2</sub> -H and CeO <sub>2</sub> 114
Figure 7.4 TEM image, SAED pattern and HR-TEM images of Co/CeO <sub>2</sub> -CA (a, d and
g), Co/CeO <sub>2</sub> -HA (b, e and h), Co/CeO <sub>2</sub> -H (c, f and i) and AFM image (j) of CeO <sub>2</sub> 116
Figure 7.5 XPS analysis of Ce, Co and O for Co/CeO <sub>2</sub> -CA, Co/CeO <sub>2</sub> -HA and Co/CeO <sub>2</sub> -
H catalysts
Figure 7.6 ESR performance activity of Co/CeO <sub>2</sub> at different pre-treatment
condition120
<b>Figure 8.1</b> TGA-DSC analysis graph of CeO <sub>2</sub> –P with temperature126
Figure 8.2 The colour difference at difference stage of reactions
Figure 8.3 HR-XRD of CeO <sub>2</sub> , 20Ni/CeO <sub>2</sub> -SP, 20Co/CeO <sub>2</sub> -SP from top to bottom130

Figure 8.5 ATR-FTIR of the CeO <sub>2</sub> -SP-P after treatment with different temperature and
time duration132
Figure 8.6 ATR-FTIR of precipitate and their respective metal oxides
Figure 8.7 Comparative ATR-FTIR of each bimetallic and mono metallic catalyst134
Figure 8.8 TEM image of CeO <sub>2</sub> -SP-P(a), CeO <sub>2</sub> -SP (Solvothermal treatment at 413K for
4h ) (b), CeO <sub>2</sub> -SP (Solvothermal treatment at 413K for 6h ) (e and f) and HR-TEM image
of CeO <sub>2</sub> -SP-P (c), CeO <sub>2</sub> -SP (d)135
Figure 8.9 TEM image of Ni/CeO <sub>2</sub> -SP (a), Co/CeO <sub>2</sub> -SP (b), 20NiCo <sub>2</sub> O <sub>4</sub> /CeO <sub>2</sub> -SP (c),
and 20NiCo <sub>2</sub> O <sub>4</sub> /CeO <sub>2</sub> (d)136
Figure 8.10 ESR performance and product selectivity with temperature137
Figure 8.11 Selectivity of different product gases with variation in ethanol water molar
ratio for 20Ni-Co/CeO <sub>2</sub> with temperature. Time on Stream study performed at 773K,
Ethanol: water (12:1), WHSV= 35.4h <sup>-1</sup>

## List of Tables

<b>Table 1.1</b> The activity of different catalysts during ESR
Table 1.2 Carbon deposition during ESR over different types of catalyst
<b>Table 2.1</b> Properties of catalyst and characterization techniques
<b>Table 4.1</b> Surface are and pore volume of catalyst and spent catalyst
<b>Table 5.2</b> Surface area and pore volume of different catalyst and Co-C filament
Table 6.3 Surface area and pore volume of catalyst
Table 8.1 Surface area and pore volume of CeO2 supported Ni and Co based
catalysts128

## List of Abbreviations

Å	Angstrom
cps	Counts per second
eV	Electronvolt
F	Molar flow rate
FT-IR	Fourier transform infrared
g	Gram
GC	Gas Chromatography
GHG	Greenhouse Gases
h	Hour
IEA	International Energy Agency
JCPDS	Joint Committee on Powder Diffraction Standards
Kg	Kilogram
KJ/mol	Kilojoule per mole
kV	Kilovolt
М	Molar
mA	Milliamppere
mg	Milligram
min	Minute
MJ	Megajoule
mmol/g	Millimole per gram
Ν	Stoichiometric factor
nm	Nanometre
pН	Potential of hydrogen
rpm	Revolution per minute
$\mathrm{SH}_2$	Selectivity of hydrogen
SCO <sub>2</sub>	Selectivity of Carbon Dioxide
SCO	Selectivity of Carbon Monoxide

SCH <sub>4</sub>	Selectivity of Methane
$SC_2H_4$	Selectivity of Ethylene
SCH <sub>3</sub> CO	Selectivity of Acetone
SCH <sub>3</sub> CHO	Selectivity of Acetaldehyde
$SC_2H_6$	Selectivity of Ethane
SC <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	Selectivity of Ethyl acetate
Т	Temperature (K)
W <sub>cat</sub>	Weight of catalyst
wt%	Weight percent
Х	Conversion
°C	Degree Celsius
Κ	Kelvin
λ	Lambda
μm	Micrometre
%	Percent
θ	Theta