

REFERENCES

- Abdulmajid A, Yas K., Salam K., "Higher order mode circularly polarized two layer rectangular dielectric resonator antenna," *IEEE Antennas and Wireless Propagation Letters*, 17(6) (2018) 1114 - 1117.
- Adhlakha N, Yadav K L, "Study of structural, dielectric and magnetic behaviour of $\text{Ni}_{0.75}\text{Zn}_{0.25}\text{Fe}_2\text{O}_4$ - $\text{Ba}(\text{Ti}_{0.85}\text{Zr}_{0.15})\text{O}_3$ composites," *Smart Material Structures*, 21 (2012) 1115021.
- Adhlakha N., Yadav K. L., Singh R., "Effect of BaTiO_3 addition on structural, multiferroic and magneto-dielectric properties of $0.3\text{CoFe}_2\text{O}_4$ - 0.7BiFeO_3 ceramics," *Smart Materials and Structures*, 23 (10) (2014) 105024-105040.
- Ahmad Z., Barth J. H., On-chip dual polarized dielectric resonator antenna for millimeter wave application", *IEEE Antennas and Wireless Propagation Letters*, 17 (10) (2018).
- Alcock, C. B., Doshi, R. C. and Shen, Y., "Perovskite electrodes for sensors," *Solid State Ionics*, 51 (1992) 281-289.
- Alexandru H. V., Berbecaru C., Ioachim A., Nedelcu L., Duttu A., "BST solid solutions, temperature evolution of the ferroelectric transitions," *Applied Surface Science*, 253 (2006) 354 - 357.
- Anjana P.S., Sebastian M.T., "Microwave dielectric properties and low-temperature sintering of cerium oxide for LTCC applications," *Journal of American Ceramic Society*, 92(1) (2009) 96-104.
- Antar Y. M. M., "Antenna for wireless communications: Recent advances using dielectric resonators", *IET Circuits, Devices and Systems*, 2(1) (2008) 133-138.
- Armstrong T. R., Young K. A., Buchanan R. C., "Dielectric properties of fluxed barium titanate ceramics with zirconia additions," *Journal of American Ceramic Society*, 73(3) (1990) 700 - 706.
- Avramov I., Vassilev Ts., Penkov I., "The glass transition temperature of silicate and borate glasses," *Journal of Non-Crystalline Solids*, 351 (2005) 472 - 476.
- Baia L, Stefan R, Popp J, Simon S and Kiefer W, "Vibrational spectroscopy of highly iron doped B_2O_3 - Bi_2O_3 glass systems," *Journal of Non-Crystalline Solids*, 324 (2003) 109-117.
- Balachandran R., Yow H. K., Ong B. H., Tan K. B., Anuar K., Teoh W. T., Fauzi M. N. A., Sreekantan S., Swaminathan V., "Phase formation and dielectric properties of

$\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$ by slow injection sol-gel technique," *Journal of Material Science*, 46 (2011) 1806 - 1813.

Balanis C. A., Antenna Theory Analysis and Design, Ed. 3, John Wiley and Sons, 2005.

Bernay R. L., Cowan D. L., "Photochromism of three photosensitive Fe centers in SrTiO_3 ," *Physical Review B*, 23 (1981) 37-50.

Bijumon P. V., Sebastian M. T., "Tailoring the microwave dielectric properties of $\text{Ca}_5\text{Ta}_2\text{TiO}_{12}$ ceramics through glass addition," *Journal of American Ceramic Society*, 88(12) (2005) 3433 - 3439.

Bladel J. V., "The excitation of dielectric resonators of very high permittivity," *IEEE Transactions Microwave Theory and Techniques*, 23(2) (1975a) 208-217.

Bladel J. Van, "On the resonances of a dielectric resonator of very high permittivity," *IEEE Transactions Microwave Theory and Techniques*, 23(2) (1975b) 199-208.

Borhan A. I., Gromada M., Nedelcu G. G., Leontie L., "Influence of additive (CoO , CaO , B_2O_3) on thermal and dielectric properties of $\text{BaO-Al}_2\text{O}_3-\text{SiO}_2$ glass- ceramic sealant for OTM applications," *Ceramic International*, 42(8) (2016) 10459-10468.

Brankovic G., Brankovic Z., Goes M. S., Paiva-Santos C. O., Cilense M., Varela J. A., Longo E., "Barium strontium titanate powders prepared by spray pyrolysis," *Materials Science and Engineering B: Solid-state Materials for Advanced Technology*, 122(2) (2005) 140-144.

Butler M. A., Abramovich M., Decker F., Julia, J. F., "Subband gap response of TiO_2 and SrTiO_3 photoelectrodes" *The Journal of Electrochemical Society*, 128 (1981) 200-204.

Carrie J., K. Esselle D. J. Roscoe, A. Ittipiboon, A. Sebak and L. Shafai, A K-Band circularly polarized cavity backed dielectric resonator", *IEEE Antennas and propagation symp. Digest AP-S Baltimore, MD, USA* 1 (1996a) 734-737.

Carrie J., N. R. S. Simons, A. Ittipiboon, D. J. Roscoe, A. Sebak and L. Shafai, "A Ka-band circularly polarized dielectric resonator modelled using the transmission-line-matrix method," *1996 Symposium on Antenna Technology and Applied Electromagnetics*, Montreal, QC, Canada, (1996b) 709-712.

Chair R., Kishk A. A., Lee K. E., "Wideband stair shaped dielectric resonator antennas," *IET Microwaves Antennas and Propagation*, 1(2) (2007) 299-305.

Chair R., Kishk A. A., Lee K. F., "Experimental investigation for wideband perforated dielectric resonator antenna," *Electronics Letters*, 42(3) (2006a) 137-139.

- Chair R., Kishk A. A., Lee K. F., Smith C. E., "Wideband flipped staired pyramid dielectric resonator antennas," *Electronics Letters*, 40(10) (2004) 581-582.
- Chair R., Yang S. L., Kishk A. A., Lee K. F., Luk K. M., "Aperture fed wideband circularly polarized rectangular stair shaped dielectric resonator antenna," *IEEE Transactions on Antenna Propagation*, 54(4) (2006b) 1350-1352.
- Chattopadhyay S., Siddiqui J. Y., Guha D., "Rectangular microstrip patch on composite dielectric substrate for high gain wide beam radiation patterns," *IEEE Transactions on Antennas and Propagation*, 57(10) (2009) 3324-3327.
- Chaudhary R. K., Srivastava V. K., Biswas A., "A broadband dumbbell-shaped dielectric resonator antenna," *Microwave Optical Technologies Letter*, 56(12) (2014) 2944-2947.
- Chaudhary R.K., Srivastava K.V., Biswas A., "Three element multilayer multi-permittivity cylindrical dielectric resonator antenna for wideband applications with omnidirectional radiation pattern and low cross polarisation," *Microwave and Optical Technology Letters*, 54 (9) (2012) 2011-2016.
- Chen Y. C., Chang K. C., Tsai D. Y., "A hybrid dielectric resonator antenna based upon novel complex perovskite microwave ceramic," *Ceramics International*, 39 (2013) 8043-8048.
- Chen Z., Wong H., "Wideband Glass and Liquid Cylindrical Dielectric resonator antenna for pattern reconfigurable design," *IEEE Transactions on Antennas and Propagation*, 65 (5), (2017) 2157-2164.
- Chowdhary R., Chaudhary R. K., "An approach to generate circular polarization in a modified cylindrical shaped dielectric resonator antenna using PMC boundary approximation," *IEEE Antennas and Wireless Propagation Letters*, 17(9) (2018) 1727-1731.
- Cooper M., Petosa A., Ittipiboon A., Wight J. S., "Investigation of dielectric resonator antennas for L-band communications," *1996 Symposium on Antenna Technology and Applied Electromagnetics*, Montreal, QC, Canada (1996) 167-170.
- Coronado R. M., Aguadero A., Alonso J. A., Perez-coll D., Diaz M. T. F., "Neutron structural characterization and transport properties of the oxidized and reduced $\text{LaCo}_{0.5}\text{Ti}_{0.5}\text{O}_3$ perovskite oxide," *Journal of Physics: Conference Series* 549 (2014) 12022.
- Coulibaly Y., Boutayeb H., Denidni T. A., Talbi L., "Gain enhancement of a dielectric resonator antenna using cylindrical electromagnetic crystal substrate," *IEEE Antenna and Propagation Society International Symposium Digest*, 1325-1328, June 2007.

Coulibaly Y., T. A. Denidni, L. Talbi, "Wideband impedance hybrid dielectric resonator antenna for X-band application", *2006 IEEE Antennas and Propagation Society International Symposium*, Albuquerque, NM, (2006) 2429-2432

Das G., Sharma A., Gangwar R. K., "Dual feed MIMO CDRA with high isolation," *Microwave Optical Technology Letters*, 59 (2017) 1686-1692.

Dhar S., Ghatak R., Gupta B., Poddar D. R., "A Wideband Minkowski fractal dielectric resonator antenna," *IEEE Transaction on Antenna Propagation*, 6(6) (2013) 2895-2903.

Dunken H., Doremus R. H., "Short time reactions of a Na₂O-CaO-SiO₂ glass with water and salt solutions," *Journal of Non-Crystalline Solids* 92(1) (1987) 61-72.

Edukondalu A., Srinivasu C., Rahman S., Kumar K. S., "Infrared and raman spectroscopic studies on mixed alkali tungsten based glasses," *International Journal of Scientific & Engineering Research*, 5(3) (2014) 258 – 262.

Esselle K.P., Bird T. S., "A hybrid-resonator antenna: experimental results," *IEEE Transaction on Antenna Propagation*, 53(2) (2005) 870–871.

Fakhte S., Oraizi H., Matekovits L., "Gain improvement of rectangular dielectric resonator antenna by engraving grooves on its side walls," *IEEE Antennas and Wireless Propagation Letters*. 16,(2017a) 2167-2170.

Fakhte S., Oraizi H., Matekovits L., "High gain rectangular dielectric resonator antenna using uniaxial material at fundamental mode," *IEEE Transactions on Antennas And Propagation*, 65(1) (2017b) 342-347.

Fan Z., Antar Y. M. M., Ittipiboon A., Petosa A., "Parasitic coplanar three-element dielectric resonator antenna subarray," *Electronics Letters*, 32(9) (1996) 789-790.

Fujino S., Hwang C., Moringo K., "Density, surface tension and viscosity of PbO-B₂O₃-SiO₂ glass melts," *Journal of American Ceramic Society*, 87(1) (2004) 10 - 16.

Funayama, J., Masuyama, M. and Yamaoka, N., Advances in Varistor Technology, Vol. 3, Ceramic Transactions, edited by L. M. Levinson, New York, 1989.

Galasso F. S., Structure, Properties and Preparation of Perovskite - Type Compounds, Pergamon Press, London, 1969.

Gangwar R. K., Ranjan P., Aigal A., "Four element triangular dielectric resonator antenna for wireless application," *International Journal of Microwave and wireless Technologies*, 9(1) (2017) 113-119.

Gangwar R. K., Sharma A., Gupta M., Chaudhary S., "Hybrid cylindrical dielectric resonator antenna with HE_{11δ} and HE_{12δ} mode excitation for wireless

applications," *International Journal of RF and Microwave Computer-Aided Engineering*, 26 (2016) 812-818.

Gangwar R. K., Singh S. P., Choudhary M., Singh N. K., Kumar D., Parkash O., "Study of Dielectric Constant of (1-x) Zn_xMg_{1-x}TiO₃ (ZMT) Ceramic Material at Microwave Frequencies as a Function of Composition x and Processing Temperature," *Journal of Electromagnetic Analysis & Applications*, 2 (2010) 664-671.

Gangwar R. K., Singh S. P., Choudhary M., Singh N. K., Kumar D., Rao G. L. N., Raju K. C. J., "Microwave dielectric properties of (Zn_{1-x}Mg_x)TiO₃ (ZMT) ceramics for dielectric resonator antenna application," *Journal of Alloys and Compounds*, 509 (42), (2011) 10195–10202.

Gao Y., Feng Z., Zhang L., "Compact asymmetrical T-shaped dielectric resonator antenna for broadband applications," *IEEE Transaction on Antennas Propagation*, 60(3) (2012) 1611-1615.

Gao Y., Ooi B. L., Ewe W. B., Popov A. P., "A compact wideband hybrid dielectric resonator antenna," *IEEE Microwave and Wireless Components Letters*, 16(4) (2006a) 227-229.

Gao Y., Popov A. P., Ooi B.L., Leong M.S., "Experimental study of wideband hybrid dielectric resonator antenna on small ground plane," *Electronics Letters*, 42(13) (2006 b) 731-733.

Goodenough, J. B., Solid State Chemistry, edited by C N R Rao, Marcel Dekker, New York, 1974.

Gowda V. C. V., Reddy C. N., Radha K. C., Anavekar R. V., Etourneau J., Rao K. J., "Structural investigations of sodium diborate glasses containing PbO, Bi₂O₃ and TeO₂: Elastic property measurements and spectroscopic studies," *Journal of Non-Crystalline Solids*, 353 (2007) 1150-1163.

Guha D., Antar Y. M. M., Petosa A., Lee D., "Improved design guidelines for the ultra wideband monopole dielectric resonator antenna," *IEEE Antennas and Wireless Propagation Letters*, 5(1) (2006a) 373-376.

Guha D., Antar Y.M.M., "Four element cylindrical dielectric resonator antenna for wideband monopole like radiation," *IEEE Transactions on Antennas and Propagation*, 54(9) (2006b) 2657-2662.

Guha D., Antar Y.M.M., "New half-hemispherical dielectric resonator antenna for broadband monopole type radiation," *IEEE Transactions on Antennas and Propagation*, 54(12) (2006c) 3621-3628.

Guha D., Gupta B., Antar Y. M. M., "Hybrid monopole- DRAs using hemispherical/conical shaped dielectric ring resonators: Improve ultrawideband designs," *IEEE Transactions on Antennas and Propagation*, 60(1) (2012) 393-398.

Guha D., Gupta B., Antar Y. M. M., "New pawn-shaped dielectric ring resonator loaded hybrid monopole antenna for improved ultrawide bandwidth," *IEEE Antennas and Wireless Propagation Letters*, 8 (2009) 1178-1181.

Guha D., Gupta P., Kumar C., "Dualband cylindrical dielectric resonator antenna employing HEM₁₁ and HEM₁₂ modes excited by new composite aperture," *IEEE Transactions on Antennas and Propagation*, 63(1) (2015) 433-438.

Gupta A., Gangwar R. K., "Analysis of conformal strip feed triangular dielectric resonator antenna using FDTD method," *IEEE International Conference on Computational Electromagnetics, Hong Kong*, (2015) 92-94.

Gupta A., Gangwar R. K., "Design, fabrication and measurement of dual segment rectangular dielectric resonator antenna array excited with conformal strip for S-band application," *Electromagnetics*, 36 (4) (2016) 236- 248.

Gupta A., Gangwar R. K., "Theoretical and experimental investigations on rectangular dielectric resonator antenna array for radar and satellite application," *Electromagnetics*, 37(1) (2017) 27-39.

Gupta A., Gangwar R. K., Singh S. P., "Three element dual segment triangular dielectric resonator antenna for X-Band applications," *Progress in Electromagnetic Research (PIER) C*, 34 (2013) 139-150.

Haertling, G. H., *Piezoelectric and Electro-Optic Ceramics in Ceramic Materials for Electronics*, Marcel Dekker, Inc., New York, 1986.

Herbert, J. M., *Ceramic Dielectrics and Capacitors in Electro Components Science Monographs*, Vol. 6, Gorden and Breach, New York, 1985.

Hoch M., "Thermodynamics and phase diagram of the binary system Bi₂O₃-B₂O₃," *Calphad*, 20(4) (1996) 511-519.

Husung R. D., Doremus R. H., "Infrared transmission spectra of four silicate glasses before and after exposure to water," *Journal of Materials Research* 5(10) (1990) 2209-2217.

Ittipiboon A., Petosa A., Roscoe D., Cuhaci M., "An investigation of a novel broadband dielectric resonator antenna," *IEEE Antenna and Propagation Society International Symposium Digest*, (1996) 2038-2041.

Ittipiboon A., Petosa A., Thirakoune S., Lee D., Lapierre M., Antar Y.M.M., "Ultra wideband antenna," *U.S. Patent* 6,940,463 B2, 2005.

Jaffe, B., Cook, J. W. R. and Jaffe, H.: 1971, *Piezoelectric Ceramics*, Academic Press, New York.

Jarvis J. B., Kim S., "The Interaction of radio frequency field with dielectric materials at macroscopic to mesoscopic scale," *Journal of Research of National Institute of Standards and Technology*, 117 (2012) 1-60.

Jeon H. P., Lee S. K., Kim S., Choi D. K., "Effect of BaO-B₂O₃-SiO₂ glass additive on densification and dielectric properties of BaTiO₃ ceramics," *Materials Chemistry and Physics*, 94 (2005) 185-189.

Jeon J. H., "Effect of SrTiO₃ concentration and sintering temperature on microstructure and dielectric constant of Ba_(1-x)Sr_(x)TiO₃," *Journal of European Ceramic Society*, 24 (2004) 1045-1048.

Jona F., Shirane G., *Ferroelectric Crystals*, New York: Dover, 1993.

Joseph N., Varghese J., Teirikangas M., Sebastian M.T., Jantunen H., "Ultra-low sintering temperature ceramic composites of CuMoO₄ through Ag₂O addition for microwave applications," *Composites Part B*, 141 (2018) 214-220.

Kamba S., Nuzhunyy D., Savinov M., Sebek J., Petzelt J., Prokleska J., Haumont R., Kreisel J., "Infrared and terahertz studies of polar phonons and magnetodielectric effect in multiferroic BiFeO₃ ceramics," *Physical Review B* 75 (2007) 024403.

Kay, H. F. and Bailey, P. C., "Structure and properties of CaTiO₃," *Acta Crystallographica*, 10 (1957) 219-226.

Khanna A., Saini A., Chen B., González F., Ortiz B., "Structural characterization of PbO–B₂O₃–SiO₂ glasses," *European Journal of Glass Science and Technology Part B Physics and Chemistry of Glasses*, 55 (2), (2014) 65-73.

Kishk A. A., Glisson A.W., Junker J. P., "Bandwidth Enhancement for Split Cylindrical Dielectric Resonator Antennas - Abstract," *Journal of Electromagnetic Waves and Applications*, 15(6), 2001a, 777-778.

Kishk A. A., "Experimental study of broadband embedded dielectric resonator antennas excited by a narrow slot," *Antennas and Wireless Propagation Letters*, 4 (2005) 79-81.

Kishk A. A., "Wide-band truncated tetrahedron dielectric resonator antenna excited by a coaxial probe," *IEEE Transactions on Antennas and Propagation*, 51(10) (2003) 2913-2917.

Kishk A. A., Chair R., Lee K. R., "Broadband dielectric resonator antennas excited by L-shaped probe," *IEEE Transaction on Antennas and Propagation*, 54(8) (2006) 2182-2189.

Kishk A. A., Glisson A.W., Yin Y., "Conical dielectric resonator antennas excited by a coaxial probe," *Microwave and Optical Technology Letters*, 29(3) (2001b) 160-161.

Kreidl N. J., Inorganic glass-forming systems in glass: Science and Technology, Vol. 1 of Glass-Forming Systems, Academic Press, New York, NY, USA, 1983.

Kumar R., Chaudhary R. K., "A wideband circularly polarized cubic dielectric resonator antenna excited with modified microstrip feed," *IEEE Antennas & Wireless Propagation Letters*, 15 (2016) 1285-1288.

Kumari P., P. Tripathi, B. Sahu, S.P. Singh, Devendra Kumar, "Four-Element Composite Triangular Dielectric Resonator Antenna using Li₂O-1.94MgO-0.02Al₂O₃-P₂O₅ Ceramic for Wideband Applications," *Journal of Electronic Materials*, 47(9) (2018 b) 5218-5228.

Kumari P., Tripathi P., Sahu B., Singh S.P., Parkash O., Kumar D., "Synthesis and Characterisation of novel low temperature ceramic and its implementation as substrate in dual segment CDRA," *Journal of Physics and Chemistry of Solids*, 113 (2018a) 177-185.

Kumari R., Gangwar R. K., "Circularly polarized cylindrical dielectric resonator antenna excited by dual conformal strips along with modified Wilkinson power divider for high gain application," *Microwave and Optical Technologies Letters*, 59(4) (2017) 908-913.

Kumari R., Gangwar R. K., "Circularly polarized dielectric resonator antennas: Design and developments," *Wireless Personal Communication*, 86 (2016) 851-886.

Lapierre M., Y. M. M. Antar, A. Ittipiboon, A. Petosa, "Ultra wideband monopole/dielectric resonator antenna," *IEEE Microwave and Wireless Components Letters*, 15(1) (2005) 7-9.

Lee J. H., Kikuchi K., Nagashima T., Hasegawa T., Ohara S., Sugimoto N., "All fiber-based 160-Gbit/s Add/drop multiplexer incorporating a 1-m-long bismuth oxide-based ultra-high nonlinearity fiber," *Optics Express* 13 (2005) 6864–6869.

Lekshmi D. R., Letang T., Surendran K. P., "High permittivity (La_{0.5}Sr_{0.5})CoO_{3-δ}-La(Co_{0.5}Ti_{0.5})O_{3-δ} ceramic composites for next generation MIM capacitors," *Journal of European Ceramic Society*, 38(11) (2018) 3853-3860.

- Leung K. W., Wong W. C., Luk K. M., Yung E. K. N., "Circular polarized dielectric resonator antenna excited by dual conformal strips," *Electronics Letters*, 36(6) (2000) 454-455.
- Leung K. W., Wong W. C., Ng H. K., "Circularly polarized slot- coupled dielectric resonator antenna with a parasitic patch", *IEEE Antennas and Wireless Propagation Letters*, 1(1) (2002) 57-59.
- Leung K.W., Wong W. C., Luk K. M., Yung E. K. N., "Annular slot coupled dielectric resonator antenna," *Electronics Letters*, 34 (13) (1998) 1275-1277.
- Levinson, L. M.: 1988, Electronic Ceramics- Properties, Devices and Applications, Marcel Dekker, New York.
- Li T. W., Sun J. S., "A wide U-shape slot fed broadband dielectric resonator antenna," *Symposium on antenna technology and applied electromagnetics, St. Malo, France*, (2005) 124-125.
- Li Y. X., Bin Tang, Shuren Zhang, Hao Li, "Low temperature sintering of Bi_2O_3 - B_2O_3 glass doped $\text{Li}_2\text{ZnTi}_3\text{O}_8$ - Li_2O_3 ceramics and its dielectric properties," *International Journal of Material and Mechanical Engineering*, 5 (2016) 42-47.
- Liang X. L., Denidni T. A., "H-shaped dielectric resonator antenna for wideband applications," *IEEE Antennas and Wireless Propagation Letters*, 7 (2008) 163-166.
- Liasne A., Gillard R., Piton G., "A Robust slot fed dielectric resonator antenna (DRA) using an intermediate substrate," *Electronics Letters*, 37(25) (2001) 1497-1498.
- Lin Y.F., Chen H. M., Lin C. H., "Compact dual band hybrid dielectric resonator antenna with radiating slot," *IEEE Antenna and Wireless Propagation Letters*, 8 (2009) 6-9.
- Lines, M. E. and Glass, A. M.: 1977, Principles and Applications of Ferroelectrics and Related Materials, Clarendon Press, Oxford.
- Llombart N., Neto A., Gerini G., Maagt P. D., "Planar circularly symmetric EBG structures for reducing surface waves in printed antennas," *IEEE Transactions on Antennas and Propagation*, 53(10) (2005) 3210-3218.
- Long, S.A., McAllister M.W., Shen L.C., "The Resonant Cylindrical Dielectric Cavity Antenna," *IEEE Transactions on Antennas and Propagation*, 31 (3) (1983) 406-412.
- Luk K. M. and Leung K. W., Eds., Dielectric Resonator Antennas, Research Studies Press, 388 p., 2003.

Luk K. M., Lee M. T., Leung K. W., Yung E. K. N., "Technique for improving coupling between microstripline and dielectric resonator antenna," *Electronics Letters*, 35(5) (1999) 357-358.

Lukaszewicz, J. P., "Diode-type humidity sensor using perovskite-type oxides operable at room temperature," *Sensors and Actuators B: Chemical*, 4 (1991) 227-232.

Maiti T., Guo R., Bhalla A. S., "Electric field dependent dielectric properties and high tunability of BaZr_xTi_{1-x}O₃ relaxor ferroelectrics," *Applied Physics Letters*, 89 (2006) 122909.

Malekabadi S. A., Neshati M. H., Mohassel J. R., "Circular Polarized Dielectric Resonator antenna using a single probe feed," *Progress in Electromagnetic Research C*, 3, (2008) 81-94.

Matthias B. T., "New Ferroelectric crystals" *Physical Reviews* 75, (1949) 1771.

Minh, N. Q., "Ceramic Fuel cells," *Journal of American Ceramic Society*, 76 (1993) 563-588.

Mishra V. K., Rai S. B., Asthana B. P., Parkash O., Kumar D., "Effect of annealing on nanoparticles of hydroxyapatite synthesized via microwave irradiation: Structural and spectroscopic studies," *Ceramic International*, 40 (2014) 11319-11328.

Mongia R. K., P. Bhartia, "Dielectric resonator antenna- A review and general design relations for resonant frequency and bandwidth," *International Journal of Microwave and Millimetre wave Computer-Aided Engineering*, 4(3) (1994) 230-247.

Moulson A.J., Herbert J.M., *Electroceramics: Materials, Properties, Applications*, John Wiley & Sons (2003).

Mukherjee B., Patel P., Mukherjee J., "A novel cup-shaped inverted hemi-spherical dielectric resonator antenna for wideband applications," *IEEE Antennas and Wireless Propagation Letters*, 12 (2013) 1240-1243.

Nhalil H., Nair H.S., Kumar C.M.N., Strydom A. M., Elizabeth S., "Ferromagnetism and the effect of free charge carriers on electric polarization in the double perovskite Y₂NiMnO₆," *Physical Review B*, 92 (2015) 214426.

Okaya A., "The rutile microwave resonator" *Proceedings of the IRE*, 48 (1962) 1921.

Okaya A., Barash L., "The dielectric microwave resonator" *Proceedings of the IRE*, 50(10) (1962) 2081-2092.

- Ong S. H., A. A. Kishk, A. W. Glisson, "Rod-Ring Dielectric Resonator Antenna" *International Journal of RF and Microwave Computer Aided Engineering*, 14(6) (2004) 441-446.
- Ong S. H., A. A. Kishk, A. W. Glisson, "Wideband disc-ring dielectric resonator antenna," *Microwave Optical Technologies Letters*, 35(6) (2002) 425-428.
- Panda B., Dhar A., Nigam G. D., Bhattacharya D., Ray S. K., "Optical properties of RF sputtered strontium substituted barium titanate thin films," *Thin Solid Films*, 332 (1998) 46-49.
- Perron A., Denidni T.A., Sebak A. R., "High gain hybrid dielectric resonator antenna for millimeter wave applications, design and implementation," *IEEE Transactions on Antenna and Propagation*, 57(10) (2009) 2882-2892.
- Petosa A., Dielectric Resonator Antenna Handbook, Artech House, 311 p., 2007.
- Petosa A., Ittipiboon A., Cuhaci M., Larose R., "Low profile phased array of dielectric resonator antennas," *IEEE International Symposium Phased Array Systems and Technology*, (1996) 182-185.
- Petosa A., Larose R., Ittipiboon A., Cuhaci M., "Active phased array of dielectric resonator antennas," *IEEE Antennas and Propagation Symposium, Montreal, Canada*, (1997a) 690-693.
- Petosa A., Larose R., Ittipiboon A., Cuhaci M., "Microstrip fed array of multi-segment dielectric resonator antennas," *IEEE Proceedings Microwaves Antennas and Propagation*, 144 (6) (1997b) 472-476.
- Petosa A., Thirakoune S., Ittipiboon A., "Higher order modes in rectangular DRAs for gain enhancement," *13th International Symposium on Antenna Technology and Applied Electromagnetics and the Canadian Radio Science Meeting*, Toronto, ON, (2009) 1-4.
- Pyo-Jeon H., Lee S. K., Kim Sang-Woo, Choi D. K., "Effect of BaO- B₂O₃-SiO₂ glass additive on densification and dielectric properties of BaTiO₃ ceramics," *Materials Chemistry and Physics*, 94 (2005) 185-189.
- Rajan P., Gangwar R. K., "Probe feed half split cylindrical dielectric resonator antenna for wideband application," *International Journal of Electronics and Communication (AEU)*, 69 (2015) 1709-1714.
- Rana B., Parui S. K., "Nonresonant microstrip patch fed dielectric resonator antenna array," *IEEE Antennas and Wireless Propagation Letters*, 14 (2015) 747-750.

Rani B. R. P., Sebastian M. T., "The effect of glass addition on the dielectric properties of barium strontium titanate," *Journal of Material Science: Materials in Electronics*, 19(1) (2008) 39-44.

Rao Q., Denidni T.A., Sebak A.R., "Broadband compact stacked T-shaped DRA with equilateral-triangle cross sections," *IEEE Microwave and Wireless Components Letters*, 16(1) (2006) 7-9.

Rashidian A., L. Shafai, D.M. Klymyshyn, "Compact wideband multimode dielectric resonator antennas fed with parallel standing strips," *IEEE Transactions on Antennas and Propagation*, 60(11) (2012) 5021-5031.

Rashidian A., Shafai L., Klymyshyn D.M., "Tall microstrip transmission lines for dielectric resonator antenna applications," *IET Microwaves, Antennas and Propagation*, 8(2) (2014) 112-124.

Richtmyer, R.D. "Dielectric resonators," *Journal of Applied Physics*, 10 (6) (1939) 391-398.

Rout S.K., Panigrahi S., "Mechanism of phase formation of BaTiO₃-SrTiO₃ Solid Solution through solid-oxide reaction," *Indian Journal of Pure and Applied Physics*, 44 (2006) 606-611.

Roy, R., Guo, R. and Bhalla, A. S., Perovskite Oxides for Electronics, Energy Conversion, and Energy Efficiency Applications, The American Ceramic Society, Westerville, OH, USA, 1993.

Sahu B., Singh R., Singh S. P., Tripathi P., "Compact Dual segment cylindrical dielectric resonator antenna for X-Band applications," *International Conference on Microwave and Photonics (ICMAP)*, Dhanbad (2013) 1-4.

Sahu B., Tripathi P., Singh S. P., "Investigation on Cylindrical Dielectric Resonator antenna with Metamaterial superstrate", *Wireless Personal Communication*, 84 (2015) 1151-1163.

Sahu N. K., Sharma A., Gangwar R. K., "Modified annular ring patch fed cylindrical dielectric resonator antenna for WLAN/WiMAX Applications," *Microwave and Optical Technologies Letters*, 59(1) (2017) 120-125.

Sangiovanni A., Dauvignac J. Y., Pichot C., "Embedded dielectric resonator antenna for bandwidth enhancement," *Electronics Letters*, 33(25) (1997) 2090-2091.

Schwarz, Ticha H., "Some optical properties of BaO-PbO-B₂O₃ glasses," *The Journal of Optoelectronics and Advanced Materials*, 5(1) (2003) 69-74.

Sebastian M. T., Dielectric materials for wireless communications, Oxford: Elsevier, 2008.

Sebastian M. T., Ubic R., Jantunen H., *Microwave materials and application*, John Wiley & Sons, 2017.

Sharma A., Das G., Gangwar R. K., "Dual band circularly polarized modified circular aperture loaded cylindrical dielectric resonator antenna for wireless application," *Microwave and Optical Technologies Letters* 59 (2017a) 1562-1570.

Sharma A., Das G., Gangwar R. K., "Dual polarized triple band hybrid MIMO Cylindrical Dielectric Resonator Antenna for LTE2500/WLAN/WiMAX Applications," *International Journal of RF and Microwave Computer Aided Engineering*, 26(9) (2016a) 763-772.

Sharma A., Das G., Ranjan P., Sahu N. K., Gangwar R. K., "Novel feeding mechanism to stimulate triple radiating modes in cylindrical dielectric resonator antenna," *IEEE Access*, 4 (2016b) 9987-9992.

Sharma A., Gangwar R. K., "Asymmetrical annular shape microstrip line fed stacked cylindrical dielectric resonator antenna for UWB," *Proceedings of Asia-Pacific microwave components, New Delhi* (2016c) 1-4.

Sharma A., Gangwar R. K., "Tri-band composite cylindrical dielectric resonator antenna with hybrid mode excitation and cross-polarization suppression," *International Journal of RF and Microwave Computer Aided Engineering* 27 (2017b) e21130.

Sharma A., Gangwar R. K., "Triple band dual polarized hybrid cylindrical dielectric resonator antenna with hybrid modes excitation," *Progress in Electromagnetic Research C*, 67 (2016d) 97-105.

Sharma A., Gangwar R. K., "Triple band two segment cylindrical dielectric resonator antenna with a novel microstrip feed for WLAN/WiMAX Applications," *Microwave and Optical Technologies Letters*, 57(11) (2015) 2649-2655.

Shelby J. E., *Introduction to glass science and technology*, UK, The Royal Society of Chemistry, 1997.

Sherman V. O., Tagantsev A. K., Setter N., "Ferroelectric dielectric tunable composites", *Journal of Applied Physics*, 99 (2006) 074104.

Shum S.M., Luk K.M., "Stacked annular-ring dielectric resonator antenna excited by axi-symmetric coaxial probe," *IEEE Transactions on Antennas and Propagation*, 43(8) (1995) 889-892.

Simon S and Todea M., "Spectroscopic study on iron doped silica bismuthate glasses and glass-ceramics," *Journal of Non-Crystalline Solids*, 352 (2006) 2947 -2951.

Sinha D., Amaratunga G. A. J., "Electromagnetic Radiation under Explicit Symmetry Breaking," *Physical Reviews Letters*, 114 (2015) 147701-07.

Smiljanic V. L., Biljic R., Cajkovski T., Cajkovski D., "Discussion of some experimental methods for permittivity measurements on 12-tungstophosphoric acid hexahydrate in the frequency range 8-12 GHz," *Microwave Review* 4 (1997) 20-23.

Soren D., Ghatak R., Mishra R. K., Poddar D. R., "Dielectric Resonator Antennas: Designs and Advances," *Progress In Electromagnetics Research B*, 60 (2014) 195-213.

Stehle C., Vira C., Hogan D., Feller S., Affatigato M., "Optical and physical properties of bismuth borate glasses related to structure," *Physics Chemistry of Glasses* 39(2) (1998) 83-86.

Stone C. E., Wright A. C., Sinclair R. N., Feller S. A., Affatigato M, Hogan D. L., Nelson N. D., Vira C, Dimitriev Y. B., Gattef E M., Ehrt D, "Structure of Bismuth borate glasses," *European Journal of glass science and technology Part B Physics and Chemistry of Glasses*, 41(41) (2013) 409-412.

Sun Y. X., Leung K. W., "Circularly polarized substrate integrated cylindrical dielectric resonator antenna array for 60 GHz applications," *IEEE Antennas and Wireless Propagation Letters*, 17(8) (2018) 1401-1405.

Tagantsev A. K., Sherman V. O., Astafiev K. F., Venkatesh J., Setter N., "Ferroelectric materials for microwave tunable application," *Journal of Electroceramics*, 11 (2003) 66-75.

Takasu H., "The ferroelectric memory and its applications," *Journal of Electroceramics*, 4 (2000) 327-338.

Tang H., Tong C., and Chen J. X., "Differential dual polarized filtering dielectric resonator antenna," *IEEE Transaction on Antennas and Propagation*, 66(8) (2018) 4298-4302.

Ullah U., Ali W. F. F. W., Mahyuddin N.M., Ahmad Z. A., "Design of novel dielectric resonator antenna using MgTiO₃-CoTiO₃ for wideband applications," *Materials & Design*, 85 (2015) 396-403.

Vargas-Ortíz R. A., Espinoza-Beltrán F.J., Muñoz-Saldaña J., Ba_{1-x}Sr_xTiO₃ ceramics synthesized by an alternative solid-state reaction route, Sintering of ceramics - New emerging techniques, Dr. Arunachalam Lakshmanan (Ed.), ISBN: 978-953-51-0017-1, InTech, 2012.

Varghese J., Siponkoski T., Sobocinski M., Vahera T., Jantunen H., "Multilayer functional tapes cofired at 450 °C: Beyond HTCC and LTCC technologies," *ACS Applied Material Interfaces*, 10 (2018) 11048-11055.

- Varghese J., Siponkoski T., Teirikangas M., Sebastian M. T., Uusimaki A., Jantunen H., "Structural, dielectric, and thermal properties of Pb free molybdate based ultralow temperature glass," *ACS Sustainable Chemistry and Engineering*, 4 (2016) 3897-3904.
- Varshneya A., *Fundamentals of Inorganic Glasses*, New York, Academic, 1994.
- Vogel W., *Chemistry of Glass*, The American Ceramic Society, Columbus, OH, 1985.
- Wainer, E. and Wentworth, C., "Niobate and tantalate dielectrics," *Journal of American Ceramic Society*, 35(8) (1952) 207-214.
- Wee F. H., Malek F., Sreekantan S., Al-Amani A. U., Ghani F., You K. Y., "Investigation of the characteristics of barium strontium titanate (BST) dielectric resonator ceramic loaded on array antennas," *Progress In Electromagnetics Research*, 121 (2011) 181-213.
- Wells A., *Structural Inorganic Chemistry*, 4th Edn., Oxford, Clarendon, 1975.
- Wu J., Huang H., "Microwave properties of zinc, barium and lead borosilicate glasses," *Journal of Non-Crystalline Solids*, 260 (1999) 116-124.
- Yamaoka, N. and Matsui, T.: 1981, Advances in Ceramics, Vol. 1, edited by L. M. Levinson and D. C. Hill American Ceramic Society, Columbus, OH, 1981, 232p.
- Yang M., Pan Y., "A singly fed wideband circularly polarized dielectric resonator antenna," *IEEE Antennas and Wireless Propagation Letters*, 17(8) (2018) 1515-1518.
- Yano T, Kunimine N, Shibata S and Yamane M, "Structural investigation of sodium borate glasses and melts by raman spectroscopy. I. Quantitative evaluation of structural units," *Journal of Non-Crystalline Solids* 321(3) (2003) 137-146.
- Yarge S., Sertel K., Volakis J.L., "A directive resonator antenna using degenerate band edge crystals," *IEEE Transactions on Antennas and Propagation*, 57(2009) 799-803.
- Yu Y., Wang X., Yao X., "Dielectric properties of Ba_{1-x}Sr_xTiO₃ ceramics prepared by microwave sintering," *Ceramic International*, 39 (2013) S335 – S339.
- Yung K.W. N., "Annular slot- coupled dielectric resonator antenna," *Electronics Letters*, 34(13) (1998) 1275-1277.
- Zhang B., Yao X., Zhang L., "Study on the structure and dielectric properties of BaO–SiO₂–B₂O₃ glass-doped (Ba,Sr)TiO₃ ceramics," *Ceramic International* 30(7) (2004) 1767-1771.

Zhang L. N., Zhong S. S., Xu S. D., "Broadband U-shaped dielectric resonator antenna with elliptical patch feed," *Electronics Letters*, 44(16) (2008) 947-949.

Zhang L., Zhong W. L., Wang Y. G., Wang C. L., "On the possible curie temperature and ferroelectricity for SrTiO₃ and KTaO₃," *Physica Status Solidi a*, 168 (1998) 325-329.

Zhang Z. Y., Wn K. L., "A wideband dual polarized dielectric magneto-electric dipole antenna," *IEEE Transactions on Antennas and Propagation*, 66(10) (2018) 5590-5595.

Zou M., Pan J., "Investigation of resonant modes in wideband hybrid omnidirectional rectangular dielectric resonator antenna," *IEEE Transactions on Antennas and Propagation*, 63(7) (2015) 3272-3275.

LIST OF PUBLICATIONS

Journals:

- 1 **Pankaj Tripathi**, Preeti Kumari, B. Sahu, Rahul Singh, S. P. Singh, D. Kumar, "Filletted RDRA using novel ceramic dielectric (3G-BST) with stable gain and improved bandwidth for X-band application", *Ceramics International*, 44 (2018) 5045–5054.
- 2 **P. Tripathi**, P. Kumari, V K Mishra, R Singh, S P Singh, D Kumar, "Effect of PbO-B2O3-BaO-SiO2 glass additive on dielectric properties of Ba0.5Sr0.5TiO3 ceramics for radio frequency applications", *Journal of Physics and Chemistry of Solids*, 127 (2019) 60-67.
- 3 **Pankaj Tripathi**, Preeti Kumari, R. Singh, B. Sahu, S.P. Singh, Devendra Kumar, "Cylindrical dielectric resonator antenna excited by a composite feed to generate monopole like radiation characteristics", *Journal of Electronic Materials (Springer)*, 2018.
- 4 **Pankaj Tripathi**, Preeti Kumari, S.P. Singh, Devendra Kumar, "Dielectric Resonator Antennas Using Ceramic Dielectric: A Review and Current State of the Art", International Material Reviews (**Communicated**)

International Conference:

- 1 **Pankaj Tripathi**, Preeti Kumari, Bhagirath Sahu, Om Parkash, S. P. Singh, Devendra Kumar, Dual segment cylindrical dielectric resonator antenna excited by a novel composite feed, *IEEE International Conference on Microwaves and Photonics (ICMAP-2018)* at IIT(ISM) Dhanbad, Feb 9-11, 2018.
- 2 **Pankaj Tripathi**, Bhagirath Sahu, Preeti Kumari, Om Parkash, S. P. Singh and Devendra Kumar, "Filletted Rectangular Dielectric Resonator Antenna Using BST Ceramic with Improved Bandwidth" *5th IEEE Applied Electromagnetics Conference (AEMC-2015)* at IIT Guwahati, Assam, December 18 -21, 2015.
- 3 **Pankaj Tripathi**, Preeti Kumari, Bhagirath Sahu, S. P. Singh, Om Parkash and Devendra Kumar, "Design of rectangular dielectric resonator antenna using glass added barium strontium titanate" *IEEE International Conference on Microwaves and Photonics (ICMAP-2015)* at ISM Dhanbad, December 11-13, 2015.