

## CONTENTS

<b>Content</b>	<b>Page</b>
	<b>number</b>
<b>List of Figures</b>	<b>xii-xvi</b>
<b>List of Tables</b>	<b>xvii</b>
<b>Abbreviations</b>	<b>xviii-xx</b>
<b>1. Introduction and objective</b>	<b>1-6</b>
<b>1.1. Introduction</b>	<b>1-5</b>
<b>1.2. Objective</b>	<b>6</b>
<b>2. Literature review</b>	<b>7-41</b>
<b>2.1. Structure &amp; function of skin</b>	<b>8-10</b>
<b>2.1.1. Epidermis</b>	<b>8</b>
<b>2.1.2. Dermis</b>	<b>8</b>
<b>2.1.3. Hypodermis</b>	<b>9</b>
<b>2.1.4. Function of skin</b>	<b>10</b>
<b>2.2. Wound &amp; their types</b>	<b>11</b>
<b>2.3. Wound healing process</b>	<b>12</b>
<b>2.4. Factor affecting wound healing</b>	<b>15</b>
<b>2.5. Biomaterial used in skin tissue engineering</b>	<b>16</b>
<b>2.5.1. Collagen</b>	<b>17</b>
<b>2.5.2. Chitosan</b>	<b>18</b>
<b>2.5.3. Gelatin</b>	<b>19</b>
<b>2.5.4. Elastin</b>	<b>20</b>

<b>2.5.5. Silk</b>	<b>20</b>
<b>2.5.6. Alginate</b>	<b>20</b>
<b>2.5.7. Cellulose</b>	<b>21</b>
<b>2.5.8. Hyaluronic acid</b>	<b>22</b>
<b>2.6. Role of antibiotics in wound healing</b>	<b>23</b>
<b>2.7. Collagen-Chitosan based scaffold for skin tissue engineering</b>	<b>25</b>
<b>2.8. Technique used for the fabrication for scaffold</b>	<b>27</b>
<b>2.9. Commercially available skin tissue engineering product</b>	<b>31</b>
<b>2.10. Role of oxygen in wound healing and oxygen producing scaffold for skin tissue engineering</b>	<b>34</b>
<b>2.10.1. Role of oxygen in wound healing</b>	<b>36</b>
<b>2.10.2. Oxygen-generating materials</b>	<b>37</b>
<b>2.10.3. Notable work in field of oxygen releasing scaffold and hypoxia</b>	<b>41</b>
<b>3. Material and methodology</b>	<b>43-47</b>
<b>3.1. Material</b>	<b>43</b>
<b>3.2. Methodology</b>	
<b>3.2.1. Fabrication of ciprofloxacin loaded collagen-chitosan scaffold</b>	<b>44</b>
<b>3.2.2. Fabrication of oxygenating ciprofloxacin loaded collagen-chitosan scaffold</b>	<b>47</b>
<b>3.2.2.1. PCL-CPO hybrid coating</b>	<b>47</b>
<b>3.3. Characterization of scaffold</b>	<b>49-61</b>
<b>3.3.1. Physical and chemical characterization</b>	<b>49-56</b>
<b>3.3.1.1. Morphological analysis</b>	<b>49</b>

3.3.1.2. Swelling percentage	50
3.3.1.3. Contact angle measurement	50
3.3.1.4. Biodegradation	51
3.3.1.5. Water Vapor Transmission Rate (WVTR)	51
3.3.1.6. Mechanical study	52
3.3.1.7. FTIR	52
3.3.1.8. XRD	53
3.3.1.9. Thermal property study	53
3.3.1.10. Oxygen releasing behavior	54
3.3.1.11. Drug release study	54
3.3.1.12. Hemocompatibility study	56
<b>3.3.2. In vitro cell culture study</b>	<b>57-59</b>
3.3.2.1. Cell isolation and cell attachment study	57
3.3.2.2. MTT Assay	58
3.3.2.3. DNA Content estimation	59
<b>3.3.3. Antibacterial study</b>	<b>59</b>
<b>3.3.4. <i>In vivo</i> and histological study</b>	<b>60-61</b>
3.3.4.1. <i>In vivo</i> study	60
3.3.4.2. Histological examination	61
<b>3.3.5. Statistical analysis</b>	<b>61</b>
<b>4. Result and discussion</b>	<b>62-115</b>
<b>4.1. Development of ciprofloxacin loaded collagen-chitosan scaffold for skin tissue engineering</b>	<b>62-86</b>

<b>4.1.1. Physical and chemical characterization</b>	<b>62-76</b>
<b>4.1.1.1. Morphological characterization</b>	<b>62</b>
<b>4.1.1.2. Swelling</b>	<b>63</b>
<b>4.1.1.3. Contact angle</b>	<b>64</b>
<b>4.1.1.4. Biodegradation</b>	<b>65</b>
<b>4.1.1.5. Water Vapor Transmission Rate</b>	<b>67</b>
<b>4.1.1.6. FTIR analysis</b>	<b>68</b>
<b>4.1.1.7. Mechanical study</b>	<b>70</b>
<b>4.1.1.8. Thermal property study</b>	<b>71</b>
<b>4.1.1.9. <i>In vitro</i> drug release</b>	<b>74</b>
<b>4.1.1.10. Haemocompatibility study</b>	<b>76</b>
<b>4.1.2. In vitro cell culture study</b>	<b>77-81</b>
<b>4.1.2.1. Cell isolation and cell attachment study</b>	<b>77-79</b>
<b>4.1.2.2. DNA content estimation</b>	<b>80</b>
<b>4.1.2.3. MTT assay</b>	<b>81-82</b>
<b>4.1.3. Antimicrobial study</b>	<b>83</b>
<b>4.1.4. <i>In vivo</i> and histological study</b>	<b>84-86</b>
<b>4.1.4.1. <i>In vivo</i> study</b>	<b>84-85</b>
<b>4.1.4.2. Histological study</b>	<b>86</b>
<b>4.2. Development of ciprofloxacin loaded oxygen releasing collagen chitosan scaffold for skin tissue engineering</b>	<b>87-114</b>
<b>4.2.1. Physical and chemical characterization</b>	<b>87-101</b>
<b>4.2.1.1. Morphological study</b>	<b>87-89</b>

<b>4.2.1.2.</b>	<b>Swelling</b>	<b>90</b>
<b>4.2.1.3.</b>	<b>Biodegradation</b>	<b>91-92</b>
<b>4.2.1.4.</b>	<b>Water Vapor Transmission Rate</b>	<b>93</b>
<b>4.2.1.5.</b>	<b>FTIR study</b>	<b>94-95</b>
<b>4.2.1.6.</b>	<b>XRD study</b>	<b>96</b>
<b>4.2.1.7.</b>	<b>Oxygen release behavior</b>	<b>97</b>
<b>4.2.1.8.</b>	<b>Drug Releases study</b>	<b>98-101</b>
<b>4.2.1.9.</b>	<b>Hemocompatibility study</b>	<b>101</b>
<b>4.2.2.</b>	<b><i>In vitro</i> cell culture study</b>	<b>102-108</b>
<b>4.2.2.1.</b>	<b>Live dead assay and cell attachment study</b>	<b>102-106</b>
<b>4.2.2.2.</b>	<b>MTT assay</b>	<b>107</b>
<b>4.2.2.3.</b>	<b>DNA content</b>	<b>108-109</b>
<b>4.2.3.</b>	<b>Antibacterial test</b>	<b>110</b>
<b>4.2.4.</b>	<b><i>In vivo</i> and histological study</b>	<b>111-115</b>
<b>4.2.4.1.</b>	<b><i>In vivo</i> study</b>	<b>111-113</b>
<b>4.2.4.2.</b>	<b>Histological study</b>	<b>114-115</b>
<b>5.</b>	<b>Summary, conclusion and future prospect</b>	<b>116-124</b>
<b>6.</b>	<b>References</b>	<b>125-156</b>
<b>7.</b>	<b>Publications</b>	<b>157</b>