

## LIST OF TABLES

<b>Table No.</b>	<b>Table Caption</b>	<b>Page No</b>
Table 1.1	Typical exhaust gas composition	5
Table 1.2	Functionality of catalyst systems used for diesel oxidation catalysts and diesel Filters	35
Table 1.3	Typical filtration efficiency of diesel particulate filters (PM Mass) [Germany BMA 2001], [US non-coal mines MSHA 2001].	40
Table 1.4	Lists the primary and secondary pollutants and their harmful effects	52-53
Table 1.5	Typical diesel exhausts composition [Jelles, 1999]	57
Table 1.6	Euro emission standards for diesel vehicles	58-59
Table 1.7	Bharat stage emission standards for diesel vehicles	59-60
Table 1.8	Emission limits for diesel light vehicles and heavy vehicle	60
Table 1.9	Emission norms in India for passenger cars	60-61
Table 1.10	Emission norms for 3 wheelers	61
Table 1.11	Emission norms in India for heavy diesel vehicles	61
Table 1.12	Implementation schedules of EU emission standards in India	61
Table 2.1	Comparisons of functions of the components of typical CRT and TU Delft filter system	87
Table 3.1	The application of perovskite-type catalysts used for simultaneous catalytic reduction of soot and NO <sub>x</sub> emissions from diesel engine exhaust	110-111

Table 3.2	The application of noble metal catalysts used for simultaneous catalytic reduction of soot and NO <sub>x</sub> emissions from diesel engine exhaust	115
Table 3.3	The application of spinel type catalysts used for simultaneous catalytic reduction of soot and NO <sub>x</sub> emissions from diesel engine exhaust	119
Table 3.4	The application of hydrotalcite type catalyst used for simultaneous catalytic reduction of soot and NO <sub>x</sub> emissions from diesel engine exhaust	125
Table 3.5	The application of mixed metal oxides type catalyst used for simultaneous catalytic reduction of soot and NO <sub>x</sub> emissions from diesel engine exhaust	131-132
Table 4.1	Proximate analysis of soot	135
Table 4.2	Data obtained from bomb calorimeter	135
Table 4.3	Nomenclature of prepared catalysts	149-150
Table 4.4	Techniques used for characterization of catalyst	154
Table 5.1	Optimization of calcination temperature of LaFeO <sub>3</sub>	185
Table 5.2	Effect of calcination temperature on textural properties of LaFeO <sub>3</sub> perovskite catalyst	187
Table 5.3	Atomic % data of LFe <sub>s</sub> 700	187
Table 5.4	Soot conversion of LaFeO <sub>3</sub> at different calcinations Temperature	194
Table 5.5	NO conversion of LaFeO <sub>3</sub> at different calcinations Temperature	195
Table 5.6	Textural characterization of perovskite catalyst samples	199
Table 5.7	Effect of preparation method of LaFeO <sub>3</sub> catalyst	201

Table 5.8	Atomic % data of LCoS700 and LMns700	204
Table 5.9	Comparison of activity soot and NO conversion of different pure catalysts	208
Table 5.10	Atomic % data of LKFes700	210
Table 5.11	Comparison with pure LaFeO <sub>3</sub> with A-site K substitution catalyst	215
Table 5.12	Atomic % data of LKFeCus700-A, LKFeCus700-B, LKFeCus700-C	218
Table 5.13	Textural characterization of substituted perovskite catalyst samples	220
Table 5.14	Atomic % data of LKFeCos700	227
Table 5.15	Effect of calcination temperature on textural properties of different environment conditions	234
Table 5.16	Overall activities of prepared catalysts	244