

---

---

## REFERENCES

---

---

Adinolfi, V., Kramer, K. I. J., Labelle, J., Sutherland, B. R., Hoogland, S., Sargent, E. H., Adinolfi, V. and Kramer, I. J. "Photojunction Field-Effect Transistor Based on a Colloidal Quantum Dot Absorber Channel Layer", *ACS nano*, 2015, 9(1), pp. 356–362.

Agostinelli, T., Campoy-Quiles, M., Blakesley, J. C., Speller, R., Bradley, D. D. C. and Nelson, J. "A polymer/fullerene based photodetector with extremely low dark current for x-ray medical imaging applications", *Applied Physics Letters*, 2008, 93(20), pp. 2006–2009. doi: 10.1063/1.3028640.

Aufiero, B. M., Talwar, H., Young, C., Krishnan, M., Hatfield, J. S., Lee, H. K., Wong, H. K., Hamzavi, I. and Murakawa, G. J. "Narrow-band UVB induces apoptosis in human keratinocytes", *Journal of Photochemistry and Photobiology B: Biology*, 2006, 82(2), pp. 132–139. doi: 10.1016/j.jphotobiol.2005.08.011.

Baeg, K.-J., Binda, M., Natali, D., Caironi, M. and Noh, Y.-Y. "Organic light detectors: photodiodes and phototransistors.", *Advanced materials (Deerfield Beach, Fla.)*, 2013, 25(31), pp. 4267–95. doi: 10.1002/adma.201204979.

Baiertl, D., Pancheri, L., Schmidt, M., Stoppa, D., Dalla Betta, G.-F., Scarpa, G. and Lugli, P. "A hybrid CMOS-imager with a solution-processable polymer as photoactive layer.", *Nature communications*. Nature Publishing Group, 2012, 3, p. 1175. doi: 10.1038/ncomms2180.

Bayer, B. E. "Color Imaging Array", *U. S. patent 3971 065*, 1976, p. 10.

Bera, A., Das Mahapatra, A., Mondal, S. and Basak, D. "Sb<sub>2</sub>S<sub>3</sub>/Spiro-OMeTAD Inorganic–Organic Hybrid p–n Junction Diode for High Performance Self-Powered Photodetector", *ACS Applied Materials & Interfaces*, 2016, p. acsami.6b09943. doi: 10.1021/acsami.6b09943.

- Bera, D., Qian, L., Tseng, T. K. and Holloway, P. H. "Quantum dots and their multimodal applications: A review", *Materials*, 2010, 3(4), pp. 2260–2345. doi: 10.3390/ma3042260.
- Bohr, N. "On the constitution of atoms and molecules", *Philosophical Magazine Series* 6, 1913, 26(155), pp. 857–875. doi: 10.1080/14786441308635031.
- Bohr, N. "Rydberg's discovery of the spectral laws", in *Kalckar, J.*, 1985, N. Bohr: C(10, Amsterdam: North–Holland Publ.), pp. 373–9.
- Bohr, N. and Copenhagen, phil "On the Constitution of Atoms and Molecules Part II. – Systems containing only a Single Nucleus", *Comp. A.v.d. Broek, Phys. Zeitschr. XIV. p.*, 1913, 32, pp. 604–648. doi: 10.1080/14786441308634955.
- Brown, P. R., Lunt, R. R., Zhao, N., Osedach, T. P., Wanger, D. D., Chang, L. Y., Bawendi, M. G. and Bulović, V. "Improved current extraction from ZnO/PbS quantum dot heterojunction photovoltaics using a MoO<sub>3</sub> interfacial layer", *Nano Letters*, 2011, 11, pp. 2955–2961. doi: 10.1021/nl201472u.
- Caruge, J. M., Halpert, J. E., Bulović, V. and Bawendi, M. G. "NiO as an inorganic hole-transporting layer in quantum-dot light-emitting devices", *Nano Letters*, 2006, 6(12), pp. 2991–2994. doi: 10.1021/nl0623208.
- Chambon, S., Derue, L., Lahaye, M., Pavageau, B., Hirsch, L. and Wantz, G. "MoO<sub>3</sub> thickness, thermal annealing and solvent annealing effects on inverted and direct polymer photovoltaic solar cells", *Materials*, 2012, 5(12), pp. 2521–2536. doi: 10.3390/ma5122521.
- Chen, J., Zhao, D., Li, C., Xu, F., Lei, W., Sun, L., Nathan, A. and Sun, X. W. "All solution-processed stable white quantum dot light-emitting diodes with hybrid ZnO@TiO<sub>2</sub> as blue emitters.", *Scientific reports*, 2014, 4, p. 4085. doi: 10.1038/srep04085.
- Chuang, C.-H. M., Brown, P. R., Bulović, V. and Bawendi, M. G. "Improved performance and stability in quantum dot solar cells through band

alignment engineering.", *Nature materials*, 2014, 13(May), pp. 1–6. doi: 10.1038/nmat3984.

Coates, N. E., Zhou, H., Krämer, S., Li, L. and Moses, D. "Solution-based in situ synthesis and fabrication of ultrasensitive CdSe photoconductors", *Advanced Materials*, 2010, 22(47), pp. 5366–5369. doi: 10.1002/adma.201001150.

Deng, Z., Zhang, Y., Yue, J., Tang, F. and Wei, Q. "Green and orange CdTe quantum dots as effective pH-sensitive fluorescent probes for dual simultaneous and independent detection of viruses", *Journal of Physical Chemistry B*, 2007, 111(41), pp. 12024–12031. doi: 10.1021/jp074609z.

Drbohlavova, J., Adam, V., Kizek, R. and Hubalek, J. "Quantum dots - characterization, preparation and usage in biological systems", *International Journal of Molecular Sciences*, 2009, 10(2), pp. 656–673. doi: 10.3390/ijms10020656.

Drndić, M., Jarosz, M. V., Morgan, N. Y., Kastner, M. A. and Bawendi, M. G. "Transport properties of annealed CdSe colloidal nanocrystal solids", *Journal of Applied Physics*, 2002, 92(12), pp. 7498–7503. doi: 10.1063/1.1523148.

E Kymakis *et al.* (2006) 'Post-fabrication annealing effects in polymer-nanotube photovoltaic cells', *Journal of Physics D: Applied Physics*, 39, pp. 1058–1062. doi: 10.1088/0022-3727/39/6/010.

Ekimov, A. I., Hache, F., Schanne-Klein, M. C., Ricard, D., Flytzanis, C., Kudryavtsev, I. a., Yazeva, T. V., Rodina, a. V. and Efros, A. L. "Absorption and intensity-dependent photoluminescence measurements on CdSe quantum dots: assignment of the first electronic transitions: erratum", *Journal of the Optical Society of America B*, 1993, 10(1), pp. 100–107. doi: 10.1364/JOSAB.11.000524.

Esaki, L. and Tsu, R. "Superlattice and Negative Differential Conductivity in Semiconductors", *IBM Journal of Research and Development*, 1970, 14(1), pp. 61–65. doi: 10.1147/rd.141.0061.

- Freeman, D. ., Mair, S. . and Barenea, Z. "The Structure and Bijvoet Ratios of Cadmium Selenide", *Acta Crystallographica Section A*, 1977, A33, pp. 355–359.
- Game, O., Singh, U., Kumari, T., Banpurkar, A. and Ogale, S. "ZnO(N)–Spiro-MeOTAD hybrid photodiode: an efficient self-powered fast-response UV (visible) photosensor", *Nanoscale*, 2014, 6(1), pp. 503–513. doi: 10.1039/C3NR04727J.
- Gao, Z., Jin, W., Zhou, Y., Dai, Y., Yu, B., Liu, C., Xu, W., Li, Y., Peng, H., Liu, Z. and Dai, L. "Self-powered flexible and transparent photovoltaic detectors based on CdSe nanobelt/graphene Schottky junctions.", *Nanoscale*, 2013, 5(May 2013), pp. 5576–5581. doi: 10.1039/c3nr34335a.
- Gfroerer, T. H. "Photoluminescence in Analysis of Surfaces and Interfaces", in *Encyclopedia of Analytical Chemistry*, 2006, pp. 9209–9231. doi: 10.1002/9780470027318.a2510.
- Giroto, C., Voroshazi, E., Cheyns, D., Heremans, P. and Rand, B. P. "Solution-processed MoO<sub>3</sub> thin films as a hole-injection layer for organic solar cells.", *ACS applied materials & interfaces*, 2011, 3(9), pp. 3244–7. doi: 10.1021/am200729k.
- Green, M. A., Emery, K., Hishikawa, Y., Warta, W. and Dunlop, E. D. "Solar cell efficiency tables (version 47)", *Progress in Photovoltaics: Research and Applications*, 2016, 24, pp. 3–11. doi: 10.1002/pip.
- Guttosch, R. J. Investigation of Color Aliasing of High Spatial Frequencies and Edges for Bayer-Pattern Sensors and Foveon X3 ® Direct Image Sensors, 2005.
- Hamizi, N. A. and Johan, M. R. "Optical properties of CdSe quantum dots via Non-TOP based route", *International Journal of Electrochemical Science*, 2012, 7(9), pp. 8458–8467. Available at: <http://www.electrochemsci.org/papers/vol7/7098458.pdf>.
- Hanada, T. "Basic Properties of ZnO, GaN, and Related Materials", in *Oxide and Nitride Semiconductors SE - 1*, 2009, pp. 1–19. doi: 10.1007/978-3-540-88847-5\_1.
- Hayt, W. H. and Buck, J. A. Engineering Electromagnetics. Seventh. New Delhi: Tata McGraw Hill, 2006.

- Hegg, M. C., Horning, M. P., Baehr-Jones, T., Hochberg, M. and Lin, L. Y. "Nanogap quantum dot photodetectors with high sensitivity and bandwidth", *Applied Physics Letters*, 2010, 96(10), pp. 1–4. doi: 10.1063/1.3356224.
- Hui, P. "Effect of dielectric constant on the exciton ground state energy of CdSe quantum dots", *Chinese Physics*, 2000, 9, pp. 844–847.
- Inoh, K., Minami, Y., Ohsawa, T., Higashit, T., Fujila, K., Kajiyama, T., Fukuzumi, Y., Hamamoto, T., Ishiuchi, H. and Company, S. "FBC (Floating Body Cell) for Embedded DRAM on", in *Symposium on VLSI Technology Digest of Technical Papers*, 2003, pp. 63–64.
- Ionescu-Zanetti, C., Mechler, A., Carter, S. a. and Lal, R. "Semiconductive Polymer Blends: Correlating Structure with Transport Properties at the Nanoscale", *Advanced Materials*, 2004, 16(5), pp. 385–389. doi: 10.1002/adma.200305747.
- Jansen-van Vuuren, R. D., Armin, A., Pandey, A. K., Burn, P. L. and Meredith, P. "Organic Photodiodes: The Future of Full Color Detection and Image Sensing", *Advanced Materials*, 2016, 28(24), pp. 4766–4802. doi: 10.1002/adma.201505405.
- Jansen Van Vuuren, R., Johnstone, K. D., Ratnasingam, S., Barcena, H., Deakin, P. C., Pandey, A. K., Burn, P. L., Collins, S. and Samuel, I. D. W. "Determining the absorption tolerance of single chromophore photodiodes for machine vision", *Applied Physics Letters*, 2010, 96(25), pp. 1–4. doi: 10.1063/1.3456374.
- Jin, W. F., Ye, Y., Gan, L., Yu, B., Wu, P. C., Dai, Y., Meng, H., Guo, X. F. and Dai, L. "Self-powered high performance photodetectors based on CdSe nanobelt/graphene Schottky junctions", *Journal of Materials Chemistry*, 2012, 22(7), pp. 2863–2867. doi: 10.1039/c2jm15913a.
- Klimov, V. I. *Nanocrystal Quantum Dots*. second. Edited by V. I. Klimov. Boca Raton: CRC Press, 2010. doi: 10.1007/978-3-642-44910-9.
- Ko, D.-K., Maurano, A., Suh, S. K., Kim, D., Hwang, G. W., Grossman, J. C., Bulović, V. and Bawendi, M. G. "Photovoltaic Performance of PbS Quantum Dots Treated with

- Metal Salts", *ACS Nano*, 2016, p. acsnano.5b07186. doi: 10.1021/acsnano.5b07186.
- Kumar, C., Rawat, G., Kumar, H., Kumar, Y., Prakash, R. and Jit, S. "Electrical and Ammonia Gas Sensing Properties of Poly ( 3 , 3 ' ' ' - dialkylquaterthiophene ) Based Organic Thin Film Transistors Fabricated by Floating-Film Transfer Method", *Organic Electronics*, 2017, 48, pp. 53–60. doi: 10.1016/j.orgel.2017.05.040.
- Kumar, P., Maikap, S., Prakash, A. and Tien, T. "Time-dependent pH sensing phenomena using CdSe / ZnS quantum dots in EIS structure", *Nanoscale Research Letters*, 2014, 9(1), p. 179.
- Kumar, Y., Kumar, H., Mukherjee, B., Rawat, G., Kumar, C., Pal, B. N. and Jit, S. "Visible-Blind Au/ZnO Quantum Dots-Based Highly Sensitive and Spectrum Selective Schottky Photodiode", *IEEE Transactions on Electron Devices*, 2017, 64(7), pp. 2874–2880. doi: 10.1109/TED.2017.2705067.
- Kumar, Y., Kumar, H., Rawat, G., Kumar, C., Sharma, A., Pal, B. N. and Jit, S. "Colloidal ZnO Quantum Dots Based Spectrum Selective Ultraviolet Photodetectors", *IEEE Photonics Technology Letters*, 2017, 29(4), pp. 361–364. doi: 10.1109/LPT.2016.2647321.
- Larsson, A. Optical spectroscopy of InGaAs quantum dots, 2011.
- Lattante, S. "Electron and Hole Transport Layers: Their Use in Inverted Bulk Heterojunction Polymer Solar Cells", *Electronics*, 2014, 3(1), pp. 132–164. doi: 10.3390/electronics3010132.
- Leatherdale, C. A., Kagan, C. R., Morgan, N. Y., Empedocles, S. A., Kastner, M. A. and Bawendi, M. G. "Photoconductivity in CdSe quantum dot solids", *Physical Review B*, 2000, 62(4), pp. 2669–2680. doi: 10.1103/PhysRevB.62.2669.
- Liao, H. H., Chen, L. M., Xu, Z., Li, G. and Yang, Y. "Highly efficient inverted polymer solar cell by low temperature annealing of Cs<sub>2</sub>CO<sub>3</sub> interlayer", *Applied Physics Letters*, 2008, 92(17), pp. 2006–2009. doi: 10.1063/1.2918983.
- Lin, Q., Lin, Q., Armin, A., Burn, P. L. and Meredith, P. "Filterless narrowband visible

photodetectors", *Nature Photonics*. Nature Publishing Group, 2015, 9(September), pp. 687–694. doi: 10.1038/nphoton.2015.175.

Litzov, I. and Brabec, C. J. "Development of efficient and stable inverted bulk heterojunction (BHJ) solar cells using different metal oxide interfaces", *Materials*, 2013, 6(12), pp. 5796–5820. doi: 10.3390/ma6125796.

Liu, D. and Kelly, T. L. "Perovskite solar cells with a planar heterojunction structure prepared using room-temperature solution processing techniques", *Nature Photonics*. Nature Publishing Group, 2013, 8(2), pp. 133–138. doi: 10.1038/nphoton.2013.342.

Liu, K., Sakurai, M. and Aono, M. "ZnO-based ultraviolet photodetectors.", *Sensors (Basel, Switzerland)*, 2010, 10(9), pp. 8604–34. doi: 10.3390/s100908604.

Liu, Y., Sun, Y., Vernier, P. T., Liang, C., Ying, S., Chong, C. and Gundersen, M. a "pH-Sensitive Photoluminescence of CdSe / ZnSe / ZnS Quantum Dots in Human Ovarian Cancer Cells", *Cancer*, 2007, pp. 2872–2878.

M. Kemerink, S. Timpanaro, M. M. de Kok, E. A. Meulenkaamp, and F. J. T. "Three-dimensional inhomogeneities in PEDOT : PSS films", *Journal of Physical Chemistry B*, 2004, 108(49), pp. 18820–18825. doi: 10.1021/jp0464674.

Mahato, S., Shiwakoti, N. and Kar, A. K. "Temperature dependent barrier height and ideality factor of electrodeposited n-CdSe/Cu Schottky barrier diode", in *AIP Conference Proceedings*, 2015, p. 120011. doi: 10.1063/1.4918118.

Meulenberg, R. W., Lee, J. R. I., Wolcott, A., Zhang, J. Z., Terminello, L. J. and van Buuren, T. "Determination of the Exciton Binding Energy in CdSe Quantum Dots", *ACS Nano*, 2009, 3(2), pp. 325–330. doi: 10.1021/nn8006916.

Monroy, E., Calle, F. and Beaumont, B. "AlGaN-based UV photodetectors", *Journal of Crystal Growth*, 2001, 230(September), pp. 537–543. doi: 10.1016/S0022-0248(01)01305-7.

Mosquera, A. a, Horwat, D., Rashkovskiy, A., Kovalev, A., Miska, P., Wainstein, D., Albella, J. M. and Endrino, J. L. "Exciton and core-level electron confinement effects in

- transparent ZnO thin films.", *Scientific reports*, 2013, 3, p. 1714. doi: 10.1038/srep01714.
- Murphy, C. J. "Optical Sensing with Quantum Dots", *Analytical Chemistry*, 2002, 74(19), pp. 520–526. doi: 10.1021/ac022124v.
- Murray, C. ., Kagan, C. . and Bawendi, M. G. "Synthesis And Characterization of Monodisperse Nanocrystals And Close-Packed Nanocrystal Assemblies", *Annual Review of Materials Science*, 2000, 30, pp. 545–610. doi: 10.1146/annurev.matsci.30.1.545.
- Murray, C. B., Sun, S., Gaschler, W., Doyle, H., Betley, T. a. and Kagan, C. R. "Colloidal synthesis of nanocrystals and nanocrystal superlattices", *IBM Journal of Research and Development*, 2001, 45(1), pp. 47–56. doi: 10.1147/rd.451.0047.
- Ng, T. N., Wong, W. S., Chabinyo, M. L., Sambandan, S. and Street, R. A. "Flexible image sensor array with bulk heterojunction organic photodiode", *Applied Physics Letters*, 2008, 92(21), p. 213303:1-3. doi: 10.1063/1.2937018.
- Nusir, A. I., Aguilar, J., Bever, Z. and Manasreh, M. O. "Uncooled photodetectors based on CdSe nanocrystals with an interdigital metallization", *Applied Physics Letters*, 2014, 104(5). doi: 10.1063/1.4864636.
- Oertel, D. C., Bawendi, M. G., Arango, A. C. and Bulović, V. "Photodetectors based on treated CdSe quantum-dot films", *Applied Physics Letters*, 2005, 87(21), pp. 1–3. doi: 10.1063/1.2136227.
- Ong, B. S., Wu, Y., Liu, P. and Gardner, S. "Structurally ordered polythiophene nanoparticles for high-performance organic thin-film transistors", *Advanced Materials*, 2005, 17(9), pp. 1141–1144. doi: 10.1002/adma.200401660.
- Özgür, U., Alivov, Y. I., Liu, C., Teke, a., Reshchikov, M. a., Doğan, S., Avrutin, V., Cho, S.-J. and Morkoç, H. "A comprehensive review of ZnO materials and devices", *Journal of Applied Physics*, 2005, 98(4), p. 41301. doi: 10.1063/1.1992666.
- Pal, B. N., Robel, I., Mohite, A., Laocharoensuk, R., Werder, D. J. and Klimov, V. I.



- "High-Sensitivity p-n Junction Photodiodes Based on PbS Nanocrystal Quantum Dots", *Advanced Functional Materials*, 2012, 22(8), pp. 1741–1748. doi: 10.1002/adfm.201102532.
- Panchal, C. J., Desai, M. S., Kheraj, V. a, Patel, K. J. and Padha, N. "Barrier inhomogeneities in Au/CdSe thin film Schottky diodes", *Semiconductor Science and Technology*, 2007, 23(1), p. 15003. doi: 10.1088/0268-1242/23/1/015003.
- Pandey, R. K., Yadav, S. K., Upadhyay, C., Prakash, R. and Mishra, H. "Surface plasmon coupled metal enhanced spectral and charge transport properties of poly(3,3'-dialkylquarterthiophene) Langmuir Schaefer films", *Nanoscale*. Royal Society of Chemistry, 2015, 7, pp. 6083–6092. doi: 10.1039/C5NR00682A.
- Pourret, A., Guyot-Sionnest, P. and Elam, J. W. "Atomic layer deposition of ZnO in quantum dot thin films", *Advanced Materials*, 2009, 21(2), pp. 232–235. doi: 10.1002/adma.200801313.
- Qian, L., Zheng, Y., Xue, J. and Holloway, P. H. "Stable and efficient quantum-dot light-emitting diodes based on solution-processed multilayer structures", *Nature Photonics*. Nature Publishing Group, 2011, 5(9), pp. 543–548. doi: 10.1038/nphoton.2011.171.
- Qiao, K., Deng, H., Yang, X., Dong, D., Li, M. and Hu, L. "Spectra-selective PbS quantum dot infrared photodetectors", *Nanoscale*. Royal Society of Chemistry, 2016, 8, pp. 7137–7143. doi: 10.1039/c5nr09069e.
- Qin, L., Shao, D., Shing, C. and Sawyer, S. "Wavelength selective p-GaN/ZnO colloidal nanoparticle heterojunction photodiode", *Applied Physics Letters*, 2013, 102(7), p. 071106:1-4. doi: 10.1063/1.4793210.
- Ramuz, M., Bürgi, L., Winnewisser, C. and Seitz, P. "High sensitivity organic photodiodes with low dark currents and increased lifetimes", *Organic Electronics: physics, materials, applications*, 2008, 9(3), pp. 369–376. doi: 10.1016/j.orgel.2008.01.007.

- Raoufi, D. and Raoufi, T. "The effect of heat treatment on the physical properties of sol-gel derived ZnO thin films", *Applied Surface Science*, 2009, 255(11), pp. 5812–5817. doi: 10.1016/j.apsusc.2009.01.010.
- Rawat, G., Somvanshi, D., Kumar, H., Kumar, Y., Kumar, C. and Jit, S. "Ultraviolet Detection Properties of p-Si/n-TiO<sub>2</sub> Heterojunction Photodiodes Grown by Electron-Beam Evaporation and Sol-Gel Methods: A Comparative Study", *IEEE Transactions on Nanotechnology*, 2016, 15(2), pp. 193–200. doi: 10.1109/TNANO.2015.2512565.
- Salant, A., Shalom, M., Hod, I., Faust, A., Zaban, A. and Banin, U. "Quantum Dot Sensitized Solar Cells with Improved Efficiency Prepared Using Electrophoretic Deposition", *ACS Nano*, 2010, 4(10), pp. 5962–5968. doi: 10.1039/C5TA04021C.
- Santra, P. K. and Kamat, P. V. "Mn-doped quantum dot sensitized solar cells: A strategy to boost efficiency over 5%", *Journal of the American Chemical Society*, 2012, 134(5), pp. 2508–2511. doi: 10.1021/ja211224s.
- Shen, H., Wang, S., Wang, H., Niu, J., Qian, L., Yang, Y., Titov, A., Hyvonen, J., Zheng, Y. and Li, L. S. "Highly efficient blue-green quantum dot light-emitting diodes using stable low-cadmium quaternary-alloy ZnCdSSe/ZnS core/shell nanocrystals", *ACS Applied Materials and Interfaces*, 2013, 5(10), pp. 4260–4265. doi: 10.1021/am400433y.
- Singh, A., Li, X., Protasenko, V., Galantai, G., Kuno, M., Xing, H. and Jena, D. "Polarization-sensitive nanowire photodetectors based on solution-synthesized CdSe quantum-wire solids", *Nano Letters*, 2007, 7(10), pp. 2999–3006. doi: 10.1021/nl0713023.
- Sowa, H. and Ahsbahs, H. "High-pressure X-ray investigation of zincite ZnO single crystals using diamond anvils with an improved shape", *Journal of Applied Crystallography*, 2006, 39(2), pp. 169–175. doi: 10.1107/S0021889805042457.
- Sun, J., Pal, B. N., Jung, B. J. and Katz, H. E. "Solution-processed hybrid p-n junction vertical diode", *Organic Electronics: physics, materials, applications*. Elsevier B.V., 2009, 10(1), pp. 1–7. doi: 10.1016/j.orgel.2008.08.016.

- Suzuki, M., Husimi, Y., Komatsu, H., Suzuki, K. and Douglas, a. K. T. "Quantum Dot FRET Biosensors that Respond to pH, to Proteolytic or Nucleolytic Cleavage, to DNA Synthesis, or to a Multiplexing Combination", *J. Am. Chem. Soc.*, 2008, 130(20), pp. 5720–5725.
- Sze, S. M. *Physics of Semiconductor Devices*. 2nd edn. Singapore: John Wiley and Sons, 2002.
- Tang, J., Kemp, K. W., Hoogland, S., Jeong, K. S., Liu, H., Levina, L., Furukawa, M., Wang, X., Debnath, R., Cha, D., Chou, K. W., Fischer, A., Amassian, A., Asbury, J. B. and Sargent, E. H. "Colloidal-quantum-dot photovoltaics using atomic-ligand passivation", *Nature Materials*. Nature Publishing Group, 2011, 10(10), pp. 765–771. doi: 10.1038/nmat3118.
- Tang, R., Lee, H. and Achilefu, S. "Induction of pH sensitivity on the fluorescence lifetime of quantum dots by NIR fluorescent dyes", *J. Am. Chem. Soc.*, 2012, 29(6), pp. 997–1003. doi: 10.1016/j.biotechadv.2011.08.021.Secreted.
- Tripathi, S. K. "Temperature-dependent barrier height in CdSe Schottky diode", *Journal of Materials Science*, 2010, 45(20), pp. 5468–5471. doi: 10.1007/s10853-010-4601-6.
- Türe, I. E., Brinkman, a. W., Russell, G. J. and Woods, J. "The effects of oxygen in Au–CdSe schottky diodes", *Physica Status Solidi (a)*, 1987, 100(2), pp. 681–691. doi: 10.1002/pssa.2211000236.
- Um, H.-D., Moiz, S. A., Park, K.-T., Jung, J.-Y., Jee, S.-W., Ahn, C. H., Kim, D. C., Cho, H. K., Kim, D.-W. and Lee, J.-H. "Highly selective spectral response with enhanced responsivity of n-ZnO/p-Si radial heterojunction nanowire photodiodes", *Applied Physics Letters*, 2011, 98(3), p. 033102:1-3. doi: 10.1063/1.3543845.
- Voutou, B., Stefanaki, E. and Giannakopoulos, K. "Electron Microscopy : The Basics", *Physics of Advanced Materials Winter School*, 2008, pp. 1–11.
- Wang, X., Koleilat, G. I., Tang, J., Liu, H., Kramer, I. J., Debnath, R., Brzozowski, L., Barkhouse, D. A. R., Levina, L., Hoogland, S. and Sargent, E. H. "Tandem colloidal

quantum dot solar cells employing a graded recombination layer", *Nature Photonics*. Nature Publishing Group, 2011, 5(8), pp. 480–484. doi: 10.1038/nphoton.2011.123.

Wiranwetchayan, O., Liang, Z., Zhang, Q., Cao, G. and Singjai, P. "The Role of Oxide Thin Layer in Inverted Structure Polymer Solar Cells", *Materials Sciences and Applications*, 2011, 2(December), pp. 1697–1701. doi: 10.4236/msa.2011.212226.

Wood, V., Panzer, M. J., Chen, J., Bradley, M. S., Halpert, J. E., Bawendi, M. C. and Bulovi, V. "Inkjet-printed quantum dot-polymer composites for full-color AC-driven displays", *Advanced Materials*, 2009, 21(21), pp. 2151–2155. doi: 10.1002/adma.200803256.

Wooten, F. *Optical Properties Of Solids*. New York and London: Academic Press, 1972.

Xie, Y., Wei, L., Li, Q., Wei, G., Wang, D., Chen, Y., Jiao, J., Yan, S., Liu, G. and Mei, L. "Self-powered solid-state photodetector based on TiO<sub>2</sub> nanorod/spiro-MeOTAD heterojunction", *Applied Physics Letters*, 2013, 103(26), pp. 1–5. doi: 10.1063/1.4858390.

Xing, W., Kung, S. C., Van Der Veer, W. E., Yan, W., Ayvazian, T., Kim, J. Y. and Penner, R. M. "High-throughput fabrication of photoconductors with high detectivity, photosensitivity, and bandwidth", *ACS Nano*, 2012, 6(6), pp. 5627–5634. doi: 10.1021/nn301567c.

Xu, X., Xu, C. and Hu, J. "High-performance deep ultraviolet photodetectors based on ZnO quantum dot assemblies", *Journal of Applied Physics*, 2014, 116(10). doi: 10.1063/1.4895340.

Xue, J. and Forrest, S. R. "Carrier transport in multilayer organic photodetectors: II. Effects of anode preparation", *Journal of Applied Physics*, 2004, 95(4), pp. 1869–1877. doi: 10.1063/1.1640454.

Yadav, A. B., Pandey, A. and Jit, S. "Effects of annealing temperature on the structural, optical, and electrical properties of ZnO thin films grown on n-Si<100> substrates by

- the sol-gel spin coating method", *Acta Metallurgica Sinica (English Letters)*, 2014, 27(4), pp. 682–688. doi: 10.1007/s40195-014-0097-4.
- Yang, Y., Zheng, Y., Cao, W., Titov, A., Hyvonen, J., Manders, J. R., Xue, J., Holloway, P. H. and Qian, L. "High-efficiency light-emitting devices based on quantum dots with tailored nanostructures", *Nature Photonics*. Nature Publishing Group, 2015, 9(March), pp. 1–9. doi: 10.1038/nphoton.2015.36.
- Yu, X., Yu, X., Hu, Z., Zhang, J., Zhao, G. and Zhao, Y. "Effect of sol-gel derived ZnO annealing rate on light-trapping in inverted polymer solar cells", *Materials Letters*. Elsevier, 2013, 108, pp. 50–53. doi: 10.1016/j.matlet.2013.06.063.
- Yu, Y., Zhang, Y., Song, X., Zhang, H., Cao, M., Che, Y., Dai, H., Yang, J., Zhang, H. and Yao, J. "PbS –Decorated WS<sub>2</sub> Phototransistors with Fast Response", *ACS Photonics*, 2017, 4, pp. 950–956. doi: 10.1021/acsp Photonics.6b01049.
- Yu, Y., Zhang, Y., Zhang, Z., Zhang, H., Song, X., Cao, M., Che, Y., Dai, H., Yang, J., Wang, J., Zhang, H. and Yao, J. "Broadband Phototransistor Based on CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Perovskite and PbSe Quantum Dot Heterojunction", *Journal of Physical Chemistry Letters*, 2017, 8(2), pp. 445–451. doi: 10.1021/acspclett.6b02423.
- Zhang, H., Zhang, Y., Song, X., Yu, Y., Cao, M., Che, Y., Zhang, Z., Dai, H., Yang, J., Zhang, G. and Yao, J. "Highly Photosensitive Vertical Phototransistors Based on a Poly(3-hexylthiophene) and PbS Quantum Dot Layered Heterojunction", *ACS Photonics*, 2017, 4(3), pp. 584–592. doi: 10.1021/acsp Photonics.6b00896.
- Zilberberg, K., Trost, S., Meyer, J., Kahn, A., Behrendt, A., Lützenkirchen-Hecht, D., Frahm, R. and Riedl, T. "Inverted organic solar cells with sol-gel processed high work-function vanadium oxide hole-extraction layers", *Advanced Functional Materials*, 2011, 21(24), pp. 4776–4783. doi: 10.1002/adfm.201101402.