
Contents

Title	Page No.
TITLE OF THESIS	i
CERTIFICATE	ii
DECLARATION BY THE CANDIDATE & CERTIFICATE BY THE SUPERVISOR	iii
COPYRIGHT TRANSFER CERTIFICATE	iv
Dedication	v
Acknowledgement	vi-vii
Contents	viii-xv
List of Figures	xvi-xx
List of Schemes	xxi
List of Tables	xxii
List of Symbols/Abbreviations	xxiii-xxv
Preface	xxvi-xxix
Chapter1: Introduction and literature survey	1-32
1.1 Introduction	1
1.2 Carbon quantum dots (CQDs)	5
1.2.1 Methods for the Synthesis of CQDs	6
1.2.1.1 Top-down approach	7
A. Laser ablation	7
B. Electrochemical oxidation	7
C. Arch Discharge	8
1.2.1.2 Bottom-up approach	8
A. Combustion method	8

Contents

B.	Pyrolysis method	9
C.	Template method	9
D.	Microwave synthesis	10
E.	Hydrothermal method	10
1.2.2	Optical properties of carbon quantum dots	11
1.2.2.1	Absorption	11
1.2.2.2	Fluorescence	11
1.2.2.3	Phosphorescence	12
1.2.3	Consequence of doping on the fluorescence intensity of CQDs	13
1.2.3.1	Single-heteroatom doping	13
A.	Nitrogen (N) doped CQDs	13
B.	Sulfur (S) doped CQDs	14
C.	Phosphorus (P) doped CQDs	14
D.	Boron (B) doped CQDs	14
1.2.3.2	Multiple heteroatom doping	15
A.	N and P co-doped CQDs	15
B.	N and S co-doped CQDs	15
C.	N and B co-doped CQDs	15
1.3	Fluorescence quenching	16
1.3.1	Inner filter effect (IFE)	16
1.3.2	Static quenching	16

1.3.3 Dynamic quenching	17
1.4 Fluorescence quantum yield (QY)	17
1.5 Applications of CQDs	18
1.5.1 Peroxidase-mimetic enzyme activity	18
1.5.2 Sensing of tyrosine (Tyr)	19
1.5.3 Cell imaging	20
1.5.4 Sensing of fungicides and pesticides	21
1.5.5 Drug delivery	21
1.5.6 Schottky barrier diodes (SBD)	22
1.5.7 Light emitting diodes (LED's)	23
1.5.8 Solar cells	24
1.5.9 Sensing of heavy metal ions	24
1.5.9.1 Sensing of Fe (III)	25
1.5.9.2 Hg (II) sensing	26
1.5.9.3 Sensing of Cr (VI)	27
1.5.9.4 Sensing of Co (II)	28
1.5.10 Photocatalysis	28
1.5.11 Biosensor	29
1.5.12 Temperature sensor	30
1.5.13 Fluorescent ink	30
1.6 Motivation of the study	31
1.7 Research Objectives	31

Chapter 2: Materials and Methods	33-53
2.1 Introduction	33
2.2 Materials	33
2.3 Methods	36
2.3.1 Synthesis of CQDs	36
2.4 Preparation of standard solution	36
2.4.1 Preparation of standard solution of 3,3',5,5'-Tetramethylbenzidine (TMB)	36
2.4.2 Preparation of standard solution of ascorbic acid (AA)	36
2.4.3 Preparation of standard solution of other reducing agent	37
2.4.4 Preparation of standard solution of Fe ³⁺	37
2.5 <i>In vitro</i> cell imaging study	37
2.5.1 Cell line	37
2.5.2 Cytotoxicity assay	37
2.6 Calculations	37
2.6.1 Determination of Quantum yield (QY)	37
2.6.2 Determination of limit of detection (LOD)	38
2.6.3 Determination of Stern-Volmer constant	38
2.7 Characterization technique	39

Contents

2.7.1	Transmission Electron Microscopy (TEM)	39
2.7.2	Fourier Transform Infrared (FTIR) Spectroscopy	42
2.7.3	UV-visible (UV-vis) Spectroscopy	43
2.7.4	Fluorescence Spectroscopy	45
2.7.5	Time resolved fluorescence spectroscopy	47
2.7.6	Fluorescence decay	47
2.7.7	X-ray Diffraction (XRD)	48
2.7.8	X-ray Photoelectron Spectroscopy (XPS)	50
2.7.9	Zeta Potential	52

Chapter 3: 53-85

Green synthesis of fluorescent carbon quantum dots from *Azadirachta indica* leaves and their peroxidase-mimetic activity for the detection of H₂O₂ and ascorbic acid in common fresh fruits

3.1	Introduction	53
3.2	Experimental section	56
3.2.1	Chemicals and materials	56
3.2.2	Hydrothermal Synthesis of Neem-Carbon quantum dots (N-CQDs)	56
3.2.3	Apparatus and Characterization	57
3.2.4	Quantum yield determination	57
3.2.5	Peroxidase-mimetic activity of N-CQDs	58

Contents

3.2.6	Detection of hydrogen peroxide	59
3.2.7	Detection of ascorbic acid	59
3.2.8	Detection of ascorbic acid in the real sample	59
3.2.9	Investigation of hydroxyl radical	60
3.3	Results and discussion	60
3.3.1	Characterization	60
3.3.2	Optical Studies	64
3.3.3	Peroxidase-mimetic activity of the synthesized N-CQDs	67
3.3.4	Optimization of different experimental conditions	69
3.4	Kinetic studies	72
3.5	Mechanism of catalytic activity	75
3.6	Detection of H ₂ O ₂	77
3.7	Detection of Ascorbic acid	79
3.8	Sensing of AA in fresh fruit juice	82
3.9	Conclusions	84

Chapter 4: **86-113**
A Facile Synthesis of Green-Blue Carbon Dots from *Artocarpus lakoocha* Seeds and Their Application for the Detection of Iron (III) in Biological Fluids and Cellular Imaging

4.1	Introduction	86
4.2	Experimental Section	89

4.2.1 Materials	89
4.2.2 Hydrothermal Synthesis of green-blue carbon dots	89
4.2.3 Apparatus and characterization	90
4.2.4 Quantum yield measurements	90
4.2.5 Detection of Fe^{3+} ion in real samples	90
4.2.6 Cytotoxicity assay	91
4.2.7 In vitro imaging study	92
4.3 Results and discussion	92
4.3.1 Characterizations	92
4.3.2 Optical properties	96
4.4 Selectivity studies	100
4.5 Investigation of Fe^{3+} in real samples	107
4.6 Detection of Fe^{3+} in the living cell	109
4.7 Conclusions	112

Chapter 5: Synthesis of green fluorescent carbon quantum dots via latex of <i>Ficus benghalensis</i> for the detection of tyrosine and fabrication of Schottky barrier diodes	114-136
--	----------------

5.1 Introduction	114
------------------	-----

Contents

5.2	Experimental section	117
5.2.1	Chemical and materials	117
5.2.2	Synthesis of Green Carbon Quantum dots (G-CQDs)	117
5.2.3	Determination of quantum yield (QY)	118
5.2.4	Apparatus and Characterization	118
5.2.5.	Device fabrication	118
5.3	Results and discussion	119
5.4	Optical properties	122
5.5	Selectivity studies	126
5.6	Strategy of device fabrication	133
5.7	Conclusion	136
	Summary	137-140
	Future recommendations	141-142
	References	143-183
	List of publications	184-186