TABLE OF CONTENTS

| Chapter no. | Description | Page no. | |
|-------------|---|----------|--|
| | Certificates | | |
| | Declaration by the candidate | | |
| | Copyright transfer certificate | | |
| | Acknowledgements | i-ii | |
| | Table of Contents | iii-vi | |
| | List of Figures | vii-xi | |
| | List of Tables | xii | |
| | List of Abbreviations | xiii | |
| | Preface | xiv-xv | |
| Chapter 1 | INTRODUCTION AND LITERATURE REVIEW | 01-13 | |
| | 1.1 General | 1 | |
| | 1.2 Problem statement | 2 | |
| | 1.3 Application of Biopolymer in Geotechnical Engineering | 5 | |
| | 1.4 Literature review | 6 | |
| | 1.4.1 Soil consistency | 6 | |
| | 1.4.2 Soil Strengthening | 7 | |
| | 1.4.2.1 Unconfined compressive strength | 7 | |
| | 1.4.2.2 Shear strength | 8 | |
| | 1.4.3 Soil erosion control | 9 | |
| | 1.4.4 Ground injection | 10 | |
| | 1.4.5 Pavement and earth stabilization | 11 | |
| | 1.4.6 Ground water control | 11 | |
| | 1.4.7 Soil water retention | 12 | |
| | 1.5 Scope and objective | 13 | |

| Chapter | 2 | MATERIALS AND METHODOLOGY | 14-33 |
|---------|---|---|-------|
| | | 2.1 Materials | 14 |
| | | 2.1.1 Bauxite residue | 14 |
| | | 2.1.2 Coal mine overburden waste (CMO) | 16 |
| | | 2.1.3 Biopolymer | 17 |
| | | 2.1.3.1 Xanthan gum | 18 |
| | | 2.1.3.2 Guar gum | 18 |
| | | 2.2 Testing methodology | 20 |
| | | 2.3 Detailed description of Testing Methodologies | 21 |
| | | 2.3.1 Specific gravity | 21 |
| | | 2.3.2 Grain size distribution | 23 |
| | | 2.3.2.1 Sieve analysis | 23 |
| | | 2.3.2.2 Hydrometer analysis | 24 |
| | | 2.3.3 Consistency limit | 24 |
| | | 2.3.3.1 Liquid limit | 24 |
| | | 2.3.3.2 Plastic limit | 25 |
| | | 2.3.4 Compaction | 26 |
| | | 2.3.5 Permeability test | 26 |
| | | 2.3.6 Strength study | 27 |
| | | 2.3.6.1 Triaxial compressive test | 27 |
| | | 2.3.6.2 Unconfined compressive strength | 28 |
| | | 2.3.6.3 Sample preparation for the strength test | 28 |
| | | 2.3.7 Durability test | 29 |
| | | 2.3.7.1 Freezing and thawing (F-T) | 29 |
| | | 2.3.8 Mineralogical and morphological analysis | 31 |
| | | 2.3.8.1 X-Ray diffraction | 31 |
| | | 2.3.8.2 Scanning Electron Microscopy (SEM) | 33 |
| Chapter | 3 | RESULTS AND DISCUSSION | 34-97 |
| | | 3.1 Compaction test | 34 |

| 3.1.1 Effect of Biopolymer Stabilization on the Compaction | | | |
|---|----|--|--|
| Parameters of bauxite residue | | | |
| 3.2 Strength study | 42 | | |
| 3.2.1 Effect of the biopolymer stabilization on Bauxite | 43 | | |
| residue | | | |
| 3.2.1.1 Triaxial compressive test | 43 | | |
| 3.2.1.2 Effect of biopolymer, biopolymer concentration and | 50 | | |
| curing time on the UCS and stress-strain behavior | | | |
| 3.2.2 Effect of the biopolymer stabilization on Coal mine | 56 | | |
| overburden waste | | | |
| 3.2.2.1 Triaxial compressive test | 56 | | |
| 3.2.2.2 Effect of biopolymer on unconfined compressive | 63 | | |
| strength (UCS) of CMO waste | | | |
| 3.3 Permeability test analysis | 65 | | |
| 3.3.1 Influence of biopolymer on permeability of bauxite | 66 | | |
| residue | | | |
| 3.3.2 Influence of biopolymer on permeability of Coal mine | 68 | | |
| overburden waste | | | |
| 3.4 Total carbohydrate method (TCM) | 70 | | |
| 3.4.1 Standard line for Biopolymer Solution | 71 | | |
| 3.4.2 Colorimeter analysis on bauxite residue | 73 | | |
| 3.4.3 Colorimeter analysis on Coal mine overburden waste | 74 | | |
| 3.5 Durability Study (Freezing and thawing test) | 75 | | |
| 3.5.1 Sample preparation using Thermo-gelation | 76 | | |
| 3.5.2 Sample preparation without Thermal treatment | 77 | | |
| 3.5.3 Effect of Thermo-gelation on Compressive Strength | 77 | | |
| before F-T process | | | |
| 3.5.4 Effect of biopolymer on freezing and thawing | 80 | | |
| resistance | | | |
| 3.5.5 Behavior of stabilized bauxite residue samples Post F-T | 87 | | |
| cycles | | | |

| | | 3.6 Mineralogical and Morphological Study | 92 |
|---------|---|---|---------|
| | | 3.6.1 Mineralogical study (X-Ray diffraction) | 92 |
| | | 3.6.2 Morphological study (Scanning Electron Microscopy) | 97 |
| Chapter | 4 | APPLICATIONS OF BIOPOLYMERS IN CIVIL | 98-106 |
| | | ENGINEERING | |
| | | 4.1 Application in civil engineering | 99 |
| | | 4.1.1 Flexibility of Biopolymer Stabilization for Road | 99 |
| | | Shoulder Construction | |
| | | 4.1.2 Increasing soil bearing capacity for shallow foundation | 100 |
| | | 4.1.3 Slope surface stabilization | 101 |
| | | 4.1.4 Earth stabilization using biopolymer | 103 |
| | | 4.2 Economic Feasibility of Biopolymer for Soil/Waste | 104 |
| | | Treatment | |
| Chapter | 5 | CONCLUSIONS AND FUTURE SCOPE | 107-109 |
| | | 5.1 Conclusions | 107 |
| | | 5.2 Scope of future work | 109 |
| | | REFERENCES | 110-122 |
| | | LIST OF PURLICATIONS | 123 |