

# Contents

---

<b>Abstract</b>	xiii
<b>1 Introduction</b>	1
1.1 Basics of Gait and Computer Vision-Based Gait Recognition . . . . .	2
1.2 Categorization of Approaches Based on Viewpoint . . . . .	4
1.3 Challenges in Computer Vision-Based Gait Recognition . . . . .	6
1.3.1 Presence of Wearable Objects . . . . .	8
1.3.2 Changes in Camera Viewpoint . . . . .	8
1.3.3 Changes in Walking Speed or Camera Frame Rate . . . . .	8
1.3.4 Presence of Occlusion . . . . .	8
1.4 Contributions of the Dissertation . . . . .	9
1.4.1 Exploiting Contour Information for Gait Recognition . . . . .	9
1.4.2 Using a Dictionary of Key Poses For Improved Pose-Based Feature Extraction . . . . .	10
1.4.3 Dynamic Gait Energy Image for Gait Recognition . . . . .	11
1.5 Organization of the Thesis . . . . .	11
<b>2 Literature Review</b>	13
2.1 Traditional Approaches . . . . .	13
2.1.1 Using Complete Gait Cycle Aggregation . . . . .	14
2.1.2 Using Pose Features Approach . . . . .	16
2.2 Modern Approaches . . . . .	19
2.2.1 CNN-based Approach . . . . .	19
2.2.2 GAN-based Approach . . . . .	20
2.3 Limitations of Existing Approaches and Scopes for the Thesis . . . . .	22
2.4 Gait Data Sets Used in The Thesis . . . . .	23
2.5 Tools and Frameworks . . . . .	27

2.5.1	MatLab	27
2.5.2	Tensorflow	27
2.5.3	Keras	28
2.5.4	Pytorch	28
2.6	Summary	29
<b>3</b>	<b>Pose-Based Boundary Energy Image: An Improved Gait Template</b>	<b>31</b>
3.1	Construction of the Boundary Energy Image	32
3.1.1	Gait Cycle Extraction	33
3.1.2	Boundary Images and the Boundary Energy Image	33
3.1.3	Experiments and Results for Evaluating the Effectiveness of the <i>BEI</i> Feature	34
3.2	Pose-based Boundary Energy Image	38
3.2.1	Key Pose Set Construction and Mapping of Frames to the Key Poses	39
3.2.2	Feature Construction	42
3.2.3	Recognition Using the Pose-Based BEI Feature	43
3.3	Experiments and Results	45
3.4	Summary	48
<b>4</b>	<b>Generalized Active Energy Image</b>	<b>51</b>
4.1	Overview	52
4.1.1	Extraction of Key Walking Stances from Each Sequence and Forming the Dictionary of Key Pose Sets	52
4.1.2	Extraction of the Generalized Active Energy Image Descriptor	57
4.1.3	Classification of a Probe Subject	60
4.1.3.1	Description of Autoencoder Neural Network	60
4.1.3.2	Sparse Autoencoder	61
4.1.3.3	Sparsity Regularization	62
4.1.3.4	L2 Regularization	63
4.1.3.5	Cost Function	63
4.2	Experiments and Results	64
4.3	Summary	70
<b>5</b>	<b>Dynamic Gait Energy Image</b>	<b>73</b>
5.1	Overview	74
5.1.1	Determination of Maximal Unique Walking Poses	75

## CONTENTS

---

5.1.2 Mapping of Frames to the Unique Poses and <i>DGEI</i> Feature Construction	75
5.1.3 Construction of Gait Features	78
5.1.4 GAN-based Removal of Co-variate Objects	79
5.1.5 Classification of GAN-Generated Features	83
5.2 Experiments and Analysis	84
5.2.1 Analysis using CASIA B Data Set	84
5.2.2 Analysis using TUM-GAID Data Set	89
5.2.3 Analysis using OU-ISIR TreadMill Data Set B	90
5.3 Summary	97
<b>6 Conclusions and Future Work</b>	<b>99</b>
6.1 Future Work	101