REFERENCES

Abdelmohsen U. R., Grkovic T., Balasubramanian S., Kamel M. S., Quinn R. J. and Hentschel U., "Elicitation of secondary metabolism in actinomycetes," Biotechnology advances, 2015, v. 33, pp. 798-811.

Almond P. S., Moss A., Nakhleh R. E., Melin M., Chen S., Salazar A., Shirabe K. and Matas A. J., "Rapamycin: immunosuppression, hyporesponsiveness, and side effects in a porcine renal allograft model," Transplantation, 1993, v. 56, pp. 275-281.

Andersson J., Nagy S., Groth C. and Andersson U., "Effects of FK506 and cyclosporin A on cytokine production studied in vitro at a single-cell level," Immunology, 1992, v. 75, pp. 136.

Andexer J. N., Kendrew S. G., Nur-e-Alam M., Lazos O., Foster T. A., Zimmermann A.-S., Warneck T. D., Suthar D., Coates N. J. and Koehn F. E., "Biosynthesis of the immunosuppressants FK506, FK520, and rapamycin involves a previously undescribed family of enzymes acting on chorismate," Proceedings of the National Academy of Sciences, 2011, v. 108, pp. 4776-4781.

Anisimov V. N., Zabezhinski M. A., Popovich I. G., Piskunova T. S., Semenchenko A. V., Tyndyk M. L., Yurova M. N., Rosenfeld S. V. and Blagosklonny M. V., "Rapamycin increases lifespan and inhibits spontaneous tumorigenesis in inbred female mice," Cell cycle, 2011, v. 10, pp. 4230-4236.

Aparicio J. F., Molnár I., Schwecke T., König A., Haydock S. F., Khaw L. E., Staunton J. and Leadlay P. F., "Organization of the biosynthetic gene cluster for rapamycin in *Streptomyces hygroscopicus*: analysis of the enzymatic domains in the modular polyketide synthase," Gene, 1996, v. 169, pp. 9-16.

Arndt C., Cruz M. C., Cardenas M. E. and Heitman J., "Secretion of FK506/FK520 and rapamycin by *Streptomyces* inhibits the growth of competing *Saccharomyces cerevisiae* and *Cryptococcus neoformans*," Microbiology, 1999, v. 145, pp. 1989-2000.

Baishan F., Hongwen C., Xiaolan X., Ning W. and Zongding H., "Using genetic algorithms coupling neural networks in a study of xylitol production: medium optimisation," Process biochemistry, 2003, v. 38, pp. 979-985.

Bandyopadhyay A., Das A. and Mandal S., "Erythromycin production by *Streptomyces erythreus* entrapped in calcium alginate beads," Biotechnology letters, 1993, v. 15, pp. 1003-1006.

Bandyopadhyay B., Humphrey A. and Taguchi H., "Dynamic measurement of the volumetric oxygen transfer coefficient in fermentation systems," Biotechnology and Bioengineering, 1967, v. 9, pp. 533-544.

Banga J., Praveen V., Singh V., Tripathi C. and Bihari V., "Studies on medium optimization for the production of antifungal and antibacterial antibiotics from a bioactive soil actinomycete," Medicinal Chemistry Research, 2008, v. 17, pp. 425-436.

Bapat P. M. and Wangikar P. P., "Optimization of rifamycin B fermentation in shake flasks via a machine-learning-based approach," Biotechnology and Bioengineering, 2004, v. 86, pp. 201-208.

Barka E. A., Vatsa P., Sanchez L., Gaveau-Vaillant N., Jacquard C., Klenk H.-P., Clément C., Ouhdouch Y. and van Wezel G. P., "Taxonomy, physiology, and natural products of Actinobacteria," Microbiology and Molecular Biology Reviews, 2016, v. 80, pp. 1-43.

Barker C. F. and Markmann J. F., "Historical overview of transplantation," Cold Spring Harbor perspectives in medicine, 2013, v. 3, pp.1-18.

Belmar-Beiny M. and Thomas C., "Morphology and clavulanic acid production of *Streptomyces clavuligerus*: Effect of stirrer speed in batch fermentations," Biotechnology and Bioengineering, 1991, v. 37, pp. 456-462.

Bitto A., Ito T. K., Pineda V. V., LeTexier N. J., Huang H. Z., Sutlief E., Tung H., Vizzini N., Chen B. and Smith K., "Transient rapamycin treatment can increase lifespan and healthspan in middle-aged mice," elife, 2016, v. 5, pp.

Bjornsti M.A. and Houghton P. J., "The TOR pathway: a target for cancer therapy," Nature Reviews Cancer, 2004, v. 4, pp. 335.

Blanch H. and Bhavaraju S., "Non-Newtonian fermentation broths: Rheology and mass transfer," Biotechnology and Bioengineering, 1976, v. 18, pp. 745-790.

Bodizs L., Titica M., Faria N., Srinivasan B., Dochain D. and Bonvin D., "Oxygen control for an industrial pilot-scale fed-batch filamentous fungal fermentation," Journal of Process Control, 2007, v. 17, pp. 595-606.

Brugarolas J. B., Vazquez F., Reddy A., Sellers W. R. and Kaelin Jr W. G., "TSC2 regulates VEGF through mTOR-dependent and-independent pathways," Cancer cell, 2003, v. 4, pp. 147-158.

Box G. E. and Wilson K. B., On the experimental attainment of optimum conditions, Springer, 1992.

Calise A. J., Hovakimyan N. and Idan M., "Adaptive output feedback control of nonlinear systems using neural networks," Automatica, 2001, v. 37, pp. 1201-1211.

Calne R., Lim S., Samaan A., Collier D. S. J., Pollard S., White D. and Thiru S., "Rapamycin for immunosuppression in organ allografting," The Lancet, 1989, v. 334, pp. 227.

Campistol J. M., Eris J., Oberbauer R., Friend P., Hutchison B., Morales J. M., Claesson K., Stallone G., Russ G. and Rostaing L., "Sirolimus therapy after early cyclosporine withdrawal reduces the risk for cancer in adult renal transplantation," Journal of the American Society of Nephrology, 2006, v. 17, pp. 581-589.

Castro P. M., Hayter P. M., Ison A. P. and Bull A. T., "Application of a statistical design to the optimization of culture medium for recombinant interferon-gamma production by Chinese hamster ovary cells," Applied microbiology and biotechnology, 1992, v. 38, pp. 84-90.

Chater K. F. and Dyson P., "Differentiation in Streptomyces: the properties and programming of diverse cell-types," Streptomyces: Molecular biology and biotechnology, 2011, v. 3, pp. 43-86.

Chen X., Wei P., Fan L., Yang D., Zhu X., Shen W., Xu Z. and Cen P., "Generation of high-yield rapamycin-producing strains through protoplasts-related techniques," Applied microbiology and biotechnology, 2009, v. 83, pp. 507-512.

Chen Y., Krol J., Huang W., Cino J. P., Vyas R., Mirro R. and Vaillancourt B., "DCO₂ online measurement used in rapamycin fed-batch fermentation process," Process biochemistry, 2008, v. 43, pp. 351-355.

Cheng Y., Fang A. and Demain A., "Effect of amino acids on rapamycin biosynthesis by *Streptomyces hygroscopicus*," Applied microbiology and biotechnology, 1995a, v. 43, pp. 1096-1098.

Cheng Y., Hauck L. and Demain A., "Phosphate, ammonium, magnesium and iron nutrition of *Streptomyces hygroscopicus* with respect to rapamycin biosynthesis," Journal of industrial microbiology, 1995b, v. 14, pp. 424-427.

Cheng Y. R., Huang J., Qiang H., LIN W. L. and Demain A. L., "Mutagenesis of the rapamycin producer *Streptomyces hygroscopicus* FC904," The Journal of antibiotics, 2001, v. 54, pp. 967-972.

Chisti Y. and Bioreactors A.-l., Elsevier Applied Science, 1989.

Cole D. L. and Goegelman R. T., US 4,160,861, 1979.

Demain A. L. and Elander R. P., "The β-lactam antibiotics: past, present, and future," Antonie Van Leeuwenhoek, 1999, v. 75, pp. 5-19.

Demain A. L. and Fang A., "Emerging concepts of secondary metabolism in actinomycetes," Actinomycetologica, 1995, v. 9, pp. 98-117.

Desai K., Akolkar S., Badhe Y., Tambe S. and Lele S., "Optimization of fermentation media for exopolysaccharide production from *Lactobacillus plantarum* using artificial intelligence-based techniques," Process biochemistry, 2006, v. 41, pp. 1842-1848.

Douros J. and Suffness M., "New antitumor substances of natural origin," Cancer treatment reviews, 1981, v. 8, pp. 63-87.

Ducloux D., Rebibou J.-M., Semhoun-Ducloux S., Jamali M., Fournier V., Bresson-Vautrin C. and Chalopin J.-M., "Recurrence of hemolytic-uremic syndrome in renal transplant recipients: a meta-analysis," Transplantation, 1998, v. 65, pp. 1405-1407.

Dupont P. and Warrens A., "The evolving role of sirolimus in renal transplantation," Qjm, 2003, v. 96, pp. 401-409.

Dutta S., Basak B., Bhunia B., Chakraborty S. and Dey A., "Kinetics of rapamycin production by *Streptomyces hygroscopicus* MTCC 4003," 3 Biotech, 2014, v. 4, pp. 523-531.

Edwards C., House A., Shahinian V. and Knoll G., "Sirolimus-based immunosuppression for transplant-associated thrombotic microangiopathy," Nephrology Dialysis Transplantation, 2002, v. 17, pp. 1524-1526.

Elibol M. and Mavituna F., "A kinetic model for actinorhodin production by *Streptomyces coelicolor* A3 (2)," Process biochemistry, 1999, v. 34, pp. 625-631.

Elibol M., "Optimization of medium composition for actinorhodin production by *Streptomyces coelicolor* A3 (2) with response surface methodology," Process biochemistry, 2004, v. 39, pp. 1057-1062.

Elsayed E. A., Omar H. G. and El-Enshasy H. A., "Development of fed-batch cultivation strategy for efficient oxytetracycline production by *Streptomyces rimosus* at semi-industrial scale," Brazilian Archives of Biology and Technology, 2015, v. 58, pp. 676-685.

El-Sedawy H. F., Hussein M. M., Essam T., El-Tayeb O. M. and Mohammad F., "Scaling Up for the Industrial Production of Rifamycin B Fed-Batch Production Mode in Shake Flasks and Bench-Scale Fermentor," Ferment Technol, 2007, v. 1, pp. 2167-2172.

Escalante L., Ramos I., Imriskova I., Langley E. and Sanchez S., "Glucose repression of anthracycline formation in *Streptomyces peucetius* var. caesius," Applied microbiology and biotechnology, 1999, v. 52, pp. 572-578.

Fang A. and Demain A., "Exogenous shikimic acid stimulates rapamycin biosynthesis in *Streptomyces hygroscopicus*," Folia microbiologica, 1995, v. 40, pp. 607-610.

Findlay J. A. and Radics L., "On the chemistry and high field nuclear magnetic resonance spectroscopy of rapamycin," Canadian Journal of Chemistry, 1980, v. 58, pp. 579-590.

Fisher R. A., The arrangement of field experiments, Springer, 1992.

Franco-Lara E., Link H. and Weuster-Botz D., "Evaluation of artificial neural networks for modelling and optimization of medium composition with a genetic algorithm," Process Biochemistry, 2006, v. 41, pp. 2200-2206.

Freeman A. and Aharonowitz Y., "Immobilization of microbial cells in crosslinked, prepolymerized, linear polyacrylamide gels: antibiotic production by immobilized Streptomyces clavuligerus cells," Biotechnology and Bioengineering, 1981, v. 23, pp. 2747-2759.

Freyer S., "Medium optimization using genetic algorithms," Bioeng, 1992, v. 8, pp. 16-25.

Fu J., Wang D., Wang T., Yang W., Deng Y., Wang H., Jin S. and He N., "High entrapment efficiency of chitosan/polylactic acid/tripolyphotspate nanosized microcapsules for rapamycin by an emulsion-evaporation approach," Journal of biomedical nanotechnology, 2010, v. 6, pp. 725-728.

Fukuda T., Yamamoto S. and Morita H., "Changes in the antibiotic production by coculture of *Rhizopus peka* P8 and *Bacillus subtilis* IFO3335," World Journal of Microbiology and Biotechnology, 2008, v. 24, pp. 1893-1899.

Gallo R., "Padurean A, Jayaraman T, Marx S, Roque M, Adelman S, Chesebro J, Fallon J, Fuster V, Marks A, and Badimon JJ," Inhibition of intimal thickening after balloon

angioplasty in porcine coronary arteries by targeting regulators of the cell cycle. Circulation, 1999, v. 99, pp. 2164-2170.

Gandhi P. J. and Murthy Z., "Solubility and crystal size of sirolimus in different organic solvents," Journal of Chemical & Engineering Data, 2010, v. 55, pp. 5050-5054.

Garcia-Ochoa F. and Gomez E., "Bioreactor scale-up and oxygen transfer rate in microbial processes: an overview," Biotechnology advances, 2009, v. 27, pp. 153-176.

Gardner J., Craven M., Dow C. and Hines E., "The prediction of bacteria type and culture growth phase by an electronic nose with a multi-layer perceptron network," Measurement Science and Technology, 1998, v. 9, pp. 120.

Gatto G. J., Boyne M. T., Kelleher N. L. and Walsh C. T., "Biosynthesis of pipecolic acid by RapL, a lysine cyclodeaminase encoded in the rapamycin gene cluster," Journal of the American Chemical Society, 2006, v. 128, pp. 3838-3847.

Gavrilescu M., Roman R. and Efimov V., "Rheological behaviour of some antibiotic biosynthesis liquids," Engineering in Life Sciences, 1992, v. 12, pp. 383-396.

Gavrilescu M. and Roman R. V., "Investigation of the bacitracin biosynthesis in an airlift bioreactor," Engineering in Life Sciences, 1993, v. 13, pp. 161-175.

Gavrilescu M. and Roman R., "Performance of airlift bioreactors in the cultivation of some antibiotic producing microorganisms," Engineering in Life Sciences, 1998, v. 18, pp. 201-229.

Ghanem N. B., Yusef H. H. and Mahrouse H. K., "Production of *Aspergillus terreus* xylanase in solid-state cultures: application of the Plackett–Burman experimental design to evaluate nutritional requirements," Bioresource Technology, 2000, v. 73, pp. 113-121.

Gonzalez R., Lakhdar B., Redon P., Potaux L., Cambar J. and Aparicio M., "Demonstration of direct vasoconstrictive effect of cyclosporin on glomeruli isolated from human kidney," Comptes rendus de l'Academie des sciences. Serie III, Sciences de la vie, 1990, v. 311, pp. 109-114.

Groth C. G., Bäckman L., Morales J.-M., Calne R., Kreis H., Lang P., Touraine J.-L., Claesson K., Campistol J. M. and Durand D., "Sirolimus (rapamycin)-based Therapy In Human Renal Transplantation: Similar Efficacy and Different Toxicity Compared with Cyclosporine1, 2," Transplantation, 1999, v. 67, pp. 1036-1042.

Gupta K., Mishra P. and Srivastava P., "A correlative evaluation of morphology and rheology of *Aspergillus terreus* during lovastatin fermentation," Biotechnology and Bioprocess Engineering, 2007, v. 12, pp. 140-146.

Gupta N., Vassallo R., Wikenheiser-Brokamp K. A. and McCormack F. X., "Diffuse cystic lung disease. Part I," American journal of respiratory and critical care medicine, 2015, v. 191, pp. 1354-1366.

Gupte M. and Kulkarni P., "A study of antifungal antibiotic production by *Thermomonospora sp* MTCC 3340 using full factorial design," Journal of Chemical Technology and Biotechnology, 2003, v. 78, pp. 605-610.

Haeri A., Osouli M., Bayat F., Alavi S. and Dadashzadeh S., "Nanomedicine approaches for sirolimus delivery: a review of pharmaceutical properties and preclinical studies," Artificial cells, nanomedicine, and biotechnology, 2017, v. pp. 1-14.

Haavik H., "Studies on the formation of bacitracin by *Bacillus licheniformis*: role of catabolite repression and organic acids," Microbiology, 1974, v. 84, pp. 321-326.

Hamdy A., El-Refai A., Sallam L., Osman M., Om Kalthoum H. and Mohamed M., "Seed Stage Manipulation as a Tool for Improving Rapamycin Production by *Streptomyces hygroscopicus* ATCC 29253," Aust. J. Basic Appl. Sci. 2011, 5 (2): pp. 1-7.

Harrison D. E., Strong R., Sharp Z. D., Nelson J. F., Astle C. M., Flurkey K., Nadon N. L., Wilkinson J. E., Frenkel K. and Carter C. S., "Rapamycin fed late in life extends lifespan in genetically heterogeneous mice," nature, 2009, v. 460, pp. 392.

Hemmerling F. and Hahn F., "Biosynthesis of oxygen and nitrogen-containing heterocycles in polyketides," Beilstein journal of organic chemistry, 2016, v. 12, pp. 1512.

Heredia A., Gilliam B., Latinovic O., Le N., Bamba D., DeVico A., Melikyan G. B., Gallo R. C. and Redfield R. R., "Rapamycin reduces CCR5 density levels on CD4 T cells, and

this effect results in potentiation of enfuvirtide (T-20) against R5 strains of human immunodeficiency virus type 1 in vitro," Antimicrobial agents and chemotherapy, 2007, v. 51, pp. 2489-2496.

Houck C. R., Joines J. and Kay M. G., "A genetic algorithm for function optimization: a Matlab implementation," Ncsu-ie tr, 1995, v. 95, pp. 1-10.

Hu M., Ekshyyan O., Ferdinandez L. H., Rong X., Caldito G. and Nathan C. A. O., "Efficacy and comparative effectiveness of sirolimus as an anticancer drug," The Laryngoscope, 2011, v. 121, pp. 978-982.

Inamura N., Hashimoto M., Nakahara K., Nakajima Y., Nishio M., Aoki H., Yamaguchi I. and Kohsaka M., "Immunosuppressive effect of FK506 on experimental allergic encephalomyelitis in rats," International journal of immunopharmacology, 1988, v. 10, pp. 991-995.

Inoue O. O., Schmidell Netto W., Padilla G. and Facciotti M. C. R., "Carbon catabolite repression of retamycin production by *Streptomyces olindensis* ICB20," Brazilian Journal of Microbiology, 2007, v. 38, pp. 58-61.

Jarai M., Gyory E. and Tombor J., "Oxygen transfer in Streptomyces fermentation broths," Biotechnology and Bioengineering, 1969, v. 11, pp. 605-622.

Jones S. E. and Elliot M. A., "Streptomyces exploration: competition, volatile communication and new bacterial behaviours," Trends in microbiology, 2017, v. 25, pp. 522-531.

Jung W. S., Yoo Y. J., Park J. W., Park S. R., Han A. R., Ban Y. H., Kim E. J., Kim E. and Yoon Y. J., "A combined approach of classical mutagenesis and rational metabolic engineering improves rapamycin biosynthesis and provides insights into methylmalonyl-CoA precursor supply pathway in *Streptomyces hygroscopicus* ATCC 29253," Applied microbiology and biotechnology, 2011, v. 91, pp. 1389-1397.

Kahan B. D., Podbielski J., Napoli K. L., Katz S. M., Meier-Kriesche H.-U. and Van Buren C. T., "immunosuppressive effects and safety of a sirolimus/cyclosporine combination regimen for renal transplantation," Transplantation, 1998, v. 66, pp. 1040-1046.

Kahan B. D. and Camardo J. S., "Rapamycin: Clinical Results and Future Opportunities1," Transplantation, 2001, v. 72, pp. 1181-1193.

Kahan B. D., "Discoverer of the treasure from a barren island: Suren Sehgal (10 February 1932 to 21 January 2003)," Transplantation, 2003, v. 76, pp. 623-624.

Kattimani L., Amena S., Nandareddy V. and Mujugond P., "Immobilization of *Streptomyces gulbargensis* in Polyurethane Foam: A Promising Technique for L-asparaginase Production on," Iranian Journal of Biotechnology, 2009, v. 7, pp. 199-204.

Kay J., Kromwel L., Doe S. and Denyer M., "Inhibition of T and B lymphocyte proliferation by rapamycin," Immunology, 1991, v. 72, pp. 544.

Keri V. and Czovek Z., US 7,220,357 B2, 2006.

Keri V. and Csorvasi A., US 7,232,486, 2007.

Kim E.S., Hong H.J., Choi C.Y. and Cohen S. N., "Modulation of actinorhodin biosynthesis in *Streptomyces lividans* by glucose repression of afsR2 gene transcription," Journal of bacteriology, 2001, v. 183, pp. 2198-2203.

Kim J., Oh D., Park S., Park Y. and Wallis D., "Production of penicillin in a fluidized-bed bioreactor using a carrier-supported mycelial growth," Biotechnology and Bioengineering, 1986, v. 28, pp. 1838-1844.

Kim Y. H., Park B. S., Bhatia S. K., Seo H.-M., Jeon J.-M., Kim H.-J., Yi D.-H., Lee J.-H., Choi K.-Y. and Park H.-Y., "Production of rapamycin in *Streptomyces hygroscopicus* from glycerol-based media optimized by systemic methodology," J Microbiol Biotechnol, 2014, v. 24, pp. 1319-1326.

Kobayashi T., Tachi K., Nagamune T. and Endo I., "Production of penicillin in a fluidized-bed bioreactor using urethane foams as carriers," Journal of chemical engineering of Japan, 1990, v. 23, pp. 408-413.

Kojima I. and Demain A., "Preferential production of rapamycin vs prolylrapamycin by *Streptomyces hygroscopicus*," Journal of Industrial Microbiology & Biotechnology, 1998, v. 20, pp. 309-316.

Kolata G., "FDA speeds approval of cyclosporin," Science, 1983, v. 221, pp. 1273-1273.

König A., Schwecke T., Molnár I., Böhm G. A., Lowden P. A., Staunton J. and Leadlay P. F., "The Pipecolate-Incorporating Enzyme for the Biosynthesis of the Immunosuppressant Rapamycin—Nucleotide Sequence Analysis, Disruption and Heterologous Expression of Rap P from *Streptomyces hygroscopicus*," The FEBS Journal, 1997, v. 247, pp. 526-534.

Kundu S., Mahapatra A. C., Srivastava P. and Kundu K., "Studies on cephalosporin-C production using immobilised cells of *Cephalosporium acremonium* in a packed bed reactor," Process biochemistry, 1992, v. 27, pp. 347-350.

Kuščer E., Coates N., Challis I., Gregory M., Wilkinson B., Sheridan R. and Petković H., "Roles of rapH and rapG in positive regulation of rapamycin biosynthesis in *Streptomyces hygroscopicus*," Journal of bacteriology, 2007, v. 189, pp. 4756-4763.

Lal R., Kumari R., Kaur H., Khanna R., Dhingra N. and Tuteja D., "Regulation and manipulation of the gene clusters encoding type-I PKSs," Trends in biotechnology, 2000, v. 18, pp. 264-274.

Lechevalier M. P. and Lechevalier H., "Chemical composition as a criterion in the classification of aerobic actinomycetes," International Journal of Systematic and Evolutionary Microbiology, 1970, v. 20, pp. 435-443.

Lee S. Y. and Kim H. U., "Systems strategies for developing industrial microbial strains," Nature biotechnology, 2015, v. 33, pp. 1061.

Ley S. V., Tackett M. N., Maddess M. L., Anderson J. C., Brennan P. E., Cappi M. W., Heer J. P., Helgen C., Kori M. and Kouklovsky C., "Total synthesis of rapamycin," Chemistry-A European Journal, 2009, v. 15, pp. 2874-2914.

Liu C., Dong J. Y., Yue L. L., Liu S. H., Wan Y., Liu H., Tan W. Y., Guo Q. Q. and Zhang D., "Rapamycin/sodium hyaluronate binding on nano-hydroxyapatite coated titanium surface improves MC3T3-E1 osteogenesis," PloS one, 2017, v. 12, pp. e0171693.

Lu W., Fan J., Wen J., Xia Z. and Caiyin Q., "Kinetic analysis and modeling of daptomycin batch fermentation by *Streptomyces roseosporus*," Applied biochemistry and biotechnology, 2011, v. 163, pp. 453-462.

Luedeking R. and Piret E. L., "A kinetic study of the lactic acid fermentation. Batch process at controlled pH," Biotechnology and Bioengineering, 1959, v. 1, pp. 393-412.

Lueske J., Kar K., Piras L. and Pressler J., "Power Draw and Gas-Liquid Mass Transfer Characteristics of a Stirred-Tank Reactor with Draft Tube Configuration," Chemical Engineering & Technology, 2015, v. 38, pp. 1993-2001.

Luti K. J. K. and Mavituna F., "Elicitation of Streptomyces coelicolor with dead cells of Bacillus subtilis and *Staphylococcus aureus* in a bioreactor increases production of undecylprodigiosin," Applied microbiology and biotechnology, 2011, v. 90, pp. 461-466.

Maddess M. L., Tackett M. N., Watanabe H., Brennan P. E., Spilling C. D., Scott J. S., Osborn D. P. and Ley S. V., "Total synthesis of rapamycin," Angewandte Chemie International Edition, 2007, v. 46, pp. 591-597.

Madke B., "Topical rapamycin (sirolimus) for facial angiofibromas," Indian dermatology online journal, 2013, v. 4, pp. 54.

Marmann A., Aly A. H., Lin W., Wang B. and Proksch P., "Co-cultivation—A powerful emerging tool for enhancing the chemical diversity of microorganisms," Marine drugs, 2014, v. 12, pp. 1043-1065.

Martin J. F. and McDaniel L. E., "Kinetics of biosynthesis of polyene macrolide antibiotics in batch cultures: cell maturation time," Biotechnology and Bioengineering, 1975, v. 17, pp. 925-938.

Marwick J. D., Wright P. C. and Burgess J. G., "Bioprocess intensification for production of novel marine bacterial antibiotics through bioreactor operation and design," Marine Biotechnology, 1999, v. 1, pp. 495-507.

McAlister V. C., Mahalati K., Peltekian K. M., Fraser A. and MacDonald A. S., "A clinical pharmacokinetic study of tacrolimus and sirolimus combination immunosuppression comparing simultaneous to separated administration," Therapeutic drug monitoring, 2002, v. 24, pp. 346-350.

Meschke H., Walter S. and Schrempf H., "Characterization and localization of prodiginines from *Streptomyces lividans* suppressing *Verticillium dahliae* in the absence or presence of *Arabidopsis thaliana*," Environmental microbiology, 2012, v. 14, pp. 940-952.

Miller G. L., "Use of dinitrosalicylic acid reagent for determination of reducing sugar," Analytical chemistry, 1959, v. 31, pp. 426-428.

Mishra P., Srivastava P. and Kundu S., "A comparative evaluation of oxygen mass transfer and broth viscosity using Cephalosporin-C production as a case strategy," World Journal of Microbiology and Biotechnology, 2005, v. 21, pp. 525-530.

Morris R. and Meiser B., "Identification of a new pharmacologic action for an old compound," Med Sci Res, 1989, v. 17, pp. 609.

Murgia M. G., Jordan S. and Kahan B. D., "The side effect profile of sirolimus: a phase I study in quiescent cyclosporine-prednisone-treated renal transplant patients," Kidney international, 1996, v. 49, pp. 209-216.

Muthuvelayudham R. and Viruthagiri T., "Application of central composite design based response surface methodology in parameter optimization and on cellulase production using agricultural waste," International Journal of Chemical and Biological Engineering, 2010, v. 3, pp. 97-104.

Neff F., Flores-Dominguez D., Ryan D. P., Horsch M., Schröder S., Adler T., Afonso L. C., Aguilar-Pimentel J. A., Becker L. and Garrett L., "Rapamycin extends murine lifespan but has limited effects on aging," The Journal of clinical investigation, 2013, v. 123, pp. 3272-3291.

Ng I.S., Ye C., Zhang Z., Lu Y. and Jing K., "Daptomycin antibiotic production processes in fed-batch fermentation by *Streptomyces roseosporus* NRRL11379 with precursor effect and medium optimization," Bioprocess and biosystems engineering, 2014, v. 37, pp. 415-423.

Nicolaou K., Chakraborty T., Piscopio A., Minowa N. and Bertinato P., "Total synthesis of rapamycin," Journal of the American Chemical Society, 1993, v. 115, pp. 4419-4420.

Ola A. R., Thomy D., Lai D., Brötz-Oesterhelt H. and Proksch P., "Inducing secondary metabolite production by the endophytic fungus *Fusarium tricinctum* through coculture with *Bacillus subtilis*," Journal of natural products, 2013, v. 76, pp. 2094-2099.

Olmos E., Mehmood N., Husein L. H., Goergen J.-L., Fick M. and Delaunay S., "Effects of bioreactor hydrodynamics on the physiology of *Streptomyces*," Bioprocess and biosystems engineering, 2013, v. 36, pp. 259-272.

Ong C. T., Khoo Y. T., Tan E. K., Mukhopadhyay A., Do D., Han H. C., Lim I. J. and Phan T. T., "Epithelial–mesenchymal interactions in keloid pathogenesis modulate vascular endothelial growth factor expression and secretion," The Journal of pathology, 2007, v. 211, pp. 95-108.

Orazem M. and Erickson L., "Oxygen-transfer rates and efficiencies in one-and two-stage airlift towers," Biotechnology and Bioengineering, 1979, v. 21, pp. 69-88.

Paghdal K. V. and Schwartz R. A., "Sirolimus (rapamycin): from the soil of Easter Island to a bright future," Journal of the American Academy of Dermatology, 2007, v. 57, pp. 1046-1050.

Paiva N. L., Demain A. L. and Roberts M. F., "Incorporation of acetate, propionate, and methionine into rapamycin by *Streptomyces hygroscopicus*," Journal of natural products, 1991, v. 54, pp. 167-177.

Paiva N., Roberts M. and Demain A., "The cyclohexane moiety of rapamycin is derived from shikimic acid in *Streptomyces hygroscopicus*," Journal of industrial microbiology, 1993a, v. 12, pp. 423-428.

Paiva N. L., Demain A. L. and Roberts M. F., "The immediate precursor of the nitrogen-containing ring of rapamycin is free pipecolic acid," Enzyme and Microbial Technology, 1993b, v. 15, pp. 581-585.

Pamboukian C. and Facciotti M., "Rheological and morphological characterization of *Streptomyces olindensis* growing in batch and fed-batch fermentations," Brazilian Journal of Chemical Engineering, 2005, v. 22, pp. 31-40.

Park S. R., Yoo Y. J., Ban Y.-H. and Yoon Y. J., "Biosynthesis of rapamycin and its regulation: past achievements and recent progress," The Journal of antibiotics, 2010, v. 63, pp. 434.

Park Y. S., Ohta N. and Okabe M., "Neomycin production by partial immobilization *Streptomyces fradiae* on cellulose beads in an air-lift bioreactor," Journal of fermentation and bioengineering, 1994, v. 78, pp. 265-268.

Patil N. S., Hussaini S. I., Singh A. K. and Mendhe R. B., US20100029933A1, 2010.

Pazouki M., Najafpour G. and Hosseini M. R., "Kinetic models of cell growth, substrate utilization and bio-decolorization of distillery wastewater by *Aspergillus fumigatus* U B2 60," African Journal of Biotechnology, 2008, v. 7, pp.

Peng W., Zhong J., Yang J., Ren Y., Xu T., Xiao S., Zhou J. and Tan H., "The artificial neural network approach based on uniform design to optimize the fed-batch fermentation condition: application to the production of iturin A," Microbial cell factories, 2014, v. 13, pp. 54.

Pérez J., Muñoz-Dorado J., Braña A. F., Shimkets L. J., Sevillano L. and Santamaría R. I., "*Myxococcus xanthus* induces actinorhodin overproduction and aerial mycelium formation by Streptomyces coelicolor," Microbial biotechnology, 2011, v. 4, pp. 175-183.

Pirt S., "The maintenance energy of bacteria in growing cultures," Proc. R. Soc. Lond. B, (eds), The Royal Society, pp. 224-231.

Pollard D., Hunt G., Kirschner T. and Salmon P., "Rheological characterization of a fungal fermentation for the production of pneumocandins," Bioprocess and Biosystems Engineering, 2002, v. 24, pp. 373-383.

Pollard D., Ison A., Shamlou P. A. and Lilly M., "Reactor heterogeneity with *Saccharopolyspora erythraea* airlift fermentations," Biotechnology and Bioengineering, 1998, v. 58, pp. 453-463.

Rani P. B., Kumar B. S., Rao A., Sreenivasrao S. and Narasu M. L., "Recovery and purification of rapamycin from the culture broth of Mtcc 5681," Pakistan journal of biological sciences: PJBS, 2013, v. 16, pp. 219-225.

Rao M. B. and Nagendrakumar A., "Development and validation of RP-HPLC method for the estimation of sirolimus in formulation and serum," Int. J. Chem. Res, 2011, v. 1, pp. 47-54.

Reitamo S., Spuls P., Sassolas B., Lahfa M., Claudy A. and Griffiths C., "Efficacy of sirolimus (rapamycin) administered concomitantly with a subtherapeutic dose of cyclosporin in the treatment of severe psoriasis: a randomized controlled trial," British Journal of Dermatology, 2001, v. 145, pp. 438-445.

Riley G., Tucker K., Paul G. and Thomas C., "Effect of biomass concentration and mycelial morphology on fermentation broth rheology," Biotechnology and Bioengineering, 2000, v. 68, pp. 160-172.

Ricciutelli M., Di Martino P., Barboni L. and Martelli S., "Evaluation of rapamycin chemical stability in volatile-organic solvents by HPLC," Journal of pharmaceutical and biomedical analysis, 2006, v. 41, pp. 1070-1074.

Ritacco F. V., Graziani E. I., Summers M. Y., Zabriskie T. M., Yu K., Bernan V. S., Carter G. T. and Greenstein M., "Production of novel rapamycin analogs by precursor-directed biosynthesis," Applied and environmental microbiology, 2005, v. 71, pp. 1971-1976.

Rodriguez E., Navone L., Casati P. and Gramajo H., "Impact of malic enzymes on antibiotic and triacylglycerol production in *Streptomyces coelicolor*," Applied and environmental microbiology, 2012, v. 78, pp. 4571-4579.

Rosa J., Neto A. B., Hokka C. and Badino A., "Influence of dissolved oxygen and shear conditions on clavulanic acid production by *Streptomyces clavuligerus*," Bioprocess and biosystems engineering, 2005, v. 27, pp. 99-104.

Ruiz B., Chávez A., Forero A., García-Huante Y., Romero A., Sánchez M., Rocha D., Sánchez B., Rodríguez-Sanoja R. and Sánchez S., "Production of microbial secondary metabolites: regulation by the carbon source," Critical reviews in microbiology, 2010, v. 36, pp. 146-167.

Sallam L., El-Refai A., Osman M., Hamdy A., Ahmed E. and Mohamed M., "Some physiological factors affecting rapamycin production by *Streptomyces hygroscopicus* ATCC 29253," J Am Sci, 2010, v. 6, pp. 188-194.

Sanchez S., Chávez A., Forero A., García-Huante Y., Romero A., Sánchez M., Rocha D., Sánchez B., Ávalos M. and Guzmán-Trampe S., "Carbon source regulation of antibiotic production," The Journal of antibiotics, 2010, v. 63, pp. 442.

Saravanan P., Pakshirajan K. and Saha P., "Performance of batch stirred tank bioreactor and internal loop airlift bioreactor in degrading phenol using *Pseudomonas spp.*: a comparative study," J Environ Protect Sci, 2008, v. 2, pp. 81-86.

Schäberle T. F., Orland A. and König G. M., "Enhanced production of undecylprodigiosin in *Streptomyces coelicolor* by co-cultivation with the corallopyronin A-producing myxobacterium, *Corallococcus coralloides*," Biotechnology letters, 2014, v. 36, pp. 641-648.

Schwartz R. A. and Torre D. P., "The Muir-Torre syndrome: a 25-year retrospect," Journal of the American Academy of Dermatology, 1995, v. 33, pp. 90-104.

Schügerl K., "Comparison of the performances of stirred tank and airlift tower loop reactors," Journal of biotechnology, 1990, v. 13, pp. 251-256.

Schwecke T., Aparicio J. F., Molnar I., König A., Khaw L. E., Haydock S. F., Oliynyk M., Caffrey P., Cortes J. and Lester J. B., "The biosynthetic gene cluster for the polyketide immunosuppressant rapamycin," Proceedings of the National Academy of Sciences, 1995, v. 92, pp. 7839-7843.

Sehgal S., Baker H. and Vézina C., "Rapamycin (AY-22, 989), a new antifungal antibiotic," The Journal of antibiotics, 1975, v. 28, pp. 727-732.

Sehgal S., "Sirolimus: its discovery, biological properties, and mechanism of action," Transplantation proceedings, (eds), Elsevier, pp. S7-S14.

Seto B., "Rapamycin and mTOR: a serendipitous discovery and implications for breast cancer," Clinical and translational medicine, 2012, v. 1, pp. 29.

Shank E. A. and Kolter R., "New developments in microbial interspecies signaling," Current opinion in microbiology, 2009, v. 12, pp. 205-214.

Sikula I., Jurascik M. and Markos J., "Modeling of the fermentation in an internal loop airlift reactor," Computer Aided Process Engineering, 2007.

Simamora P., Alvarez J. M. and Yalkowsky S. H., "Solubilization of rapamycin," International journal of pharmaceutics, 2001, v. 213, pp. 25-29.

Simpson T. J., Application of isotopic methods to secondary metabolic pathways, Springer, 1998.

Singh V., Tripathi C. and Bihari V., "Production, optimization and purification of an antifungal compound from *Streptomyces capoamus* MTCC 8123," Medicinal Chemistry Research, 2008, v. 17, pp. 94.

Singh V., Khan M., Khan S. and Tripathi C., "Optimization of actinomycin V production by *Streptomyces triostinicus* using artificial neural network and genetic algorithm," Applied microbiology and biotechnology, 2009, v. 82, pp. 379-385.

Singh V., Haque S., Niwas R., Srivastava A., Pasupuleti M. and Tripathi C., "Strategies for Fermentation Medium Optimization: An In-Depth Review," Frontiers in microbiology, 2017, v. 7, pp. 2087.

Singh Y. and Srivastava S., "Performance improvement of *Bacillus aryabhattai* ITBHU02 for high-throughput production of a tumor-inhibitory L-asparaginase using a kinetic model based approach," Journal of Chemical Technology and Biotechnology, 2014, v. 89, pp. 117-127.

Slattery M., Rajbhandari I. and Wesson K., "Competition-mediated antibiotic induction in the marine bacterium *Streptomyces tenjimariensis*," Microbial Ecology, 2001, v. 41, pp. 90-96.

Smith K. A. and Gupta J. N., Neural networks in business: techniques and applications, IGI Global, 2002.

Sollinger H., "Mycophenolate mofetil for the prevention of acute rejection in primary cadaveric renal allograft recipients. US Renal Transplant Mycophenolate Mofetil Study Group," Transplantation, 1995, v. 60, pp. 225-232.

Sousa J. E., Costa M. A., Abizaid A., Abizaid A. S., Feres F., Pinto I. M., Seixas A. C., Staico R., Mattos L. A. and Sousa A. G., "Lack of neointimal proliferation after implantation of sirolimus-coated stents in human coronary arteries: a quantitative coronary angiography and three-dimensional intravascular ultrasound study," Circulation, 2001, v. 103, pp. 192-195.

Srinivasulu B., Prakasham R., Jetty A., Srinivas S., Ellaiah P. and Ramakrishna S., "Neomycin production with free and immobilized cells of *Streptomyces marinensis* in an airlift reactor," Process biochemistry, 2002, v. 38, pp. 593-598.

Srivastava P. and Kundu S., "Studies on cephalosporin-C production in an air lift reactor using different growth modes of *Cephalosporium acremonium*," Process biochemistry, 1999, v. 34, pp. 329-333.

Sung A. A., Gromek S. M. and Balunas M. J., "Upregulation and Identification of Antibiotic Activity of a Marine-Derived *Streptomyces sp.* via Co-Cultures with Human Pathogens," Marine drugs, 2017, v. 15, pp. 250.

Sujatha P., Raju K. B. and Ramana T., "Studies on a new marine streptomycete BT-408 producing polyketide antibiotic SBR-22 effective against methicillin resistant *Staphylococcus aureus*," Microbiological research, 2005, v. 160, pp. 119-126.

Swindells D. N., White P. S. and Findlay J. A., "The X-ray crystal structure of rapamycin, $C_{51}H_{79}NO_{13}$," Canadian Journal of Chemistry, 1978, v. 56, pp. 2491-2492.

Tang K.S., Man K.F., Kwong S. and He Q., "Genetic algorithms and their applications," IEEE signal processing magazine, 1996, v. 13, pp. 22-37.

Theobald U., Schimana J. and Fiedler H.-P., "Microbial growth and production kinetics of *Streptomyces antibioticus* Tü 6040," Antonie Van Leeuwenhoek, 2000, v. 78, pp. 307-313.

Trautmann A., Akdis M., Schmid-Grendelmeier P., Disch R., Bröcker E.-B., Blaser K. and Akdis C. A., "Targeting keratinocyte apoptosis in the treatment of atopic dermatitis and allergic contact dermatitis," Journal of Allergy and Clinical Immunology, 2001, v. 108, pp. 839-846.

Trischman J. A., Oeffner R. E., de Luna M. G. and Kazaoka M., "Competitive induction and enhancement of indole and a diketopiperazine in marine bacteria," Marine Biotechnology, 2004, v. 6, pp. 215-220.

Trück H. U., Chmiel H., Hammes W. P. and Trösch W., "Effects of oxygen supply on the production of nikkomycin with immobilized cells of *Streptomyces tendae*," Applied microbiology and biotechnology, 1990, v. 34, pp. 1-4.

Tuffile C. M. and Pinho F., "Determination of oxygen-transfer coefficients in viscous streptomycete fermentations," Biotechnology and Bioengineering, 1970, v. 12, pp. 849-871.

Uguru G. C., Stephens K. E., Stead J. A., Towle J. E., Baumberg S. and McDowall K. J., "Transcriptional activation of the pathway-specific regulator of the actinorhodin

biosynthetic genes in *Streptomyces coelicolor*," Molecular microbiology, 2005, v. 58, pp. 131-150.

Vaidya R., Vyas P. and Chhatpar H., "Statistical optimization of medium components for the production of chitinase by *Alcaligenes xylosoxydans*," Enzyme and Microbial Technology, 2003, v. 33, pp. 92-96.

Vander Meij A., Worsley S. F., Hutchings M. I. and van Wezel G. P., "Chemical ecology of antibiotic production by actinomycetes," FEMS microbiology reviews, 2017, v. 41, pp. 392-416.

Veelken M. and Pape H., "Production of tylosin and nikkomycin by immobilized Streptomyces cells," European journal of applied microbiology and biotechnology, 1982, v. 15, pp. 206-210.

Vezina C., Kudelski A. and Sehgal S., "Rapamycin (AY-22, 989), a new antifungal antibiotic," The Journal of antibiotics, 1975, v. 28, pp. 721-726.

Vicik S. M., Fedor A. J. and Swartz R. W., "Defining an optimal carbon source/methionine feed strategy for growth and cephalosporin C formation by *Cephalosporium acremonium*," Biotechnology progress, 1990, v. 6, pp. 333-340.

Wang Y. H., Feng J. T., Zhang Q. and Zhang X., "Optimization of fermentation condition for antibiotic production by *Xenorhabdus nematophila* with response surface methodology," Journal of applied microbiology, 2008, v. 104, pp. 735-744.

Xu M., Zeng G., Xu X., Huang G., Jiang R. and Sun W., "Application of Bayesian regularized BP neural network model for trend analysis, acidity and chemical composition of precipitation in North Carolina," Water, Air, and Soil Pollution, 2006, v. 172, pp. 167-184.

Xu Z.N., Shen W.H., Chen X.Y., Lin J.P. and Cen P.I., "A high-throughput method for screening of rapamycin-producing strains of *Streptomyces hygroscopicus* by cultivation in 96-well microtiter plates," Biotechnology letters, 2005, v. 27, pp. 1135-1140.

Yang S.S. and Yueh C.Y., "Oxytetracycline production by immobilized *Streptomyces rimosus*," Journal of microbiology, immunology, and infection, 2001, v. 34, pp. 235-242.

Yen H.W., Hsiao H.P. and Chen L.J., "The enhancement of rapamycin production using *Streptomyces hygroscopicus* through a simple pH-shifted control," Journal of the Taiwan Institute of Chemical Engineers, 2013, v. 44, pp. 743-747.

Yen H.W. and Hsiao H.P., "Effects of dissolved oxygen level on rapamycin production by pellet-form of *Streptomyces hygroscopicus*," Journal of bioscience and bioengineering, 2013, v. 116, pp. 366-370.

Zafar M., Kumar S., Kumar S. and Dhiman A. K., "Optimization of polyhydroxybutyrate (PHB) production by *Azohydromonas lata* MTCC 2311 by using genetic algorithm based on artificial neural network and response surface methodology," Biocatalysis and Agricultural Biotechnology, 2012, v. 1, pp. 70-79.

Zhu H., Wang W., Liu J., Caiyin Q. and Qiao J., "Immobilization of *Streptomyces thermotolerans* 11432 on polyurethane foam to improve production of Acetylisovaleryltylosin," Journal of industrial microbiology & biotechnology, 2015, v. 42, pp. 105-111.

Zhu X., Zhang W., Chen X., Wu H., Duan Y. and Xu Z., "Generation of high rapamycin producing strain via rational metabolic pathway-based mutagenesis and further titer improvement with fed-batch bioprocess optimization," Biotechnology and Bioengineering, 2010, v. 107, pp. 506-515.

Ziolkowski J., Paczek L., Senatorski G., Niewczas M., Oldakowska-Jedynak U., Wyzgal J., Sanko-Resmer J., Pilecki T., Zieniewicz K. and Nyckowski P., "Renal function after liver transplantation: calcineurin inhibitor nephrotoxicity," Transplantation proceedings, (eds), Elsevier, pp. 2307-2309.

Zou X. and Li J., "Precursor engineering and cell physiological regulation for high level rapamycin production by *Streptomyces hygroscopicus*," Annals of microbiology, 2013, v. 63, pp. 1371-1378.

WEBSITES

[https://pubchem.ncbi.nlm.nih.gov/compound/rapamycin#section=GHS-Classification, accessed on October 15, 2017]

http://www.viscometers.org/PDF/Downloads/More%20 Solutions.pdf