

## LIST OF FIGURES

Figure No.	Figure Caption	Page No.
Figure 1.1	Sources of CO emission	4
Figure 1.2	Effect of CO on human health	6
Figure 1.3	Effect of CO on plant	7
Figure 1.4	Formation of CO in internal combustion engines	9
Figure 1.5	Internal combustion engine	10
Figure 1.6	Schematic diagram of an automobile catalytic converter	14
Figure 1.7	Catalytic converter construction	15
Figure 1.8	Catalysts for CO oxidation	18
Figure 1.9	Noble metal oxide catalysts	21
Figure 1.10	Base metal oxide catalysts	22
Figure 1.11	Catalyst preparation methods	29
Figure 1.12	Preparation parameters of hopcalite catalysts	35
Figure 1.13	Calcination strategy of hopcalite catalysts	37
Figure 1.14	Promoters used in CuMnOx catalysts	40
Figure 1.15	Supports used in hopcalite catalysts	41
Figure 1.16	Mechanism of CO oxidation over hopcalite catalysts	42
Figure 1.17	Schematic diagram of catalytic convertor for solution of cold start problems	44

Figure 3.1	XRD instrument	76
Figure 3.2	FTIR spectrometer	77
Figure 3.3	SEM instrument	79
Figure 3.4	XPS instrument	80
Figure 3.5	BET instrument	82
Figure 3.6	Schematic diagram of Experimental Set up	84
Figure 3.7	Experimental Set up	85
Figure 3.8	Schematic diagram of GC	86
Figure 3.9	Gas Chromatograph	90
Figure 4.1	SEM image of (A) $\text{CuMn}_{2\text{RC}4}$ , (B) $\text{CuMn}_{2\text{RC}3}$ , (C) $\text{CuMn}_{2\text{RC}2}$ and (D) $\text{CuMn}_{2\text{RC}1}$	101
Figure 4.2	SEM-EDX image of (A) $\text{CuMn}_{2\text{RC}4}$ , (B) $\text{CuMn}_{2\text{RC}3}$ , (C) $\text{CuMn}_{2\text{RC}2}$ and (D) $\text{CuMn}_{2\text{RC}1}$	102
Figure 4.3	XRD analysis of the catalysts	104
Figure 4.4	FTIR analysis of the catalysts	106
Figure 4.5	XPS analysis of Cu(2p) in (A) $\text{CuMn}_{2\text{RC}1}$ , (B) $\text{CuMn}_{2\text{RC}2}$ , (C) $\text{CuMn}_{2\text{RC}3}$ and (D) $\text{CuMn}_{2\text{RC}4}$	108
Figure 4.6	XPS analysis of Mn(2p) in (A) $\text{CuMn}_{2\text{RC}1}$ , (B) $\text{CuMn}_{2\text{RC}2}$ , (C) $\text{CuMn}_{2\text{RC}3}$ , (D) $\text{CuMn}_{2\text{RC}4}$	110
Figure 4.7	Textural properties A) $\text{N}_2$ adsorption-desorption isotherms and B) Pore size distributions curves	112
Figure 4.8	Catalytic activity of various $\text{CuMn}_{2\text{SA}}$ catalysts for CO oxidation	114
Figure 4.9	Catalytic activity of various $\text{CuMn}_{2\text{FA}}$ catalysts for CO	116

	oxidation	
Figure 4.10	Catalytic activity of various $\text{CuMn}_{2\text{RC}}$ catalysts for CO oxidation	118
Figure 4.11	Activity test of $\text{CuMn}_2$ catalysts under various calcination conditions	119
Figure 5.1	Scanning electron micrographs of (A) $\text{CuMn}_{2\text{RC}3}$ , (B) $\text{CuMn}_{2\text{RC}2}$ and (C) $\text{CuMn}_{2\text{RC}1}$ catalysts	126
Figure 5.2	SEM-EDX image of A) $\text{CuMn}_{2\text{RC}3}$ , B) $\text{CuMn}_{2\text{RC}2}$ and C) $\text{CuMn}_{2\text{RC}1}$ catalysts	128
Figure 5.3	XRD analysis of the catalysts	130
Figure 5.4	FTIR analysis of the catalysts	132
Figure 5.5	XPS analysis of Cu(2p) in $\text{CuMn}_{2\text{RC}}$ catalysts	133
Figure 5.6	XPS analysis of Mn(2p) in $\text{CuMn}_{2\text{RC}}$ catalysts	134
Figure 5.7	XPS analysis of O(1s) in the catalysts	135
Figure 5.8	Textural properties A) $\text{N}_2$ adsorption-desorption isotherms and B) Pore size distributions curves	138
Figure 5.9	Catalytic activity of various $\text{CuMn}_{2\text{SA}}$ catalysts for CO oxidation	140
Figure 5.10	Catalytic activity of various $\text{CuMn}_{2\text{FA}}$ catalysts for CO oxidation	142
Figure 5.11	Catalytic activity of various $\text{CuMn}_{2\text{RC}}$ catalysts for CO oxidation	144
Figure 5.12	Activity test of $\text{CuMn}_2$ catalysts under various calcination conditions	145
Figure 6.1	SEM image of $\text{Cu}_1\text{Mn}_8$ catalyst A) 2.0KX and B) 5.0KX magnifications	150
Figure 6.2	SEM-EDX image of $\text{Cu}_1\text{Mn}_8$ catalyst A) 2.0KX and B)	151

	5.0KX magnifications	
Figure 6.3	XRD analysis of Cu <sub>1</sub> Mn <sub>8</sub> catalyst	152
Figure 6.4	FTIR analysis of Cu <sub>1</sub> Mn <sub>8</sub> catalyst	153
Figure 6.5	XPS analysis of A) Cu and B) Mn in a Cu <sub>1</sub> Mn <sub>8</sub> catalyst	155
Figure 6.6	Optimization of Cu:Mn Molar ratio in CuMnO <sub>x</sub> catalyst	157
Figure 6.7	Optimization in particle size of Cu <sub>1</sub> Mn <sub>8</sub> catalyst	158
Figure 6.8	Optimization of drying temperature of Cu <sub>1</sub> Mn <sub>8</sub> precursor	159
Figure 6.9	Optimization of the calcination temperature of Cu <sub>1</sub> Mn <sub>8</sub> precursor	160
Figure 6.10	Optimization of calcination time of Cu <sub>1</sub> Mn <sub>8</sub> precursor	161
Figure 6.11	Optimization of weight of Cu <sub>1</sub> Mn <sub>8</sub> catalyst	162
Figure 6.12	Optimization of CO flow rate on Cu <sub>1</sub> Mn <sub>8</sub> catalyst	163
Figure 7.1	Preparation of (Co, Ce, Fe, Ag) doped Cu <sub>1</sub> Mn <sub>8</sub> Catalyst	169
Figure 7.2	XRD analysis of Cu <sub>1</sub> Mn <sub>8</sub> catalyst doped with Co, Ce, Fe and Ag	171
Figure 7.3	FTIR analysis of the catalyst	173
Figure 7.4	SEM image of A) 3%CoCuMn <sub>8</sub> O <sub>x</sub> RC, B) 3%FeCuMn <sub>8</sub> O <sub>x</sub> RC, C) 3%CeCuMn <sub>8</sub> O <sub>x</sub> RC and D) 3%AgCuMn <sub>8</sub> O <sub>x</sub> RC catalysts	175
Figure 7.5	SEM-EDX image of A) 3%FeCuMn <sub>8</sub> O <sub>x</sub> RC, B) 3%CoCuMn <sub>8</sub> O <sub>x</sub> RC, C) 3%CeCuMn <sub>8</sub> O <sub>x</sub> RC and D) 3%AgCuMn <sub>8</sub> O <sub>x</sub> RC catalysts	176
Figure 7.6	Textural properties A) N <sub>2</sub> adsorption-desorption isotherms and B) Pore size distribution	178

Figure 7.7	Catalytic activity of doped and un-doped $\text{Cu}_1\text{Mn}_8$ catalysts produced by calcination in stagnant air	180
Figure 7.8	Catalytic activity of doped and un-doped $\text{Cu}_1\text{Mn}_8$ catalysts produced in flowing air	182
Figure 7.9	Catalytic activity of doped and un-doped $\text{Cu}_1\text{Mn}_8$ catalysts produced by reactive calcination	184
Figure 7.10	Activity test of 3%AgCuMn <sub>8</sub> Ox catalysts under different calcination conditions	185
Figure 7.11	Optimization of silver doping in $\text{Cu}_1\text{Mn}_8$	187
Figure 8.1	Preparation of doped $\text{Cu}_1\text{Mn}_8$ Catalysts by wet impregnation method	192
Figure 8.2	SEM image of (A) $\text{Cu}_1\text{Mn}_8$ , (B) 1.5%CeCuMn <sub>8</sub> Ox, (C) 1.5%Ce1.0%AgCuMn <sub>8</sub> Ox and (D) 1.5%Ce0.5%AuCuMn <sub>8</sub> Ox catalysts	194
Figure 8.3	SEM-EDX image of A) $\text{Cu}_1\text{Mn}_8$ , B) 1.5%CeCuMn <sub>8</sub> Ox, C) 1.5%Ce1.0%AgCuMn <sub>8</sub> Ox and D) 1.5%Ce0.5%AuCuMn <sub>8</sub> Ox catalysts	195
Figure 8.4	XRD analysis of the catalysts	198
Figure 8.5	FTIR analysis of A) $\text{Cu}_1\text{Mn}_8$ , B) 1.5%CeCuMn <sub>8</sub> Ox, C) 1.5%Ce1.0%AgCuMn <sub>8</sub> Ox and D) 1.5%Ce0.5%AuCuMn <sub>8</sub> Ox catalysts	200
Figure 8.6	Textural properties of A) $\text{N}_2$ adsorption-desorption isotherms and B) Pore size distributions curves	202
Figure 8.7	Activity test of $\text{Cu}_1\text{Mn}_8$ and 1.5%CeCuMn <sub>8</sub> Ox catalysts	204
Figure 8.8	Activity measurement of Ce and Ag doped and un-doped $\text{Cu}_1\text{Mn}_8$ catalysts	205
Figure 8.9	Activity measurement of Ce and Au doped and un-doped $\text{Cu}_1\text{Mn}_8$ catalysts	207

Figure 8.10	Catalytic activity of (Ce and Au or Ag) doped and undoped $\text{Cu}_1\text{Mn}_8$ catalysts	209
Figure 9.1	Steps involved in support synthesis	214
Figure 9.2	Preparation of $\gamma\text{-Al}_2\text{O}_3$ supported 3%AgCuMn <sub>8</sub> Ox catalysts	214
Figure 9.3	SEM image of A) $\gamma\text{-Al}_2\text{O}_3$ , B) 3%AgCuMn <sub>8</sub> Ox/60% $\gamma\text{-Al}_2\text{O}_3$ and C) 3%AgCuMn <sub>8</sub> Ox	216
Figure 9.4	SEM-EDX image of A) $\gamma\text{-Al}_2\text{O}_3$ , B) 3%AgCuMn <sub>8</sub> Ox/60% $\gamma\text{-Al}_2\text{O}_3$ and C) 3%AgCuMn <sub>8</sub> Ox	219
Figure 9.5	XRD analysis of the catalysts	220
Figure 9.6	FTIR analysis of (A) 3%AgCuMn <sub>8</sub> Ox/60% $\gamma\text{-Al}_2\text{O}_3$ and (B) 3%AgCuMn <sub>8</sub> Ox catalysts	221
Figure 9.7	Textural properties of A) $\text{N}_2$ adsorption-desorption isotherms and B) Pore size distributions curves	222
Figure 9.8	Effect of metal loading on $\gamma\text{-Al}_2\text{O}_3$ support for oxidation of CO	225
Figure 9.9	Optimization of 3%AgCuMn <sub>8</sub> Ox in $\gamma\text{-Al}_2\text{O}_3$ supported catalysts	227
Figure 9.10	Comparison of 3%AgCuMn <sub>8</sub> Ox and 3%AgCuMn <sub>8</sub> Ox/60% $\gamma\text{-Al}_2\text{O}_3$ catalysts	229
Figure 10.1	Blank test for CO oxidation	233
Figure 10.2	Stability test of 3%AgCuMn <sub>8</sub> Ox/60% $\gamma\text{-Al}_2\text{O}_3$ catalyst for oxidation of CO	234
Figure 10.3	CO conversion vs temperature for varying CO concentration in air	241
Figure 10.4	CO conversion $X_{\text{CO}}(\%)$ vs $W/F_{\text{CO}}$ (g-cat.hr/g.mol) at various temperatures	244
Figure 10.5	Plot of $\ln(-r_{\text{CO}})$ vs $\ln(-C_{\text{CO}})$	247
Figure 10.6	Plot of $\ln(k)$ vs $1000(1/T)$	248