
REFERENCES

Abrego-Martinez JC, Moreno-Zuria A, Wang Y, Cuevas-Muniz FM, Arriaga LG, Sun S, Mohamedi M, "Fabrication and evaluation of passive alkaline membraneless microfluidic DMFC" *Int J Hydrogen Energy* (2017); 42:21969-21975.

Ahmed DH, Park HB, Sung HJ, "Optimum geometrical design for improved fuel utilization in membraneless micro fuel cell" *J Power Sources* (2008); 185(1):143-152.

Amendola SC, Onnerud P, Kelly MT, Petillo PJ, Sharp-Goldman SL, Binder M, "A novel high power density borohydride-air cell" *J Power Sources* (1999); 84:130-133.

Amendola SC, Sharp-Goldman SL, Janjua MS, Kelly MT, Petillo PJ, Binder MJ, "An ultra-safe hydrogen generator: aqueous, alkaline borohydride solutions and Ru catalyst" *J Power Sources* (2000); 85:186-189.

Andreadis G, Song S, Tsiakaras P, "Direct ethanol fuel cell anode simulation model" *J Power Sources* (2006); 2:657-665.

Arjona N, Armenta-Gonzalez AJ, Rivas S, Guerra-Balcazar M, Ledesma-Garcia J, Arriaga LG, "A new type of high performance air-breathing glucose membraneless microfluidic fuel cell" *Int J Hydrogen Energy* (2015); 40:14699-14705.

Armenta-Gonzalez A J, Carrera-Cerritos R, Moreno-Zuria A, Alvarez-Contreras L, Ledesma-Garcia J, Cuevas-Muniz F M, Arriaga L G, "An improved ethanol microfluidic fuel cell based on a PdAg/MWCNT catalyst synthesized by the reverse micelles method" *Fuel* (2016); 167:240-247.

Bard AJ, Faulkner LR, "Electrochemical methods: Fundamentals and applications" John Wiley (2001).

Bazylak A, Sinton D, Djilali N "Improved fuel utilization in microfluidic fuel cells: A computational study" *J Power Sources* (2005); 143(1-2):57-66.

Beden B, Lamy C, Bewic A, Kunitatsu K, "Electrosorption of methanol on a platinum electrode. IR spectroscopic evidence for adsorbed CO species" *J Electroanal Chem* (1981); 121:343-347.

Belgsir EM, Huser H, Leger J-M, Lamy C, "A kinetic analysis of the oxidation of methanol at platinum-based electrodes by quantitative determination of the reaction products using

- liquid chromatography” *J Electroanal Chem Interfacial Electrochem* (1987); 225(1-2):281-286.
- Bevers D, Wagner N, VonBradke M, “Innovative production procedure for low cost PEFC electrodes and electrode/membrane structures” *Int J Hydrogen Energy* (1998); 23(1):57-63.
- Bird RB, Stewart WE, Lightfoot EN, “Transport Phenomena” Wiley (2006).
- Brody JP, Yager P, “Diffusion-based extraction in a micro-fabricated device” *Sens Actuators A Phys* (1997); 58(1):13-18.
- Brushett FR, Jayashree RS, Zhou WP, Kenis PJA, “Investigation of fuel and media flexible laminar flow-based fuel cells” *Electrochimica Acta* (2009); 54(27):7099-7105.
- Brushett FR, Naughton MS, Ng JWD, Yin L, Kenis PJA, “Analysis of Pt/C electrode performance in a flowing electrolyte alkaline fuel cell” *Int J Hydrogen Energy* (2012); 37:2559-2570.
- Carrette L, Friedrich KA, Stimming U, “Fuel cells-fundamentals and applications” *Fuel Cells* (2001); 1:5-39.
- Chang MH, Chen F, Fang NS, “Analysis of membraneless fuel cell using laminar flow in a Y-shaped microchannel” *J Power sources* (2006); 159:810-816.
- Cheng F, Shen J, Peng B, Pan Y, Tao Z, Chen J, “Rapid room-temperature synthesis of nanocrystalline spinels as oxygen reduction and evolution electrocatalysts” *Nat Chem* (2011); 3:79-84.
- Choban ER, Markoski LJ, Wieckowski A, Kenis PJA, “Microfluidic fuel cell based on laminar flow” *J Power Sources* (2004); 128(1):54-60.
- Choban ER, Spendelow JS, Gancs L, Wieckowski A, Kenis PJA, “Membraneless laminar flow-based micro fuel cells operating in alkaline, acidic, and acidic/alkaline media” *Electrochimica Acta* (2005); 50(27):5390-5398.
- Choban ER, Waszczuk P, Kenis PJA, “Characterization of limiting factors in laminar flow-based membraneless microfuel cells” *Electrochem Solid State Lett* (2005); 8(7): A348-352.
- Chou SK, Yang WM, Chua KJ, Li J, Zhang KL, “Development of micro power generators - a review” *Applied Energy* (2011); 88(1):1-16.

- Cohen JL, Volpe DJ, Westly DA, Pechenik A, Abruna HD, "A dual electrolyte H₂/O₂ planer membraneless microchannel fuel cell system with open circuit potentials in excess of 1.4V" *Langmuir* (2005); 21(8):3544-3550.
- Cohen JL, Westly Daron A, Pechenik Alexander, Abruna Hector D, "Fabrication and preliminary testing of a planar membraneless microchannel fuel cell" *J Power Sources* (2005); 139(1-2):96-105.
- Colmati F, Antolini E, Gonzalez ER, "Effect of temperature on mechanism of ethanol oxidation on carbon supported Pt, PtRu and Pt-Sn electrocatalysts" *J Power Sources* (2006); 157:98-103.
- Cuevas-Muniz FM, Guerra-Balcazar M, Castaneda F, Ledesma-Garcia J, Arriag LG, "Performance of Au and AuAg nanoparticles supported on Vulcan in a glucose laminar membraneless microfuel cell" *J Power Sources* (2011); 196:5853-5857.
- Dector A, Esquivel JP, Gonzalez MJ, Guerra-Balcazar M, Ledesma-Garcia J, Sabate N, "Formic acid microfluidic fuel cell evaluation in different oxidant conditions" *Electrochim Acta* (2013); 92:31-35.
- Demarconnay L, Coutanceau C, Leger J-M, "Electroreduction of dioxygen (ORR) in alkaline medium on Ag/C and Pt/C nanostructured catalysts-effect of the presence of methanol" *Electrochim Acta* (2004); 49:4513-4521.
- Dutta BK, "Principles of Mass Transfer and Separation Process" Prentice-Hall India Pvt. Ltd. (2007).
- Dyer CK, "Fuel cells for portable applications" *J Power Sources* (2002); 106(1-2):31-34.
- Ebrahimi KA, Richards AJ, Hoorfar M, "Numerical study of the effect of the channel and electrode geometry on the performance of microfluidic fuel cells" *J Power Sources* (2010); 195(24):8141-8151.
- El-Deab MS, Ohsaka T, "Manganese oxide nanoparticles electrodeposited on platinum are superior to platinum for oxygen reduction" *Angew Chem Int* (2006); 45:5963-5966.
- Elumalai M, Priya M, Kiruthika S, Muthukumaran B, "Effect of acid and alkaline media on membrane less fuel cell using sodium borohydride as fuel" *AFINIDAD LXXII* (2015); 572:309-314.

- Epstein AH, Senturia SD, "Microengineering: macro power from micro machinery" *Science* (1997); 276(5316):1211.
- Erickson D, "Towards numerical prototyping of labs-on-chip: modeling for integrated microfluidic devices" *Microfluidics and Nanofluidics* (2005); 1:301-318.
- Escalona-Villalpando RA, Dector A, Dector D, Moreno-Zuria A, Duron-Torres SM, Galvan-Valencia M, "Glucose microfluidic fuel cell using air as oxidant" *Int J Hydrogen Energy* (2016); 41(48):23394-23400.
- Fenga PG, Cardoso FP, Neto SA, De Andrade AR, "Multiwalled carbon nanotubes to improve ethanol/air biofuel cells" *Electrochim Acta* (2013); 106:109-113.
- Fernandes R, Patel N, Miotello A, "Efficient catalytic properties of Co-Ni-P-B catalyst powders for hydrogen generation by hydrolysis of alkaline solution of NaBH_4 " *Int J Hydrogen Energy* (2009); 34:2893-2900.
- Ferrigno ER, Stroock AD, Clark TD, Mayer M, Whitesides GM, "Membraneless Vanadium Redox Fuel Cell Using Laminar Flow" *J Am Chem Soc* (2002); 124:12930-12931.
- Ferrigno R, Stroock AD, Clark TD, Mayer M, Whitesides GM, "Membraneless vanadium redox fuel cell using laminar flow" *J Am Chem Soc* (2002); 124:12930-12931.
- Gago AS, Morales-Acosta D, Arriaga LG, Alonso-Vante N, "Carbon supported ruthenium chalcogenide as cathode catalyst in a microfluidic formic acid fuel cell" *J Power Sources* (2011); 196:1324-1328.
- Galindo R, Dector A, Arriaga LG, Gutierrez S, Herrasti P, "Maghemite as a catalyst for glucose oxidation in a microfluidic fuel cell" *J Electroanal Chem* (2012); 671:38-43.
- Gasteiger HA, Markovic N, Ross PN, Jr., Cairns EJ, "Methanol electrooxidation on well-characterized Pt-Ru alloys" *J Phys Chem* (1993); 97:12020-12029.
- Genies L, Faure R, Durand R, "Electrochemical reduction of oxygen on platinum nanoparticles in alkaline media" *Electrochimica Acta* (1998); 44:1317-1327.
- Giorgi L, Antolini E, Pozio A, Passalacqua E, "Influence of the PTFE content in the diffusion layer of low-Pt loading electrodes for polymer electrolyte fuel cells" *Electrochimica Acta* (1998); 43(24):3675-3680.

Goel J, Basu S, "Pt-Re-Sn as metal catalysts for Electro-oxidation of ethanol in direct ethanol fuel cell" *Energy Procedia* (2012); 28:66-77.

Guella G, Zanchetta C, Patton B, Miotello A, "New insights on the mechanism of palladium catalyzed hydrolysis of sodium borohydride from ^{11}B NMR measurements" *J Phys Chem B* (2006); 110:17024-17033.

Guo JW, Zhao TS, Prabhuram J, Wong CW, "Preparation and the physical/ electrochemical properties of a Pt/C nanocatalyst stabilized by a citric acid for polymer electrolyte fuel cells" *Electrochim Acta* (2005); 50:1973-1983.

Gyenge E, "Electrooxidation of borohydride on platinum and gold electrodes: implications for direct borohydride fuel cells" *Electrochim Acta* (2004); 49:965-978.

Hasegawa S, Shimotani K, Kishi K, Watanabe H, "Electricity generation from decomposition of hydrogen peroxide" *Electrochim Solid State Lett* (2005); 8(2): A119-121.

Hitmi H, Belgsir EM, Leger J-M, Lamy C, Lezna RO, "A kinetic analysis of the electro oxidation of ethanol at a platinum electrode in acid medium" *Electrochimica Acta* (1994); 39(3):407-415.

Hoare JP, "The electrochemistry of oxygen" New York: Wiley (1968).

Hollinger AS, Maloney RJ, Jayashree RS, Natarajan D, Markoski LJ, Kenis PJA, "Nanoporous separator and low fuel concentration to minimize crossover in direct methanol laminar flow fuel cells" *J Power Sources* (2010); 195(11):3523-3528.

Hussain S, Kongi N, Matisen L, Kozlova J, Sammelselg V, Tammeveski K, "Platinum nanoparticles supported on nitrobenzene-functionalised graphene nanosheets as electrocatalysts for oxygen reduction reaction in alkaline media" *Electrochim Commun* (2017); 81:79-83.

International Energy Outlook, "World energy and economic outlook" 14 Sept. (2017) Houston.

Ioannides T, Neophytides S, "Efficiency of a solid polymer electrolyte fuel cell operation on ethanol" *J Power Sources* (2000); 91:150-156.

IPCC fourth assessment report: impacts, adaptation and vulnerability (2007). www.ipcc.ch/ipccreports/ar4-wg2.htm.

Iwasita T, Pastor E, “A dems and FTIR spectroscopic investigation of adsorbed ethanol on polycrystalline platinum” *Electrochimica Acta* (1994); 39(4):531-537.

Jayashree RS, Egas D, Spendelow JS, Natarajan D, Markoski LJ, Kenis PJA, “Air breathing laminar flow-based direct methanol fuel cell with alkaline electrolyte” *Electrochem Solid State Lett* (2006); 9(5): A252-A256.

Jayashree RS, Gancs L, Choban ER, Primak A, Natarajan D, Markoski LJ, “Air-breathing laminar flow-based microfluidic fuel cell” *J Am Chem Soc* (2005); 127:16758-16759.

Jayashree RS, Yoon SK, Brushett FR, Lopez-Montesinos PO, Natarajan D, Markoski LJ, Kenis PJA, “On the performance of membraneless laminar flow-based fuel cells” *J Power Sources* (2010); 195:3569-3578.

Jeng KT, Chen CW, “Modeling and simulation of a direct methanol fuel cell anode” *J Power Sources* (2002); 112:367-375.

Jeng KT, Lee SF, Tsai GF, Wang CH, “Oxygen mass transfer in PEM fuel cell gas diffusion layers” *J Power Sources* (2004); 138:41-50.

Jeong SU, Kim RK, Cho EA, Kim HJ, Nam SW, Oh IH, et al. “A study on hydrogen generation from NaBH₄ solution using the high performance Co-B catalyst” *J Power Sources* (2005); 144:129-134.

Kamholz AE, Weigl BH, Finlayson BA, Yager Paul, “Quantitative analysis of molecular interaction in a microfluidic channel: the T-sensor” *Anal Chem* (1999); 71(23):5340-5347.

Karim-Nezhad G, Pashazadeh S, Pashazadeh A, “Electrocatalytic oxidation of methanol and ethanol by carbon ceramic electrode modified with Ni/Al LDH nanoparticles” *Chin J Catal* (2012); 33:1809-1816.

Kjeang E, Brolo Alexandre G, Harrington DA, Djilali N, Sinton D, “Hydrogen peroxide as an oxidant for microfluidic fuel cells” *J Electrochem Soc* (2007); 154(12):B1220-B1226.

Kjeang E, Djilali N, Sinton D, “Microfluidic fuel cells: a review” *J Power Sources* (2009); 186:353-369.

Kjeang E, Mckechnie J, Sinton D, Djilali N, “Planar and three-dimensional microfluidic fuel cell architectures based on graphite rod electrodes” *J Power Sources* (2007); 168:379-390.

- Kjeang E, Michel R, Harrington DA, Djilali N, Sinton D, "A microfluidic fuel cell with flow-through porous electrodes" *J Am Chem Soc* (2008); 130(12):4000-4006.
- Kjeang E, Proctor BTM, Brolo AG, Harrington DA, Djilali N, Sinton D, "High performance microfluidic vanadium redox fuel cell" *Electrochimica Acta* (2007); 52(15):4942-4946.
- Krishnan P, Yang TH, Lee WY, Kim CS, "An efficient catalyst for Hydrogen generation from sodium borohydride solutions" *J Power Sources* (2005); 143:17-23.
- Lam A, Dara MS, Wilkinson DP, Fatih K, "Aerobic and anaerobic operation of an active membraneless direct methanol fuel cell" *Electrochem Commun* (2012); 17:22-25.
- Lamy C, Belgsir EM, Leger J-M, "Electrocatalytic oxidation of aliphatic alcohols: application to the direct alcohol fuel cell (DAFC)" *J Appl Electrochem* (2001); 31:799-809.
- Lamy C, Lima A, LeRhun V, Delime F, Coutanceau C, Leger JM, "Recent advances in the development of direct alcohol fuel cells (DAFC)" *J Power Sources* (2002); 105:283-296.
- Lamy C, Rousseau S, Belgsir EM, Coutanceau C, Leger JM, "Recent progress in the direct ethanol fuel cell: Development of new platinum-tin electrocatalysts" *Electrochimica Acta* (2004); 49:3901-3909.
- Larminie J and Dicks A, "Fuel cell systems explained 2nd edition" John Wiley & Sons Ltd. (2003).
- Lee J, Kim T, "Micro PEM fuel cell system with NaBH₄ hydrogen generator" *Sens Actuators* (2012); A177:54-59.
- Lee J, Kong KY, Jung CR, Cho E, Yoon SP, Han J, et al. "A structured Co-B catalyst for hydrogen extraction from NaBH₄ solution" *Catal Today* (2007); 120:305-310.
- Lee JN, Park C, Whitesides GM, "Solvent compatibility of poly (dimethylsiloxane)-based microfluidic devices" *Analytical Chemistry* (2003); 75(23):6544-6554.
- Lee JW, Hong JK, Kjeang E, "Electrochemical characteristics of vanadium redox reactions on porous carbon electrodes for microfluidic fuel cell applications" *Electrochim Acta* (2012); 83:430-438.

Lee JW, Kjeang E, "Chip-embedded thin film current collector for microfluidic fuel cells" *Int J Hydrogen Energy* (2012); 37:9359-9357.

Lee JW, Kjeang E, "Nanofluidic fuel cell" *J Power Sources* (2013); 242:472-477.

Lee S, Kim J, Lee H, Lee P, Lee J, "The characterization of an alkaline fuel cell that uses hydrogen storage alloys" *J Electrochem Soc* (2002); 149:A603-A606.

Li A, Chan SH, Nguyen NT, "A laser-micromachined polymeric membraneless fuel cell" *J Micromech and Microeng* (2007); 17:1107-1113.

Li ZP, Liu BH, Arai K, Asaba K, Suda S, "Evaluation of alkaline borohydride solution as the fuel for fuel cell" *J Power Sources* (2003b); 126:28-33.

Li ZP, Liu BH, Arai K, Suda S, "A fuel cell development for using borohydrides as the fuel" *J Electrochem Soc* (2003); 150:A868-A872.

Lim KG, Palmore G, Tayhas R, "Microfluidic biofuel cells: the influence of electrode diffusion layer on performance" *Biosens and Bioelectron* (2007); 22(6):941-947.

Liu BH, Li ZP, Suda S, "Anodic oxidation of alkali borohydrides catalyzed by nickel" *J Electrochem Soc* (2003); 150:A398-A402.

Liu CH, Chen BH, Hsueh CL, Ku JR, Jeng MS, Tsau F, "Hydrogen generation from hydrolysis of sodium borohydride using Ni-Ru nanocomposite as catalysts" *Int J Hydrogen Energy* (2009); 34:2153-2163.

Liu X, Hao M, Feng M, Zhang L, Zhao Y, Du X, "One-compartment direct glucose alkaline fuel cell with methyl viologen as electron mediator" *J Appl Energy* (2013); 106:176-183.

Logan BE, Regan JM, "Microbial fuel cells: methodology and technology" *Environ Sci Technol* (2006); 40:5172-5180.

Lopez-Montesinos PO, Yossakda N, Schmidt A, Brushett FR, Pelton WE, Kenis PJA, "Design, fabrication, and characterization of a planar, silicon-based, monolithically integrated micro laminar flow fuel cell with a bridge-shaped microchannel cross-section" *J Power Sources* (2011); 196:4638-4645.

Lopez-Rico CA, Galindo-de-la-Rosa J, Ledesma-Garcia J, Arriaga LG, Guerra-Balcazar M, Arjona N, "Effect of pH in a Pd-based ethanol membraneless air breathing nanofluidic fuel

cell with flow-through electrodes” *Journal of Physics: Conference Series* (2015); 660:012056.

Lopez-Rico CA, Galindo-de-la-Rosab J, Ortiz-Ortega E, Alvarez-Contreras L, Ledesma-Garcia J, Guerra-Balcazar M, Arriaga LG, Arjona N, “High performance of ethanol co-laminar flow fuel cells based on acrylic, paper and Pd-NiO as anodic catalyst” *Electrochimica Acta* (2016); 207:164-176.

Lu L, Zhang S, Yan S, “Electrooxidation of methanol on AuNi/C catalyst in alkaline medium” *Int J Electrochem Sci* (2015); 10:649-658.

Lu Y, Wang M, Yuan C, Zhao J, Yu J, “Cyclic voltammetry for synthesizing carbon supported Pt-Cu alloy with superior oxygen reduction activity” *Int J Electrochem Sci* (2015); 10:2825-2838.

Maffei N, Pelletier L, Charland JP, McFarlan A, “An intermediate temperature direct ammonia fuel cell using a proton conducting electrolyte” *J Power Sources* (2005); 140:264-267.

Martinez-Baca C, Travis R, “Combining CFD and stress models for PEM cells-initial development, in: *ASME Fuel Cell Science, Engineering and Technology*” June 14-16, Rochester, New York, (2004).

Mitrovski SM, Elliott LCC, Nuzzo RG, “Microfluidic devices for energy conversion: planar integration and performance of a passive, fully immersed H₂/O₂ fuel cell (supporting information)” *Langmuir* (2004); 20.

Mitrovski SM, Nuzzo RG, “A passive microfluidic hydrogen-air fuel cell with exceptional stability and high performance” *Lab on a Chip* (2006); 6(3):353-361.

Modibedi RM, Masombuka T, Mathe MK, “Carbon supported Pd-Sn and Pd-Ru-Sn nanocatalysts for ethanol electro-oxidation in alkaline medium” *Int J Hydrogen Energy* (2011); 36:4664-4672.

Moore CM, Minter SD, Martin RS, “Microchip-based ethanol/oxygen biofuel cell” *Lab on a Chip* 5 (2005); 5:218-225.

Moore S, Sinton D, Erickson D, “A plate-frame flow-through microfluidic fuel cell stack” *J Power Sources* (2011); 196:9481-9487.

Morales-Acosta D, Morales-Acosta MD, Godinez LA, Alvarez-Contreras L, Duron-Torres SM, Ledesma-Garcia J, "PdCo supported on multiwalled carbon nanotubes as an anode catalyst in a microfluidic formic acid fuel cell" *J Power Sources* (2011); 196:9270-9275.

Morales-Acosta D, Rodriguez GH, Godinez LA, Arriaga LG, "Performance increase of microfluidic formic acid fuel cell using Pd/MWCNTs as catalyst" *J Power Sources* (2010); 195(7):1862-1865.

Morallon E, Rodes A, Vazquez JL, Perez JM, "Voltammetric and in-situ FTIR spectroscopy study of the oxidation of methanol on Pt(hk) in alkaline media" *J Electroanal Chem* (1995); 391:149-157.

Moreno-Zuria A, Dector A, Cuevas-Muniz FM, Esquivel JP, Sabat N, Ledesma-García J, Arriaga LG, Chavez-Ramirez AU, "Direct formic acid microfluidic fuel cell design and performance evolution" *J Power Sources* (2014); 269:783-788.

Morris JH, Gysling HJ, Reed D, "Electrochemistry of boron compounds" *Chem Rev* (1985); 85:51-76.

Muradov NZ, Veziroglu TN, "From hydrocarbon to hydrogen carbon to hydrogen economy" *Int J Hydrogen Energy* (2005); 30:225-237.

Ortiz J, Puelma M, Gautier JL, "Indirect oxidation of phenol on graphite on $\text{Ni}_{0.3}\text{Co}_{2.7}\text{O}_4$ spinel electrodes in alkaline medium" *J Chil Chem Soc* (2003); 48:67-71.

Pandey RK, Lakshminarayanan V, "Electro-Oxidation of Formic Acid, Methanol, and Ethanol on Electrodeposited Pd-Polyaniline Nanofiber Films in Acidic and Alkaline Medium" *J Phys Chem C* (2009); 113:21596-21603.

Park HB, Lee KH, Sung HJ, "Performance of H-shaped membraneless micro fuel cells" *J Power Sources* (2013); 226:266-71.

Perry M, Fuller T, "A historical perspective of fuel cell technology in the 20th century" *J Electrochem Soc* (2002); 149: S59.

Pramanik H, Basu S, "A Study on process parameters of direct ethanol fuel cell" *Can J Chem Eng* (2007); 85:781-785.

Pramanik H, Basu S, "Cyclic voltammetry of oxygen reduction reaction using Pt-based electrocatalysts on a nafion-bonded carbon electrode for direct ethanol fuel cell" *Indian Chem Eng* (2011); 53(3):124-135.

- Pramanik H, Basu S, "Modeling and experimental validation of overpotentials of a direct ethanol fuel cell" *Chem Eng Process* (2010); 49:635-642.
- Pramanik H, Rathoure AK, "Electrooxidation study of ethanol in an air breathing microfluidic fuel cell at low loading of electrode-catalyst" *Int J Chem Environ Eng* (2015); 6(2):90-93.
- Pramanik H, Rathoure AK, "Electrooxidation study of NaBH_4 in a membraneless microfluidic fuel cell with air breathing cathode for portable power application" *Int J Hydrogen Energy* (2017); 42(8):5340-5350.
- Priya M, Arun A, Elumalai M, Kiruthika S, Muthukumaran B, "A development of Ethanol/Percarbonate membraneless fuel cell" *Adv Phys Chem* (2014); Article ID 862691: 8.
- Qian WM, Wilkinson DP, Shen J, Wang HJ, Zhang JJ, "Architecture for portable direct liquid fuel cells" *J Power Sources* (2006); 154:202-213.
- Ralph TR, Hards GA, Keating JE, Campbell SA, Wilkinson DP, Davis H, StPierre J, Johnson MC, "Low cost electrodes for proton exchange membrane fuel cells" *J Electrochemical Society* (1997); 144(11):3845-3857.
- Rashkova V, Kitova S, Konstantinov I, Vitanov T, "Vacuum evaporated thin films of mixed cobalt and nickel oxides as electrocatalysts for oxygen evolution and reduction" *Electrochim Acta* (2002); 47:1555-1560.
- Rathoure AK, Pramanik H, "Electrooxidation study of methanol using H_2O_2 and air as mixed oxidant at the cathode in air breathing microfluidic fuel cell" *Int J Hydrogen Energy* (2016); 41(34):15287-15294.
- Roche I, Chainet E, Chatenet M, Vondrak J, "Carbon-supported manganese oxide nanoparticles as electrocatalysts for the oxygen reduction reaction (ORR) in alkaline medium: physical characterizations and ORR mechanism" *J Phys Chem* (2007); C111:1434-1443.
- Roelofs KS, Hirth T, Schiestel T, "Dihydrogenimidazole modified silica-sulfonated poly (ether ether ketone) hybrid materials as electrolyte membranes for direct ethanol fuel cells" *Material Science and Engineering B* (2011); 176:727-735.

Salloum KS, Hayes Joel R, Friesen Cody A, Posner Jonathan D, “Sequential flow membraneless microfluidic fuel cell with porous electrodes” *J Power Sources* (2008); 180(1): 243-352.

Salloum KS, Posner JD, “A membraneless microfluidic fuel cell stack” *J Power Sources* (2011); 196:1229-1234.

Salloum KS, Posner JD, “Counter flow membraneless microfluidic fuel cell” *J Power Sources* (2010); 195(19):6941-6944.

Santos LGRA, Oliveira CHF, Moraes IR, Ticianelli EA, “Oxygen reduction reaction in acid medium on Pt–Ni/C prepared by a microemulsion method” *J Electroanal Chem* (2006); 596:141-148.

Schlesinger HI, Brown HC, Finholt AE, Gilbreath JR, Hockstra HR, Hyde EK, “Sodium borohydride, its hydrolysis and its use as a reducing agent and in the generation of hydrogen” *J Am Chem Soc* (1953); 75:215-219.

Shaegh SAM, Nguyen NT, Chan SH, “Air-breathing microfluidic fuel cell with fuel reservoir” *J Power Sources* (2012); 209:312-317.

Shaegh SAM, Nguyen NT, Chan SH, “An Air-breathing laminar flow-based formic acid fuel cell with porous planar anode: experimental and numerical investigations” *J Micromech Microeng* (2010); 20:12.

Shaegh SAM, Nguyen NT, Chan SH, Zhou W, “Air-breathing membraneless laminar flow-based fuel cell with flow through anode” *Int J Hydrogen Energy* (2012); 37:3466-3476.

Sharp KV, Adrian RJ, Santiago JG, Molho JI, “Liquid flows in microchannels” In: Gad-el-Hak M, editor. *CRC Handbook of MEMS*. New York: CRC Press (2002); 6-1 to 6-38.

Shukla AK, Raman RK, Scott K, “Advances in mixed-reactant fuel cells” *Fuel Cells* (2005); 5:436-447.

Shyu J, Wang P, Lee C, Chang S, Sheu T, Kuo C, Huang K, Yang Z, “Fabrication and test of an air-breathing microfluidic fuel cell” *Energies* (2015); 8:2082-2096.

- Singh R, Pandey J, Singh N, Lal B, Chartier P, Koenig J-F, "Sol-gel derived spinel $MxCo_{3-x}O_4$ (M = Ni, Cu; $0 \leq x \leq 1$) films and oxygen evolution" *Electrochimica Acta* (2000); 45:1911-1919.
- Song C, Zhang J, "Electrocatalytic Oxygen Reduction Reaction" Springer (2008); 89-134.
- Song SQ, Wang Y, Shen PK, "Thermodynamic and kinetic considerations for ethanol electrooxidation in direct ethanol fuel cells" *Chin J Catal* (2007); 28:752-754.
- Song SQ, Zhou WJ, Zhau ZH, Jiang LH, Sun GQ, Xin Q, "Direct ethanol PEM fuel cells: the case of platinum based anodes" *Int J Hydrogen Energy* (2005); 30:995-1001.
- Srinivasan S, "Fuel cells: From fundamentals to applications" Springer Verlag (2006).
- Stern review: The economics of climate change (2007). www.Sternreview.org.uk.
- Sun MH, Velve Casquillas G, Guo SS, Shi J, Ji H, Ouyang Q, "Characterization of microfluidic fuel cell based on multiple laminar flow" *Microelectronic Engineering* (2007); 84(5-8):1182-1185.
- Sundmacher K, Schultz T, Zhou S, Scott K, Ginkel M, Gilles ED, "Dynamics of the direct methanol fuel cell (DMFC): experiments and model-based analysis" *Chem Eng Sci* (2001); 56:333-341.
- Sung W, Choi JW, "A membraneless microscale fuel cell using non-noble catalysts in alkaline solution" *J Power Sources* (2007); 172:198-208.
- Takasu Y, Jwazaki T, Sugimoto W, Murakami Y, "Size effects of platinum particles on the electro-oxidation of methanol in an aqueous solution of $HClO_4$ " *Electrochem Commun* (2000); 2:671-674.
- Tarasevich MR, Karichev ZR, Bogdanovskaya VA, Lubnin EN, Kapustin AV, "Kinetics of ethanol electrooxidation at RuNi catalyst" *Electrochem Commun* (2005); 7:141-146.
- Tayal J, Rawat B, Basu S, "Bi-metallic and trimetallic Pt-Sn/C, Pt-Ir/C, Pt-Ir-Sn/C catalysts for electro-oxidation of ethanol in direct ethanol fuel cell" *Int J Hydrogen Energy* (2011); 36: 14884-14897.

Tayal J, Rawat B, Basu S, "Effect of addition of rhenium to Pt-based anode catalysts in electro-oxidation of ethanol in direct ethanol PEM fuel cell" *Int J Hydrogen Energy* (2012); 37:4597-4605.

Thorson MR, Brushett FR, Timberg CJ, Kenis PJA, "Design rules for electrode arrangement in an air-breathing alkaline direct methanol laminar flow fuel cell" *J Power Sources* (2012); 218:28-33.

Togo M, Takamura A, Asai T, Kaji H, Nishizawa M, "Structural studies of enzyme-based microfluidic biofuel cells" *J Power Sources* (2008); 178:53-58.

Tominaka S, Ohta S, Obata H, Momma T, Osaka T, "On-chip fuel cell: micro direct methanol fuel cell of an air-breathing, membraneless, and monolithic design" *J Am Chem Soc* (2008); 130(32):10456-10457.

Tripkivic AV, Popovic KDJ, Lovic JD, "The influence of oxygen-containing species on the electrooxidation of the C₁-C₄ alcohols at some platinum single crystal surfaces in alkaline solution" *Electrochim Acta* (2001); 46:3163-3173.

Verma A, Basu S, "Direct use of alcohols and sodium borohydride as fuel in an alkaline fuel cell" *J Power Sources* (2005d); 145:282-285.

Verma A, Jha AK, Basu S, "Evaluation of an alkaline fuel cell for multi-fuel system" *J Fuel Cell Science and Technology* (2005b); 2:234-237.

Verma A, "Development of an alkaline fuel cell for direct use of liquid fuels" Indian institute of technology, Delhi (2005).

Veziroglu TN, "Dawn of the hydrogen age" *Int J Hydrogen Energy* (1998); 23:1077-1078.

Veziroglu TN, "Hydrogen technology for energy needs of human settlements" *Int J Hydrogen Energy* (1987); 12:99-129.

Wang X, Sun S, Huang Z, Zhang H, Zhang S, "Preparation and catalytic activity of PVP protected Au/Ni bimetallic nanoparticles for hydrogen generation from hydrolysis of basic NaBH₄ solution" *Int J Hydrogen Energy* (2014); 39:905-916.

Wang Y, Leung DYC, "A circular stacking strategy for microfluidic fuel cells with volatile methanol" *Fuel Appl Energy* (2016); 184:659-669.

Wang Y, Leung DYC, Zhang H, Xuan J, Wang H, “Numerical and experimental comparative study of microfluidic fuel cells with different flow configurations: Co-flow vs. counter flow cell” *Appl Energy* (2017); 203:535-548.

Whipple DT, Jayashree RS, Egas D, Alonso-Vante N, Kenis PJA, “Ruthenium cluster-like chalcogenide as a methanol tolerant cathode catalyst in air-breathing laminar flow fuel cells” *Electrochimica Acta* (2009); 54(18):4384-4388.

Xia M, Chen R, Zhu X, Liao Q, An L, Wang Z, He X, Jiao L, “A micro photocatalytic fuel cell with an air-breathing, membraneless and monolithic design” *Engineering Sciences* (2016); 61(21):1699-1710.

Xie S-W, Chen S, Liu Z-Q, Xu C-W, “Comparison of alcohol electrooxidation on Pt and Pd electrodes in alkaline medium” *Int J Electrochem Sci* (2011); 6:882-888.

Xu ZF, Wang YX, “Effects of alloyed metal on the catalysis activity of Pt for ethanol partial oxidation: Adsorption and dehydrogenation on Pt₃M (M = Pt, Ru, Sn, Re, Rh, and Pd)” *J Phys Chem C* (2011); 115: 20565-20571.

Yang J, Xu JJ, “Nanoporous amorphous manganese oxide as electrocatalyst for oxygen reduction in alkaline solutions” *Electrochem Commun* (2003); 5:306-311.

Zahmakiran M, Ozkar S, “Zeolite-confined ruthenium (0) nanoclusters catalyst: Record catalytic activity, reusability, and lifetime in hydrogen generation from the hydrolysis of sodium borohydride” *Langmuir* (2009); 25:2667-2678.

Zhang J, Tang SH, Liao LY, Yu WF, “Progress in non-platinum catalysts with applications in low temperature fuel cells” *Chin J Catal* (2013); 34:1051-1065.

Zhang L, Zhang J, Wilkinson DP, Wang H, “Progress in preparation of non-noble electrocatalysts for PEM fuel cell reactions” *J Power Sources* (2006); 156(2):171-182.

Zhao TS, editor, “Micro fuel cells” California: Academic Press (2009).

Zhu X, Zhang B, Ye D, Li J, Liao Q, “Air-breathing direct formic acid microfluidic fuel cell with an array of cylinder anodes” *J Power Sources* (2014); 247:346-353.