

References

- [1] J. E. Moore, “The birth of topological insulators,” *Nature*, vol. 464, no. 7286, pp. 194–198, 2010, doi: 10.1038/nature08916.
- [2] M. Z. Hasan and C. L. Kane, “Colloquium: Topological insulators,” *Rev. Mod. Phys.*, vol. 82, no. 4, pp. 3045–3067, 2010, doi: 10.1103/RevModPhys.82.3045.
- [3] F. Tang *et al.*, “Three-dimensional quantum Hall effect and metal–insulator transition in ZrTe₅,” *Nature*, vol. 569, no. 7757, pp. 537–541, 2019, doi: 10.1038/s41586-019-1180-9.
- [4] M. Z. Hasan and C. L. Kane, “Colloquium: Topological insulators,” *Rev. Mod. Phys.*, vol. 82, no. 4, pp. 3045–3067, Nov. 2010, doi: 10.1103/RevModPhys.82.3045.
- [5] M. Z. Hasan and J. E. Moore, “Three-Dimensional Topological Insulators,” *Annu. Rev. Condens. Matter Phys.*, vol. 2, no. 1, pp. 55–78, 2011, doi: 10.1146/annurev-conmatphys-062910-140432.
- [6] W. Qin and Z. Zhang, “Persistent ferromagnetism and topological phase transition at the interface of a superconductor and a topological insulator,” *Phys. Rev. Lett.*, vol. 113, no. 26, pp. 1–5, 2014, doi: 10.1103/PhysRevLett.113.266806.
- [7] H. Buhmann, “The quantum spin hall effect,” *J. Appl. Phys.*, vol. 109, no. 10, pp. 1–6, 2011, doi: 10.1063/1.3577612.
- [8] S.-Q. Shen, *Topological Insulators*, vol. 174, no. 3. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012.
- [9] X. L. Qi and S. C. Zhang, “Topological insulators and superconductors,” *Rev. Mod. Phys.*, vol. 83, no. 4, 2011, doi: 10.1103/RevModPhys.83.1057.
- [10] J. Teng, N. Liu, and Y. Li, “Mn-doped topological insulators: A review,” *J. Semicond.*, vol. 40, no. 8, 2019, doi: 10.1088/1674-4926/40/8/081507.
- [11] S. Lee, “Dirac Surface States of Magnetic Topological Insulators,” pp. 4–13, 2017.
- [12] B. Yan and C. Felser, “Topological Materials : Weyl Semimetals,” 2017.
- [13] N. J. Ghimire, Y. Luo, M. Neupane, D. J. Williams, E. D. Bauer, and F. Ronning, “Magnetotransport of single crystalline NbAs,” 2015, doi: 10.1088/0953-8984/27/15/152201.
- [14] N. P. Armitage, E. J. Mele, and A. Vishwanath, “Weyl and Dirac Semimetals in Three-Dimensional Solids *,” 2018.
- [15] A. A. Burkov and L. Balents, “Weyl Semimetal in a Topological Insulator Multilayer,” vol. 127205, no. September, pp. 1–4, 2011, doi: 10.1103/PhysRevLett.107.127205.
- [16] L. Deng *et al.*, “Room-temperature skyrmion phase in bulk Cu₂OSeO₃ under high pressures,” *Proc. Natl. Acad. Sci.*, vol. 117, no. 16, pp. 8783–8787, Apr. 2020, doi: 10.1073/pnas.1922108117.
- [17] B. Q. Lv *et al.*, “Observation of Weyl nodes in TaAs,” *Nat. Phys.*, vol. 11, no. 9, pp. 724–727, 2015, doi: 10.1038/nphys3426.

References

- [18] S. Howlader *et al.*, “Strong spin depolarization in the ferromagnetic Weyl semimetal Co₃Sn₂ S₂: Role of spin-orbit coupling,” *Phys. Rev. B*, vol. 102, no. 10, pp. 1–5, 2020, doi: 10.1103/PhysRevB.102.104434.
- [19] L. Muechler, E. Liu, J. Gayles, Q. Xu, C. Felser, and Y. Sun, “Emerging chiral edge states from the confinement of a magnetic Weyl semimetal in Co₃Sn₂ S₂,” *Phys. Rev. B*, vol. 101, no. 11, pp. 1–6, 2020, doi: 10.1103/PhysRevB.101.115106.
- [20] M. A. Kassem, Y. Tabata, T. Waki, and H. Nakamura, “Low-field anomalous magnetic phase in the kagome-lattice shandite Cu₃Sn₂S₂,” *Phys. Rev. B*, vol. 96, no. 1, pp. 2–7, 2017, doi: 10.1103/PhysRevB.96.014429.
- [21] A. K. Pariari, “Atoms to topological electronic materials: a bedtime story for beginners,” *Indian J. Phys.*, vol. 95, no. 12, pp. 2639–2660, 2021, doi: 10.1007/s12648-020-01925-x.
- [22] C. Felser and X. L. Qi, “Topological insulators,” *MRS Bull.*, vol. 39, no. 10, pp. 843–846, 2014, doi: 10.1557/mrs.2014.217.
- [23] S. Q. Shen, “Quantum Spin Hall Effect,” *Springer Ser. Solid-State Sci.*, vol. 174, pp. 85–112, 2012, doi: 10.1007/978-3-642-32858-9_6.
- [24] D. R. Cooper *et al.*, “Experimental Review of Graphene,” *ISRN Condens. Matter Phys.*, vol. 2012, pp. 1–56, 2012, doi: 10.5402/2012/501686.
- [25] C. L. Kane and E. J. Mele, “Quantum Spin hall effect in graphene,” *Phys. Rev. Lett.*, vol. 95, no. 22, pp. 1–4, 2005, doi: 10.1103/PhysRevLett.95.226801.
- [26] X. L. Qi and S. C. Zhang, “The quantum spin Hall effect and topological insulators,” *Phys. Today*, vol. 63, no. 1, pp. 33–38, 2010, doi: 10.1063/1.3293411.
- [27] I. B. Cohen and S. E. Morison, “References and Notes,” *Some Early Tools Am. Sci.*, no. December, pp. 177–190, 2014, doi: 10.4159/harvard.9780674368446.c10.
- [28] M. König, L. W. Molenkamp, X. Qi, and S. Zhang, “in HgTe Quantum Wells,” *Science (80-.).*, vol. 766, no. 2007, pp. 766–771, 2010.
- [29] T. Topological *et al.*, “Experimental Realization of a,” vol. 178, no. July, pp. 1–4, 2009, doi: 10.1126/science.1173034.
- [30] H. Zhang, C. X. Liu, X. L. Qi, X. Dai, Z. Fang, and S. C. Zhang, “Topological insulators in Bi₂Se₃, Bi₂Te₃ and Sb₂Te₃ with a single Dirac cone on the surface,” *Nat. Phys.*, vol. 5, no. 6, pp. 438–442, 2009, doi: 10.1038/nphys1270.
- [31] L. Fu and C. L. Kane, “Topological insulators with inversion symmetry,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 76, no. 4, pp. 1–17, 2007, doi: 10.1103/PhysRevB.76.045302.
- [32] N. Nagaosa, J. Sinova, S. Onoda, A. H. MacDonald, and N. P. Ong, “Anomalous Hall effect,” *Rev. Mod. Phys.*, vol. 82, no. 2, pp. 1539–1592, 2010, doi: 10.1103/RevModPhys.82.1539.
- [33] “No Title.” <https://i.stack.imgur.com/bbWMJ.png>.
- [34] Z. Zhu, Y. Cheng, and U. Schwingenschlögl, “Band inversion mechanism in topological insulators: A guideline for materials design,” *Phys. Rev. B - Condens.*

References

- Matter Mater. Phys.*, vol. 85, no. 23, pp. 1–5, 2012, doi: 10.1103/PhysRevB.85.235401.
- [35] H. Li *et al.*, “Negative magnetoresistance in Dirac semimetal Cd₃As₂,” *Nat. Commun.*, vol. 7, no. 1, p. 10301, Apr. 2016, doi: 10.1038/ncomms10301.
- [36] J. J. Cha, D. Kong, S. S. Hong, J. G. Analytis, K. Lai, and Y. Cui, “Weak antilocalization in Bi₂(Se_xTe_{1-x})₃ nanoribbons and nanoplates,” *Nano Lett.*, vol. 12, no. 2, pp. 1107–1111, 2012, doi: 10.1021/nl300018j.
- [37] S. X. Zhang *et al.*, “Magneto-resistance up to 60 Tesla in topological insulator Bi₂Te₃ thin films,” *Appl. Phys. Lett.*, vol. 101, no. 20, pp. 2–6, 2012, doi: 10.1063/1.4766739.
- [38] K. Shrestha, M. Chou, D. Graf, H. D. Yang, B. Lorenz, and C. W. Chu, “Extremely large nonsaturating magnetoresistance and ultrahigh mobility due to topological surface states in the metallic Bi₂Te₃ topological insulator,” *Phys. Rev. B*, vol. 95, no. 19, p. 195113, May 2017, doi: 10.1103/PhysRevB.95.195113.
- [39] X. Huang *et al.*, “Observation of the Chiral-Anomaly-Induced Negative Magnetoresistance in 3D Weyl Semimetal TaAs,” *Phys. Rev. X*, vol. 5, no. 3, p. 031023, Aug. 2015, doi: 10.1103/PhysRevX.5.031023.
- [40] R. Singh *et al.*, “Competition between axial anomaly and ferromagnetic ordering in Bi_{2-x}FexSe_{3-x}S_x topological insulator: A study of magnetic and magnetotransport properties,” *J. Mater.*, vol. 8, no. 3, pp. 669–677, May 2022, doi: 10.1016/j.jmat.2021.11.005.
- [41] L. Ghosh *et al.*, “Anharmonic phonon interactions and the Kondo effect in a FeSe/Sb₂Te₃/FeSe heterostructure: a proximity effect between ferromagnetic chalcogenide and di-chalcogenide,” *Nanoscale*, vol. 14, no. 30, pp. 10889–10902, 2022, doi: 10.1039/D2NR03090J.
- [42] M. Singh *et al.*, “Evidence of surface and bulk magnetic ordering in Fe and Mn doped Bi₂(SeS)₃ topological insulator,” *Appl. Phys. Lett.*, vol. 118, no. 13, p. 132409, Mar. 2021, doi: 10.1063/5.0035433.
- [43] H. B. Zhang, H. L. Yu, D. H. Bao, S. W. Li, C. X. Wang, and G. W. Yang, “Weak localization bulk state in a topological insulator Bi₂Te₃ film,” *Phys. Rev. B*, vol. 86, no. 7, p. 075102, Aug. 2012, doi: 10.1103/PhysRevB.86.075102.
- [44] S. Ghosh *et al.*, “Low-temperature anomalous spin correlations and Kondo effect in ferromagnetic SrRuO₃ / LaNiO₃ / La 0.7 Sr 0.3 MnO₃ trilayers,” *Phys. Rev. B*, vol. 99, no. 11, p. 115135, Mar. 2019, doi: 10.1103/PhysRevB.99.115135.
- [45] H. Wang *et al.*, “Crossover between Weak Antilocalization and Weak Localization of Bulk States in Ultrathin Bi₂Se₃ Films,” *Sci. Rep.*, vol. 4, no. 1, p. 5817, May 2015, doi: 10.1038/srep05817.
- [46] L. Müchler, B. Yan, F. Casper, S. Chadov, and C. Felser, “Topological Insulators,” *Springer Ser. Mater. Sci.*, vol. 182, no. 02, pp. 123–139, 2013, doi: 10.1007/978-3-642-37537-8_6.
- [47] C. Liu, T. L. Hughes, X. L. Qi, K. Wang, and S. C. Zhang, “Quantum spin hall effect in inverted type-II semiconductors,” *Phys. Rev. Lett.*, vol. 100, no. 23, pp. 1–4, 2008,

References

- doi: 10.1103/PhysRevLett.100.236601.
- [48] J. E. Moore and L. Balents, “Topological invariants of time-reversal-invariant band structures,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 75, no. 12, pp. 3–6, 2007, doi: 10.1103/PhysRevB.75.121306.
 - [49] R. Roy, “Topological phases and the quantum spin Hall effect in three dimensions,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 79, no. 19, pp. 1–5, 2009, doi: 10.1103/PhysRevB.79.195322.
 - [50] L. Fu, C. L. Kane, and E. J. Mele, “Topological insulators in three dimensions,” *Phys. Rev. Lett.*, vol. 98, no. 10, pp. 1–4, 2007, doi: 10.1103/PhysRevLett.98.106803.
 - [51] V. Bhardwaj and R. Chatterjee, “Topological Materials: New Quantum Phases of Matter,” *Resonance*, vol. 25, no. 3, pp. 431–441, 2020, doi: 10.1007/s12045-020-0955-5.
 - [52] D. Hsieh *et al.*, “A topological Dirac insulator in a quantum spin Hall phase (experimental realization of a 3D Topological Insulator),” vol. 974, no. November 2007, pp. 970–974, 2009.
 - [53] X. L. Qi, R. Li, J. Zang, and S. C. Zhang, “Inducing a magnetic monopole with topological surface states,” *Science (80-.)*, vol. 323, no. 5918, pp. 1184–1187, 2009, doi: 10.1126/science.1167747.
 - [54] Y. L. Chen *et al.*, “Massive dirac fermion on the surface of a magnetically doped topological insulator,” *Science (80-.)*, vol. 329, no. 5992, pp. 659–662, 2010, doi: 10.1126/science.1189924.
 - [55] T. T. Heikkilä and G. E. Volovik, “Nexus and Dirac lines in topological materials,” *New J. Phys.*, vol. 17, no. 9, 2015, doi: 10.1088/1367-2630/17/9/093019.
 - [56] S. Murakami, “Phase transition between the quantum spin Hall and insulator phases in 3D: Emergence of a topological gapless phase,” *New J. Phys.*, vol. 9, 2007, doi: 10.1088/1367-2630/9/9/356.
 - [57] S. Mühlbauer, “Skyrmion lattice in a chiral magnet (Science (2009) (915)),” *Science (80-.)*, vol. 333, no. 6048, p. 1381, 2011, doi: 10.1126/science.333.6048.1381-b.
 - [58] Y. Tokunaga *et al.*, “A new class of chiral materials hosting magnetic skyrmions beyond room temperature,” *Nat. Commun.*, vol. 6, no. 1, p. 7638, Nov. 2015, doi: 10.1038/ncomms8638.
 - [59] L. Deng *et al.*, “Room-temperature skyrmion phase in bulk Cu₂OSeO₃ under high pressures,” *Proc. Natl. Acad. Sci. U. S. A.*, vol. 117, no. 16, pp. 8783–8787, 2020, doi: 10.1073/pnas.1922108117.
 - [60] B. Göbel, I. Mertig, and O. A. Tretiakov, “Beyond skyrmions: Review and perspectives of alternative magnetic quasiparticles,” *Phys. Rep.*, vol. 895, pp. 1–28, 2021, doi: 10.1016/j.physrep.2020.10.001.
 - [61] C. D. O’Neill, A. S. Wills, and A. D. Huxley, “Possible topological contribution to the anomalous Hall effect of the noncollinear ferromagnet Fe₃Sn₂,” *Phys. Rev. B*, vol. 100, no. 17, pp. 1–6, 2019, doi: 10.1103/PhysRevB.100.174420.

References

- [62] S. V. Maleyev, “Cubic magnets with Dzyaloshinskii-Moriya interaction at low temperature,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 73, no. 17, pp. 1–15, 2006, doi: 10.1103/PhysRevB.73.174402.
- [63] A. S. Sukhanov *et al.*, “Increasing skyrmion stability in Cu₂OSeO₃ by chemical substitution,” *Phys. Rev. B*, vol. 100, no. 18, pp. 1–9, 2019, doi: 10.1103/PhysRevB.100.184408.
- [64] A. Bauer *et al.*, “Symmetry breaking, slow relaxation dynamics, and topological defects at the field-induced helix reorientation in MnSi,” *Phys. Rev. B*, vol. 95, no. 2, pp. 1–12, 2017, doi: 10.1103/PhysRevB.95.024429.
- [65] Y. Liu, V. N. Ivanovski, and C. Petrovic, “Critical behavior of the van der Waals bonded ferromagnet Fe_{3-x}GeTe₂,” *Phys. Rev. B*, vol. 96, no. 14, pp. 1–8, 2017, doi: 10.1103/PhysRevB.96.144429.
- [66] H. C. Wu *et al.*, “Observation of skyrmion-like magnetism in magnetic Weyl semimetal Co₃Sn₂S₂,” *Mater. Today Phys.*, vol. 12, 2020, doi: 10.1016/j.mtphys.2020.100189.
- [67] Q. Wang *et al.*, “Large intrinsic anomalous Hall effect in half-metallic ferromagnet Co₃Sn₂S₂ with magnetic Weyl fermions,” *Nat. Commun.*, vol. 9, no. 1, p. 3681, Dec. 2018, doi: 10.1038/s41467-018-06088-2.
- [68] A. Chacon *et al.*, “Uniaxial Pressure Dependence of Magnetic Order in MnSi,” *Phys. Rev. Lett.*, vol. 115, no. 26, pp. 1–6, 2015, doi: 10.1103/PhysRevLett.115.267202.
- [69] Y. Nii *et al.*, “Uniaxial stress control of skyrmion phase,” *Nat. Commun.*, vol. 6, no. May, 2015, doi: 10.1038/ncomms9539.
- [70] Y. Okamura *et al.*, “Emergence and magnetic-field variation of chiral-soliton lattice and skyrmion lattice in the strained helimagnet Cu₂OSeO₃,” *Phys. Rev. B*, vol. 96, no. 17, pp. 1–7, 2017, doi: 10.1103/PhysRevB.96.174417.
- [71] S. Seki *et al.*, “Stabilization of magnetic skyrmions by uniaxial tensile strain,” *Phys. Rev. B*, vol. 96, no. 22, pp. 1–5, 2017, doi: 10.1103/PhysRevB.96.220404.
- [72] A. Bauer, A. Neubauer, C. Franz, W. Münzer, M. Garst, and C. Pfleiderer, “Quantum phase transitions in single-crystal Mn_{1-x}Fe_xSi and Mn_{1-x}CoxSi: Crystal growth, magnetization, ac susceptibility, and specific heat,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 82, no. 6, pp. 1–27, 2010, doi: 10.1103/PhysRevB.82.064404.
- [73] S. V. Grigoriev *et al.*, “Magnetic structure of Fe_{1-x}CoxSi in a magnetic field studied via small-angle polarized neutron diffraction,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 76, no. 22, pp. 1–10, 2007, doi: 10.1103/PhysRevB.76.224424.
- [74] C. Dhital *et al.*, “Effect of negative chemical pressure on the prototypical itinerant magnet MnSi,” *Phys. Rev. B*, vol. 95, no. 2, pp. 1–8, 2017, doi: 10.1103/PhysRevB.95.024407.
- [75] H. C. Wu *et al.*, “Physical pressure and chemical expansion effects on the skyrmion phase in Cu₂OSeO₃,” *J. Phys. D. Appl. Phys.*, vol. 48, no. 47, 2015, doi: 10.1088/0022-3727/48/47/475001.

References

- [76] H. C. Wu *et al.*, “Observation of skyrmion-like magnetism in magnetic Weyl semimetal Co₃Sn₂S₂,” *Mater. Today Phys.*, vol. 12, p. 100189, Mar. 2020, doi: 10.1016/j.mtphys.2020.100189.
- [77] S. Wang, J. Tang, W. Wang, L. Kong, M. Tian, and H. Du, “Electrical Detection of Magnetic Skyrmions,” *J. Low Temp. Phys.*, vol. 197, no. 3–4, pp. 321–336, 2019, doi: 10.1007/s10909-019-02202-w.
- [78] B. Irfan and R. Chatterjee, “Magneto-transport and Kondo effect in cobalt doped Bi₂Se₃ topological insulators,” *Appl. Phys. Lett.*, vol. 107, no. 17, pp. 10–15, 2015, doi: 10.1063/1.4934569.
- [79] Y. Bleu *et al.*, “Review of graphene growth from a solid carbon source by pulsed laser deposition (PLD),” *Front. Chem.*, vol. 6, no. NOV, 2018, doi: 10.3389/fchem.2018.00572.
- [80] M. Ohring, *Materials Science of Thin Films*, vol. 2nd edn. 2001.
- [81] A. Singh, A. K. Ghosh, and S. Chatterjee, “Antiferromagnetic Ordering at Room Temperature in Co-Doped Sb₂Te₃ Topological Insulators,” *J. Supercond. Nov. Magn.*, vol. 31, no. 2, pp. 299–305, Feb. 2018, doi: 10.1007/s10948-017-4462-1.
- [82] 2007 Eason, R. John wiley & sons, *Pulsed Laser Deposition of Thin Films*. Hoboken, NJ, USA: John Wiley & Sons, Inc., 2006.
- [83] Y. Cheng *et al.*, “Thermo-mechanical correlation in two-dimensional materials,” *Nanoscale*, vol. 13, no. 3, pp. 1425–1442, 2021, doi: 10.1039/D0NR06824A.
- [84] “main-qimg-e615b7c44fcf05426265a04a27973c16.” .
- [85] “X-ray-photoelectron-spectroscopy3-300x300.” .
- [86] “anatomy-scanning-electron-micrscope-1.” .
- [87] P. Eaton and P. West, *Atomic force microscopy*, 1st ed. New York: Oxford University press, 2010.
- [88] F. J. Giessibl, “Advances in atomic force microscopy,” *Rev. Mod. Phys.*, vol. 75, no. 3, pp. 949–983, 2003, doi: 10.1103/RevModPhys.75.949.
- [89] A. Cos, “Nonlinear controller design for high speed dynamic atomic force microscope system,” Izmir Institute of Technology, 2018.
- [90] Y. X. Zhao and Z. D. Wang, “Topological connection between the stability of Fermi surfaces and topological insulators and superconductors,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 89, no. 7, pp. 1–12, 2014, doi: 10.1103/PhysRevB.89.075111.
- [91] S. Buchenau *et al.*, “Temperature and magnetic field dependent Raman study of electron-phonon interactions in thin films of Bi₂Se₃ and Bi₂Te₃ nanoflake,” *Phys. Rev. B*, vol. 101, no. 24, p. 245431, Jun. 2020, doi: 10.1103/PhysRevB.101.245431.
- [92] A. Y. Bykov, T. V. Murzina, N. Olivier, G. A. Wurtz, and A. V. Zayats, “Coherent lattice dynamics in topological insulator Bi₂ Te₃ probed with time-resolved optical second-harmonic generation,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 92, no. 6, pp. 1–5, 2015, doi: 10.1103/PhysRevB.92.064305.

References

- [93] M. V. Costache *et al.*, “Fingerprints of inelastic transport at the surface of the topological insulator Bi₂Se₃: Role of electron-phonon coupling,” *Phys. Rev. Lett.*, vol. 112, no. 8, pp. 1–5, 2014, doi: 10.1103/PhysRevLett.112.086601.
- [94] D. Das *et al.*, “Evolution of phonon anharmonicity in Se-doped S_{b2}T_{e3} thermoelectrics,” *Phys. Rev. B*, vol. 96, no. 6, pp. 1–10, 2017, doi: 10.1103/PhysRevB.96.064116.
- [95] B. C. Chapler *et al.*, “Infrared electrodynamics and ferromagnetism in the topological semiconductors Bi₂Te₃ and Mn-doped Bi₂Te₃,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 89, no. 23, pp. 1–8, 2014, doi: 10.1103/PhysRevB.89.235308.
- [96] M. V. Woiski Barcote, E. de Andrade, A. R. Jurelo, J. F. Haas Leandro Monteiro, and E. C. Siqueira, “Raman spectroscopy of the doped topological insulator (Cu,Ni)xBi₂Se₃,” *Mater. Chem. Phys.*, vol. 223, no. 4748, pp. 109–113, 2019, doi: 10.1016/j.matchemphys.2018.10.053.
- [97] K. M. F. Shahil, M. Z. Hossain, V. Goyal, and A. A. Balandin, “Micro-Raman spectroscopy of mechanically exfoliated few-quintuple layers of Bi₂Te₃, Bi₂Se₃, and Sb₂Te₃ materials,” *J. Appl. Phys.*, vol. 111, no. 5, p. 054305, 2012, doi: 10.1063/1.3690913.
- [98] J. Zhang *et al.*, “Raman spectroscopy of few-quintuple layer topological insulator Bi₂Se₃ nanoplatelets,” *Nano Lett.*, vol. 11, no. 6, pp. 2407–2414, 2011, doi: 10.1021/nl200773n.
- [99] Y. Zhao *et al.*, “Interlayer vibrational modes in few-quintuple-layer Bi₂Te₃ and Bi₂Se₃ two-dimensional crystals: Raman spectroscopy and first-principles studies,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 90, no. 24, pp. 1–11, 2014, doi: 10.1103/PhysRevB.90.245428.
- [100] H. H. Kung *et al.*, “Surface vibrational modes of the topological insulator Bi₂Se₃ observed by Raman spectroscopy,” *Phys. Rev. B*, vol. 95, no. 24, pp. 1–9, 2017, doi: 10.1103/PhysRevB.95.245406.
- [101] B. Irfan *et al.*, “Temperature dependent Raman scattering studies of three dimensional topological insulators Bi₂Se₃,” *J. Appl. Phys.*, vol. 115, no. 17, 2014, doi: 10.1063/1.4871860.
- [102] Y. Wang, L. Guo, X. Xu, J. Pierce, and R. Venkatasubramanian, “Origin of coherent phonons in Bi₂Te₃ excited by ultrafast laser pulses,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 88, no. 6, pp. 1–6, 2013, doi: 10.1103/PhysRevB.88.064307.
- [103] D. Li, L. Li, D. W. Liu, and J. F. Li, “Temperature dependence of the Raman spectra of Bi₂Te₃ and Bi_{0.5}Sb_{1.5}Te₃ thermoelectric films,” *Phys. Status Solidi - Rapid Res. Lett.*, vol. 6, no. 6, pp. 268–270, 2012, doi: 10.1002/pssr.201206149.
- [104] Y. Liang *et al.*, “Raman scattering investigation of Bi₂Te₃ hexagonal nanoplates prepared by a solvothermal process in the absence of NaOH,” *J. Alloys Compd.*, vol. 509, no. 16, pp. 5147–5151, 2011, doi: 10.1016/j.jallcom.2011.02.015.
- [105] L. B. Duffy *et al.*, “Microscopic effects of Dy doping in the topological insulator Bi₂Te₃,” *Phys. Rev. B*, vol. 97, no. 17, pp. 1–9, 2018, doi:

References

- 10.1103/PhysRevB.97.174427.
- [106] R. Kaneko *et al.*, “Enhanced thermopower in the correlated semimetallic phase of hole-doped pyrochlore iridates,” *Phys. Rev. B*, vol. 99, no. 16, pp. 1–5, 2019, doi: 10.1103/PhysRevB.99.161104.
- [107] H. Qin *et al.*, “Rare earth ytterbium enhanced thermoelectric properties of p-type Bi_{0.5}Sb_{1.5}Te₃,” *Appl. Phys. Lett.*, vol. 114, no. 12, pp. 0–5, 2019, doi: 10.1063/1.5091577.
- [108] H. L. Ni, X. B. Zhao, T. J. Zhu, X. H. Ji, and J. P. Tu, “Synthesis and thermoelectric properties of Bi₂Te₃ based nanocomposites,” *J. Alloys Compd.*, vol. 397, no. 1–2, pp. 317–321, 2005, doi: 10.1016/j.jallcom.2005.01.046.
- [109] J. An, M. K. Han, and S. J. Kim, “Synthesis of heavily Cu-doped Bi₂Te₃ nanoparticles and their thermoelectric properties,” *J. Solid State Chem.*, vol. 270, no. October 2018, pp. 407–412, 2019, doi: 10.1016/j.jssc.2018.11.024.
- [110] S. Y. Matsushita, K. K. Huynh, H. Yoshino, N. H. Tu, Y. Tanabe, and K. Tanigaki, “Thermoelectric properties of 3D topological insulator: Direct observation of topological surface and its gap opened states,” *Phys. Rev. Mater.*, vol. 1, no. 5, pp. 1–9, 2017, doi: 10.1103/PhysRevMaterials.1.054202.
- [111] S. Das *et al.*, “Role of graphite on the thermoelectric performance of Sb₂Te₃/graphite nanocomposite,” *J. Appl. Phys.*, vol. 125, no. 19, p. 195105, 2019, doi: 10.1063/1.5095935.
- [112] T. H. Wang and H. T. Jeng, “Strongly Enhanced Thermoelectric Performance over a Wide Temperature Range in Topological Insulator Thin Films,” *ACS Appl. Energy Mater.*, vol. 1, no. 10, pp. 5646–5655, 2018, doi: 10.1021/acsaem.8b01188.
- [113] A. De, A. Ghosh, R. Mandal, S. Ogale, and S. Nair, “Temperature Dependence of the Spin Seebeck Effect in a Mixed Valent Manganite,” *Phys. Rev. Lett.*, vol. 124, no. 1, p. 17203, 2020, doi: 10.1103/PhysRevLett.124.017203.
- [114] F. Zhou, Y. Zhao, W. Zhou, and D. Tang, “Temperature-dependent Raman scattering of large size hexagonal Bi₂Se₃ single-crystal nanoplates,” *Appl. Sci.*, vol. 8, no. 10, p. 1794, 2018, doi: 10.3390/app8101794.
- [115] Y. V Ivanov, A. T. Burkov, and D. A. Pshenay-severin, “Thermoelectric Properties of Topological Insulators,” *Phys. Status Solidi B*, vol. 1800020, pp. 1–18, 2018, doi: 10.1002/pssb.201800020.
- [116] V. Gnezdilov, Y. G. Pashkevich, H. Berger, E. Pomjakushina, K. Conder, and P. Lemmens, “Helical fluctuations in the Raman response of the topological insulator Bi₂Se₃,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 84, no. 19, p. 195118, 2011, doi: 10.1103/PhysRevB.84.195118.
- [117] J. Yuan *et al.*, “Raman spectroscopy of two-dimensional Bi₂TexSe_{3-x} platelets produced by solvothermal method,” *Materials (Basel.)*, vol. 8, no. 8, pp. 5007–5017, 2015, doi: 10.3390/ma8085007.
- [118] X.-L. Qi and S.-C. Zhang, “Topological insulators and superconductors,” *Rev. Mod. Phys.*, vol. 83, no. 4, pp. 1057–1110, Oct. 2011, doi: 10.1103/RevModPhys.83.1057.

References

- [119] M. Eddrief, P. Atkinson, V. Etgens, C. Rodríguez-fernández, C. V Manzano, and A. H. Romero, “properties The fingerprint of Te-rich and stoichiometric Bi₂Te₃ nanowires by Raman spectroscopy,” *Nanotechnology*, vol. 075706, no. 075706, p. 8pp, 2016.
- [120] F. Liu *et al.*, “A micro-Raman study of exfoliated few-layered n-type Bi₂Te_{2.7}Se_{0.3},” *Sci. Rep.*, vol. 7, no. 1, pp. 1–10, 2017, doi: 10.1038/s41598-017-16479-y.
- [121] V. K. Gangwar *et al.*, “ Roles of surface and bulk states in giant magnetoresistance and anomalous hall effect in antiferromagnetically ordered Bi 1.9 Dy 0.1 Te 3 topological insulators ,” *J. Mater. Chem. C*, 2022, doi: 10.1039/d2tc03255d.
- [122] B. Irfan *et al.*, “Temperature dependent Raman scattering studies of three dimensional topological insulators Bi₂Se₃,” *J. Appl. Phys.*, vol. 115, no. 17, p. 173506, 2014, doi: 10.1063/1.4871860.
- [123] G. A. Slack, “The Thermal Conductivity of Nonmetallic Crystals,” *Solid State Phys. - Adv. Res. Appl.*, vol. 34, no. C, pp. 1–71, 1979, doi: 10.1016/S0081-1947(08)60359-8.
- [124] Y. Zhang, X. Ke, C. Chen, J. Yang, and P. R. C. Kent, “Thermodynamic properties of PbTe, PbSe, and PbS: First-principles study,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 80, no. 2, pp. 1–12, 2009, doi: 10.1103/PhysRevB.80.024304.
- [125] D. Bessas, I. Sergueev, H. C. Wille, J. Peron, D. Ebling, and R. P. Hermann, “Lattice dynamics in Bi₂Te₃ and Sb₂Te₃: Te and Sb density of phonon states,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 86, no. 22, pp. 1–9, 2012, doi: 10.1103/PhysRevB.86.224301.
- [126] J. O. Jenkins, J. A. Rayne, and R. W. Ure, “Elastic moduli and phonon properties of Bi₂Te₃,” *Phys. Rev. B*, vol. 5, no. 8, pp. 3171–3184, 1972, doi: 10.1103/PhysRevB.5.3171.
- [127] V. Gangwar, “Study of Magneo-transport Properties of some Topologocal Inulators and Weyl Semimetals,” Indian Institute of Technology (Banaras Hindu University), Varanasi, 2021.
- [128] Z. Y. Huang *et al.*, “Achieving high thermoelectric performance of Ni/Cu modified Bi_{0.5}Sb_{1.5}Te₃ composites by a facile electroless plating,” *Mater. Today Energy*, vol. 9, pp. 383–390, 2018, doi: 10.1016/j.mtener.2018.06.011.
- [129] M. K. Han, Y. Jin, D. H. Lee, and S. J. Kim, “Thermoelectric properties of Bi₂Te₃: CuI and the effect of its doping with Pb atoms,” *Materials (Basel)*, vol. 10, no. 11, p. 1235, 2017, doi: 10.3390/ma10111235.
- [130] O. Ivanov, M. Yaprintsev, R. Lyubushkin, and O. Soklakova, “Enhancement of thermoelectric efficiency in Bi₂Te₃ via rare earth element doping,” *Scr. Mater.*, vol. 146, pp. 91–94, 2018, doi: 10.1016/j.scriptamat.2017.11.031.
- [131] B. Dong *et al.*, “New two-dimensional phase of tin chalcogenides: Candidates for high-performance thermoelectric materials,” *Phys. Rev. Mater.*, vol. 3, no. 1, pp. 1–9, 2019, doi: 10.1103/PhysRevMaterials.3.013405.
- [132] J. Zhang *et al.*, “Disentangling the magnetoelectric and thermoelectric transport in

References

- topological insulator thin films,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 91, no. 7, pp. 1–7, 2015, doi: 10.1103/PhysRevB.91.075431.
- [133] S. Ahmad and S. D. Mahanti, “Energy and temperature dependence of relaxation time and Wiedemann-Franz law on PbTe,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 81, no. 16, pp. 1–11, 2010, doi: 10.1103/PhysRevB.81.165203.
- [134] X. Zhu *et al.*, “Electron-phonon coupling on the surface of the topological insulator Bi₂Se₃ determined from surface-phonon dispersion measurements,” *Phys. Rev. Lett.*, vol. 108, no. 18, pp. 1–5, 2012, doi: 10.1103/PhysRevLett.108.185501.
- [135] P. Hohenberg and W. Kohn, “Inhomogeneous Electron Gas,” *Phys. Rev.*, vol. 136, no. 3B, pp. B864–B871, Nov. 1964, doi: 10.1103/PhysRev.136.B864.
- [136] D. Joubert, “From ultrasoft pseudopotentials to the projector augmented-wave method,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 59, no. 3, pp. 1758–1775, 1999, doi: 10.1103/PhysRevB.59.1758.
- [137] J. P. Perdew, K. Burke, and M. Ernzerhof, “Generalized gradient approximation made simple,” *Phys. Rev. Lett.*, vol. 77, no. 18, pp. 3865–3868, 1996, doi: 10.1103/PhysRevLett.77.3865.
- [138] H. J. Monkhorst and J. D. Pack, “Special points for Brillouin-zone integrations,” *Phys. Rev. B*, vol. 13, no. 12, pp. 5188–5192, Jun. 1976, doi: 10.1103/PhysRevB.13.5188.
- [139] A. Rohrbach, J. Hafner, and G. Kresse, “Ab initio study of the (0001) surfaces of hematite and chromia : Influence of strong electronic correlations,” *Phys. Rev. B*, vol. 70, no. 125426, pp. 1–17, 2004, doi: 10.1103/PhysRevB.70.125426.
- [140] I. L. M. Locht *et al.*, “Standard model of the rare earths analyzed from the Hubbard I approximation,” *Phys. Rev. B*, vol. 94, no. 085137, pp. 1–17, 2016, doi: 10.1103/PhysRevB.94.085137.
- [141] Y. X. Zhao and Z. D. Wang, “Topological connection between the stability of Fermi surfaces and topological insulators and superconductors,” *Phys. Rev. B*, vol. 89, no. 7, p. 075111, Feb. 2014, doi: 10.1103/PhysRevB.89.075111.
- [142] C. W. J. Beenakker, “Search for Majorana Fermions in Superconductors,” *Annu. Rev. Condens. Matter Phys.*, vol. 4, no. 1, pp. 113–136, Apr. 2013, doi: 10.1146/annurev-conmatphys-030212-184337.
- [143] A. Singh *et al.*, “Tuning of carrier type, enhancement of Linear magnetoresistance and inducing ferromagnetism at room temperature with Cu doping in Bi₂Te₃ Topological Insulators,” *Mater. Res. Bull.*, vol. 98, no. July 2017, pp. 1–7, Feb. 2018, doi: 10.1016/j.materresbull.2017.09.060.
- [144] A. Singh, P. Shahi, A. K. Ghosh, J. G. Cheng, and S. Chatterjee, “Enhancement in power factor due to anti-correlation between electrical conductivity and thermoelectric power and induced magnetic ordering in high mobility Zn doped Bi₂Te₃ topological insulator,” *J. Alloys Compd.*, vol. 731, pp. 297–302, Jan. 2018, doi: 10.1016/j.jallcom.2017.10.039.
- [145] V. K. Gangwar *et al.*, “Observation of antiferromagnetic ordering from muon spin resonance study and the Kondo effect in a Dy-doped Bi₂Se₃ topological insulator,”

References

- J. Phys. D. Appl. Phys.*, vol. 54, no. 45, p. 455302, Nov. 2021, doi: 10.1088/1361-6463/ac128f.
- [146] A. Singh *et al.*, “Anomalous and topological Hall effect in Cu doped Sb₂Te₃ topological insulator,” *Appl. Phys. Lett.*, vol. 117, no. 9, p. 092403, Aug. 2020, doi: 10.1063/5.0021722.
- [147] A. Singh *et al.*, “Anomalous Hall effect in Cu doped Bi₂Te₃ topological insulator,” *J. Phys. Condens. Matter*, vol. 32, no. 30, p. 305602, Jul. 2020, doi: 10.1088/1361-648X/ab8521.
- [148] A. J. Grutter and Q. L. He, “Magnetic proximity effects in topological insulator heterostructures: Implementation and characterization,” *Phys. Rev. Mater.*, vol. 5, no. 9, p. 090301, Sep. 2021, doi: 10.1103/PhysRevMaterials.5.090301.
- [149] V. M. Pereira *et al.*, “Topological insulator interfaced with ferromagnetic insulators: Bi₂Te₃ thin films on magnetite and iron garnets,” *Phys. Rev. Mater.*, vol. 4, no. 6, p. 064202, Jun. 2020, doi: 10.1103/PhysRevMaterials.4.064202.
- [150] H. B. Zhang, J. D. Yao, J. M. Shao, and G. W. Yang, “Robust topological surface transport with weak localization bulk channels in polycrystalline Bi₂Te₃ films,” *J. Phys. D. Appl. Phys.*, vol. 49, no. 9, p. 095003, Mar. 2016, doi: 10.1088/0022-3727/49/9/095003.
- [151] M. Chen, X. Chen, H. Yang, Z. Du, and H.-H. Wen, “Superconductivity with twofold symmetry in Bi₂Te₃/FeTe_{0.55}Se_{0.45} heterostructures,” *Sci. Adv.*, vol. 4, no. 6, pp. 1–8, Jun. 2018, doi: 10.1126/sciadv.aat1084.
- [152] Y.-R. Tao, L. Fan, Z.-Y. Wu, X.-C. Wu, and Z.-H. Wang, “Synthesis and characterization of superconducting FeSe nanowires,” *J. Alloys Compd.*, vol. 751, pp. 20–27, Jun. 2018, doi: 10.1016/j.jallcom.2018.04.065.
- [153] T. Dan *et al.*, “Local structural evolution in the anionic solid solution ZnSe_xS_{1-x},” *Phys. Rev. B*, vol. 104, no. 18, p. 184113, Nov. 2021, doi: 10.1103/PhysRevB.104.184113.
- [154] S. Sarkar, O. Eriksson, D. D. Sarma, and I. Di Marco, “Structural and electronic properties of the random alloy ZnSe_xS_{1-x},” *Phys. Rev. B*, vol. 105, no. 18, p. 184201, May 2022, doi: 10.1103/PhysRevB.105.184201.
- [155] M. Alam *et al.*, “Extraordinary magnetic properties of double perovskite Eu₂CoMnO₆ wide band gap semiconductor,” *J. Phys. Condens. Matter*, vol. 32, no. 36, p. 365802, Aug. 2020, doi: 10.1088/1361-648X/ab8ecc.
- [156] M. Ziese, “Searching for quantum interference effects in La_{0.7}Ca_{0.3}MnO₃ films on SrTiO₃,” *Phys. Rev. B*, vol. 68, no. 13, p. 132411, Oct. 2003, doi: 10.1103/PhysRevB.68.132411.
- [157] S. Gautam, V. Aggarwal, B. Singh, V. P. S. Awana, R. Ganesan, and S. S. Kushvaha, “Signature of weak-antilocalization in sputtered topological insulator Bi₂Se₃ thin films with varying thickness,” *Sci. Rep.*, vol. 12, no. 1, p. 9770, Dec. 2022, doi: 10.1038/s41598-022-13600-8.
- [158] D. R. Kumar, T. T. Nguyen, C. Lamiel, and J.-J. Shim, “Layered 2-D Bi₂Se₃ nanosheets intercalated by Ni(OH)₂ and their supercapacitor performance,” *Mater.*

References

- Lett.*, vol. 165, pp. 257–262, Feb. 2016, doi: 10.1016/j.matlet.2015.11.126.
- [159] D. Telesca, Y. Nie, J. I. Budnick, B. O. Wells, and B. Sinkovic, “Impact of valence states on the superconductivity of iron telluride and iron selenide films with incorporated oxygen,” *Phys. Rev. B*, vol. 85, no. 21, p. 214517, Jun. 2012, doi: 10.1103/PhysRevB.85.214517.
- [160] C. Liu *et al.*, “Correspondence between the electronic structure and phase separation in a K-doped FeSe system,” *J. Phys. Condens. Matter*, vol. 29, no. 39, p. 395503, Oct. 2017, doi: 10.1088/1361-648X/aa8156.
- [161] Y. Guo *et al.*, “Raman and XPS depth profiling technique to investigate the corrosion behavior of FeSiAl alloy in salt spray environment,” *J. Alloys Compd.*, vol. 834, p. 155075, Sep. 2020, doi: 10.1016/j.jallcom.2020.155075.
- [162] Y. Mori, M. Tanemura, and S. Tanemura, “Surface morphological influence on charging at metal–insulator interface in XPS depth profiling,” *Appl. Surf. Sci.*, vol. 228, no. 1–4, pp. 292–296, Apr. 2004, doi: 10.1016/j.apsusc.2004.01.023.
- [163] S. Chatterjee *et al.*, “A perspective on two chemometrics tools: PCA and MCR, and introduction of a new one: Pattern recognition entropy (PRE), as applied to XPS and ToF-SIMS depth profiles of organic and inorganic materials,” *Appl. Surf. Sci.*, vol. 433, pp. 994–1017, Mar. 2018, doi: 10.1016/j.apsusc.2017.09.210.
- [164] A. J. Green *et al.*, “Surface oxidation of the topological insulator Bi₂Se₃,” *J. Vac. Sci. Technol. A Vacuum, Surfaces, Film.*, vol. 34, no. 6, p. 061403, Nov. 2016, doi: 10.1116/1.4964637.
- [165] I. N. Demchenko, Y. Melikhov, Y. Syryanyy, I. Zaytseva, P. Konstantynov, and M. Chernyshova, “Effect of argon sputtering on XPS depth-profiling results of Si/Nb/Si,” *J. Electron Spectros. Relat. Phenomena*, vol. 224, pp. 17–22, 2018, doi: 10.1016/j.elspec.2017.09.009.
- [166] K. Anand *et al.*, “Emergence of metamagnetic transition, re-entrant cluster glass and spin phonon coupling in Tb₂CoMnO₆,” *J. Phys. Condens. Matter*, vol. 33, no. 27, p. 275802, Jul. 2021, doi: 10.1088/1361-648X/abfe94.
- [167] M. Alam *et al.*, “Multifunctional behaviour in B-site disordered double perovskite EuPrCoMnO₆,” *J. Phys. D. Appl. Phys.*, vol. 55, no. 25, p. 255003, Jun. 2022, doi: 10.1088/1361-6463/ac5fd4.
- [168] W. Qiu *et al.*, “Enhanced superconductivity induced by several-unit-cells diffusion in an FeTe/FeSe bilayer heterostructure,” *Phys. Rev. B*, vol. 99, no. 6, p. 064502, Feb. 2019, doi: 10.1103/PhysRevB.99.064502.
- [169] Q. J. Feng *et al.*, “Ferromagnetic FeSe: Structural, electrical, and magnetic properties,” *Appl. Phys. Lett.*, vol. 88, no. 1, p. 012505, Jan. 2006, doi: 10.1063/1.2159561.
- [170] M. F. Islam *et al.*, “Systematics of electronic and magnetic properties in the transition metal doped Sb₂Te₃ quantum anomalous Hall platform,” *Phys. Rev. B*, vol. 97, no. 15, p. 155429, Apr. 2018, doi: 10.1103/PhysRevB.97.155429.
- [171] T. R. F. Peixoto *et al.*, “Impurity states in the magnetic topological insulator V : (Bi, Sb) ₂ Te ₃,” *Phys. Rev. B*, vol. 94, no. 19, p. 195140, Nov. 2016, doi:

References

- 10.1103/PhysRevB.94.195140.
- [172] V. K. Gangwar *et al.*, “Pressure induced superconducting state in ideal topological insulator BiSbTe 3,” *Phys. Scr.*, vol. 96, no. 5, p. 055802, May 2021, doi: 10.1088/1402-4896/abe5d4.
- [173] W. Chen, A. V. Andreev, and A. Levchenko, “Boltzmann-Langevin theory of Coulomb drag,” *Phys. Rev. B*, vol. 91, no. 24, p. 245405, Jun. 2015, doi: 10.1103/PhysRevB.91.245405.
- [174] X. Jia *et al.*, “Anomalous Acoustic Plasmon Mode from Topologically Protected States,” *Phys. Rev. Lett.*, vol. 119, no. 13, p. 136805, Sep. 2017, doi: 10.1103/PhysRevLett.119.136805.
- [175] A. Shvonski, J. Kong, and K. Kempa, “Plasmon-polaron of the topological metallic surface states,” *Phys. Rev. B*, vol. 99, no. 12, p. 125148, Mar. 2019, doi: 10.1103/PhysRevB.99.125148.
- [176] B. Li, H. Zhu, Q. Liu, Z. Liu, and Y. Zhang, “Low temperature electrical transport behavior of La_{0.7}Ba_{0.3}MnO₃ thin Films on LaAlO₃ substrates,” *J. Magn. Magn. Mater.*, vol. 366, pp. 50–54, Oct. 2014, doi: 10.1016/j.jmmm.2014.04.074.
- [177] J. Zhang, Y. Xu, S. Cao, G. Cao, Y. Zhang, and C. Jing, “Kondo-like transport and its correlation with the spin-glass phase in perovskite manganites,” *Phys. Rev. B*, vol. 72, no. 5, p. 054410, Aug. 2005, doi: 10.1103/PhysRevB.72.054410.
- [178] S. Gupta, R. Sachan, and J. Narayan, “Emergence of orbital two-channel Kondo effect in epitaxial TiN thin films,” *Solid State Commun.*, vol. 341, p. 114547, Jan. 2022, doi: 10.1016/j.ssc.2021.114547.
- [179] R. R. Urkude *et al.*, “Observation of Kondo behavior in the single crystals of Mn-doped Bi₂Se₃ topological insulator,” *AIP Adv.*, vol. 8, no. 4, p. 045315, Apr. 2018, doi: 10.1063/1.5026144.
- [180] S. Y. Li *et al.*, “Giant Electron-Electron Scattering in the Fermi-Liquid State of Na 0.7 Ca O 2,” *Phys. Rev. Lett.*, vol. 93, no. 5, p. 056401, Jul. 2004, doi: 10.1103/PhysRevLett.93.056401.
- [181] M. Ziese, “Searching for quantum interference effects in La 0.7 Ca 0.3 MnO 3 films on SrTiO 3,” *Phys. Rev. B*, vol. 68, no. 13, p. 132411, Oct. 2003, doi: 10.1103/PhysRevB.68.132411.
- [182] S. C. Srishti Dixit, Labanya Ghosh, “Existence of exotic magnetic phases along with exchange bias and memory effect in frustrated beta-Mn Heusler alloy,” *Accept. J. Appl. Physics, 14th December 2022.*, Jul. 2022, doi: 10.1063/5.0094556.
- [183] B. Bhattacharyya *et al.*, “Spin-dependent scattering induced negative magnetoresistance in topological insulator Bi₂Te₃ nanowires,” *Sci. Rep.*, vol. 9, no. 1, p. 7836, Dec. 2019, doi: 10.1038/s41598-019-44265-5.
- [184] C. J. Lin *et al.*, “Parallel field magnetoresistance in topological insulator thin films,” *Phys. Rev. B*, vol. 88, no. 4, p. 041307, Jul. 2013, doi: 10.1103/PhysRevB.88.041307.
- [185] K. Song, D. Soriano, R. Robles, P. Ordejon, and S. Roche, “How disorder affects

References

- topological surface states in the limit of ultrathin Bi₂Se₃ films,” *2D Mater.*, vol. 3, no. 4, p. 045007, Oct. 2016, doi: 10.1088/2053-1583/3/4/045007.
- [186] F. Tang *et al.*, “Anisotropic large magnetoresistance and Fermi surface topology of terbium monoantimonide,” *Mater. Today Phys.*, vol. 24, p. 100657, May 2022, doi: 10.1016/j.mtphys.2022.100657.
- [187] S. Bayesteh *et al.*, “Mobility-enhanced thermoelectric performance in textured nanograin Bi₂Se₃, effect on scattering and surface-like transport,” *Mater. Today Phys.*, vol. 24, 2022, doi: 10.1016/j.mtphys.2022.100669.
- [188] G. Song, H. Matsui, H. Akai, and H. Tabata, “Structural and magnetic properties of NiAs-type FeSe and related alloy layers,” *J. Vac. Sci. Technol. B, Nanotechnol. Microelectron. Mater. Process. Meas. Phenom.*, vol. 31, no. 4, p. 042801, Jul. 2013, doi: 10.1116/1.4807653.
- [189] S. Jana, A. Mondal, J. Manam, and S. Das, “Pr³⁺ doped BaNb₂O₆ reddish orange emitting phosphor for solid state lighting and optical thermometry applications,” *J. Alloys Compd.*, vol. 821, p. 153342, Apr. 2020, doi: 10.1016/j.jallcom.2019.153342.
- [190] S. Zhu *et al.*, “Growth and transport properties of topological insulator Bi₂Se₃ thin film on a ferromagnetic insulating substrate,” *Chinese Phys. B*, vol. 27, no. 7, p. 076801, Jul. 2018, doi: 10.1088/1674-1056/27/7/076801.
- [191] S. Menon, M. Sarkar, S. S. Nirvan, and R. Venkatesh, “Transition from Metallic to Insulating Nature and Room Temperature Ferromagnetism of Fe0.05(SnTe) Bulk Alloy,” *J. Supercond. Nov. Magn.*, vol. 35, no. 5, pp. 1113–1122, May 2022, doi: 10.1007/s10948-022-06153-4.
- [192] H. S. Lee *et al.*, “Antiferromagnetic order competing with topological state in Ce_xBi_{2-x}Te₃,” *Appl. Phys. Lett.*, vol. 107, no. 18, p. 182409, Nov. 2015, doi: 10.1063/1.4935120.
- [193] D. Kumar and A. Lakhani, “Large Linear Magnetoresistance from Neutral Defects in Bi₂Se₃ Single Crystal,” *Phys. status solidi – Rapid Res. Lett.*, vol. 12, no. 12, p. 1800088, Dec. 2018, doi: 10.1002/pssr.201800088.
- [194] T. Förster, P. Krüger, and M. Rohlfing, “GW calculations for Bi₂Te₃ and Sb₂Te₃ thin films: Electronic and topological properties,” *Phys. Rev. B*, vol. 93, no. 20, p. 205442, May 2016, doi: 10.1103/PhysRevB.93.205442.
- [195] A. Lawal, A. Shaari, R. Ahmed, and N. Jarkoni, “Sb₂Te₃ crystal a potential absorber material for broadband photodetector: A first-principles study,” *Results Phys.*, vol. 7, pp. 2302–2310, 2017, doi: 10.1016/j.rinp.2017.06.040.
- [196] S.-M. Huang, S.-H. Yu, and M. Chou, “The temperature dependence of the crossover magnetic field of linear magnetoresistance in the Cu 0.1 Bi₂Se₃,” *Mater. Res. Express*, vol. 3, no. 8, p. 086103, Aug. 2016, doi: 10.1088/2053-1591/3/8/086103.
- [197] X. J. Wu *et al.*, “Growth of FeSe on general substrates by metal-organic chemical vapor deposition and the application in magnet tunnel junction devices,” *Thin Solid Films*, vol. 516, no. 18, pp. 6116–6119, Jul. 2008, doi: 10.1016/j.tsf.2007.11.012.
- [198] D. Li, B. L. Zhang, H. W. Ming, X. Y. Qin, J. Zhang, and H. J. Liu, “Electrical and Magnetic Properties for Bulk FeSe and FeSe_{0.5}Te_{0.5} Superconductors,” *J. Electron.*

References

- Mater.*, vol. 50, no. 3, pp. 941–946, 2021, doi: 10.1007/s11664-020-08666-x.
- [199] S.-M. Huang, P.-C. Wang, H.-L. Jian, and M. M. C. Chou, “The Magnetic Susceptibility Bifurcation in the Ni-Doped Sb₂Te₃ Topological Insulator with Antiferromagnetic Order Accompanied by Weak Ferromagnetic Alignment,” *Nanoscale Res. Lett.*, vol. 16, no. 1, p. 180, Dec. 2021, doi: 10.1186/s11671-021-03637-5.
- [200] A. Singh *et al.*, “Anomalous and topological Hall effect in Cu doped Sb₂Te₃ topological insulator,” *Appl. Phys. Lett.*, vol. 117, no. 9, p. 092403, Aug. 2020, doi: 10.1063/5.0021722.
- [201] K. Wang, W. X. Zhou, Y. Cheng, M. Zhang, H. Wang, and G. Zhang, “Magnetic order-dependent phonon properties in 2D magnet CrI₃,” *Nanoscale*, vol. 13, no. 24, pp. 10882–10890, 2021, doi: 10.1039/d1nr00820j.
- [202] L. Ghosh *et al.*, “Lattice Dynamics of Bi_{1.9}Dy_{0.1}Te₃ Topological Insulator,” *Phys. B Condens. Matter*, vol. 640, p. 414050, Sep. 2022, doi: 10.1016/j.physb.2022.414050.
- [203] S. M. Souza *et al.*, “High pressure monoclinic phases of Sb₂Te₃,” *Phys. B Condens. Matter*, vol. 407, no. 18, pp. 3781–3789, Sep. 2012, doi: 10.1016/j.physb.2012.05.061.
- [204] K. Kumar, Y. Kumar, M. Singh, S. Patnaik, I. Felner, and V. P. S. Awana, “Effect of Magnetic (Nd) Doping on Electrical and Magnetic Properties of Topological Sb₂Te₃ Single Crystal,” *J. Supercond. Nov. Magn.*, vol. 34, no. 10, pp. 2463–2469, Oct. 2021, doi: 10.1007/s10948-021-05983-y.
- [205] K. Norimatsu *et al.*, “Dynamics of all the Raman-active coherent phonons in Sb₂Te₃ revealed via transient reflectivity,” *J. Appl. Phys.*, vol. 117, no. 14, p. 143102, Apr. 2015, doi: 10.1063/1.4917384.
- [206] M. P. Singh, M. Mandal, K. Sethupathi, M. S. R. Rao, and P. K. Nayak, “Study of Thermometry in Two-Dimensional Sb₂Te₃ from Temperature-Dependent Raman Spectroscopy,” *Nanoscale Res. Lett.*, vol. 16, no. 1, p. 22, Dec. 2021, doi: 10.1186/s11671-020-03463-1.
- [207] Z. Wu *et al.*, “Lattice Strain Enhances Thermoelectric Properties in Sb₂Te₃/Te Heterostructure,” *Adv. Electron. Mater.*, vol. 6, no. 1, p. 1900735, Jan. 2020, doi: 10.1002/aelm.201900735.
- [208] F. J. Manjón *et al.*, “Anomalous Raman modes in tellurides,” *J. Mater. Chem. C*, vol. 9, no. 19, pp. 6277–6289, 2021, doi: 10.1039/d1tc00980j.
- [209] Y. Kim *et al.*, “Temperature dependence of Raman-active optical phonons in Bi₂Se₃ and Sb₂Te₃,” *Appl. Phys. Lett.*, vol. 100, no. 7, p. 071907, Feb. 2012, doi: 10.1063/1.3685465.
- [210] S. F. Wu *et al.*, “Raman scattering investigation of the electron-phonon coupling in superconducting Nd(O,F)BiS₂,” *Phys. Rev. B*, vol. 90, no. 5, p. 054519, Aug. 2014, doi: 10.1103/PhysRevB.90.054519.
- [211] P. G. Klemens, “Anharmonic decay of optical phonon in diamond,” *Phys. Rev. B*, vol. 148, no. 2, pp. 845–848, Apr. 1966, doi: 10.1103/PhysRevB.11.3206.

References

- [212] J. Menéndez and M. Cardona, “Temperature dependence of the first-order Raman scattering by phonons in Si, Ge, and a-Sn: Anharmonic effects” *Phys. Rev. B*, vol. 29, no. 4, pp. 2051–2059, Feb. 1984, doi: 10.1103/PhysRevB.29.2051.
- [213] G. Finocchio, M. Di Ventra, K. Y. Camsari, K. Everschor-Sitte, P. Khalili Amiri, and Z. Zeng, “The promise of spintronics for unconventional computing,” *J. Magn. Magn. Mater.*, vol. 521, no. P1, p. 167506, 2021, doi: 10.1016/j.jmmm.2020.167506.
- [214] Shama, R. K. Gopal, and Y. Singh, “Observation of planar Hall effect in the ferromagnetic Weyl semimetal Co₃Sn₂S₂,” *J. Magn. Magn. Mater.*, vol. 502, no. September 2019, p. 166547, 2020, doi: 10.1016/j.jmmm.2020.166547.
- [215] C. Marx, J. Endriss, M. Klopfen, W. Reichel, C. Strakos, and R. Weihrich, “Half antiperovskites VII – DFT modelling of shandites that are isoelectronic to Co₃Sn₂S₂,” *Zeitschrift fur Anorg. und Allg. Chemie*, vol. 648, no. 5, 2022, doi: 10.1002/zaac.202100195.
- [216] Q. Zhang *et al.*, “Hidden Local Symmetry Breaking in a Kagome-Lattice Magnetic Weyl Semimetal,” *J. Am. Chem. Soc.*, vol. 144, no. 31, pp. 14339–14350, 2022, doi: 10.1021/jacs.2c05665.
- [217] S. Howlader, R. Ramachandran, S. Shama, Y. Singh, and G. Sheet, “Domain structure evolution in the ferromagnetic Kagome-lattice Weyl semimetal Co₃Sn₂S₂,” *J. Phys. Condens. Matter*, vol. 33, no. 7, 2020, doi: 10.1088/1361-648X/abc4d1.
- [218] L. Ye *et al.*, “Massive Dirac fermions in a ferromagnetic kagome metal,” *Nature*, vol. 555, no. 7698, pp. 638–642, 2018, doi: 10.1038/nature25987.
- [219] A. Rossi *et al.*, “Unconventional critical behaviors at the magnetic phase transition of Co₃Sn₂S₂ kagomé ferromagnet,” *Phys. Rev. B*, vol. 104, no. 15, p. 155115, Oct. 2021, doi: 10.1103/PhysRevB.104.155115.
- [220] S. N. Guin *et al.*, “Zero-Field Nernst Effect in a Ferromagnetic Kagome-Lattice Weyl-Semimetal Co₃Sn₂S₂,” *Adv. Mater.*, vol. 31, no. 25, p. 1806622, Jun. 2019, doi: 10.1002/adma.201806622.
- [221] O. V. Yazyev, “An upside-down magnet,” *Nat. Phys.*, vol. 15, no. 5, pp. 424–425, May 2019, doi: 10.1038/s41567-019-0451-6.
- [222] K. Geishendorf *et al.*, “Magnetoresistance and anomalous Hall effect in micro-ribbons of the magnetic Weyl semimetal Co₃Sn₂S₂,” *Appl. Phys. Lett.*, vol. 114, no. 9, p. 092403, Mar. 2019, doi: 10.1063/1.5086500.
- [223] A. Rossi *et al.*, “Electronic structure and topology across T c in the magnetic Weyl semimetal Co₃Sn₂S₂,” *Phys. Rev. B*, vol. 104, no. 15, pp. 1–11, 2021, doi: 10.1103/PhysRevB.104.155115.
- [224] H. Zhou *et al.*, “Enhanced anomalous Hall effect in the magnetic topological semimetal Co₃Sn_{2-x}In_xS₂,” *Phys. Rev. B*, vol. 101, no. 12, pp. 1–5, 2020, doi: 10.1103/PhysRevB.101.125121.
- [225] J. R. Soh *et al.*, “Magnetic structure of the topological semimetal Co₃Sn₂S₂,” *Phys. Rev. B*, vol. 105, no. 9, pp. 1–7, 2022, doi: 10.1103/PhysRevB.105.094435.

References

- [226] C. Lee *et al.*, “Observation of a phase transition within the domain walls of ferromagnetic Co₃Sn₂S₂,” *Nat. Commun.*, vol. 13, no. 1, p. 3000, Dec. 2022, doi: 10.1038/s41467-022-30460-y.
- [227] Z. Guguchia *et al.*, “Tunable anomalous Hall conductivity through volume-wise magnetic competition in a topological kagome magnet,” *Nat. Commun.*, vol. 11, no. 1, pp. 1–9, 2020, doi: 10.1038/s41467-020-14325-w.
- [228] J. Hu, X. Kan, Z. Chen, G. Zheng, and Y. Ma, “The magnetic, thermal transport properties, magnetothermal effect and critical behavior of Co₃Sn₂S₂ single crystal,” *J. Am. Ceram. Soc.*, vol. 105, no. 7, pp. 4827–4839, Jul. 2022, doi: 10.1111/jace.18465.
- [229] B. Giri *et al.*, “Robust topological Hall effect driven by tunable noncoplanar magnetic state in Mn-Pt-In inverse tetragonal Heusler alloys,” *Phys. Rev. B*, vol. 102, no. 1, p. 14449, 2020, doi: 10.1103/PhysRevB.102.014449.
- [230] P. V. P. Madduri *et al.*, “Ac susceptibility study of magnetic relaxation phenomena in the antiskyrmion-hosting tetragonal Mn-Pt(Pd)-Sn system,” *Phys. Rev. B*, vol. 102, no. 17, pp. 1–8, 2020, doi: 10.1103/PhysRevB.102.174402.
- [231] K. Anand, A. Pal, A. G. Joshi, P. Pal, and R. Singh, “Giant exchange bias in antiferromagnetic Pr₂CoFe_{0.5}Mn_{0.5}O₆:a.”
- [232] J. A. Mydosh, “Disordered magnetism and spin glasses,” *J. Magn. Magn. Mater.*, vol. 157–158, pp. 606–610, 1996, doi: 10.1016/0304-8853(95)01272-9.
- [233] C. A. M. Mulder, A. J. Van Duyneveldt, and J. A. Mydosh, “Frequency and field dependence of the ac susceptibility of the AuMn spin-glass,” *Phys. Rev. B*, vol. 25, no. 1, pp. 515–518, 1982, doi: 10.1103/PhysRevB.25.515.
- [234] R. Kumar, P. Yanda, and A. Sundaresan, “Cluster-glass behavior in the two-dimensional triangular lattice Ising-spin compound Li₂Mn₃O₇,” *Phys. Rev. B*, vol. 103, no. 21, pp. 1–10, 2021, doi: 10.1103/PhysRevB.103.214427.
- [235] T. Chakrabarty, A. V. Mahajan, and S. Kundu, “Cluster spin glass behavior in geometrically frustrated Zn₃V₃O₈,” *J. Phys. Condens. Matter*, vol. 26, no. 40, 2014, doi: 10.1088/0953-8984/26/40/405601.
- [236] R. S. Freitas, L. Ghivelder, F. Damay, F. Dias, and L. F. Cohen, “Magnetic relaxation phenomena and cluster glass properties of La_{0.7-x}Y_xCa_{0.3}MnO₃ manganites,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 64, no. 14, pp. 1444041–1444046, 2001, doi: 10.1103/PhysRevB.64.144404.
- [237] L. Ghosh *et al.*, “Anharmonic phonon interactions and the Kondo effect in a FeSe/Sb₂Te₃/FeSe heterostructure: a proximity effect between ferromagnetic chalcogenide and di-chalcogenide,” *Nanoscale*, vol. 14, no. 30, pp. 10889–10902, 2022, doi: 10.1039/d2nr03090j.
- [238] A. Pal *et al.*, “B-site disorder driven multiple-magnetic phases: Griffiths phase, re-entrant cluster glass, and exchange bias in Pr₂CoFeO₆,” *Appl. Phys. Lett.*, vol. 114, no. 25, 2019, doi: 10.1063/1.5094905.
- [239] A. Kumar, S. D. Kaushik, V. Siruguri, and D. Pandey, “Evidence for two spin-glass transitions with magnetoelastic and magnetoelectric couplings in the multiferroic (B

References

- i1-x B ax)(F e1-x T IX) O3 system," *Phys. Rev. B*, vol. 97, no. 10, pp. 1–14, 2018, doi: 10.1103/PhysRevB.97.104402.
- [240] C. Djurberg, P. Svedlindh, and P. Nordblad, "Dynamics of an interacting particle system: Evidence of critical slowing down," *Phys. Rev. Lett.*, vol. 79, no. 25, pp. 5154–5157, 1997, doi: 10.1103/PhysRevLett.79.5154.
- [241] M. D. Mukadam, S. M. Yusuf, P. Sharma, S. K. Kulshreshtha, and G. K. Dey, "Dynamics of spin clusters in amorphous Fe₂O₃," *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 72, no. 17, pp. 1–7, 2005, doi: 10.1103/PhysRevB.72.174408.
- [242] K. Anand *et al.*, "Existence of Griffiths phase and unusual spin dynamics in double perovskite Tb₂CoMnO₆," *J. Magn. Magn. Mater.*, vol. 528, no. December 2020, p. 167697, 2021, doi: 10.1016/j.jmmm.2020.167697.
- [243] P. K. Gupta *et al.*, "Reentrant double glassy states and simultaneous presence of short- and long-range ordering in metamagnetic Co-doped Bi_{0.5}La_{0.5}Fe_{0.5}Mn_{0.5}O₃ multiferroic," *Solid State Sci.*, vol. 131, no. June, p. 106930, 2022, doi: 10.1016/j.solidstatesciences.2022.106930.
- [244] A. Pal *et al.*, "Probing the Griffiths like phase, unconventional dual glassy states, giant exchange bias effects and its correlation with its electronic structure in Pr_{2-x}SrxCoMnO₆," *J. Phys. Condens. Matter*, vol. 32, no. 21, 2020, doi: 10.1088/1361-648X/ab5326.
- [245] R. Peymanfar, M. Ahmadi, and S. Javanshir, "Tailoring GO/BaFe₁₂O₁₉/La_{0.5}Sr_{0.5}MnO₃ ternary nanocomposite and investigation of its microwave characteristics," *Mater. Res. Express*, vol. 6, no. 8, pp. 0–13, 2019, doi: 10.1088/2053-1591/ab1fb3.
- [246] J. K. Murthy and A. Venimadhav, "4f-3d exchange coupling induced exchange bias and field induced Hopkinson peak effects in Gd₂CoMnO₆," *J. Alloys Compd.*, vol. 719, pp. 341–346, 2017, doi: 10.1016/j.jallcom.2017.05.203.
- [247] J. K. Murthy and A. Venimadhav, "4f-3d exchange coupling induced exchange bias and field induced Hopkinson peak effects in Gd₂CoMnO₆," *J. Alloys Compd.*, vol. 719, pp. 341–346, 2017, doi: 10.1016/j.jallcom.2017.05.203.
- [248] D. M. Cragg, D. Sherrington, and M. Gabay, "Instabilities of an m-vector spin-glass in a field," *Phys. Rev. Lett.*, vol. 49, no. 2, pp. 158–161, 1982, doi: 10.1103/PhysRevLett.49.158.
- [249] S. V. Grigoriev, A. S. Sukhanov, and S. V. Maleyev, "From spiral to ferromagnetic structure in B20 compounds: Role of cubic anisotropy," *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 91, no. 22, pp. 1–7, 2015, doi: 10.1103/PhysRevB.91.224429.
- [250] A. Chacon *et al.*, "Observation of two independent skyrmion phases in a chiral magnetic material," *Nat. Phys.*, vol. 14, no. 9, pp. 936–941, 2018, doi: 10.1038/s41567-018-0184-y.
- [251] F. Qian *et al.*, "New magnetic phase of the chiral skyrmion material Cu₂OSeO₃," *Sci. Adv.*, vol. 4, no. 9, pp. 1–8, 2018, doi: 10.1126/sciadv.aat7323.
- [252] O. I. Utesov, A. V. Sizanov, and A. V. Syromyatnikov, "Spiral magnets with

References

- Dzyaloshinskii-Moriya interaction containing defect bonds," *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 92, no. 12, 2015, doi: 10.1103/PhysRevB.92.125110.
- [253] Y. Melikhov *et al.*, "Temperature dependence of magnetic anisotropy in Mn-substituted cobalt ferrite," *J. Appl. Phys.*, vol. 99, no. 8, 2006, doi: 10.1063/1.2151793.
- [254] S. Sen, C. Singh, P. K. Mukharjee, R. Nath, and A. K. Nayak, "Observation of the topological Hall effect and signature of roomerature antiskyrmions in Mn-Ni-Ga D2d Heusler magnets," *Phys. Rev. B*, vol. 99, no. 13, pp. 1–6, 2019, doi: 10.1103/PhysRevB.99.134404.

List of Publications

- [1] **L. Ghosh**, M. Alam, M. Singh, S. Dixit, S. V. Kumar, A. Verma, P. Shahi, Y. Uwatoko, S. Saha, A. Tiwari, A. Tripathi, and S. Chatterjee, *Anharmonic Phonon Interactions and the Kondo Effect in a FeSe/Sb₂Te₃/FeSe Heterostructure: A Proximity Effect between Ferromagnetic Chalcogenide and Di-Chalcogenide*, *Nanoscale* 14, 10889 (2022).
- [2] **L. Ghosh**, V. K. Gangwar, M. Singh, S. V. Kumar, S. Dixit, A. Verma, D. K. Sharma, S. Kumar, S. Saha, A. K. Ghosh, and S. Chatterjee, *Lattice Dynamics of Bi_{1.9}Dy_{0.1}Te₃ Topological Insulator*, *Phys. B Condens. Matter* 640, 414050 (2022).
- [3] **L. Ghosh**, M. Alam, S. Dixit, S. Ghosh, and P. Shahi, *Enhancement of Surface Properties in Interfacial Magnetic Domain Induced 2-D Heterostructure over the Magnetic Impurity Doped 3-D Topological Insulator*, (Communicated).
- [4] **L. Ghosh**, S. Dixit, M. Alam, N. Patel, and S. Ghosh, *Chemical Pressure Enhanced Low-Field Modulated Exotic Magnetic Skyrmion*, (Communicated).
- [5] S. Dixit, **L. Ghosh**, S. Chatterjee, “*Existence of Exotic Magnetic Phases along with Exchange Bias and Memory Effect in Frustrated Beta-Mn Heusler Alloy*,” *Accept. J. Appl. Physics*, 14th December 2022. (2022).
- [6] V. K. Gangwar, S. Kumar, M. Singh, D. Pal, **L. Ghosh**, P. Singh, Z. Yufeng, C. Chen, E. F. Schwier, K. Shimada, P. Shahi, Y. Uwatoko, S. Patil, A. K. Ghosh, and S. Chatterjee, *Roles of Surface and Bulk States in Giant Magnetoresistance and Anomalous Hall Effect in Antiferromagnetically Ordered Bi 1.9 Dy 0.1 Te 3 Topological Insulators*, *J. Mater. Chem. C* 10, 17281 (2022).
- [7] S. Kumari, K. Anand, M. Alam, **L. Ghosh**, S. Ghosh, P. Gupta, R. Singh, A. K. Jain, S. M. Yusuf, A. K. Ghosh, A. Mohan, and S. Chatterjee, *Spontaneous Exchange Bias and Large Dielectric Constant in Bi 0.8 Tb 0.2 Fe 0.8 Mn 0.2 O 3 Multiferroic*, *J. Appl. Phys.* 132, 183909 (2022).
- [8] M. Singh, **L. Ghosh**, V. K. Gangwar, Y. Kumar, D. Pal, P. Shahi, S. Kumar, S. Mukherjee, K. Shimada, and S. Chatterjee, *Correlation between Changeover from Weak Antilocalization (WAL) to Weak Localization (WL) and Positive to Negative Magnetoresistance in S-Doped Bi_{1.5}Sb_{0.5}Te_{1.3}Se_{1.7}*, *Appl. Phys. Lett.* 121, 0 (2022).
- [9] M. Alam, **L. Ghosh**, S. Majumder, P. Singh, S. V. Kumar, S. Dixit, D. Kumar, K. Anand, S. Kumari, A. K. Ghosh, R. J. Choudhary, and S. Chatterjee, *Multifunctional Behaviour in B-Site Disordered Double Perovskite EuPrCoMnO₆*, *J. Phys. D. Appl. Phys.* 55, 255003 (2022).
- [10] R. Singh, S. Kumar, A. Jain, M. Singh, **L. Ghosh**, A. Singh, S. Banik, A. Lakhani, S. Patil, E. F. Schwier, K. Shimada, S. M. Yusuf, and S. Chatterjee, *Competition between Axial Anomaly and Ferromagnetic Ordering in Bi₂-XFexSe₃-XS_x Topological Insulator: A Study of Magnetic and Magnetotransport Properties*, *J. Mater.* 8, 669 (2022).
- [11] V. K. Gangwar, S. Kumar, M. Singh, P. Singh, **L. Ghosh**, D. Pal, P. Shahi, Y. Uwatoko, E. F. Schwier, K. Shimada, D. K. Sharma, S. Kumar, and S. Chatterjee, *Observation of Antiferromagnetic Ordering from Muon Spin Resonance Study and the Kondo Effect in a Dy-Doped Bi₂Se₃ Topological Insulator*, *J. Phys. D. Appl.*

List of Publications

Phys. 54, 455302 (2021).

- [12] M. Singh, S. Kumar, M. Alam, V. K. Gangwar, **L. Ghosh**, D. Pal, R. Singh, P. Shahi, P. Chaudhary, K. Shimada, and S. Chatterjee, *Evidence of Surface and Bulk Magnetic Ordering in Fe and Mn Doped Bi₂(SeS)₃ Topological Insulator*, Appl. Phys. Lett. 118, 132409 (2021).
- [13] V. K. Gangwar, S. Kumar, M. Singh, **L. Ghosh**, Y. Zhang, P. Shahi, M. Muntwiler, S. Patil, K. Shimada, Y. Uwatoko, J. Sau, M. Kumar, and S. Chatterjee, *Pressure Induced Superconducting State in Ideal Topological Insulator BiSbTe₃*, Phys. Scr. 96, 055802 (2021).

Schools / Meetings / Workshops / Conference Attended

1. **Labanya Ghosh**, Sandip Chatterjee, “Anharmonic phonon interactions and Kondo effect in FeSe/Sb₂Te₃/FeSe hetero-structure: Proximity effect between ferromagnetic chalcogenide and di-chalcogenide”, Presented Contributory talk at the IX International Conference on Perspectives in Vibrational Spectroscopy during 13-17 December 2022 organized by UGC-DAE-CSR Indore.
2. **Labanya Ghosh**, Sandip Chatterjee, “Seebeck Coefficient of Ni doped Bi₂Te₃”, Presented Poster at the 65th DAE Solid State Physics Symposium during 15 - 19 December 2021 organized by Bhabha Atomic research centre, Mumbai Sponsored by Board of research in nuclear sciences (BRNS) Department of Atomic Energy, Government of India at Bhabha Atomic Research Centre, Mumbai.
3. **Labanya Ghosh**, Sandip Chatterjee, “Introduction of Low Field Magnetic Ordering in FeSe/Bi₂Se₃/FeSe heterostructure”, Presented Poster at the 7th Conference on Neutron Scattering (CNS-2021) held in hybrid mode in Mumbai during 25-27 November 2021 organized by Bhabha Atomic Research Centre & Neutron Scattering Society of India.
4. **Labanya Ghosh**, Sandip Chatterjee, “Consequences of Ni Doping on Thermoelectric Properties of Bi₂Te₃”, Presented poster at the 1st International e-Conference on Recent Advances in Physics & Materials Science-2020 (IC-RAPMS-2020) during 9-10 July 2020 organized by Kurseong college, Darjeeling, West Bengal, India.
5. Participated in a five-days Webinar Series on “Advances in Materials Science and Technology (WSAMST-2020)” during 22-26 June 2020 by the Department of Applied Sciences and Humanities (Physics), School of Engineering, University of Petroleum and Energy Studies, Dehradun.
6. Participated in the Five-day Faculty Development Program on “Synthesis of Advanced Materials and its Applications (SAMA-2020)” organized by Department of Physics, Science & Humanities held on October 15th to 19th 2020.
7. Participated in the Three-day National level webinar on "Recent Trends in Materials Science (RTMS-2020)" organized by Department of Physics, Science & Humanities held on August 19th to 21st 2020.
8. Participated in International Webinar on Material Synthesis and Characterizations jointly organized by Department of Physics and Electronics (IWMSC-2020), Dr. Rammanohar Lohia Avadh Universiy Ayodhya, India and the Department of Natural Science, Florida Polytechnic University, Lakeland, Florida, USA from July 11-13, 2020.
9. Presented a paper in the 1st International e-Conference on Recent Advances in Physics & Materials Science-2020 (IC-RAPMS-2020) Organized by Kurseong College, Darjeeling, India held on 9-10 July, 2020.
10. Participated in the Winter school on Synchrotron Technique in Material Science, Organized by S. N. Bose National Centre for Basic Sciences, Kolkata, India from 25-31 October, 2018.