
Contents

1	Introduction: A bibliographic review	1
1.1	Introduction to topology	2
1.2	Topological nature of Hall conductivity	3
1.3	Effect of magnetic field on Bloch electrons	4
1.4	Nobel prize (2016)	5
1.5	The foundation of Chern Insulator (2D TI)	8
1.6	From 2D TI to 3D TI	12
1.7	The Dirac semimetal, Weyl semimetal and nodal line semimetal	13
1.8	Importance of single crystal growth	16
1.8.1	Role of single crystallinity in (a) physical properties and (b) crystal anisotropy	16
1.8.2	Role of single crystallinity in (a) ARPES (b) Quantum oscillation study	17
2	Single crystal growth and characterization tools	19
2.1	Single crystal growth technique	19
2.1.1	CVT method	21
2.1.2	Flux method	22
2.1.3	Bridgman technique	23
2.2	Experimental characterization tools	24
2.2.1	Diffraction of X-rays (XRD)	24
2.2.2	Laue diffraction pattern	28

2.2.3	Electric resistivity (ρ_{xx})	30
2.2.4	Hall resistivity (ρ_{xy})	31
2.2.5	Shubnikov–de Haas (SdH) oscillation	31
2.2.6	Photoemission Spectroscopy	34
2.2.7	Angle-resolved photoemission spectroscopy (ARPES)	35
2.2.8	Raman effect	38
3	Unravelling the obscure electronic transition and tuning of Fermi level in Cu substituted Bi_2Te_3 compound	41
3.1	Introduction	41
3.2	Results and discussion	42
3.2.1	Crystal growth and structural analysis	42
3.2.2	Resistivity	44
3.2.3	Temperature dependent Raman study	45
3.2.4	Effect on magnetic field in $\rho(T)$ pattern	48
3.2.5	ARPES study	49
3.2.6	Drude’s model and anomalous resistivity	51
3.2.7	Temperature independent scattering	53
3.3	Conclusion	55
4	Magnetic field induced up-turn resistivity and low temperature carrier compensation in nodal line semimetal InBi	57
4.1	Introduction	57
4.2	Experimental details and theoretical methods	59
4.3	Results and discussion	60
4.3.1	Structural characterization	60
4.3.2	Magnetic field dependent $\rho(T)$	62
4.3.3	Magnetic field dependent excitonic gap	66
4.3.4	Origin of turn-on behavior	66
4.3.5	Step by step algebraic analysis of the resistivity up-turn	70

4.3.6	Temperature dependent $\rho(B)$	72
4.3.7	Hall resistivity study	73
4.3.8	The Hall resistivity at 50 K	77
4.4	Conclusion	78
5	Shubnikov–de Haas oscillation and 3D Fermi surface topology of nodal line semimetal InBi	79
5.1	Introduction	79
5.2	Experimental verification	80
5.2.1	Frequency from β -sheets (F_β)	83
5.2.2	Frequency from δ -sheets (F_δ)	84
5.2.3	Frequency from α -sheets (F_α)	85
5.2.4	Frequency from γ -sheets (F_γ)	87
5.2.5	Temperature dependent raw oscillatory data at 3 K	87
5.3	The study of effective mass and Dingle Temperature	89
5.4	Conclusion	91
6	Experimental realization of non-trivial <i>Type-II</i> Dirac cone in InBi	93
6.1	Introduction	93
6.2	Experimental details and theoretical methods	94
6.3	Result and discussion	96
6.4	Conclusion	101
7	First principle study of defect induced band structure in Cu substituted Bi_2Te_3 topological insulator	103
7.1	Introduction	103
7.2	Methods	104
7.2.1	Step by step procedure of unit cell preparation	105
7.2.2	Simulation methodology and software used	105
7.3	Result and Discussion	105
7.3.1	The pristine one	105

CONTENTS

7.3.2	The Cu substitution in Bi site	106
7.3.3	The Carrier neutral configuration	107
7.3.4	The Cu intercalation in the Van der Walls gap	107
7.4	Conclusion	108
8	Summery and future scope	109
8.1	Summery	109
8.2	Future scope	110
9	Publication	113