
LIST OF CONTENTS

ACKNOWLEDGEMENT	v
LIST OF TITLES	ix
LIST OF SCHEMES	xiv
LIST OF FIGURES	xviii
LIST OF TABLES	xxi
LIST OF NOTATIONS, SYMBOLS AND ABBREVIATIONS	xxiii
GENERAL EXPERIMENTAL CONSIDERATIONS	xxvii
PREFACE	xxviii

CHAPTER-1

BORONIC ACIDS: SYNTHESIS AND THEIR APPLICATIONS IN CHEMISTRY AND BIOLOGY

Title No.	LIST OF TITLES	Page No.
1.1	BRIEF HISTORY OF BORONIC ACID	1
	PREPARATION OF BORONIC ACIDS	2
1.2		
1.2.1	Synthesis of arylboronic acids using organometallic intermediates	3
1.2.2	Synthesis of arylboronic acids from arylsilanes <i>via trans-</i> metallation	4
1.2.3	Palladium and Nickel catalyzed borylation of aryl halides and triflates with diboronyl esters	5
1.2.4	Synthesis of arylboronic acids from anilines	6

1.2.5	Transition metal-catalyzed direct boronylation of arenes	7
1.2.6	Synthesis of heteroarylboronic acids	8
1.2.7	Synthesis of Alkenylboronic Acids	8
1.2.8	Synthesis of Alkynylboronic Acids	9
1.2.9	Synthesis of alkylboronic acids	9
1.2.10	Synthesis of benzylboronic acids	10
1.3	BORONIC ACID SURROGATES	10
1.3.1	Boroxines	11
1.3.2	Boronic esters	12
1.3.3	Potassium trifluoroborate salts	12
1.3.4	<i>N</i> -Methyliminodiacetic acid (MIDA) boronate esters	13
1.4	APPLICATIONS OF BORONIC ACIDS IN ORGANIC SYNTHESIS	14
1.4.1	Transition metal catalyzed cross-coupling reactions: <i>C-C</i> and <i>C-heteroatom</i> bond formation	14
1.4.2	<i>Suzuki-Miyaura</i> cross-coupling reaction	16
1.4.3	Reaction mechanism of <i>Suzuki-Miyaura</i> cross-coupling reaction	18
1.4.4	Other <i>C-C</i> bond forming reactions using arylboronic acids	19
1.4.5	<i>Chan-Evans-Lam</i> cross-coupling reaction	21
1.4.6	Proposed mechanism for <i>Chan-Evans-Lam</i> cross-coupling reaction	23
1.4.7	<i>Petasis</i> reaction or <i>Petasis Borono-Mannich</i> reaction	24
1.4.8	A proposed mechanism for <i>Petasis</i> reaction	26
1.5	<i>ipso</i> -FUNCTIONALIZATION OF BORONIC ACIDS	27
1.6	BORONIC ACIDS AS REAGENTS AND CATALYSTS IN ORGANIC TRANSFORMATIONS	28
1.7	APPLICATIONS OF BORONIC ACIDS IN BIOLOGICAL AND MEDICINAL CHEMISTRY	32

1.7.1	Applications of boronic acids as sensors	34
1.7.2	Applications of boronic acids as therapeutic agents	35
1.8	OBJECTIVES OF THE THESIS WORK	37
1.9	REFERENCES	38

CHAPTER-2

ipso-HYDROXYLATION OF ARYLBORONIC ACIDS UNDER CATALYST-FREE CONDITION

2.1	INTRODUCTION	46
2.2	DIFFERENT APPROACHES FOR THE SYNTHESIS OF PHENOLS	49
2.3	LIMITATIONS OF PREVIOUS REPORTS	51
2.4	RESULTS AND DISCUSSION	51
2.4.1	Optimization of reaction condition	51
2.4.2	Substrates scope	54
2.5	PLAUSIBLE REACTION MECHANISM	57
2.6	SUMMARY OF THE WORK	58
2.7	REQUIREMENT OF CERTAIN MODIFICATIONS	59
2.7.1	Optimization of reaction condition with urea-hydrogen peroxide	61
2.7.2	Substrate scope with urea-hydrogen peroxide	63
2.8	PLAUSIBLE REACTION MECHANISM	69
2.9	CONCLUSION	69
2.10	EXPERIMENTAL SECTION	70
2.10.1	Experimental procedure for the oxidation of boronic acids using aqueous hydrogen peroxide	70
2.10.2	Experimental procedure for oxidation of boronic acids with urea-hydrogen peroxide (UHP)	71
2.11	ANALYTICAL DATA FOR THE PRODUCTS	72
2.12	SPECTRAL DATA FOR FEW PRODUCTS	85
2.13	REFERENCES	88

CHAPTER-3

COPPER PROMOTED *N*-ALKYLATION OF SULFOXIMINES WITH ALKYLBORONIC ACID UNDER MILD CONDITION

3.1	INTRODUCTION	93
3.2	RESULTS AND DISCUSSION	97
	3.2.1 Optimization of reaction condition	97
	3.2.2 Substrates scope	99
3.3	PLAUSIBLE REACTION MECHANISM	105
3.4	CONCLUSION	105
3.5	EXPERIMENTAL SECTION	106
	3.5.1 Experimental procedure for the synthesis of sulfides	106
	3.5.2 Experimental procedure for the synthesis of sulfoxides	107
	3.5.3 Experimental procedure for the synthesis of <i>NH</i> -Sulfoximines	108
	3.5.4 Experimental procedure for the synthesis of protected L-methionine sulfoximine (4)	109
	3.5.5 Experimental procedure for the <i>N</i> -methylation/alkylation of sulfoximines using methyl/alkylboronic acid	111
	3.5.6 Experimental procedure for the synthesis of <i>N</i> -methyl- <i>S</i> -phenyl- <i>S</i> -(2-phenylethyl)sulfoximine (5a)	112
3.6	ANALYTICAL DATA FOR SULFOXIMINES	113
3.7	ANALYTICAL DATA FOR <i>N</i> -ALKYLSULFOXIMINE	123
3.8	SPECTRAL DATA FOR FEW PRODUCTS	139
3.9	REFERENCES	143

CHAPTER-4

COPPER-CATALYZED *N*-ARYLATION OF SULFOXIMINES WITH ARYLBORONIC ACID UNDER MILD CONDITION

4.1	INTRODUCTION	146
4.2	RESULTS AND DISCUSSION	148
4.2.1	Optimization of reaction condition	148
4.2.2	Substrates scope	151
4.3	PLAUSIBLE REACTION MECHANISM	160
4.4	CONCLUSION	162
4.5	EXPERIMENTAL SECTION	163
4.5.1	Experimental procedure for <i>N</i> -arylation of sulfoximines with arylboronic acids	163
4.5.2	Experimental procedure for <i>N</i> -arylation of sulfoximine with boronic acid surrogates	163
4.5.3	Experimental procedure for <i>N</i> -arylation of L-methionine sulfoximine derivative with arylboronic acids	164
4.6	ANALYTICAL DATA FOR <i>N</i> -ARYLSULFOXIMINES	165
4.7	SPECTRAL DATA FOR FEW PRODUCTS	192
4.8	REFERENCES	196

CHAPTER-5

DEOXYGENATION OF *TERTIARY* AMINE *N*-OXIDES UNDER METAL-FREE CONDITION USING PHENYLBORONIC ACID

5.1	INTRODUCTION	199
5.2	RESULTS AND DISCUSSION	201
5.2.1	Optimization of reaction condition	201
5.2.2	Substrates scope	205
5.3	DETECTION OF <i>TERTIARY</i> AMINE <i>N</i> -OXIDES USING UV-VIS	

	SPECTROMETRY	210
5.4	PLAUSIBLE REACTION MECHANISM	216
5.5	CONCLUSION	216
5.6	EXPERIMENTAL SECTION	217
	5.6.1 Experimental procedure for the preparation of <i>tertiary</i> amines	217
	5.6.2 Experimental procedure for the preparation of amine <i>N</i> -oxides	218
	5.6.3 Experimental procedure for deoxygenation of amine <i>N</i> -oxides	218
5.7	ANALYTICAL DATA FOR THE <i>N</i> -OXIDES	219
5.8	ANALYTICAL DATA FOR THE PRODUCTS	222
5.9	PROCEDURE FOR UV-VIS EXPERIMENTS	234
5.10	SPECTRAL DATA FOR FEW PRODUCTS	236
5.11	REFERENCES	239

CHAPTER-6

SUMMARY AND CONCLUSIONS

LIST OF PUBLICATIONS

Scheme No.	LIST OF SCHEMES	Page No.
1.1	Structures of different organoboron compounds	1
1.2	Preperation of ethylboronic acid	2
1.3	Synthesis of arylboronic acid using organometallic compounds [DMG] = Directing metalation group	3
1.4	Synthesis of arylboronic acid using arylsilane and boron tribromide	4
1.5	Palladium catalyzed synthesis of arylboronic acids	5
1.6	Examples of Ni-catalyzed borylation of aryl halides. [dppp] = 1,3-bis(diphenylphosphino)propane	6

1.7	Metal-free synthesis of arylboronates. [BPO] = Benzoyl peroxide	7
1.8	Iridium catalyzed direct borylation of arenes. [dppe] = 1,3-bis(diphenylphosphino)ethane	7
1.9	Synthesis of different heterocyclic boronic acids	8
1.10	Synthesis of alkenylboronic acids from vinylhalides	8
1.11	Synthesis of alkynylboronic acids from Mg or Li acetylides	9
1.12	Synthesis of alkylboronic acids from alkyllithium and magnesium compounds	9
1.13	Pd-catalyzed C-H activation/borylation of benzylic positions	10
1.14	Mg-catalyzed borylation of benzyl halides	10
1.15	Synthesis of boroxines from arylboronic acid	11
1.16	Synthesis of boronic esters from boronic acids	12
1.17	Synthesis of potassium trifluoroborate salts from boronic acids	13
1.18	Synthesis of MIDA-boronate esters from boronic acids	13
1.19	Common Pd-catalyzed cross-coupling reactions	14
1.20	C-heteroatom bond formation reactions	15
1.21	Synthesis of symmetrical biaryl compounds by traditional methods	16
1.22	<i>Suzuki-Miyaura</i> cross-coupling reaction	16
1.23	<i>Suzuki-Miyaura</i> cross-coupling reaction of unactivated and sterically hindered aryl halides	17
1.24	Proposed mechanism for the <i>Suzuki-Miyaura</i> cross-coupling reaction	19
1.25	Synthesis of diarylketones from arylboronic acids	19
1.26	Synthesis of diaryl sulfones from arylboronic acids	20
1.27	Synthesis of diaryl methanol from arylboronic acids	20
1.28	Rhodium-catalyzed asymmetric conjugate addition of boronic acids to enones	20
1.29	<i>Buchwald-Hartwig</i> and <i>Chan-Evans-Lam</i> cross-coupling reactions	21
1.30	Synthesis of aryl ether 3 under <i>Chan-Evans-Lam</i> reaction condition	22
1.31	Synthesis of <i>anthranilic acid-based</i> MMP inhibitor 4	22
1.32	Synthesis of <i>macrocyclic</i> MMP inhibitor 5	23

1.33	Synthesis of MMP inhibitor AG3433	23
1.34	Synthesis of Factor Xa inhibitor	23
1.35	Proposed mechanism for <i>Chan-Evans-Lam</i> cross-coupling reaction	24
1.36	Multi-component <i>Petasis Borono-Mannich</i> reaction	25
1.37	Synthesis of Naftifine and other antifungal agents	26
1.38	Synthesis of antiplatelet agent Clopidogrel using <i>Petasis</i> reaction	26
1.39	Proposed mechanism for <i>Petasis Borono-Mannich</i> reaction	26
1.40	Conversion of boronic acids into different functionalities	27
1.41	Use of boronic acid as a template for the <i>Diels-Alder</i> reactions	28
1.42	Boronic acid-mediated <i>ortho</i> - α -hydroxyalkylation of phenol with aldehyde	28
1.43	Quinolin-8-ylboronic acid catalyzed hydrolysis chlorine-functionalized aliphatic alcohols	29
1.44	Arylboronic acids catalyzed direct amidation of carboxylic acids	30
1.45	Mechanism arylboronic acids catalyzed direct amidation of carboxylic acids	30
1.46	Arylboronic acids catalyzed <i>Diels-Alder</i> reactions	31
1.47	Arylboronic acids catalyzed [3+2] dipolar cycloaddition reactions	32
1.48	Arylboronic acids catalyzed <i>Friedel-Crafts</i> alkylation reaction	32
1.49	Interaction of boronic acid with diols in different pH	34
2.1	Different approaches for the preparation of phenolic compounds	49
2.2	Production of lactic acid from biomass	53
2.3	Lactic acid as a green solvent for multi-component reactions (MCR)	54
2.4	Oxidation of phenylboronic acid pinacol ester and potassium phenyltrifluoroborate in lactic acid	57
2.5	Oxidation of alkylboronic acids with hydrogen peroxide in lactic acid	57
2.6	Two different mechanistic pathways (A and B) for the oxidation reaction	58
2.7	Limitations of <i>ipso</i> -hydroxylation using lactic acid for other functional groups	59
2.8	Urea-hydrogen peroxide used for oxidation of various functional groups	

	in organic synthesis	60
2.9	Synthesis of Urea-hydrogen peroxide solid adduct	61
2.10	Oxidation of 4-(methylthio)phenylboronic acid in different conditions	67
2.11	Oxidation of phenylboronic acid pinacol ester and potassium phenyltrifluoroborate	67
2.12	Oxidation of alkylboronic acids with urea-hydrogen peroxide	68
2.13	Oxidation of arylboronic acids under solvent-free condition	68
2.14	Proposed mechanism for the <i>ipso</i> -hydroxylation reaction of arylboronic acids	69
3.1	A selective α -carbon functionalization of <i>N</i> -methylsulfoximine via lithiation	94
3.2	Representative methods for <i>N</i> -methylation of sulfoximines and their drawbacks	95
3.3	Copper-mediated <i>N</i> -arylation of sulfoximine using arylboronic acid	95
3.4	Methylboronic acid used as methylating reagent	96
3.5	<i>N</i> -alkylation of sulfoximine with alkylboronic acid	96
3.6	Representative methods for <i>N</i> -alkylation of sulfoximines and their drawbacks.	102
3.7	<i>N</i> -Alkylation of L-methionine sulfoximine derivative under optimized reaction condition	104
3.8	An example of selective functionalization of <i>N</i> -methylsulfoximine via lithiation	104
3.9	Proposed mechanism for <i>N</i> -methylation reaction	105
4.1	Previous reports for <i>N</i> -arylation of sulfoximines	147
4.2	Objective of the present work	148
4.3	<i>N</i> -phenylation of <i>S</i> -methyl- <i>S</i> -phenylsulfoximine using phenylboronic acid surrogates	158
4.4	<i>N</i> -vinylation of <i>S</i> -methyl- <i>S</i> -phenylsulfoximine using <i>trans</i> -2-phenylvinylboronic acid	160
4.5	Proposed mechanism for <i>N</i> -arylation of sulfoximine with arylboronic	

	acid	161
5.1	Deoxygenation processes under metal or metal-free conditions	201
5.2	Deoxygenation of 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide with diboron compounds	204
5.3	Deoxygenation of 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide (II) with 4-nitrophenylboronic acid	211
5.4	Deoxygenation of <i>N,N</i> -dimethylaniline <i>N</i> -oxide (1a) with 4-nitrophenylboronic acid in acetonitrile	213
5.5	Deoxygenation of 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide (II) with 4-nitrophenylboronic acid in THF or water	214
5.6	Plausible mechanism for the deoxygenation of amine <i>N</i> -oxides to corresponding amines	216
6.1	Snapshot of chapter-2	244
6.2	Pictorial representation of chapter-3	245
6.3	Quick look of chapter-4	246
6.4	Graphical illustration of chapter-5	247

Figure No.	LIST OF FIGURES	Page No.
1.1	Structures of some common boronic acid surrogates	11
1.2	Examples of clinical drugs accessed by <i>Suzuki-Miyaura</i> cross-coupling reactions.	18
1.3	Applications of boronic acids in various fields	33
1.4	Structures of some glucose sensors	34
1.5	Boronic acids as proteasome and DPP-IV enzyme inhibitors	35
1.6	Therapeutic applications of boronic acids	36
2.1	Various green solvents used in organic synthesis	46
2.2	Structure of various bio-based solvents used in organic synthesis	47

2.3	Applications of phenolic compounds in different fields	48
2.4	¹ H NMR of Phenol (2a)	85
2.5	¹³ C NMR of Phenol (2a)	85
2.6	¹ H NMR of cyclohexanol (2u)	86
2.7	¹³ C NMR of cyclohexanol (2u)	86
2.8	¹ H NMR of 4-(methylthio)phenol (4e)	87
2.9	¹³ C NMR of 4-(methylthio)phenol (4e)	87
3.1	Biologically and chemically relevant sulfoximines.	93
3.2	¹ H NMR of <i>N,S</i> -dimethyl- <i>S</i> -phenylsulfoximine (2a)	139
3.3	¹³ C NMR of <i>N,S</i> -dimethyl- <i>S</i> -phenylsulfoximine (2a)	139
3.4	¹ H NMR of <i>N</i> -methyl- <i>S,S</i> -diphenylsulfoximine (2p)	140
3.5	¹³ C NMR of <i>N</i> -methyl- <i>S,S</i> -diphenylsulfoximine (2p)	140
3.6	¹ H NMR of <i>N</i> -cyclopropyl- <i>S</i> -ethyl- <i>S</i> -phenylsulfoximine (3e)	141
3.7	¹³ C NMR of <i>N</i> -cyclopropyl- <i>S</i> -ethyl- <i>S</i> -phenylsulfoximine (3e)	141
3.8	¹ H NMR of L-Methionine sulfoximine derivative (4a)	142
3.9	¹³ C NMR of L-Methionine sulfoximine derivative (4a)	142
4.1	Single crystal XRD structure of compound 3ay	154
4.2	¹ H NMR of <i>N</i> -(2,4,6-trimethylphenyl)- <i>S,S</i> -methylphenylsulfoximine (3aa)	192
4.3	¹³ C NMR of <i>N</i> -(2,4,6-trimethylphenyl)- <i>S,S</i> -methylphenylsulfoximine (3aa)	192
4.4	¹ H NMR of <i>N</i> -phenylethynyl- <i>S,S</i> -methylphenylsulfoximine (3aw)	193
4.5	¹³ C NMR of <i>N</i> -phenylethynyl- <i>S,S</i> -methylphenylsulfoximine (3aw)	193
4.6	¹ H NMR of <i>N</i> -(2,4,6-trimethylphenyl)- <i>S,S</i> -dibutylsulfoximine (4c)	194
4.7	¹³ C NMR of <i>N</i> -(2,4,6-trimethylphenyl)- <i>S,S</i> -dibutylsulfoximine (4c)	194
4.8	¹ H NMR of L-Methionine Sulfoximine Derivative (4h)	195
4.9	¹³ C NMR of L-Methionine Sulfoximine Derivative (4h)	195
5.1	Example of <i>N</i> -oxide deoxygenation promoted turn-on fluorescent probe	199
5.2	Structures of <i>N</i> -oxide based anticancer prodrugs	200
5.3	Structures of antidepressant drug Clozapine and its metabolite Clozapine	

	<i>N</i> -oxide	210
5.4	(a) Spectral profile showing the increase of <i>p</i> -NP band at 400 nm with respect to time. The reaction was carried out with 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide and 4-nitrophenylboronic acid in acetonitrile and spectra were measured in <i>tris</i> -HCl buffer solution with 15 min interval. (b) Plot of absorbance vs time	212
5.5	(a) Spectral profile showing the increase of <i>p</i> -NP band at 400 nm with respect to time. The reaction was carried out with <i>N,N</i> -dimethylaniline <i>N</i> -oxide and 4-nitrophenylboronic acid in acetonitrile and spectra were measured in <i>tris</i> -HCl buffer solution with 15 min interval. (b) Plot of absorbance vs time	213
5.6	(a) Spectral profile showing the increase of <i>p</i> -NP band at 400 nm with respect to time. The reaction was carried out with 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide and 4-nitrophenylboronic acid in tetrahydrofuran and spectra were measured in <i>tris</i> -HCl buffer solution with 15 min interval. (b) Plot of absorbance vs time	214
5.7	(a) Spectral profile showing the increase of <i>p</i> -NP band at 400 nm with respect to time. The reaction was carried out with 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide and 4-nitrophenylboronic acid in water at 70 °C and spectra were measured in <i>tris</i> -HCl buffer solution with 30 min interval. (b) Plot of absorbance vs time	215
5.8	¹ H NMR of 4-bromo- <i>N,N</i> -dimethylaniline (2l)	236
5.9	¹³ C NMR of 4-bromo- <i>N,N</i> -dimethylaniline (2l)	236
5.10	¹ H NMR of 4-ethylmorpholine (4b)	237
5.11	¹³ C NMR of 4-ethylmorpholine (4b)	237
5.12	¹ H NMR of Quinoline (6g)	238
5.13	¹³ C NMR of Quinoline (6g)	238
6.1	Overview of chapter-1	243

Table No.	LIST OF TABLES	Page No.
2.1	Synthesis of phenols from arylboronic acids	50
2.2	Oxidation of 4-chlorophenylboronic acid in various solvents with hydrogen peroxide	52
2.3	Oxidation of various functionalized arylboronic acids in lactic acid and acetic acid	56
2.4	Oxidation of phenylboronic acid using urea-hydrogen peroxide (UHP)	63
2.5	Oxidation of substituted arylboronic acids to corresponding phenols using UHP	65
3.1	Optimization of reaction condition for <i>N</i> -methylation of sulfoximine using methylboronic acid	98
3.2	<i>N</i> -Methylation of various sulfoximines with methylboronic acid under optimized conditions	100
3.3	<i>N</i> -Alkylation of <i>S</i> -ethyl- <i>S</i> -phenylsulfoximine (1b) with different alkylboronic acids	103
4.1	Optimization of reaction condition for <i>N</i> -arylation of sulfoximine (1a) using 2,4,6-trimethylphenylboronic acid (2a)	150
4.2	<i>N</i> -Arylation of <i>S</i> -methyl- <i>S</i> -phenylsulfoximine (1a) using sterically hindered arylboronic acid	151
4.3	<i>N</i> -Arylation of <i>S</i> -methyl- <i>S</i> -phenylsulfoximine (1a) using various arylboronic acid	153
4.4	<i>N</i> -(4-methyl)phenylation of various sulfoximines using 4-methylphenylboronic acid	155
4.5	Crystal data and structure refinement for 3ay	156
4.6	<i>N</i> -arylation of aliphatic sulfoximines using various arylboronic acids	157
4.7	<i>N</i> -arylation of bio-active L-methionine sulfoximine with arylboronic	159

	acids	
5.1	Optimization of reaction condition in various solvents	202
5.2	Optimization of reaction condition with different boronic acids	203
5.3	Deoxygenation of <i>N,N</i> -dialkylaniline <i>N</i> -oxides using phenylboronic acid	206
5.4	Deoxygenation of trialkyl and benzylamine <i>N</i> -oxides with phenylboronic acid	207
5.5	Deoxygenation of heteroaromatic <i>N</i> -oxides with phenylboronic acid	209
5.6	Yield comparison between isolated and calculated values from UV for the deoxygenation reaction of 4-bromo- <i>N,N</i> -dimethylaniline <i>N</i> -oxide (II) with 4-nitrophenylboronic acid.	215