

## REFERENCES

- [1] <https://www.britannica.com/science/earthquake-geology>
- [2] <https://www.usgs.gov/programs/earthquake-hazards/earthquake-magnitude-energy-release-and-shaking-intensity#:~:text=Magnitude%20is%20the%20size%20of,details%20on%20shaking%20intensity%20measurements>.
- [3] Priestley, K., & Scholz CH (1990). *The Mechanics of Earthquakes and Faulting*. xxii+ 439 pp. Cambridge, New York, Port Chester, Melbourne, Sydney: Cambridge University Press, ISBN 0 521 33443 8. *Geological Magazine*, 127(6), 613-614.
- [4] <https://www.mapsofindia.com/maps/india/seismiczone.htm>
- [5] Scawthorn, C., & Chen, W. F. (2002). *Earthquake engineering handbook*. CRC press.
- [6] <https://www.abc.net.au/news/2015-10-27/deadliest-earthquakes-in-the-asia-pacific-region/6788452?nw=0&r=HtmlFragment>
- [7] Murty, C. V. R. (2011). *Introduction to Earthquake Protection of Non-Structural Elements in Buildings*.
- [8] CSA, C. (2006). *Seismic risk reduction of operational and functional components (OFCs) of buildings*. CAN/CSA-S832-06.
- [9] Villaverde, R. (2009). *Fundamental concepts of earthquake engineering*. CRC press.

- [10] Wang, M., & Eng, P. (2008). Seismic risk assessment of operational and functional components for new and existing buildings. In 14th World Conference on Earthquake Engineering. Beijing, China., 1-8
- [11] Deliverable, C. (2018). Improved Tools for Disaster Risk Mitigation in Algeria.
- [12] EERI, (1997), Annotated Slide Set, Earthquake Engineering Research Institute, Oakland, CA, USA, CD ROM
- [13] Onat, O., Correia, A. A., Lourenço, P. B., & Koçak, A. (2018). Assessment of the combined in-plane and out-of-plane behaviour of brick infill walls within reinforced concrete frames under seismic loading. *Earthquake Engineering & Structural Dynamics*, 47(14), 2821-2839.
- [14] Yon, B., Sayin, E., Calayir, Y., Ulucan, Z. C., Karatas, M., Sahin, H., ... & Bildik, A. T. (2015). Lessons learned from recent destructive Van, Turkey earthquakes. *Earthquakes and Structures*, 9(2), 431-453.
- [15] Palermo, A., Pampanin, S., Baird, A., & Riccio, P. (2010). Focusing on reducing the earthquake damage to non-structural components in buildings. In NZSEE Conference.
- [16] Historical UBC (2005), The early years (1927-1994), Version 1.0 and 2.0, International Conference on Building Officials, Whittier, CA, CD-ROM
- [17] Applied Technology Council (ATC). (2008). Reducing the risks of nonstructural earthquake damage—State-of-the-art and practice report.
- [18] Kircher, C. A. (2003). It makes dollars and sense to improve nonstructural system performance. Proc Atc 29-2 Seminar on Seismic Design, Performance, and Retrofit of Nonstructural Components in Critical Facilities.

- [19] Hirakawa, N., & Kanda, J. (1997). Estimation of failure costs at various damage states. In *Summaries of Technical Papers of Annual Meeting of Architectural Institute of Japan*, (1), 75-76.
- [20] Taghavi, S., & Miranda, E. (2002). Seismic performance and loss assessment of nonstructural building components. In *Proceedings of 7th National Conference on Earthquake Engineering*, 21-25.
- [21] Takahashi, N., & Shiohara, H. (2004, August). Life cycle economic loss due to seismic damage of nonstructural elements. In *Proceedings of the 13th World Conference on Earthquake Engineering (CD)*, Vol. 203.
- [22] Fib (2012). Probabilistic performance-based seismic design: Technical report. Vol. 68. *Fédération internationale du béton*, 1-118
- [23] EN, C. (2005). 3: 2005 Eurocode 8: Design of structures for earthquake resistance-Part 3: Assessment and retrofitting of buildings. CEN, EN: Brussels, Belgium.
- [24] ASCE. (2007, May). *Seismic rehabilitation of existing buildings*. American Society of Civil Engineers.
- [25] ASCE. (2010). *Minimum design loads for buildings and other structures*. American Society of Civil Engineers.
- [26] Vamvatsikos, D., & Cornell, C. A. (2002). Incremental dynamic analysis. *Earthquake engineering & structural dynamics*, 31(3), 491-514.
- [27] Giovenale, P., Cornell, C. A., & Esteva, L. (2004). Comparing the adequacy of alternative ground motion intensity measures for the estimation of structural responses. *Earthquake engineering & structural dynamics*, 33(8), 951-979.

- [28] Ghobarah, A., Abou-Elfath, H., & Biddah, A. (1999). Response-based damage assessment of structures. *Earthquake engineering & structural dynamics*, 28(1), 79-104.
- [29] Lagaros, N. D. (2010). Multicomponent incremental dynamic analysis considering variable incident angle. *Structure and Infrastructure Engineering*, 6(1-2), 77-94.
- [30] Zhuming B, (2018), Overview of Finite Element Analysis, *Finite Element Analysis Applications*, Academic Press,2018, Pages 1-29
- [31] Hussain R.R (2016), Introduction to Etabs, Computer Aided Seismic and Fire Retrofitting Analysis of Existing High Rise Reinforced Concrete Buildings, *Solid Mechanics and Its Applications* 222
- [32] Wang, X., Astroza, R., Hutchinson, T., Conte, J., & Bachman, R. (2014, July). Seismic demands on acceleration-sensitive nonstructural components using recorded building response data—case study. In *Proceedings of the tenth US national conference on earthquake engineering*, Anchorage, AK.
- [33] Devin, A., & Fanning, P. J. (2019). Non-structural elements and the dynamic response of buildings: A review. *Engineering Structures*, 187, 242-250.
- [34] Taghavi, S., & Miranda, E. (2003). Response assessment of nonstructural building elements, PEER report 2003/05. Berkeley: University of California, 1-96.
- [35] Taghavi, S., & Miranda, E. (2003). Study of floor acceleration demands in moment frame structures. In *Computational Fluid and Solid Mechanics 2003*, 2378-2382

- [36] Villaverde, R. (1997). Seismic design of secondary structures: state of the art. *Journal of structural engineering*, 123(8), 1011-1019.
- [37] Miranda, E., Kazantzi, A. K., & Vamvatsikos, D. (2018b). Towards a new approach to design acceleration-sensitive non-structural components. In *Proceedings of 11th national conference in earthquake engineering*, Earthquake Engineering Research Institute, Los Angeles, CA.
- [38] Miranda, E., Kazantzi, A. K., & Vamvatsikos, D. (2018a). New approach to the design of acceleration-sensitive non-structural elements in buildings. In *16th European conference on earthquake engineering*, 18-21.
- [39] Dhakal, R. P. (2010). Damage to non-structural components and contents in 2010 Darfield earthquake. *Bulletin of the New Zealand Society for Earthquake Engineering*, 43(4), 404-411.
- [40] Dhakal, R. P., Pourali, A., Tasligedik, A. S., Yeow, T., Baird, A., MacRae, G., ... & Palermo, A. (2016). Seismic performance of non-structural components and contents in buildings: an overview of NZ research. *Earthquake Engineering and Engineering Vibration*, 15(1), 1-17.
- [41] Ju, B. (2013). Framework for fragility evaluation of piping system. *Transactions, SMiRT-22*, San Francisco, California, USA, 1-9
- [42] Phipps, M., Fathali, S., Gillengerten, J., Hutchinson, T., Medina, R., Bachman, R., ... & Heintz, J. (2017, January). Future Developments in the Seismic Analysis and Design of Nonstructural Components for Buildings. In *16th World Conference on Earthquake Engineering*, 9-13.

- [43] Scholl, R. E. (1984). Nonstructural issues of seismic design and construction. *EERI* 84, 4.
- [44] Jennings, P. C., & Housner, G. W. (1973). The San Fernando, California, earthquake of February 9, 1971. In *Proceedings of the Fifth. Rome: World Conference on Earthquake Engineering.*, 16-25
- [45] Amirsardari, A., Sofi, M., Lumantarna, E., Imran, I., & Duffield, C. (2019). Impact of Earthquakes on the Transportation Infrastructure of Indonesia: A Preliminary Study. *Civil Engineering Dimension*, 21(1), 19-28.
- [46] Hausler, E. A. (2004). Housing reconstruction and retrofitting after the 2001 Kachchh, Gujarat Earthquake. In *Vancouver, Canada: 13th World Conference on Earthquake Engineering*, 1(6), 1-15
- [47] Murat, S., Ahmed, G., & Ioan, N. (2006). Performance of structures in Indonesia during the December 2004 Great Sumatra earthquake and Indian Ocean tsunami. *Earthquake Spectra*, 22(3), 295-319.
- [48] Wang, T., Shang, Q., & Li, J. (2021). Seismic force demands on acceleration-sensitive nonstructural components: a state-of-the-art review. *Earthquake Engineering and Engineering Vibration*, 20(1), 39-62.
- [49] Adhikari, R. K., & D'Ayala, D. (2020). 2015 Nepal earthquake: seismic performance and post-earthquake reconstruction of stone in mud mortar masonry buildings. *Bulletin of earthquake engineering*, 18(8), 3863-3896.
- [50] Biglari, M., & Formisano, A. (2020). Damage probability matrices and empirical fragility curves from damage data on masonry buildings after Sarpol-e-zahab and Bam Earthquakes of Iran. *Frontiers in built environment*, 2, 1-11

- [51] Perrone, D., Calvi, P. M., Nascimbene, R., Fischer, E. C., & Magliulo, G. (2019). Seismic performance of non-structural elements during the 2016 Central Italy earthquake. *Bulletin of Earthquake Engineering*, 17(10), 5655-5677.
- [52] Tan, J., Michael Ho, S. C., Zhang, P., & Jiang, J. (2019). Experimental study on vibration control of suspended piping system by single-sided pounding tuned mass damper. *Applied Sciences*, 9(2), 1-17
- [53] MacRae, G. A., Pampanin, S., Dhakal, R., Palermo, A., Baird, A., & Tasligedik, S. (2012). Review of design and installation practices for non-structural components. Report prepared for the Engineering Advisory Group of the Department of Building and Housing by New Zealand Consultants, Industry and Related Experts, NZ, 1-82
- [54] Flores, F. X., Lopez-Garcia, D., & Charney, F. A. (2015). Assessment of floor accelerations in special steel moment frames. *Journal of Constructional Steel Research*, 106, 154-165.
- [55] Chen, Y., & Soong, T. T. (1988). Seismic response of secondary systems. *Engineering Structures*, 10(4), 218-228.
- [56] Pattarakijkusol, S. (2019). Thailand fertility related policies and social institution factors influencing middle-income earning generation y's fertility intentions.
- [57] Sullivan, T. J., Calvi, P. M., & Welch, D. P. (2013). Estimating roof-level acceleration spectra for single storey buildings. In 4th ECCOMAS Thematic Conference on Computational Methods in Structural Dynamics and Earthquake Engineering, 2491-2499

- [58] Sullivan, T. J., Calvi, P. M., & Nascimbene, R. (2013). Towards improved floor spectra estimates for seismic design. *Earthquakes and Structures*, 4(1), 109-132.
- [59] Chaudhuri, S. R., & Hutchinson, T. C. (2004). Distribution of peak horizontal floor acceleration for estimating nonstructural element vulnerability. In *13th World Conference on Earthquake Engineering*, 1-15
- [60] Chaudhuri, S. R., & Villaverde, R. (2008). Effect of building nonlinearity on seismic response of nonstructural components: a parametric study. *Journal of structural engineering*, 134(4), 661-670.
- [61] Uma, S. R., Zhao, J. X., & King, A. B. (2010). Seismic actions on acceleration sensitive non-structural components in ductile frames. *Bulletin of the New Zealand Society for Earthquake Engineering*, 43(2), 110-125.
- [62] Clayton, J. S., & Medina, R. A. (2012). Proposed method for probabilistic estimation of peak component acceleration demands. *Earthquake Spectra*, 28(1), 55-75.
- [63] Jayamon, J. R., Line, P., & Charney, F. A. (2015). An Assessment of Seismic Floor Accelerations in Wood Shear Wall Buildings. In *Improving the Seismic Performance of Existing Buildings and Other Structures 2015*, 459-470
- [64] Petrone, C., Magliulo, G., & Manfredi, G. (2016). Floor response spectra in RC frame structures designed according to Eurocode 8. *Bulletin of Earthquake Engineering*, 14(3), 747-767.
- [65] Anajafi, H., & Medina, R. A. (2018b). Evaluation of ASCE 7 equations for designing acceleration-sensitive nonstructural components using data from

instrumented buildings. *Earthquake Engineering & Structural Dynamics*, 47(4), 1075-1094.

- [66] Medina, R. A., Sankaranarayanan, R., & Kingston, K. M. (2006). Floor response spectra for light components mounted on regular moment-resisting frame structures. *Engineering structures*, 28(14), 1927-1940.
- [67] Pavlou, E., & Constantinou, M. C. (2006). Response of nonstructural components in structures with damping systems. *Journal of Structural Engineering*, 132(7), 1108-1117.
- [68] Mohammadi, R. K., & Mohammadi, M. (2012, September). Estimating floor acceleration in nonlinear multi-story moment-resisting frames. In *15th World Conference on Earthquake Engineering*, 24-28.
- [69] Anajafi, H., & Medina, R. A. (2018). Effects of Supporting Building Characteristics on Nonstructural components Acceleration Demands. *11th US National Conference on Earthquake Engineering*. Los Angeles, CA: Earthquake Engineering Research Institute, 1-10
- [70] Anajafi, H., & Medina, R. A. (2019). Lessons learned from evaluating the responses of instrumented buildings in the United States: the effects of supporting building characteristics on floor response spectra. *Earthquake Spectra*, 35(1), 159-191.
- [71] Kehoe, B., & Hachem, M. (2003). Procedures for estimating floor accelerations. *Proc., ATC-29-2 Seminar on Seismic Design, Performance, and Retrofit of Nonstructural Components in Critical Facilities*, Applied Technology Council, Redwood City, Calif., 1-8

- [72] Sankaranarayanan, R., & Medina, R. A. (2008). Statistical models for a proposed acceleration-response modification factor for nonstructural components attached to inelastic structures. Proceedings of 14th world conference on earthquake engineering, Beijing, China, 1-8. 1-9
- [73] Pinkawa, M., Hoffmeister, B., & Feldmann, M. (2014). Floor Response Spectra Considering Influence of Higher Modes and Dissipative Behaviour. In Seismic Design of Industrial Facilities, Springer Vieweg, Wiesbaden, 235-246
- [74] Marsantyo, R., Shimazu, T., & Araki, H. (2000). Dynamic response of nonstructural systems mounted on floors of buildings. In Proceedings of the 12th World Conference on Earthquake Engineering, 1-8.
- [75] Singh, M. P., Moreschi, L. M., Suarez, L. E., & Matheu, E. E. (2006). Seismic design forces. II: Flexible nonstructural components. Journal of Structural Engineering, 132(10), 1533-1542.
- [76] Obando, J. C., & Lopez-Garcia, D. (2018). Inelastic displacement ratios for nonstructural components subjected to floor accelerations. Journal of Earthquake Engineering, 22(4), 569-594.
- [77] Adam, C., & Fotiu, P. A. (2000). Dynamic analysis of inelastic primary–secondary systems. Engineering Structures, 22(1), 58-71.
- [78] Sankaranarayanan, R. (2007). Seismic response of acceleration-sensitive nonstructural components mounted on moment-resisting frame structures. University of Maryland, College Park.
- [79] Politopoulos, I. (2010). Floor spectra of MDOF nonlinear structures. Journal of Earthquake Engineering, 14(5), 726-742.

- [80] Anajafi, H., & Medina, R. A. (2018). Evaluation of ASCE 7 equations for designing acceleration-sensitive nonstructural components using data from instrumented buildings. *Earthquake Engineering & Structural Dynamics*, 47(4), 1075-1094.
- [81] Wang, T., Shang, Q., & Li, J. (2021). Seismic force demands on acceleration-sensitive nonstructural components: a state-of-the-art review. *Earthquake Engineering and Engineering Vibration*, 20(1), 39-62.
- [82] Kazantzi, A., Vamvatsikos, D., & Miranda, E. (2018). Effect of yielding on the seismic demands of nonstructural elements. *Proceedings of 16th European conference on earthquake engineering*, Thessaloniki, Greece. 1-12
- [83] Pollino, M. (2012). Structural and Non-Structural Seismic Demands on Controlled Rocking Steel Braced Frame Buildings. *Structures Congress 2012*, 1541-1552
- [84] Ray-Chaudhuri, S., & Hutchinson, T. C. (2011). Effect of nonlinearity of frame buildings on peak horizontal floor acceleration. *Journal of earthquake engineering*, 15(1), 124-142.
- [85] Surana, M. (2019). Evaluation of seismic design provisions for acceleration-sensitive non-structural components. *Earthquakes and Structures*, 16(5), 611-623.
- [86] Wieser, J., Pekcan, G., Zaghi, A. E., Itani, A., & Maragakis, M. (2013). Floor accelerations in yielding special moment resisting frame structures. *Earthquake spectra*, 29(3), 987-1002.

- [87] Adam, C., Furtmüller, T., & Moschen, L. (2013). Floor response spectra for moderately heavy nonstructural elements attached to ductile frame structures. *Computational methods in earthquake engineering* (pp. 69-89). Springer, Dordrecht.
- [88] Sackman, J. L., & Kelly, J. M. (1979). Seismic analysis of internal equipment and components in structures. *Engineering Structures*, 1(4), 179-190.
- [89] Asfura, A., & Kiureghian, A. D. (1986). Floor response spectrum method for seismic analysis of multiply supported secondary systems. *Earthquake engineering & structural dynamics*, 14(2), 245-265.
- [90] Taghavi, S., & Miranda, E. (2008). Effect of interaction between primary and secondary systems on floor response spectra. *14th World Conference on Earthquake Engineering*, 12-17.
- [91] Adam, C., & Furtmüller, T. (2008). Response of nonstructural components in ductile load-bearing structures subjected to ordinary ground motions. *Proceedings of the 14th world conference on earthquake engineering*, 1-8.
- [92] Cunha, A., Caetano, E., Ribeiro, P., & Müller, G. (2014). A critical review of current approaches on the determination of seismic force demands on nonstructural components, 421-428
- [93] Pardalopoulos, S. I., & Pantazopoulou, S. J. (2015). Seismic response of nonstructural components attached on multistorey buildings. *Earthquake Engineering & Structural Dynamics*, 44(1), 139-158.

- [94] Qu, B., Goel, R. K., & Chadwell, C. B. (2014). Evaluation of ASCE/SEI 7 provisions for determination of seismic demands on nonstructural components. In 10th US National Conference on Earthquake Engineering. Anchorage, AK, USA: Earthquake Engineering Research Institute.
- [95] Kollerathu, J. A., & Menon, A. (2017). Role of diaphragm flexibility modelling in seismic analysis of existing masonry structures, *Structures*, 11, 22-39
- [96] Miranda, E., & Taghavi, S. (2005). Approximate floor acceleration demands in multistory buildings. I: Formulation. *Journal of structural engineering*, 131(2), 203-211.
- [97] Chalarca, B., Perrone, D., & Filiatrault, A. (2019). Floor Acceleration Demand on Steel Moment Resisting Frame Buildings Retrofitted with Linear and Nonlinear Viscous Dampers. In 4th International Workshop on the Seismic Performance of Non-structural Elements (SPONSE), 22-23.
- [98] Kennedy, R. P., Short, S. A., & Newmark, N. M. (1981). The response of a nuclear power plant to near-field moderate magnitude earthquakes. *Structural mechanics in reactor technology*. Vol. 1, 1-395
- [99] Raychowdhury, P., & Ray-Chaudhuri, S. (2015, August). Seismic response of nonstructural components supported by a 4-story SMRF: Effect of nonlinear soil–structure interaction. *Structures*, 3, 200-210.
- [100] Zhang, C., & Jiang, N. (2017). A shaking table real-time substructure experiment of an equipment–structure–soil interaction system. *Advances in Mechanical Engineering*, 9(10)

- [101] Zhang, C., & Jiang, N. (2017). Effects of equipment-structure-soil interaction on seismic response of equipment and structure via real-time dynamic substructuring shaking table testing. *Shock and Vibration*, 1-13
- [102] Toro, G. R., McGuire, R. K., Cornell, C. A., & Sewell, R. T. (1989). Linear and nonlinear response of structures and equipment to California and Eastern United States earthquakes (No. EPRI-NP-5566). Electric Power Research Inst., Palo Alto, CA (USA); Risk Engineering, Inc., Golden, CO (USA); Stanford Univ., CA (USA).
- [103] Igusa, T. (1990). Response characteristics of inelastic 2-DOF primary-secondary system. *Journal of engineering mechanics*, 116(5), 1160-1174.
- [104] Villaverde, R. (2006). Simple method to estimate the seismic nonlinear response of nonstructural components in buildings. *Engineering Structures*, 28(8), 1209-1221.
- [105] Vukobratović, V., & Fajfar, P. (2017). Code-oriented floor acceleration spectra for building structures. *Bulletin of Earthquake Engineering*, 15(7), 3013-3026.
- [106] Anajafi, H. (2018). Improved seismic design of non-structural components (NSCs) and development of innovative control approaches to enhance the seismic performance of buildings and NSCs. University of New Hampshire: Durham, NH, USA.
- [107] Anajafi, H., Medina, R. A., & Santini-Bell, E. (2020). Inelastic floor spectra for designing anchored acceleration-sensitive nonstructural components. *Bulletin of Earthquake Engineering*, 18(5), 2115-2147.

- [108] Wang, T., Shang, Q., & Li, J. (2021). Seismic force demands on acceleration-sensitive nonstructural components: a state-of-the-art review. *Earthquake Engineering and Engineering Vibration*, 20(1), 39-62.
- [109] Penzien, J., & Chopra, A. K. (1965). Earthquake response of appendage on a multi-story building. In *Proceedings, 3rd World Conference on Earthquake Engineering*, 2, 476-490.
- [110] Kapur, K. K., & Shao, L. C. (1973, December). Generation of seismic floor response spectra for equipment design. *Structural Design of Nuclear Plant Facilities*. ASCE.
- [111] Yasui, Y., Yoshihara, J., Takeda, T., & Miyamoto, A. (1993). Direct generation method for floor response spectra, 367-372.
- [112] Vukobratović, V., & Fajfar, P. (2012, September). A method for direct determination of inelastic floor response spectra. In *15th World Conference on Earthquake Engineering*, 24-28.
- [113] Vukobratovic, V., & Fajfar, P. (2013). A method for direct generation of floor acceleration spectra for inelastic structures, 1-10.
- [114] Vukobratović, V., & Fajfar, P. (2015). A method for the direct determination of approximate floor response spectra for SDOF inelastic structures. *Bulletin of Earthquake Engineering*, 13(5), 1405-1424.
- [115] Jiang, W., Li, B., Xie, W. C., & Pandey, M. D. (2015). Generate floor response spectra: Part 1. Direct spectra-to-spectra method. *Nuclear Engineering and Design*, 293, 525-546.

- [116] Li, B., Jiang, W., Xie, W. C., & Pandey, M. D. (2015). Generate floor response spectra, Part 2: Response spectra for equipment-structure resonance. *Nuclear Engineering and Design*, 293, 547-560.
- [117] Calvi, P. M., & Sullivan, T. J. (2014, July). Improved estimation of floor spectra in RC wall buildings. In *Proceedings of the 10th US national conference on earthquake engineering*, Anchorage, 1113.
- [118] Calvi, P. M., & Sullivan, T. J. (2014b). Estimating floor spectra in multiple degree of freedom systems. *Earthquakes and Structures*, 7(1), 17-38.
- [119] Naeim, F. (2007). *Dynamics of structures—theory and applications to earthquake engineering*. *Earthquake Spectra*, 23(2), 491-492.
- [120] Welch, D. P. (2016). *Non-structural element considerations for contemporary performance-based earthquake engineering*. Pavia, Italy: PhD Thesis, IUSS Pavia.
- [121] Aragaw, L. F. (2017). *Floor response spectra in hybrid base-rocking and reinforced concrete wall buildings* (Doctoral dissertation).
- [122] Aragaw, L. F. (2017). *Floor response spectra in hybrid base-rocking and reinforced concrete wall buildings* (Doctoral dissertation).
- [123] Merino, R. J., Perrone, D., & Filiatrault, A. (2020). Consistent floor response spectra for performance-based seismic design of nonstructural elements. *Earthquake Engineering & Structural Dynamics*, 49(3), 261-284.
- [124] Pan, X., Zheng, Z., & Wang, Z. (2017). Amplification factors for design of nonstructural components considering the near-fault pulse-like ground motions. *Bulletin of Earthquake Engineering*, 15(4), 1519-1541.

- [125] Pan, X., Zheng, Z., & Wang, Z. (2017b). Estimation of floor response spectra using modified modal pushover analysis. *Soil Dynamics and Earthquake Engineering*, 92, 472-487.
- [126] Shooshtari, M. S. N. N. S. F. M., Saatcioglu, M., Naumoski, N., & Foo, S. (2010). Floor response spectra for seismic design of operational and functional components of concrete buildings in Canada. *Canadian Journal of Civil Engineering*, 37(12), 1590-1599.
- [127] Surana, M., Singh, Y., & Lang, D. H. (2018a). Floor spectra of inelastic RC frame buildings considering ground motion characteristics. *Journal of Earthquake Engineering*, 22(3), 488-519.
- [128] Applied Technology Council, & Structural Engineers Association of California. (1978). *Tentative Provisions for the Development of Seismic Regulations for Buildings: A Cooperative Effort with the Design Professions, Building Code Interests, and the Research Community*. Department of Commerce, National Bureau of Standards, 3(6)
- [129] Code, P. (2005). *Eurocode 8: Design of structures for earthquake resistance- part 1: general rules, seismic actions and rules for buildings*. Brussels: European Committee for Standardization.
- [130] Cina. Ministry of Construction of the People. (2001). *Code for seismic design of buildings*. China Architecture & Building Press.
- [131] Standard, N. Z. (2004). *Structural design actions part 5: earthquake actions*- New Zealand. New Zealand.

- [132] National Earthquake Hazards Reduction Program (US), & Building Seismic Safety Council (US). (2001). NEHRP Recommended Provisions (National Earthquake Hazards Reduction Program) for Seismic Regulations for New Buildings and Other Structures. Building Seismic Safety Council.
- [133] American Society of Civil Engineers. (2017, June). Minimum design loads and associated criteria for buildings and other structures. American Society of Civil Engineers.
- [134] Drake, R. M., & Bachman, R. E. (1995). Interpretation of instrumented building seismic data and implications for building codes. In presentado en Proceedings of the 1995 SEAOC Annual Convention.
- [135] UBC 1997. Uniform Building Code. International Conference of Building Officials, Whittier, CA, Vol. 2, 1997
- [136] Murty CVR (2013)., Earthquake protection of non-structural elements in buildings, IITK-GSDMA Gujarat State Disaster Management Authority. Gujarat: Govt of Gujarat, 1–176
- [137] IS 1893 (Part-1): 2002. Criteria for Earthquake Resistant Design of Structures, Part 1– General Provisions and Buildings. New Delhi: Bureau of Indian Standards; 2002
- [138] Akhlaghi, H., & Moghadam, A. S. (2008, October). Height-wise distribution of peak horizontal floor acceleration (PHFA). In Proceeding of 14th World Conference on Earthquake Engineering, 12-17.

- [139] Fathali S, Lizundia B., Evaluation of Current Seismic Design Equations for Non-Structural Components in Tall Buildings using Strong Motion Records, Wiley Online Library, 2011, 20, 30-46
- [140] Strong ground motion, <https://strongmotioncenter.org/vdc/scripts/default.plx>
- [141] Extended 3D (Three-Dimensional) Analysis of Building Systems (ETABS), (2016). Integrated Analysis, Design and Drafting of Building System, Advanced ver. 16.2.0 Computers and Structures. Inc. CSI, Berkeley, Calif.
- [142] User manual Eureka: The A.I.-Powered Modeling Engine (2009)
- [143] Agrahari, R. K., & Pathak, K. K. (2021). Nonlinear Amplification Model in RC Frame Structures: Case Study for Chi-Chi Earthquake. Civil Engineering and Architecture, 9(4).

## LIST OF PUBLICATIONS

1. Ravinder Kumar Agrahari, K.K.Pathak, A.Sharma “Seismic acceleration amplification factor model for non-structural components in RC frame structures”. Journal of Structural Engineering, Vol. 47, No. 3, 2020.
2. Ravinder Kumar Agrahari, K. K. Pathak , "Nonlinear Amplification Model in RC Frame Structures: Case Study for Chi-Chi Earthquake," Civil Engineering and Architecture, Vol. 9, No. 4, 2021. DOI: 10.13189/cea.2021.09040x.
3. Ravinder Kumar Agrahari, K. K. Pathak, Ishan Jha “Seismic Acceleration Amplification Factor for Pin supported Moment Resisting RC Frame Structures: A case study for Chi-Chi Earthquake” Indian Journal of Engineering and Meterial Sciences, Vol. 29, No. 2, 2022
4. Ravinder Kumar Agrahari, K. K. Pathak “Floor Acceleration Amplification Factor for Nonlinear Moment Resisting RC frame Structures” submitted at Indian Journal of Engineering and Meterial Sciences.
5. M Firoj, A Bahuguna, A Kanth, R Agrahari “ Effect of nonlinear soil– structure interaction and lateral stiffness on seismic performance of mid– rise RC building” Journal of Building Engineering, Vol. 59, 2022
6. Ravinder Kumar Agrahari, K.K. Pathak, " Comparative study of Seismic Acceleration amplification models for RC frame Structures”, Conference Series: Materials Science and Engineering, 1197 012044
7. Ravinder Kumar Agrahari, K.K. Pathak “Linear Dynamic Analysis of Irregular Multi- storey RC Frame Building in Seismic Zone V” The 16<sup>th</sup> Symposium on Earthquake Engineering, Department of Earthquake Engineering, IIT Roorkee from Dec.20-22, 2018.

8. Ravinder Kumar Agrahari, K.K. Pathak “Seismic Acceleration Amplification Factor for Fixed and Hinge Support in RC Frame Structures: Comparative Study for Chi-Chi Earthquake” submitted at Current Sciences.