References

[1] Abbas I. A. and Yussef H. M. , "A non-linear generalized thermoelasticity model of temperature-dependent materials using finite element method", Int. J. Thermophys., 33 (2012) 1302–1313.

[2] Abbas I. A., "Eigenvalue approach in a three-dimensional generalized thermoelastic interactions with temperature-dependent material properties", Comput. Math. Appl., 68 (2014) 2036–2056.

[3] Abd-Alla A. M., Mahmoud S.R. and Abo-Dahab S.M., "On problem of transient coupled thermoelasticity of an annular fin", Meccanica, (5), 47 (2012) 1295-1306.

[4] Abdallah I. A., "Dual phase lag heat conduction and thermoelastic properties of a semi-infinite medium induced by ultrashort pulsed laser", Prog. Phys., 3 (2009) 60-63.

[5] Abouelergal A. E., "Rayleigh waves in a thermoelastic solid half space using dual-phase-lag model", Int. J. Eng. Sci., 49 (2011a) 781-791.

[6] Abouelregal A. E., "A problem of a semi-Infinite medium subjected to exponential heating using a dual-phase-lag thermoelastic model", Applied Mathematics, 2 (2011b) 619-624.

[7] Achenbach J. D., "The influence of heat conduction on propagating stress jumps", J. Mech. Phys. Solids, 16 (1968) 273-282.

[8] Ackerman C. C. and Overton Jr. W. C., "Second sound in solid helium-3", Phys. Rev. Lett., 22 (1969) 764-766.

[9] Ackerman C. C., Bertman B., Fairbank H. A. and Guver R. A., "Second sound in solid helium", Phys. Rev. Lett., 16 (1966) 789-791.

[10] Agarwal V. K., "On plane waves in generalized thermoelasticity", Acta Mech., 31 (1979) 185–198.

[11] Anwar M. N. and Sherief H. H., "Boundary integral formation of thermoelasticity with two relaxation times", J. Therm. Stresses, 17(1994) 257-270.

[12] Anwar M. N. and Sherief H. H., "Boundary integral formation of generalized thermoelasticity in Laplace transform domain", Appl. Math. Model., 12 (1988b) 161-166.

[13] Anwar M. N. and Sherief H. H., "State space approach to generalized thermoelasticity", J. Therm. Stresses, 11 (1988a) 353-365.

[14] Anwar M. N., "Problem in generalized thermoelasticity for a half-space subjected to smooth boundary", J. Therm. Stresses, 14 (1991) 241-254.

[15] Apalara T. A., Messaoudi S. A. and Al-Smail J. H., "A stability result for the vibrations given by the standard linear model with thermoelasticity of type III", Appl Anal., (2017) Doi.10.1080/00036811.2017.1335394.

[16] Argeso H. and Eraslan A.N., "On the use of temperature dependent physical properties in thermo-mechanical calculations for solid and hollow cylinder", Int. J. Therm. Sci. 47 (2008) 136-146.

[17] Atkins K. R. and Osborne D. V., "The velocity of second sound below 1-K", Philos. Mag., 41 (1950) 1078-1081.

[18] Bagri A. and Eslami M. R., "Generalized Coupled Thermoelasticity of Disks Based on the Lord-Shulman Model", J. Therm. Stresses, 27, 8 (2004) 691–704.

[19] Bakhshi M., Bagri A. and Eslami M. R., "Coupled thermoelasticity of functionally graded disk", Mech. Adv. Mater. Struc., 13(3) (2006) 219–225.

[20] Balla M., "Analytical study of the thermal shock of a half-space with various thermoelastic models", Acta Mech., 89 (1991) 73-92.

[21] Banerjee D. K. and Pao T., "Thermoelastic waves in anisotropic solids", J. Acoust. Soc. Am., 56 (1974) 1444–1454.

[22] Banik S., Mallik S. H. and Kanoria M., "Thermoelastic interaction with energy dissipation in an infinite solid with distributed periodically varying heat sources", Int. J. Pure Appl. Math., 34 (2007) 231–245.

[23] Bertman H. and Standiford R. J., "Second sound in solid helium", Sci. Anto., (2) , 225 (1970) 92-101.

[24] Biot M. A., "Thermoelasticity and irreversible thermodynamics", J. Appl. Phys., 27 (1956) 240-253.

[25] Boley B. A. and Weiner J. H., "Theory of Thermal Stresses", John Wiley and Sons, New York (1960).

[26] Borgmeyer K., Quintanilla R. and R.Racke, "Phase-lag heat conduction: decay rates for limit problems and well-posedness", J. Evol. Equ., 14 (2014) 863-884.

[27] Brorson S. D., Fujimoto J. G. and Ippen E. P., "Femtosecond electronic heat-transport dynamics in thin gold films", Phys. Rev. Lett., 59 (1987) 1962–1965.

[28] Carbonaro B. and Russo R., "Energy inequalities and the domain of influence theorem in classical elastodynamics", J. Elast., 14 (1984) 163-174.

[29] Carlson D. E., "Linear thermoelasticity in encyclopedia of physics", Vol. 2, Springer Verlag, Vienna Vol. Via/2 (1972) 297–345.

[30] Cattaneo C., "A form of heat equation which eliminates the paradox of instantaneous propagation", Comp. Rend., 247 (1958) 431–433.

[31] Chadwick P. and Sneddon I. N., "Plane waves in an elastic solid conducting heat", J. Mech. Phys. Solids, 6 (1958) 223–230.

[32] Chadwick P., "Thermoelasticity, the Dynamic Theory", in Hill R. and Sneddon I. N. (eds), Progress in Solid Mechanics, vol. I, pp. 263-328, North-Holland Pub. Co., Amsterdam (1960).

[33] Chakravorty S. and Chakravorty A., "Transient disturbances in a relaxing thermoelastic half-space due to moving internal heat source", Int. J. Math. Sci., 21 (1998) 595-602.

[34] Chandrasekharaiah D. S. and Debnath L., "ontinuum mechanic, Academic Press", Boston (1994).

[35] Chandrasekharaiah D. S. and Keshavan H. R., "Thermoelastic plane waves in a transversely isotropic body", Acta Mech., 87 (1991) 11-22.

[36] Chandrasekharaiah D. S. and Keshavan H. R.," Axisymmetric thermoelastic interactions in an unbounded body with cylindrical cavity", Acta Mech., 92 (1992) 61-76.

[37] Chandrasekharaiah D. S. and Srikantaiah K. R., "Temperature-rate dependent thermoelastic interactions in an infinite solid due to a point heat source", Indian J. Tech., 25 (1987) 1-7.

[38] Chandrasekharaiah D. S. and Srikantaiah K. R., "Thermoelastic plane waves in a rotating solid", Acta Mech., 50 (1984) 211-219.

[39] Chandrasekharaiah D. S. and Srinath K. S., "Axisymmetric thermoelastic interactions without energy dissipation in an unbounded body with cylindrical cavity", J. Elast., 46(1) (1997b) 19-31.

[40] Chandrasekharaiah D. S. and Srinath K. S., "Thermoelastic interactions without energy dissipation due to a point heat source", J. Elast., 50(2) (1998a) 97-108.

[41] Chandrasekharaiah D. S. and Srinath K. S., "Thermoelastic interactions without energy dissipation due to a line heat source", Acta Mech., 128 (1998b) 243-251.

[42] Chandrasekharaiah D. S. and Srinath K. S., "Thermoelastic plane waves without energy dissipation in a rotating body", Mech. Res. Comm., 24(5) (1997a) 551-560.

[43] Chandrasekharaiah D. S., " An uniqueness theorem in the theory of elastic materials with voids", J. Elasticity, 18 (1987) 173–179.

[44] Chandrasekharaiah D. S., " Hyperbolic thermoelasticity: a review of recent literature", Appl. Mech. Rev., 51 (1998) 705–729.

[45] Chandrasekharaiah D. S., "A generalized linear thermoelasticity theory for piezo-electric media", Acta Mech., 71 (1988) 39-49.

[46] Chandrasekharaiah D. S., "A uniqueness theorem in the theory of thermoelasticity without energy dissipation", J. Therm. Stresses, 19 (1996a) 267–272.

[47] Chandrasekharaiah D. S., "One-dimensional wave propagation in the linear theory of thermoelasticity without energy dissipation", J. Therm. Stresses, 19 (1996b) 695–710.

[48] Chandrasekharaiah D. S., "Thermoelastic plane waves without energy dissipation", Mech. Res. Commun., 23 (1996c) 549–555.

[49] Chandrasekharaiah D. S., "Thermoelasticity with second sound: a review", Appl. Mech. Rev, 39 (1986) 355–376.

[50] Chatterjee G. and Roychoudhuri S. K., "On spherically symmetric temperature-rate dependent thermoelastic wave propagation", J. Math. Phys. Sci., 24 (1990) 251-264.

[51] Chattopadhyay A., Keshri A. and Bose S., "A coupled thermoelastic problem for an infinite aelotropic medium having a cylindrical hole", Indian J. Pure Appl. Math., (7), 16(1985) 807-823.

[52] Chen H. and Lin H., "Study of Transient Coupled Thermoelastic Problems with Relaxation Times", Trans. ASME J. Appl. Mech., 62 (1995) 208–215.

[53] Chen J. and Dargush G. F., "Boundary Element Method for Dynamic Poroelastic and Thermoelastic Analysis", Int. J. Solids Struct., (32), 15 (1995) 2257–2278.

[54] Chirita S., Ciarletta M. and Tibullo V., "Qualitative properties of solutions in the time differential dual-phase-lag model of heat conduction", Appl Math Model., 50 (2017) 380-393.

[55] Chirita, S., and Ciarletta M., "Reciprocal and variational principles in linear thermoelasticity without energy dissipation", Mech. Res. Comm., 37 (2010) 271-275.

[56] Chyr I. A. and Shynkarenko H. A., "Well-Posedness Of the Green–Lindsay variational problem of dynamic thermoelasticity", J Math Sci., (1), 226 (2017) 11-27.

[57] Ciarletta M., "A solution of Galerkin type in the theory of thermoelastic materials with voids", J. Therm. Stresses, 14 (1991) 409-417.

[58] Das N. C. and Das S. N., "State space approach to thermoelasticity and magnetothermoelasticity problem", Indian J. Pure Appl. Math., 15 (1984) 1020-1035.

[59] Das N. C., Lahari A. and Giri R. R., "Eigenvalue approach to generalized thermoelasticity", Indian J. Pure Appl. Math., 28 (1997) 1573-1594.

[60] Deresiewicz H., "Plane waves in a thermoelastic solid", J. Acoust. Soc. Am., 29 (1957) 204–209.

[61] Dhaliwal R. S. and Rokne J. G., "One dimensional thermal shock problem with two relaxation times", J. Therm. Stresses, 12 (1989) 259-279.

[62] Dhaliwal R. S. and Sherief H. H., "Generalized thermoelasticity for anisotropic media", Q. Appl. Math, 38 (1980) 1–8.

[63] Dhaliwal R. S. and Singh A., "Dynamic Coupled Thermoelasticity", Hindustan Pub. Corp., Delhi (1980).

[64] Dhaliwal R. S. and Wang J., "Domain of influence theorem in the theory of elastic materials with voids", Int. J. Eng. Sci., 32 (1994) 1823-1828.

[65] Dreher M., Quintanilla R. and Racke R., "Ill posed problems in thermomechanics", Appl. Math. Lett., 22 (2009) 1374-1379.

[66] Dreyer W., and Struchtrup H., "Heat pulse experiments revisited", Continuum Mech. Thermodyn, 5 (1993) 3–50.

[67] Duhamel J. M. C., "Memoire sur le calcul des actions moleculaires developpees par les changements de temperature dans les corps solides", Memoires par Divers Savans (Acad. Sci. Paris), 5 (1838) 440-498.

[68] Duhamel J. M. C., "Second memoire sur les phenomenes thermo-mecaniques", J. Ecole Polytechnique, 15(25) (1837) 1-57.

[69] Durbin F., "Numerical inversion of Laplace Transforms: an Effective Improvement of Dubner and Abate's method", Comput. J. , 17 (4) (1973) 371-376.

[70] El-Karamany A. S. and Ezzat M. A., "On the phase- lag Green-Naghdi thermoelasticity theories", Appl Math. Model., (2016) Doi: 10.1016/j.apm.2016.01.010.

[71] El-Karamany A. S. and Ezzat M. A.,"On the dual-phase-lag thermoelasticity theory", Meccanica, 49 (2014) 79–89.

[72] El-Maghraby N. M. and Youssef H. M., "State space approach to generalized thermoelastic problem with thermomechanical shock", Appl. Math Comp., 156(2) (2004) 577-586.

[73] Entezari A., Filippi M. and Carrera E., "Unified finite element approach for generalized coupled thermoelastic analysis of 3D beam-type structures, part 1: Equations and formulation", J Therm. Stresses, (11), 40 (2017) 1386-1401.

[74] Eraslan A. N. and Kartal Y., "A Non-Linear Shooting Method Applied to Solid Mechanics: Part 1, Numerical Solution of a Plane Stress Model", Int. J Nonl. Ana. Phen., 1 (2004) 27-40 .

[75] Erbay H. A., Erbay S. and Dost S., "Thermally induced vibration in a generalized thermoelastic solid with a cavity", J. Therm. Stresses, 14 (1991) 161-171.

[76] Erbay S. and Suhubi E., "Longitudinal wave propagation in a generalized thermoelastic cylinder", J. Therm. Stresses, 9 (1986) 279-295.

[77] Eringen A. C. and Subhi S., " Elastodynamics", vol. 2, Academic Press Newyork (1975).

[78] Ezzat M. A. and Othman M. I. A.," State-space approach to generalized magneto-thermo-elasticity with thermal relaxation in a medium of perfect conductivity, J. Therm. Stresses, 25 (2002) 409-429.

[79] Ezzat M. A., "Fundamental solution in thermoelasticity with two relaxation times for cylindrical regions", Int. Eng. Sci., 14 (1995) 2011-2020.

[80] Ezzat M. A., El-Karamany A. S. and El-Bary A. A., "On dual- phase-lag thermoelasticity theory with memory-dependent derivative", Mech. Adv.Mat. Struct., (11), 24 (2017) 908-916.

[81] Ezzat M. A., Othman M. I. and EI-Karamany A. S., "The dependence of the modulus of elasticity on the reference temperature in generalized thermoelasticity", J. Therm. Stresses, 24 (2011) 1159-1176.

[82] Ezzat M. A., Zakaria M. and Abdel-Bary A., "Generalized thermoelasticity with temperature dependent modulus of elasticity under three theories", J. Comput. Appl. Math, 14 (2004) 193-212.

[83] Filippi M., Entezari A. and Carrera E., "Unified finite element approach for generalized coupled thermoelastic analysis of 3D beam-type structures, part 2: Numerical evaluations", J Therm. Stresses, (11), 40 (2017) 1402-1416.

[84] Fourier, J. B. J., "Analytical theory of heat", Encyclopedia Britannica, Inc., Chicago II, 1952.

[85] Freed A.D., "A note on stress/strain conjugate pairs: Explicit and implicit theories of thermoelasticity for anisotropic materials", Int.J. Eng. Sci., 120 (2017) 155–171.

[86] Furukawa T., Noda N. and Ashida F., "Generalized thermoelasticity for an infinite body with a circular cylindrical hole based on the Green-Lindsay's theory (in Japanese)", Trans JSME, 55 (1989) 1998-2001.

[87] Furukawa T., Noda N. and Ashida F., "Generalized thermoelasticity for an infinite body with a circular cylindrical hole", JSME Int. J. Ser. I, 33 (1990) 26-32.

[88] Gadain H. E., "Coupled singular and non singular thermoelastic system and Double Laplace Decomposition method", NTMSCI, (3), 4 (2016), 212-222.

[89] Green A. E. and Laws N., "On the entropy production inequality", Arch. Rat. Mech. Anal., 45 (1972) 47-53.

[90] Green A. E. and Lindsay, K. A., "Thermoelasicity", J. Elasticity, 2 (1972) 1–7.

[91] Green A. E. and Naghdi P. M., "A unified procedure for construction of theories of deformable media. I. Classical continuum physics, II. Generalized continua, III. Mixtures of interacting continua", Proc. R Soc. Lond. A, 448 (1995) 335–356.

[92] Green A. E. and Naghdi, P. M., "A re-examination of the basic postulates of thermo-mechanics", Proc. R. Soc. Lond. A., 432 (1991) 171–194.

[93] Green A. E. and Naghdi, P. M., "On undamped heat waves in an elastic solid", J. Therm. Stresses, 15 (1992) 253–264.

[94] Green A.E. and Naghdi P. M., "Thermoelasticity without energy dissipation", J. Elasticity, 31 (1993) 189–208.

[95] Gurtin M. E., "The Linear Theory of Elasticity", in C.A. Truesdell (ed), Flugge's Handbuch Der Physik, vol. VI a/2, pp 1-296, Springer-Verlag, Berlin-Heidelberg-New York (1972).

[96] Gurtin, M. E., "Variational principles for linear elastodynamics", Arch. Ration. Mech. Anal, 16 (1964) 34–50.

[97] Haddow J. B. and Wegner J. L., "Plane harmonic waves for three thermoelastic theories", Math. Mech. Solids, 1 (1996) 111–127.

[98] He T., and Shi S., "Effect of temperature-dependent properties on thermoelastic problems with thermal relaxations", Acta Mech., 27 (2014) 412-419.

[99] Hetnarski R. B. and Eslami, M. R., "Thermal stresses: advanced theory and applications" in G. M. L. Gladwell (ed.), Solid Mechanics and Its Applications, Springer, Netherland (2010).

[100] Hetnarski R. B. and Ignaczak J., "Generalized thermoelasticity", J. Therm. Stresses, 22 (1999) 451-476.

[101] Hetnarski R. B. and Ignaczak J., "Mathematical Theory of Elasticity", Taylor and Francis, New York (2004).

[102] Hetnarski R. B., "Coupled one-dimensional thermal shock problem for small times", Arch. Mech. Stos., 13 (1961) 295-306.

[103] Hetnarski R. B., "The fundamental solution of the coupled thermoelastic problem for small times", Arch. Mech. Stosow., 16 (1964a) 23–3.

[104] Honig G. and Hirdes U., "A method for the numerical inversion of laplace transform", J. Appl. Math., Comput., 10 (1984) 113-132.

[105] Horgan C. O. and Quintanilla R., "Spatial behaviour of solutions of the dual-phase-lag heat equation", Math. Methods Appl. Sci., 28 (2005), 43-57.

[106] Hosseini P. T. and Eslami M. R., "Boundary element analysis of coupled thermoelasticity with relaxation times in finite Domain", AIAA J., (3), 38 (2000) 534–541.

[107] Hosseini P. T. and Eslami M. R., "Boundary element analysis of finite domains under thermal and mechanical shock with the lord-shulman theory", J. Strain Analysis, 38(2003) 1, 53–64.

[108] Hosseini S. M. and Abolbashari M. H., "Analytical solution for thermoelastic waves propagation analysis in thick hollow cylinder based on green – naghdi model of coupled thermoelasticity", J. Therm. Stresses, (4), 35 (2012) 363-376.

[109] Ibrahim A. A., "Generalized thermoelastic interaction in a hollow cylinder with temperature dependent material properties", J. Therm Sci. Tech., Doi:10.1299/jrst.2017jtst0005.

[110] Iesan D. and Quintanilla R., "Strain gradient theory of chiral Cosserat thermoelasticity without energy dissipation", J Math Anal Appl., (2), 437 (2016) 1219-1235.

[111] Iesan D., "On some reciprocity theorems and variational theorems in linear dynamic theories of continuum mechanics", Memorie dell'Accad. Sci. Torino. Cl. Sci. Fis. Mat. Nat. Ser , 4(17) (1974) 17-34.

[112] Iesan D., "On the theory of thermoelasticity without energy dissipation", J. Therm. Stresses, 21 (1998) 295-307.

[113] Iesan D., "Principes variationnels dans la theorie de la thermoelasticite couplee", Ann. Sci. Univ. 'Al. I. Cuza' Iasi, Mathematica, 12 (1966) 439–456.

[114] Iesan D., "Sur la theorie de la thermoelasticite micropolaire couplee", Compt. Rend. Acad. Sc. Paris, 265 (1967) 271-275.

[115] Iesan D., "Thermoelasticity model of continua", Springer science and Business media, 118 (1994).

[116] Ignaczak J. and Domański W., "One-dimensional model of nonlinear thermo-elasticity at low temperatures and small strains", Proceedings of the 11th International Congress on Thermal Stresses, (2016).

[117] Ignaczak J. and Ostoja-Starzewski M., "Thermoelasticity with Finite Wave Speeds", Oxford University Press, Oxford (2010).

[118] Ignaczak J., "A completeness problem for stress equations of motion in the linear elasticity theory", Arch. Mech. Stos, 15 (1963) 225–234.

[119] Ignaczak J., "Domain of influence result in generalized thermoelasticity-A survey", Appl. Mech. Rev., 44 (1991) 375-382.

[120] Ignaczak J., "Domain of influence theorem in asymmetric elastodynamics", Int. J. Eng. Sci., 17 (1979) 707-714.

[121] Ignaczak J., "Domain of influence theorem in linear thermoelasticity", Int. J. Eng. Sci., vol. 16 (1978) 139-145.

[122] Ionesco-Cazimir V., "Some applications of the theorems on reciprocity", Bull. Poln. Sci. Technol., 12 (1964) 481-488.

[123] Jackson H. E. and Walker C. T., "Thermal conductivity, second sound, and phonon-phonon interactions in NaF", Phys. Rev., B 3 (1971) 1428-1439.

[124] Jou D., Casas-Vazquez J. and Lebon G., "Extended Irreversible Thermodynamics", Springer- Verlag, Berlin, 1996.

[125] Kalkal K. K. and Deswal S., "Effects of phase lags on three-dimensional wave propagation with temperature-dependent properties", Int. J. Thermophys., 35 (2014) 952–969.

[126] Kar A. and Kanoria M., "Generalized thermoelastic functionally graded orthotropic hollow sphere under thermal shock with three-phase-lag effect", Eur. J. Mech. A/Solids, 28 (2009) 757-767.

[127] Kar A. and Kanoria M., "Thermoelastic interaction with energy dissipation in an unbounded body with a spherical hole", Int. J. Solids Structures, 44 (2007b) 2961–2971.

[128] Kar A. and Kanoria M., "Thermoelastic interaction with energy dissipation in a transversely isotropic thin circular disc", Euro. J. Mech. A/Solids, 26 (2007a) 969-981.

[129] Kar A. and Kanoria M., "Thermoelastic interaction with energy dissipation in an infinitely extended thin plate containing a circular hole", Far East J. Appl. Math., 24 (2006) 201–217.

[130] Knops R. J. and Quintanilla R., "Spatial behaviour in thermoelastostatic cylinders of indefinitely increasing cross-section. J Elasticity, (1), 121 (2015) 89-117.

[131] Kothari S. and Mukhopadhyay S., "Some theorems in linear thermoelasticity with dual phase-lags for an Anisotropic Medium", J. Therm. Stresses, 36 (2013) 985-1000.

[132] Kothari S., Kumar R. and Mukhopadhyay S., "On the fundamental solutions of generalized thermoelasticity with three phase-lags", J. Therm. Stresses, 33 (11) (2010) 1035-1048.

[133] Kothari, S and Mukhopadhyay, S., "Study of harmonic plane waves in rotating thermoelastic media of type III", Math Mech Solids., 17(8) (2012) 824-839.

[134] Kothari, S., "Some aspects of generalized thermoelasticity and thermoelastic diffusion", Indian institute of technology (BHU), Varanasi, India, (2013).

[135] Kumar A. and Kumar R., "A domain of influence theorem for thermoelasticity with three phase lag", J. Therm. Stresses, 38 (2015) 744–755.

[136] Kumar A. and Mukhopadhyay S., "An investigation on thermoelastic interactions under an exact heat conduction model with a delay term", J. Therm. Stresses, 39(8) (2016) 1002–1016.

[137] Kumar R., "Study of some problems under generalized thermoelasticity and thermoelasticity with two temperatures", Institute of Technology (BHU), Varanasi (2010).

[138] Kumar R.and Mukhopadhyay S., "Effects of three phase lags on generalized thermoelasticity for an infinite medium with a cylindrical cavity" , J Therm. Stresses,v (11), 32 (2009) 1149-1165.

[139] Landau L., "The theory of super fluidity of helium II", J. Phys., 5 (1941) 71.

[140] Lebon G., "Variational principles in thermomechanics", Springer, Wien, New York (1980).

[141] Leseduarte M. C. and Quintanilla R., " Phragman-Lindelof alternative for an exact heat conduction equation with delay", Comm. Pure Appl. Math, 12(3) (2013).

[142] Lesedurte M.C. and Quintanilla R., "Phragmen-lindelof alternative for the Laplace equation with dynamic boundary conditions", J. appl. Anal. and Comput., (4), 7 (2017)1323-1335.

[143] Lesedurte M.C. and Quintanilla R., "Spatial behavior for solutions in heat conduction with two delays", Applicable Analysis, (11), 94 (2015) 2331-2341.

[144] Lessen M., "Motion of thermoelastic solid", Q. Appl. Math. 15 (1957) 105–108.

[145] Liu Z.Y., Magana A. and Quintanilla R., "On the time decay of solutions for non-simple elasticity with voids", Zamm-Zeitschrift fur Angewandte Mathematik und Mechanik, (7), 96 (2016) 857-873.

[146] Lord H. W. and Lopez A. A., "Wave propagation in thermoelastic solids at very low temperature", Acta Mech., 10 (1970) 85-98.

[147] Lord H. W., and Shulman Y. H., "A generalized dynamical theory of thermoelasticity", J. Mech. Phys. Solids, 15 (1967) 299–309.

[148] Muller I. and Rugger T., Rational and Extended Thermodynamics, Springer-Verlag, New- York (1998).

[149] Magana A. and Quintanilla R., "On the existence and uniqueness in phase-lag thermoelasticity", Meccanica, (2017) Doi 10.1007/s11012-017-0727-9.

[150] Mallik S. H. and Kanoria M., "Effect of rotation on thermoelastic interaction with and without energy dissipation in an unbounded medium due to heat sources – An eigenvalue approach", Far East J. Appl. Math., 23(2) (2006) 147–167.

[151] Marin M., "A domain of influence theorem for microstretch elastic material", Nonlinear Analysis: RWA, 11 (2010) 3446-3452.

[152] Maurer R.D. and Herlin M. A., "Second Sound Velocity in Helium II", Phys. Rev., 76 (1949) 948-950.

[153] Maxwell J. C, "On the dynamic theory of gases", Phil. Trans. Roy. Soc. London, 157 (1867) 49-88.

[154] Maysel V. M., "The temperature problem of the theory of elasticity" (in Russian), Kiev, (1951).

[155] Mengi Y. and Turhan D., Transient response of inhomogeneous thermoelastic media to a dynamic Input, Z. Angew Math. Physik, 29 (1978) 561–574.

[156] Misra J. C., Chattopadhyay N. C. and Samanta S. C., "Study of the thermoelastic interactions in an elastic half space subjected to a ramp-type heating-A state- space approach", Int. J. Eng. Sci., (5), 34(1993) 579-596.

[157] Misra J. C., Kar S. B. and Samanta S. C., "Effect of mechanical and thermal relaxation on the stresses in a heated viscoelastic continuum with a spherical hole", Trans Con. Soc. Mech. Eng., 11 (1987) 151-159.

[158] Mukhopadhyay S. and Kumar R., "Analysis of phase-lag effects on wave propagation in a thick plate under axisymmetric temperature distribution", Acta Mech., 210 (2010b) 331-344.

[159] Mukhopadhyay S. and Prasad R., "Variational and reciprocal principles in linear theory of type-III thermoelasticity", Math. Mech. Solids, 16 (2011) 435-444.

[160] Mukhopadhyay S., "Thermoelastic interactions without energy dissipation in an unbounded medium with a spherical cavity due to a thermal shock at the boundary", J. Therm. Stresses, 25 (2002) 877-887.

[161] Mukhopadhyay S., "Thermoelastic interactions without energy dissipation in an unbounded medium with a spherical cavity due to a thermal shock at the boundary", J. Therm. Stresses, 25 (2002) 877-887.

[162] Mukhopadhyay S., Kothari S. and Kumar R., " A domain of influence theorem for thermoelasticity with dual phase lags", J. Therm. Stresses, 34 (2011) 923–933.

[163] Mukhopadhyay S., Picard R., Trostorff S. and Waurick M., "On some models in linear thermo-elasticity with rational material laws ", Math. Mech. Solids, (2014) 1-15 Doi: 10.1177/1081286514556014.

[164] Mukhopadhyay S. and Kumar R., "A study of generalized thermoelastic interaction in an unbounded medium with a spherical cavity, Comput. Math. Appl., 56 (2008b) 2329-2339.

[165] Mukhopadhyay S. and Kumar R., "Finite difference model for generalized thermoelastic interaction in an cylindrical annulus with temperature dependent physical property", Comp. Methods in Sci. Tech, 15(2) (2009) 1-8.

[166] Mukhopadhyay S. and Kumar R., "State space approach to thermoelastic interactions in generalized thermoelasticity type III" , Arch. Appl. Mech., (8), 80 (2010a) 869-881.

[167] Mukhopadhyay S. and Kumar R., "A Problem on thermoelastic interaction in an infinite medium with a cylindrical hole in generalized thermoelasticity III", J Therm.Stresses, 31 (2008a) 455-475.

[168] Muller I., "The coldness, a universal function in thermo-elastic bodies", Arch. Rat. Mech. Anal., 41 (1971) 319-332.

[169] Mustafa M. I., "Uniform stability of second sound thermoelasticity with distributed delay", Differ Equ Dyn Syst, (2017) Doi 10.1007/s12591-017-0389.

[170] Nayfeh A. and Nemat-Nasser S., "Thermoelastic waves in solids with thermal relaxation", Acta Mech., 12 (1971) 53-69.

[171] Nayfeh A. H., "Propagation of thermoelastic distribution in non-fourier solids", AIAA J., 15 (1977) 957–960.

[172] Nernst W., "Die theoretischen Grundlagen des n Warmestatzes", Knapp, Halle, (1917).

[173] Neumann F. E., "Die gesetze der doppelbrechung des lichts in comprimirten oder ungleichförmig erwärmten unkrystallinischen körpern" , Abh. Kön. Akad. Wiss. Berlin, 2 (1841) 3-254.

[174] Nickell R. and Sackman J., "Variational principles for linear coupled thermoelasticity", Quart. Appl. Math., 26 (1968) 11-26.

[175] Noda N., "Thermal stress in material with temperature-dependent properties", In Thermal stresses, R. B. Hetnarski (ed), Elsevier Science, North Holland, Amsterdam, (1986) 391-483.

[176] Noda N., "Thermal stresses in materials with temperature-dependent properties", Applied Mechanics Review, 44 (1991) 383-397.

[177] Nowacki W., "Dynamic problems in thermoelasticity", Noordhoff Int. Publ., Leyden (1975).

[178] Nowacki W., "Thermoelasticity", Pergamon Press, London (1962).

[179] Nowacki W.,"Green functions for the thermoelasticMedium", Bull.Acad. Polon. Sci. Ser. Sci. Tech.,12 (1964) 465–472.

[180] Nowinski J. L., "Theory of Thermoelasticity with Applications", Noordhoff Int. Pub., Alphen aan den Rijn (1978).

[181] Nunziato J. W. and Cowin S. C., "A non-linear theory of elastic materials with voids", Arch. Rational Mech. Anal., 72 (1979) 175-201.

[182] Oberhettinger F. and Badii L., "Tables of Laplace Transforms", Springer-Verlag, New York (1973).

[183] Othman M. I. A. and Hilal M. I. M., "Rotation and gravitational field Effect on two-temperature thermoelastic material with voids and temperature dependent properties type III, J Mech. Sci. and Tech., 29 (2015) 3739-3746.

[184] Othman M. I. A., "Effect of rotation on plane waves in generalized thermo-elasticity with two relaxation times", Int. J. Solids and Struct., 41 (2004) 2939-2956.

[185] Othman M. I. A., "Lord-Shulman theory under the uependence of the modulus of elasticity on the reference temperature in two-dimensional generalized thermoelasticity", J Therm. Stresses 25 (2002) 1027-1045.

[186] Othman M. I. A., "State-space approach to generalized thermoelasticity plane waves with two relaxation times under dependence of the modulus of elasticity on the reference temperature", Canadian J. of Phys., 81 (2011) 1403-1418.

[187] Othman M. I. A., Elmaklizi Y. D. and Said S. M., "Generalized thermoelastic medium with temperature-dependent properties for different theoriesuUnder theeEffect of gravity field, Int. J. Thermophys, 34 (2013) 521–537.

[188] Ozisik M. N, and Tzou D. Y. "On the wave theory of heat conduction", ASME J. Heat Transfer, 116 (1994) 526–535.

[189] Paria G., "Coupling of elasticity and thermal deformations I", Appl. Sci. Res. Series A, 7 (1959) 463-475.

[190] Parkus H., "Thermoelasticity", 2nd ed., Springer, New York (1976).

[191] Pellam J. R. and Scott R. B., "Second sound velocity in paramagnetically cooled liquid helium II", Phys. Rev., 76 (1949) 869-870.

[192] Peshkov V., "Second sound in helium II", J. Phys., 8 (1944) 381.

[193] Prasad R., "Some studies on generalized thermoelasticity and crack problems", institute of Technology (BHU), Varanasi (2012).

[194] Prasad R., Kumar R. and Mukhopadhyay S., "Effects of phase-lags on wave propagation in an infinite solid due to a continuous line heat source", Acta Mech., 27 (2011) 243-256.

[195] Prasad R., Kumar R. and Mukhopadhyay S., "Propagation of harmonic plane waves under thermoelasticity with dual-phase-lag", Int. J. Eng. Sci., 48 (2010) 2028-2043.

[196] Puri P. and Jordan P. M., "On the propagation of plane waves in type-III thermoelastic media", Proc. R. Soc. London, A 460 (2004) 3203-3221.

[197] Puri P., "Plane waves in generalized thermoelasticity", Int. J. Eng. Sci., 11 (1973) 735–744.

[198] Quintanilla R. and Racke R., "A note on stability in three-phase-lag heat conduction", Int. J. Heat Mass Transfer, 51 (2008) 24-29.

[199] Quintanilla R. and Racke R., "A note on stability of dual-phase-lag heat conduction", Int. J. Heat Mass Transfer, 49 (2006a) 1209-1213.

[200] Quintanilla R. and Racke R., "Qualitative aspects in dual-phase-lag thermoelasticity", SIAM J. of Appl Mathematics, 66 (2006b) 977-1001.

[201] Quintanilla R. and Racke R., "Qualitative aspects in dual-phase-lag heat conduction", Proc. Royal Society London -A, 463 (2007) 659-674.

[202] Quintanilla R. and Straughan B., "A note on discontinuity waves in type III thermoelasticity", Proc Roy Soc London A, 460 (2004) 1169-1175.

[203] Quintanilla R., "A condition on the delay parameters in the one-dimensional dual-phase-lag thermoelastic theory", J. Therm. Stresses, 26 (2003b) 713-721.

[204] Quintanilla R., "Damping of end effects in a thermoelastic theory", Appl. Math. Lett., 14 (2001a) 137-141.

[205] Quintanilla R., "Exponential stability in the dual-phase-lag heat conduction theory", J. Non- Equilibrium Thermodynamics, 27 (2002) 217-227.

[206] Quintanilla R., "On the impossibility of localization in linear thermoelasticity", Proc. R. Soc. London A, 463 (2007) 3311-3322.

[207] Quintanilla R., "On the Spatial Behavior in Thermoelasticity Without Energy Dissipation", J. Therm. Stresses",22 (1999) 213-229.

[208] Quintanilla R., "Some Remarks on Growth and Uniqueness in Thermoelasticity", Int. J. Math. Math. Sci., 10 (2003) 617-623.

[209] Quintanilla R., "Some solutions for a family of exact phase-lag heat conduction problems", Mechanics Research Communications, 38 (2011) 355-360.

[210] Quintanilla R., "Spatial behavior of solutions of the three-phase-lag heat equation", Appl. Math. Comput., 213 (2009) 153-162.

[211] Quintanilla R., "Structural stability and continuous dependence of solutions of thermoelasticity of type III", Discrete Contin. Dynam. Syst., B1 (2001b) 463-470.

[212] Quintanilla R., "On uniqueness and stability for a thermoelastic theory", Math. Mech. Solids, (2016) doi:10.1177/1081286516634154.

[213] Ramamurthy D. and Sharma A. V. M., "A problem of thermal sock with thermal relaxation", Int. J. Math. & Math. Sci., 14 (1991) 587-594.

[214] Ramamurthy D., "A problem in the generalized theory of thermo elasticity", Defence Science Journal, 28(1) (1978) 31-36.

[215] Ramamurthy D., "Generalized thermo-elasticity when the material coupling parameter equals unity", Defence Science Journal, (2) , 29 (1979) 63-70.

[216] Rishin V. V., Lyashenko B. A., Akinin K. G. and Nadezhdin G. N., "Temperature dependence of adhesion strength and elasticity of some heat-resistant coatings", Strength of Materials, 5 (1973) 123-126.

[217] Rivera J. E. M.Z and Vega J. C., "Large time behaviour for non-simple thermoelasticity with second sound", Elect. J Diff.Equ., (259), 2017 (2017) 1-7.

[218] Rogers S. J., "Transport of heat and approach to second sound in some isotopically pure alkali-halide crystals", Phys. Rev. B, 3 (1971) 1440-1457.

[219] Roychoudhuri S. K. and Bhatta N., "Thermo-elastic interactions in an infinite elastic solid with thermal relaxation", Proceedings of National Academy of Sciences India 47-A, pt-A, Physical Sciences, 1981, pp. 499-510.

[220] Roychoudhuri S. K. and Chatterjee G., "Radially symmetric temperature-rate dependent thermoelastic wave propagation in an infinitely extended thin plate containing a circular hole", Int. J. Eng. Sci., 27 (1989) 251-259.

[221] Roychoudhuri S. K. and Chatterjee G., "Spherically symmetric thermoelastic wave in temperature-rate dependent medium with a spherical cavity", Computers Math. Appl., 20 (1990) 1-12.

[222] Roychoudhuri S. K. and Dutta P. S., "Thermoelastic interaction without energy dissipation in an infinite solid with distributed periodically varying heat sources", Int. J. Solids Struct., 42 (2005) 4192-4203.

[223] Roychoudhuri S. K. and Sain G. D., "Instantaneous heat-sources in an infinite elastic solid with thermal relaxation", Ind. J. Pure Appl. Math., 13(11) (1982) 1340-1353.

[224] Roychoudhuri S. K., "On a thermoelastic three-phase-lag model", J. Therm. Stresses, 30 (2007) 231-238.

[225] Scalia A., "On some theorems in the theory of micropolar thermoelasticity", Int. J. Eng. Sci., 28 (1990) 181-189.

[226] Sharma J. N. and Chauhan R. S., "Mechanical and Thermal Sources in a Generalized Thermoelastic Half-Space", J. Therm. Stresses, 24(2001) 651–675.

[227] Sharma J. N., "State space approach to generalized thermoelastic problem", Indian J. Pure Appl. Math., 26 (1995) 1211-1223.

[228] Sharma J. N., "Transient generalized thermoelastic waves in transversely isotropic half space", Bull. Polish Acad. Sci. Tech. Sci., 34 (1986) 631-646.

[229] Sherief H. H. and Anwar M. N., "Generalized thermoelasticity problem for a plate subjected to moving heat sources on both sides", J. Therm. Stresses, 15 (1992) 489-505.

[230] Sherief H. H. and Anwar M., "Two-dimensional problem of a moving heated punch in generalized thermoelasticity", J. Therm. Stresses, 9 (1986) 325-343.

[231] Sherief H. H. and Salah H. A., " A Half Space Problem in the Theory of Generalized Thermoelastic Diffusion", Int. J. Solids Struct, 42 (2005) 4484-4493

[232] Sherief H. H. and Saleh H. A., "A problem for an infinite thermoelastic body with a spherical cavity", Int. J. Eng. Sci., 36 (1998) 473-487.

[233] Sherief H. H., "A thermo-mechanical shock problem for thermoelasticity with two relaxation times", Int. J. Eng. Sci., 32 (1994) 313-325.

[234] Sherief H. H., "Fundamental solution for thermoelasticity with two relaxation times", Int. J. Eng. Sci., 30 (1992) 861-870.

[235] Sherief H. H., "Fundamental solution of the generalized thermoelastic problem for short times", J. Therm. Stresses, 9 (1986) 151-164.

[236] Sherief H. H., "State space approach to thermoelasticity with two relaxation times", Int. J. Eng. Sci., 31(8) (1993) 1177-1189.

[237] Sinha S. B. and Elsibi K. A., "Reflection of thermoelastic waves at a solid half-space with two relaxation times", J. Therm. Stresses, 19 (1996a) 749-762.

[238] Sinha S. B. and Elsibi K. A., "Thermal stress for an infinite body with a spherical cavity with two relaxation times", J. Therm. Stresses, 19 (1996b) 495-510.

[239] Straughan, B., " Heat Waves", Springer, New York (2011).

[240] Suhara T., "Elasticity of steel strained by unequal heating, The Japan Society of Mechanical Engineers, 21 (1918) 25-63 .

[241] Suhubi E. S., "Thermoelastic solids", in Eringen A. C. (ed), Continuum Physics Vol. II, chap. 2, Academic Press, New York (1975).

[242] Taheri H., Fariborz S. and Eslami M. R., "Thermoelasticity solution of a layer using the Green-Naghdi Model", J. Therm. Stresses, (9), 27 (2004) 795–809.

[243] Tisza L., "The theory of liquid helium", Phys. Rev., 72 (1947) 838-839.

[244] Tokuoka T., "Variation of amplitudes of thermoacoustical waves of arbitrary form in an isotropic linear thermoelastic material", J. Eng. Math., 7 (1973) 361–366.

[245] Tzou D. Y., "A unified field approach for heat conduction from macro to micro scales", ASME J. Heat Transfer, 117 (1995a) 8-16.

[246] Tzou D. Y., "The generalized lagging response in small-scale and high-rate heating", Int. J Heat Mass Transfer, 38 (17) (1995b) 3231-3240.

[247] Tzou D. Y. " Macro-to microscale heat transfer: the lagging behavior", Taylor & Francis, New York (1997).

[248] Vernotte P., "Some possible complications in the phenomena of thermal conduction", Compt. Rend, 252 (1961) 2190–2191.

[249] Vernotte P., "Les paradoxes de la theorie continue de l'equation de la chaleur", Compt. Rend., 246 (1958) 3154-3155.

[250] Wang J., Han Z. and Xu G., "Energy decay rate of transmission problem between thermoelasticity of type I and type II", Z. Angew. Math. Phys., (65), 68 (2017) .

[251] Wang Y., Zhang X. and Liu D., "Asymptotic analysis of generalized thermoelasticity for axi-symmetric plane strain problem with temperature-dependent material properties, Int. J. Appl. Mechanics, 5 (2013).

[252] Wojnar R., "Rayleigh-Lamb problem in an infinite thermoelastic plate with relaxation times", Proc. XVII Yugoslav Congress of Theoretical and Appl. Mech., (1986) 149-153.

[253] Xu M. and Wang L., "Dual-phase-lagging heat conduction based on Boltzmann transport equation", Int. J. Heat Mass Transf., 48 (2005) 5616-5624.

[254] Xu M., "Thermodynamic basis of dual phase-lagging heat conduction", ASME J. Heat Transf., 133 (2011).

[255] Youssef H. M. and Abbas, I. A. "Thermal shock problem of generalized thermoelasticity for an annular cylinder with variable thermal conductivity", Comp. Met in Sci. and Techn, 13 (2007) 95-100.

[256] Youssef H. M., "Problem of generalized thermoelastic infinite medium with cylindrical cavity subjected to a ramp-type heating and loading", Arch. Appl. Mech., 75 (2006) 553–565.

[257] Zenkour A. M. and Abbas I. A., "Non-linear transient thermal stress analysis of temperature-dependent hollow cylinders using a finite element method", Int J Struct Stab Dyn, 14 (2014a) 1450025.

[258] Zenkour A. M. and Abbas I. A., "A generalized thermoelasticity problem of annular cylinder with temperature-dependent density and material properties", Int J Mech. Sci., 84 (2014b) 54–60.

[259] Zenkour A. M. and Abouelregal A. E., "Thermoelastic Interactions in an Infinite orthotropic continuum of a variable thermal conductivity with a cylindrical hole", IJST Trans Mech Eng, (2017) Doi 10.1007/s40997-017-0117.