

Bibliography

- [1] G. Lubin, *Handbook of Composites*. Springer Science & Business Media, 2013.
- [2] R. Bowen and H. Mark, *Encyclopedia of Polymer Science and Engineering*. SI, 1989.
- [3] K. K. Chawla, *2nd Edition Composite Materials- Science and Engineering*. Springer, 1997.
- [4] W. D. Callister Jr and D. G. Rethwisch, *Fundamentals of Materials Science and Engineering: An Integrated Approach*. John Wiley & Sons, 2012.
- [5] S. Sapuan, A. Leenie, M. Harimi, and Y. K. Beng, “Mechanical Properties of Woven Banana Fibre Reinforced Epoxy Composites,” *Materials & Design*, 2006, vol. 27, no. 8, pp. 689–693.
- [6] P. K. Bipinpal and S. K. N. Kutty, “A Comparative Study of Short Nylon Fiber - Natural Rubber Composites Prepared from Dry Rubber and Latex Masterbatch,” *Journal of Applied Polymer Science*, 2008, vol. 109, no. 3, pp. 1484–1491.
- [7] P. Istomin, A. Nadutkin, and V. Grass, “Fabrication of Ti_3SiC_2 -based Ceramic Matrix Composites by a Powder-free SHS Technique,” *Ceramics International*, 2013, vol. 39, no. 4, pp. 3663–3667.
- [8] E. George and I. Baker, “Intermetallics: Iron Aluminides,” *The Encyclopedia of Materials Science*, 2001, pp. 4201–4205, cited By 7.

-
- [9] L. Bolzoni, E. Herraiz, E. M. Ruiz-Navas, and E. Gordo, “Study of the Properties of Low-cost Powder Metallurgy Titanium Alloys by 430 Stainless Steel Addition,” *Materials & Design*, 2014, vol. 60, pp. 628–636.
 - [10] J. Soyama, M. Oehring, W. Limberg, T. Ebel, K. U. Kainer, and F. Pyczak, “The Effect of Zirconium Addition on Sintering Behaviour, Microstructure and Creep Resistance of the Powder Metallurgy Processed Alloy Ti-45Al-5Nb-0.2B-0.2C,” *Materials & Design*, 2015, vol. 84, pp. 87–94.
 - [11] H.-W. Liu, D. Paul Bishop, and K. P. Plucknett, “A Comparison of Ti–Ni and Ti–Sn Binary Alloys Processed using Powder Metallurgy,” *Materials Science & Engineering A*, 2015, vol. 644, pp. 392–404.
 - [12] H. Asgharzadeh, E. Yoon, H. Chae, T. Kim, J. Lee, and H. Kim, “Microstructure and Mechanical Properties of a Mg-Zn-Y Alloy Produced by a Powder Metallurgy Route,” *Journal of Alloys and Compounds*, 2014, vol. 586, pp. S95–S100.
 - [13] Z. Fu, W. Chen, H. Wen, Z. Chen, and E. J. Lavernia, “Effects of Co and Sintering Method on Microstructure and Mechanical Behavior of a High-entropy Al_{0.6}NiFeCrCo Alloy Prepared by Powder Metallurgy,” *Journal of Alloys and Compounds*, 2015, vol. 646, pp. 175–182.
 - [14] K. U. Kainer, *Basics of Metal Matrix Composites*. Wiley Online Library, 2006.
 - [15] S. C. Tjong and Z. Ma, “Microstructural and Mechanical Characteristics of In situ Metal Matrix Composites,” *Materials Science and Engineering: R: Reports*, 2000, vol. 29, no. 3-4, pp. 49–113.
 - [16] B. C. Kandpal, J. Kumar, and H. Singh, “Machining of Aluminium Metal Matrix Composites with Electrical Discharge Machining-A Review,” *Materials Today: Proceedings*, 2015, vol. 2, no. 4-5, pp. 1665–1671.
 - [17] Y.-H. Seo and C.-G. Kang, “The Effect of Applied Pressure on Particle-dispersion Characteristics and Mechanical Properties in Melt-stirring Squeeze-cast SiC_p/Al

-
- Composites," *Journal of Materials Processing Technology*, 1995, vol. 55, no. 3-4, pp. 370–379.
- [18] M. Surappa, "Aluminium Matrix Composites: Challenges and Opportunities," *Sadhana*, 2003, vol. 28, no. 1-2, pp. 319–334.
- [19] J. d. Torralba, C. Da Costa, and F. Velasco, "P/M Aluminum Matrix Composites: An Overview," *Journal of Materials Processing Technology*, 2003, vol. 133, no. 1-2, pp. 203–206.
- [20] D. Zhang, C. Brindley, and B. Cantor, "The Microstructures of Aluminium Alloy Metal-Matrix Composites Manufactured by Squeeze Casting," *Journal of Materials Science*, 1993, vol. 28, no. 8, pp. 2267–2272.
- [21] A. Hassani, E. Bagherpour, and F. Qods, "Influence of Pores on Workability of Porous Al/SiC Composites Fabricated Through Powder Metallurgy+ Mechanical Alloying," *Journal of Alloys and Compounds*, 2014, vol. 591, pp. 132–142.
- [22] T. R. Prabhu, V. Varma, and S. Vedantam, "Effect of Reinforcement Type, Size, and Volume Fraction on the Tribological Behavior of Fe Matrix Composites at High Sliding Speed Conditions," *Wear*, 2014, vol. 309, no. 1-2, pp. 247–255.
- [23] M. Masmoudi, M. Mhadhbi, L. Escoda, J. Suñol, and M. Khitouni, "Microstructural Evolution and Corrosion Behavior of Nanocrystalline FeAl Synthesized by Mechanical Alloying," *Journal of Alloys and Compounds*, 2016, vol. 657, pp. 330–335.
- [24] I. Singh, D. Mandal, M. Singh, and S. Das, "Influence of SiC Particles Addition on the Corrosion Behavior of 2014 Al-Cu Alloy in 3.5% NaCl Solution," *Corrosion Science*, 2009, vol. 51, no. 2, pp. 234–241.
- [25] S. Moustafa, Z. Abdel-Hamid, and A. Abd-Elhay, "Copper Matrix SiC and Al₂O₃ Particulate Composites by Powder Metallurgy Technique," *Materials Letters*, 2002, vol. 53, no. 4-5, pp. 244–249.

-
- [26] J. Corrochano, C. Cerecedo, V. Valcárcel, M. Lieblich, and F. Gutián, “Whiskers of Al₂O₃ as Reinforcement of a Powder Metallurgical 6061 Aluminium Matrix Composite,” *Materials Letters*, 2008, vol. 62, no. 1, pp. 103–105.
- [27] N. M. Kumar, S. S. Kumaran, and L. Kumaraswamidhas, “An Investigation of Mechanical Properties and Corrosion Resistance of Al2618 Alloy Reinforced with Si₃N₄, AlN and ZrB₂ Composites,” *Journal of Alloys and Compounds*, 2015, vol. 652, pp. 244–249.
- [28] M. A. Almomani, W. R. Tyfour, M. H. Nemrat *et al.*, “Effect of Silicon Carbide Addition on the Corrosion Behavior of Powder Metallurgy Cu30Zn Brass in a 3.5 wt% NaCl Solution,” *Journal of Alloys and Compounds*, 2016, vol. 679, pp. 104–114.
- [29] Z. Yang, W. Lu, L. Zhao, J. Qin, and D. Zhang, “Microstructure and Mechanical Property of In Situ Synthesized Multiple-Reinforced (TiB+ TiC+ La₂O₃)/Ti Composites,” *Journal of Alloys and Compounds*, 2008, vol. 455, no. 1-2, pp. 210–214.
- [30] J. Lu, J. Qin, W. Lu, Y. Liu, J. Gu, and D. Zhang, “In Situ Preparation of (TiB+ TiC+ Nd₂O₃)/Ti Composites by Powder Metallurgy,” *Journal of Alloys and Compounds*, 2009, vol. 469, no. 1-2, pp. 116–122.
- [31] O. A. Elkady, A. Abu-Oqail, E. M. Ewais, and M. El-Sheikh, “Physico-mechanical and Tribological Properties of Cu/h-BN Nanocomposites Synthesized by PM Route,” *Journal of Alloys and Compounds*, 2015, vol. 625, pp. 309–317.
- [32] K. P. Furlan, P. B. Prates, T. A. dos Santos, M. V. G. Dias, H. T. Ferreira, J. B. R. Neto, and A. N. Klein, “Influence of Alloy Elements on the Sintering Thermodynamics, Microstructure and Properties of Fe-MoS₂ Composites,” *Journal of Alloys and Compounds*, 2015, vol. 652, pp. 450–458.
- [33] S.-H. Chang and S.-L. Chen, “Characterization and Properties of Sintered WC-Co and WC-Ni-Fe Hard Metal Alloys,” *Journal of Alloys and Compounds*, 2014, vol. 585, pp. 407–413.

-
- [34] M. Baghani, M. Aliofkhazraei, and R. Poursalehi, “Microwave-assisted Sintering of Fe-Al₂O₃ Nanocomposites: Study of Corrosion and Wear Properties,” *Procedia Materials Science*, 2015, vol. 11, pp. 689–694.
 - [35] F. Akhtar, “Microstructure Evolution and Wear Properties of In Situ Synthesized TiB₂ and TiC Reinforced Steel Matrix Composites,” *Journal of Alloys and Compounds*, 2008, vol. 459, no. 1-2, pp. 491–497.
 - [36] A. Babakhani, E. Zahabi, and H. Y. Mehrabani, “Fabrication of Fe/Al₂O₃ Composite Foam via Combination of Combustion Synthesis and Spark Plasma Sintering Techniques,” *Journal of Alloys and Compounds*, 2012, vol. 514, pp. 20–24.
 - [37] L. Zhong, Y. Xu, M. Hojamberdiev, J. Wang, and J. Wang, “In situ Fabrication of Titanium Carbide Particulates-reinforced Iron Matrix Composites,” *Materials & design*, 2011, vol. 32, no. 7, pp. 3790–3795.
 - [38] P. Gupta, D. Kumar, M. Quraishi, and O. Parkash, “Effect of Sintering Parameters on the Corrosion Characteristics of Iron-Alumina Metal Matrix Nanocomposites,” *Journal of Materials and Environmental Science*, 2015, vol. 6, no. 1, pp. 155–167.
 - [39] P. Gupta, D. Kumar, O. Parkash, and A. Jha, “Effect of Sintering on Wear Characteristics of Fe-Al₂O₃ Metal Matrix Composites,” *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 2014, vol. 228, no. 3, pp. 362–368.
 - [40] Gupta, Pallav and Kumar, Devendra and Parkash, Om and Jha, A.K., “Hardness and Wear Behavior of CoO Doped Fe-Al₂O₃ Metal Matrix Composite (MMC) Synthesized via Powder Metallurgy (P/M) Technique,” in *Advances in Materials and Processing*, ser. Advanced Materials Research, vol. 585. Trans Tech Publications, 12 2012, pp. 584–589.
 - [41] A. Bradley and A. Taylor, “An X-ray Study of the Iron-Nickel-Aluminium Ternary Equilibrium Diagram,” *Proc. R. Soc. Lond. A*, 1938, vol. 166, no. 926, pp. 353–375.

-
- [42] S. Deevi, V. Sikka, and C. Liu, “Processing, Properties, and Applications of Nickel and Iron Aluminides,” *Progress in Materials Science*, 1997, vol. 42, no. 1-4, pp. 177–192.
 - [43] T. Clyne and P. Withers, *An Introduction to Metal Matrix Composites*. Cambridge university press, 1995.
 - [44] D. Roy, S. Ghosh, A. Basumallick, and B. Basu, “Preparation of Fe-aluminide Reinforced In situ Metal Matrix Composites by Reactive Hot Pressing,” *Materials Science and Engineering: A*, 2006, vol. 415, no. 1-2, pp. 202–206.
 - [45] V. A. Chianeh, H. M. Hosseini, and M. Nofar, “Micro structural Features and Mechanical Properties of Al-Al₃Ti Composite Fabricated by In-situ Powder Metallurgy route,” *Journal of Alloys and Compounds*, 2009, vol. 473, no. 1-2, pp. 127–132.
 - [46] A. Olszówka-Myalska, “Microstructural study of the aluminium/nickel aluminide interface formed in a hot-pressed in situ composite,” *Materials Chemistry and Physics*, 2003, vol. 81, no. 2-3, pp. 333–335.
 - [47] J.-M. Lee, S.-B. Kang, T. Sato, H. Tezuka, and A. Kamio, “Fabrication of Al/Al₃Fe Composites by Plasma Synthesis Method,” *Materials Science and Engineering: A*, 2003, vol. 343, no. 1-2, pp. 199–209.
 - [48] F. Froes, Y.-W. Kim, and S. Krishnamurthy, “Rapid solidification of lightweight metal alloys,” *Materials Science and Engineering: A*, 1989, vol. 117, pp. 19–32.
 - [49] C. Hsu, P. Kao, and N. Ho, “Intermetallic-reinforced aluminum matrix composites produced in situ by friction stir processing,” *Materials Letters*, 2007, vol. 61, no. 6, pp. 1315–1318.
 - [50] C. Hsu, C. Chang, P. Kao, N. Ho, and C. Chang, “Al-Al₃Ti Nanocomposites Produced In situ by Friction Stir Processing,” *Acta Materialia*, 2006, vol. 54, no. 19, pp. 5241–5249.

-
- [51] Q. Zhang, B. Xiao, D. Wang, and Z. Ma, “Formation Mechanism of In Situ Al₃Ti in Al Matrix During Hot Pressing and Subsequent Friction Stir Processing,” *Materials Chemistry and Physics*, 2011, vol. 130, no. 3, pp. 1109–1117.
 - [52] Y.-g. Xu, N. Li, Y.-h. Wen, and X.-g. Chen, “Energy-dissipation Characteristics of Fe-13Cr-2.5Mo Damping Alloy,” *Journal of Alloys and Compounds*, 2012, vol. 539, pp. 36–39.
 - [53] B. Costa, J. Cieslak, and S. Dubiel, “Anomalous Behaviour of the Debye Temperature in Fe-rich Fe-Cr Alloys,” *Journal of Alloys and Compounds*, 2010, vol. 492, no. 1-2, pp. L1–L4.
 - [54] H. Zhang and R. German, “The role of nickel in iron powder injection molding,” *International Journal of Powder Metallurgy*, 1991, vol. 27, no. 3, pp. 249–254.
 - [55] V. Tracey, “Nickel in Hard metals,” *International Journal of Refractory Metals and Hard Materials*, 1992, vol. 11, no. 3, pp. 137–149.
 - [56] P. S. Rudman, J. Stringer, and R. I. Jaffee, *Phase Stability in Metals and Alloys*. McGraw-Hill, 1967, vol. 1.
 - [57] K. Sudhakar, P. Sampathkumaran, and E. Dwarakadasa, “Dry Sliding Wear in High Density Fe-2%Ni based P/M Alloys,” *Wear*, 2000, vol. 242, no. 1-2, pp. 207–212.
 - [58] D. Wenschhof, “Metals Handbook,” *American Society for Metals*, 1980, vol. 3.
 - [59] J. Valderruten, G. P. Alcázar, and J. Greneche, “Structural and Magnetic Properties of Fe-Ni Mecanosynthesized Alloys,” *Hyperfine Interactions*, 2010, vol. 195, no. 1-3, pp. 219–226.
 - [60] G. Pavithra and A. C. Hegde, “Magnetic Property and Corrosion Resistance of Electrodeposited Nanocrystalline Iron-Nickel Alloys,” *Applied Surface Science*, 2012, vol. 258, no. 18, pp. 6884–6890.

-
- [61] Y.-l. An, H.-y. Du, Y.-h. Wei, N. Wang, L.-f. Hou, and W.-m. Lin, “Interfacial Structure and Mechanical Properties of Surface Iron-Nickel Alloying Layer in Pure Iron Fabricated by Surface Mechanical Attrition Alloy Treatment,” *Materials & Design*, 2013, vol. 46, pp. 627–633.
 - [62] H. Ni and X. Zhang, “Effect of Iron Content on Mechanical Behavior of Nanocrystalline Nickel and Alloys,” *Materials Science and Engineering: A*, 2012, vol. 541, pp. 216–221.
 - [63] H. Li and F. Ebrahimi, “An Investigation of Thermal Stability and Microhardness of Electrodeposited Nanocrystalline Nickel-21% Iron Alloys,” *Acta Materialia*, 2003, vol. 51, no. 13, pp. 3905–3913.
 - [64] A. H. Taghvaei, A. Ebrahimi, M. Ghaffari, and K. Janghorban, “Investigating the Magnetic Properties of Soft Magnetic Composites Based on Mechanically Alloyed Nanocrystalline Fe-5 wt% Ni Powders,” *Journal of Magnetism and Magnetic Materials*, 2011, vol. 323, no. 1, pp. 149–155.
 - [65] K. Gheisari, S. Javadpour, J. Oh, and M. Ghaffari, “The Effect of Milling Speed on the Structural Properties of Mechanically Alloyed Fe-45% Ni Powders,” *Journal of Alloys and Compounds*, 2009, vol. 472, no. 1-2, pp. 416–420.
 - [66] R. Koohkan, S. Sharafi, H. Shokrollahi, and K. Janghorban, “Preparation of Nanocrystalline Fe-Ni Powders by Mechanical Alloying Used in Soft Magnetic Composites,” *Journal of Magnetism and Magnetic Materials*, 2008, vol. 320, no. 6, pp. 1089–1094.
 - [67] F. Czerwinski, “The Microstructure and Internal Stress of Fe-Ni Nanocrystalline Alloys Electrodeposited without a Stress-reliever,” *Electrochimica Acta*, 1998, vol. 44, no. 4, pp. 667–675.
 - [68] P. Ripka, “Sensors Based on Bulk Soft Magnetic Materials: Advances and Challenges,” *Journal of Magnetism and Magnetic Materials*, 2008, vol. 320, no. 20, pp. 2466–2473.

-
- [69] A. Hamler, V. Goričan, B. Šuštaršič, and A. Sirc, “The Use of Soft Magnetic Composite Materials in Synchronous Electric Motor,” *Journal of Magnetism and Magnetic Materials*, 2006, vol. 304, no. 2, pp. e816–e819.
 - [70] N. Jones, H. Ucar, J. Ipus, M. E. McHenry, and D. E. Laughlin, “The Effect of Distributed Exchange Parameters on Magnetocaloric Refrigeration Capacity in Amorphous and Nanocomposite Materials,” *Journal of Applied Physics*, 2012, vol. 111, no. 7, p. 07A334.
 - [71] V. Chaudhary, A. Chaturvedi, I. Sridhar, and R. V. Ramanujan, “Fe-Ni-Mn Nanoparticles for Magnetic Cooling Near Room Temperature,” *IEEE Magnetics Letters*, 2014, vol. 5, pp. 1–4.
 - [72] K. Kadau, M. Gruner, P. Entel, and M. Kreth, “Modeling Structural and Magnetic Phase Transitions in Iron-Nickel Nanoparticles,” *Phase Transitions: A Multinational Journal*, 2003, vol. 76, no. 4-5, pp. 355–365.
 - [73] K. J. Miller, M. Sofman, K. McNerny, and M. E. McHenry, “Metastable γ -FeNi Nanostructures with Tunable Curie Temperature,” *Journal of Applied Physics*, 2010, vol. 107, no. 9, p. 09A305.
 - [74] H. Jang, S. Ju, and Y. Kang, “Characteristics of Fine Size Fe-Ni Alloy Powders Directly Prepared by Spray Pyrolysis,” *Metals and Materials International*, 2010, vol. 16, no. 4, pp. 643–647.
 - [75] C. Kuhrt and L. Schultz, “Formation and Magnetic Properties of Nanocrystalline Mechanically Alloyed Fe-Co and Fe-Ni,” *Journal of Applied Physics*, 1993, vol. 73, no. 10, pp. 6588–6590.
 - [76] L.-H. Ai and J. Jiang, “Rapid Synthesis of Nanocrystalline Co_3O_4 by a Microwave-assisted Combustion Method,” *Powder Technology*, 2009, vol. 195, no. 1, pp. 11–14.

-
- [77] L. Nehru, V. Swaminathan, and C. Sanjeeviraja, “Rapid Synthesis of Nanocrystalline ZnO by a Microwave-assisted Combustion Method,” *Powder Technology*, 2012, vol. 226, pp. 29–33.
- [78] X. Lu, Q. Liu, G. Huo, G. Liang, Q. Sun, and X. Song, “CTAB-mediated Synthesis of Iron-Nickel Alloy Nanochains and Their Magnetic Properties,” *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 2012, vol. 407, pp. 23–28.
- [79] C. M. dos Santos, A. F. N. Martins, B. C. Costa, T. S. Ribeiro, T. P. Braga, J. M. Soares, and J. M. Sasaki, “Synthesis of FeNi Alloy Nanomaterials by Proteic Sol-Gel Method: Crystallographic, Morphological, and Magnetic Properties,” *Journal of Nanomaterials*, 2016, vol. 2016.
- [80] S. Panday, B. Daniel, and P. Jeevanandam, “Synthesis of Nanocrystalline Co-Ni Alloys by Precursor Approach and Studies on their Magnetic Properties,” *Journal of Magnetism and Magnetic Materials*, 2011, vol. 323, no. 17, pp. 2271–2280.
- [81] Y. Liu, M. Qin, L. Zhang, M. Huang, S. Li, B. Jia, D. Zhang, and X. Qu, “Solution Combustion Synthesis of Nanocrystalline Fe-50%Ni Alloy Powder,” *Powder Technology*, 2014, vol. 267, pp. 68–73.
- [82] X. Lu, G. Liang, and Y. Zhang, “Synthesis and Characterization of Magnetic FeNi₃ Particles Obtained by Hydrazine Reduction in Aqueous Solution,” *Materials Science and Engineering: B*, 2007, vol. 139, no. 2-3, pp. 124–127.
- [83] F. Xiao, L. Xu, Y. Zhou, K. Pan, J. Li, W. Liu, and S. Wei, “Preparation, Microstructure, and Properties of Tungsten Alloys Reinforced by ZrO₂ Particles,” *International Journal of Refractory Metals and Hard Materials*, 2017, vol. 64, pp. 40–46.
- [84] M. Asadikiya, H. Sabarou, M. Chen, and Y. Zhong, “Phase Diagram for a Nano-yttria-stabilized Zirconia System,” *RSC Advances*, 2016, vol. 6, no. 21, pp. 17 438–17 445.

-
- [85] J.-P. Brog, C.-L. Chanez, A. Crochet, and K. M. Fromm, “Polymorphism, What It Is and How to Identify It: A Systematic Review,” *RSC Advances*, 2013, vol. 3, no. 38, pp. 16 905–16 931.
 - [86] R. C. Garvie, “Stabilization of The Tetragonal Structure in Zirconia Microcrystals,” *The Journal of Physical Chemistry*, 1978, vol. 82, no. 2, pp. 218–224.
 - [87] H. Abdizadeh and M. A. Baghchesara, “Investigation on Mechanical Properties and Fracture Behavior of A356 Aluminum Alloy based ZrO₂ Particle Reinforced Metal-Matrix Composites,” *Ceramics International*, 2013, vol. 39, no. 2, pp. 2045–2050.
 - [88] V. Myagkov, L. Bykova, O. Bayukov, V. Zhigalov, I. Tambasov, S. Zharkov, A. Matsynin, and G. Bondarenko, “Solid State Synthesis and Characterization of Fe-ZrO₂ Ferromagnetic Nanocomposite Thin Films,” *Journal of Alloys and Compounds*, 2015, vol. 636, pp. 223–228.
 - [89] P. Jha, P. Gupta, D. Kumar, and O. Parkash, “Synthesis and Characterization of Fe-ZrO₂ Metal Matrix Composites,” *Journal of Composite Materials*, 2014, vol. 48, no. 17, pp. 2107–2115.
 - [90] S. P. Rawal, “Metal-matrix Composites for Space Applications,” *The Journal of The Minerals, Metals & Materials Society*, 2001, vol. 53, no. 4, pp. 14–17.
 - [91] D. Miracle, “Metal Matrix Composites-from Science to Technological Significance,” *Composites Science and Technology*, 2005, vol. 65, no. 15-16, pp. 2526–2540.
 - [92] N. K. Singh, P. Singh, M. K. Singh, D. Kumar, and O. Parkash, “Auto-combustion Synthesis and Properties of Ce_{0.85}Gd_{0.15}O_{1.925} for Intermediate Temperature Solid Oxide Fuel Cells Electrolyte,” *Solid State Ionics*, 2011, vol. 192, no. 1, pp. 431–434.

-
- [93] S. Basu, P. S. Devi, and H. S. Maiti, “Synthesis and Properties of Nanocrystalline Ceria Powders,” *Journal of Materials Research*, 2004, vol. 19, no. 11, pp. 3162–3171.
- [94] B. Cullity, “Elements of X-ray Diffraction,” *London Addison and Wesely*, 1956.
- [95] S. Marchesini, H. He, H. N. Chapman, S. P. Hau-Riege, A. Noy, M. R. Howells, U. Weierstall, and J. C. Spence, “X-ray Image Reconstruction From a Diffraction Pattern Alone,” *Physical Review B*, 2003, vol. 68, no. 14, p. 140101.
- [96] H. Stanjek and W. Häusler, “Basics of X-ray Diffraction,” *Hyperfine Interactions*, 2004, vol. 154, no. 1-4, pp. 107–119.
- [97] S. L. Flegler, J. W. Heckman Jr, and K. L. Klomparens, “Scanning and Transmission Electron Microscopy: An Introduction,” *Oxford University Press(UK)*, 1993,, 1993, p. 225.
- [98] P. Kazemian, S. Mentink, C. Rodenburg, and C. Humphreys, “Quantitative Secondary Electron Energy Filtering in a Scanning Electron Microscope and Its Applications,” *Ultramicroscopy*, 2007, vol. 107, no. 2-3, pp. 140–150.
- [99] Y.-T. Cheng and C.-M. Cheng, “What is Indentation Hardness?” *Surface and Coatings Technology*, 2000, vol. 133, pp. 417–424.
- [100] H. Ismaeel, M. Khattak, M. Tamin, M. Khan, N. Iqbal, S. Kazi, S. Badshah, and R. Khan, “Energy Absorption Ability of Thin-Walled Square Hollow Section of Low Carbon Sheet Metals under Quasi-Static Axial Compression,” *Journal of Advanced Research in Applied Mechanics*, 2016, vol. 18, pp. 1–14.
- [101] Y. Wan and J. Gong, “Influence of TiC Particle Size on The Load-independent Hardness of Al₂O₃-TiC Composites,” *Materials Letters*, 2003, vol. 57, no. 22-23, pp. 3439–3443.
- [102] Y.-B. Xie, “On the Tribology Design,” *Tribology International*, 1999, vol. 32, no. 7, pp. 351–358.

-
- [103] M. Priest and C. Taylor, “Automobile Engine Tribology—Approaching the Surface,” *Wear*, 2000, vol. 241, no. 2, pp. 193–203.
 - [104] A. Pogosian, “Tribology Science, Technology and Education in Armenia,” *Tribology International*, 1998, vol. 31, no. 10, pp. 597–599.
 - [105] C. Taylor, “Automobile Engine Tribology—Design Considerations for Efficiency and Durability,” *Wear*, 1998, vol. 221, no. 1, pp. 1–8.
 - [106] S. K. Mohapatra and K. Maity, “Synthesis and Characterisation of Hot Extruded Aluminium-based MMC Developed by Powder Metallurgy Route,” *International Journal of Mechanical and Materials Engineering*, 2017, vol. 12, p. 1.
 - [107] R. Ramachandran and M. Nosonovsky, “Coupling of Surface Energy with Electric Potential Makes Superhydrophobic Surfaces Corrosion-resistant,” *Physical Chemistry Chemical Physics*, 2015, vol. 17, no. 38, pp. 24 988–24 997.
 - [108] R. Govindasamy and S. Ayappan, “Study of corrosion inhibition properties of novel semicarbazones on mild steel in acidic solutions,” *Journal of the Chilean Chemical Society*, 2015, vol. 60, no. 1, pp. 2786–2798.
 - [109] L. Swartzendruber, V. Itkin, and C. Alcock, “The Fe-Ni (iron-nickel) System,” *Journal of Phase Equilibria*, 1991, vol. 12, no. 3, pp. 288–312.
 - [110] T.-Y. Chan and S.-T. Lin, “Sintering of Elemental Carbonyl Iron and Carbonyl Nickel Powder Mixtures,” *Journal of Materials Science*, 1997, vol. 32, no. 8, pp. 1963–1967.
 - [111] C. Smithells, “Metal Reference Book, Vols. 1–3,” 1967.
 - [112] P. Stablein Jr and G. Kugzynski, “Sintering in Multicomponent Metallic Systems,” *Acta Metallurgica*, 1963, vol. 11, no. 12, pp. 1327–1337.
 - [113] S. Gutin, A. Panov, and M. Khlopin, “Effect of Oxide Films in the Sintering of Aluminum Powders,” *Powder Metallurgy and Metal Ceramics*, 1972, vol. 11, no. 4, pp. 280–282.

-
- [114] Y. Xue, R. Shen, S. Ni, M. Song, and D. Xiao, “Fabrication, Microstructure and Mechanical Properties of Al-Fe Intermetallic Particle Reinforced Al-based Composites,” *Journal of Alloys and Compounds*, 2015, vol. 618, pp. 537–544.
- [115] L. Zhou, G. Liu, Z. Han, and K. Lu, “Grain Size Effect on Wear Resistance of a Nanostructured AISI52100 Steel,” *Scripta Materialia*, 2008, vol. 58, no. 6, pp. 445–448.
- [116] L. Wang, J. Ma, J. Yang, Q. Bi, L. Fu, and W. Liu, “Dry-sliding Tribological Properties of a Nano-eutectic Fe_{1.87}C_{0.13} Alloy,” *Wear*, 2010, vol. 268, no. 7-8, pp. 991–995.
- [117] M. Bradley, M. Bingley, and A. Pittman, “Abrasive Wear of Steels in Handling of Bulk Particulates: An Appraisal of Wall Friction Measurement as an Indicator of Wear Rate,” *Wear*, 2000, vol. 243, no. 1-2, pp. 25–30.
- [118] H. Konishi, M. Yamashita, H. Uchida, and J. Mizuki, “Characterization of Rust Layer Formed on Fe, Fe-Ni and Fe-Cr Alloys Exposed to Cl-Rich Environment by Cl and Fe K-Edge XANES Measurements,” *Materials Transaction*, 2005, vol. 46, no. 2, pp. 329–336.
- [119] H. M. A. EL-LATEEF, E.-S. Abdel-Rahman, and H. S. Mohran, “Role of Ni content in Improvement of Corrosion Resistance of Zn-Ni alloy in 3.5% NaCl solution. Part I: Polarization and Impedance Studies,” *Transactions of Nonferrous Metals Society of China*, 2015, vol. 25, no. 8, pp. 2807–2816.
- [120] N. Singh, S. Banerjee, O. Parkash, and D. Kumar, “Tribological and Corrosion Behavior of (100-x)(Fe₇₀Ni₃₀)-(x)ZrO₂ Composites Synthesized by Powder Metallurgy,” *Materials Chemistry and Physics*, 2018, vol. 205, pp. 261–268.
- [121] S. Agrawal, A. Ghose, and I. Chakrabarty, “Effect of Rotary Electromagnetic Stirring during Solidification of In-situ Al-TiB₂ Composites,” *Materials & Design*, 2017, vol. 113, pp. 195–206.

-
- [122] A. Dubey, P. Khosla, H. K. Singh, V. Katoch, D. Kumar, and P. Gupta, “A Review on Role of Processing Parameter in Determining Properties of Silicon Carbide Reinforced Metal Matrix Nanocomposites,” *Journal of Applied Science and Engineering*, 2016, vol. 19, no. 3, pp. 303–312.
- [123] H. Kihira, A. Usami, K. Tanabe, M. Ito, G. Shigesato, Y. Tomita, T. Kusunoki, T. Tsuzuki, S. Ito, and T. Murata, “Development of Weathering Steel for Coastal Atmosphere,” *Electrochemical Society Proceedings*, 2000, vol. 99, no. 26, pp. 127–136, cited By 16.
- [124] K. Vathsala and T. V. Venkatesha, “Zn-ZrO₂ Nanocomposite Coatings: Electrodeposition and Evaluation of Corrosion Resistance,” *Applied Surface Science*, 2011, vol. 257, no. 21, pp. 8929–8936.
- [125] A. S. Hamdy, E. El-Shenawy, and T. El-Bitar, “Electrochemical Impedance Spectroscopy Study of the Corrosion Behavior of Some Niobium Bearing Stainless Steels in 3.5% NaCl,” *International Journal of Electrochemical Science*, 2006, vol. 1, no. 4, pp. 171–80.
- [126] S. Zhang, K. Xu, and T. Jow, “Electrochemical Impedance Study on the Low Temperature of Li-ion Batteries,” *Electrochimica Acta*, 2004, vol. 49, no. 7, pp. 1057–1061.
- [127] P. P. Kumari, P. Shetty, and S. A. Rao, “Electrochemical Measurements for the Corrosion Inhibition of Mild Steel in 1 M Hydrochloric Acid by Using an Aromatic Hydrazide Derivative,” *Arabian Journal of Chemistry*, 2017, vol. 10, no. 5, pp. 653–663.
- [128] J. Rodriguez-Carvajal, “FullProf: A Rietveld Refinement and Pattern Matching Analysis Program (Version: April 2008),” *Laboratoire Léon Brillouin (CEA-CNRS, France)*, 2000.
- [129] K. H. J. Buschow and F. R. Boer, *Physics of Magnetism and Magnetic Materials*. Springer, 2003, vol. 92.

-
- [130] É. Trémolet de Lacheisserie, M. Schlenker, and D. Gignoux, *Magnetism: Materials and Applications*. Springer, 2005.
- [131] Y. Kakehashi, *Modern Theory of Magnetism in Metals and Alloys*. Springer Science & Business Media, 2013, vol. 175.
- [132] Z. Xu, C. Jin, A. Xia, J. Zhang, and G. Zhu, “Structural and Magnetic Properties of Nanocrystalline Nickel-rich Fe-Ni Alloy Powders Prepared via Hydrazine Reduction,” *Journal of Magnetism and Magnetic Materials*, 2013, vol. 336, pp. 14–19.
- [133] N. S. Kanhe, A. Kumar, S. Yusuf, A. Nawale, S. Gaikwad, S. A. Raut, S. Bhoskar, S. Y. Wu, A. Das, and V. Mathe, “Investigation of Structural and Magnetic Properties of Thermal Plasma-synthesized $\text{Fe}_{1-x}\text{Ni}_x$ Alloy nanoparticles,” *Journal of Alloys and Compounds*, 2016, vol. 663, pp. 30–40.
- [134] S. Vitta, A. Khuntia, G. Ravikumar, and D. Bahadur, “Electrical and Magnetic Properties of Nanocrystalline $\text{Fe}_{100-x}\text{Ni}_x$ Alloys,” *Journal of Magnetism and Magnetic Materials*, 2008, vol. 320, no. 3-4, pp. 182–189.
- [135] J. Onoro, M. Salvador, and L. Cambronero, “High-temperature Mechanical Properties of Aluminium Alloys Reinforced with Boron Carbide Particles,” *Materials Science and Engineering: A*, 2009, vol. 499, no. 1-2, pp. 421–426.
- [136] H. Zhang and R. German, “The Role of Nickel in Iron Powder Injection Molding,” *International Journal of Powder Metallurgy*, 1991, vol. 27, no. 3, pp. 249–254.
- [137] J.-P. Brog, C.-L. Chanez, A. Crochet, and K. M. Fromm, “Polymorphism, What It Is and How to Identify It: A Systematic Review,” *RSC Advances*, 2013, vol. 3, no. 38, pp. 16 905–16 931.