

References

- A. Agarwal and M. Tomozawa , “Correlation of silica glass properties with the infrared spectra,” *Journal of Non - Crystalline Solids*, **209** (1997)166 -174.
- AE Clark, CG Pantano, L.L.Hench, “Auger spectroscopic analysis of Bioglass corrosion films,” *J Am Ceram Soc.*,**59** (1976) 37-39.
- A. F. Zhao, W. L. Grayson, T.Maa, B.Bunnellb, W. W. Luc, “Effects of hydroxyapatite in 3-D chitosan–gelatin polymer network on human mesenchymal stem cell construct development ,”*Biomaterials*,**27** (2006) 1859–1867.
- A. Gorustovich, J. Roether, A.R., “Boccaccini Effect of bioactive glasses on angiogenesis: in-vitro and in-vivo evidence,” *A review Tissue Eng. Part B Rev.*, **16** (2010)199-207.
- A. H. De Aza, J. Chevalier, G. Fantozzi, M. Schehl, R. Torrecillas, “Crack growth resistance of alumina, zirconia and zirconia toughened alumina ceramics for joint prostheses,” *Biomaterials* **23** (2001) 937–945.
- A.J. Salgado, O.P. Coutinho, and R.L.Reis, “Bone tissue engineering: State of the art and future trends,” *Macromolecular Bioscience*, **4** (2004) 743-765.
- A. J. Salinas, A.I. Martin, M. Vallet-Regi, “Bioactivity of three CaO–P2O5–SiO2 sol–gel glasses,” *J. Biomed. Mater. Res.* **61** (2002)524–532.
- A. K. Gross, V. Gross, C.C. Berndt, “Thermal analysis of amorphous phases in hydroxyapatite coatings,” *J Am Ceram Soc.*, **81** (1998) 106–112.
- AK. Nayak, “Hydroxyapatite synthesis methodologies: An overview,” *Int J ChemTech Res.*, (2) **2**(2010)903-907.
- A Rapacz-Kmita, A Ślósarczyk, Z Paszkiewicz, “Mechanical properties of HAp–ZrO₂ composites,” *J Eur Ceram Soc.*, (8) **26** (2006), 1481–1488.
- A. Tampieri, E. Landi , F. Valentini, M. Sandri, T. D. Alessandro, V. Dediu, M. Marcacci, “A conceptually new type of bio-hybrid scaffold for bone regeneration,” *Nanotechnology* **22** (2011) 184-190.
- A.V. Gayathri Devi, V. Rajendran, K. Jeyasubramanian, N. Suresh Kumar and S.A.M. Abdel-Hameed, “Ultrasonic Investigation on Nanocrystalline Barium Borate (BBO) Glass Ceramics, Synthesis and Reactivity in Inorganic,” *Metal-Organic and Nano-Metal Chemistry* **36** (2006) 215-219.
- B.N. Çetiner, Z.E. Erkmen, “Production of Hydroxylapatite Based Titania Biocomposite as Porous Bone-Like Scaffold,” *Archives of material science and engineering* (2) **65** (2014) 66-71.
- Bayraktar, A. Cuneyt Tas, “Chemical preparation of carbonated calcium hydroxyapatite powders at 37o C in ureacontaining synthetic body fluids,” *Journal of European ceramic society*, **19**(1999) 2573-2579

References

- Cerrutia Marta, Greenspanb David, “Kevin Powers,” *Biomaterials*, **26** (2005) 1665–1674.
- C. Ohtsuki, H. Kushitani, T. Kokubo, S. Kotani and T. Yamamuro, “Apatite formation on the surface of Ceravital-type glass-ceramic in the body,” *J Biomed Mater Res.*, **25** (1991)1363–70.
- C. Ohtsuki, Y. Aoki, T. Kokubo, Y.Bando, M. Neo and T.Nakamura, “Transmission electron microscopic observation of glass–ceramic A–W and apatite layer formed on its surface in a simulated body fluid,” *J Ceram SocJpn.*, **103** (1995) 449–454.
- C.C. Wang, J.Y. Ying, *Chem. Mater.*, **11** (1999) 3113–3120.
- C. Q. Ning, Y. ZHOU, H. L. WANG, D. C. JIA, T. C. LEI, “Apatite formation on the surface of a Ti/HA composite in a simulated body fluid,” *J. Mater. Sci. Letters*, **19**(2000)1243–1245.
- C.Sarmento, Z.B.Luklinska, L.Brown, M.Anseau, P.N.De Aza, S.De Aza, F.J.Hughes, I.J. McKay, “In vitro behavior of osteoblastic cells cultured in the presence of pseudo wollastonite ceramic,” *J. Biomed. Mater. Res.*, **69** (2004)351–358.
- C. Wen, Y.Yamada, K. Shimojima, Y.Chino, H. Hosokawa, M. Mabuchi, “Novel titanium foam for bone tissue engineering,” *J. Mater. Res.***17** (2002) 2633-2639.
- C. Wu, Y. Xiao, “Evaluation of the in vitro bioactivity of bioceramics,” *Bone and Tissues Regeneration Insights*, **2** (2009) 25–29.
- C.Y. Kim, A.E. Clark, L.L.Hench, “Early stages of calcium-phosphate layer formation in bioglasses,” *J. Non-Cryst. Solids.*, (2) **113** (1989)195–202.
- D. Arcos, D.C. Greenspan, M. Vallet-Regí, “A new quantitative method to evaluate the in vitro bioactivity of melt and sol–gel-derived silicate glasses” *J. Biomed. Mater. Res.A*, **65** (2003) 344–351.
- D.F. Williams, “Definitions in Biomaterials,” *Elsevier, Amsterdam* (1987).
- D.F. Williams, “Williams dictionary of biomaterials,” *Liverpool University Press* (1999).
- D. Holzmann, D. Holzinger, G. Hesser, T.Schmidt and G. Knör, *J.Mater. Chem.*, **19** (2009) 8102-8106
- D.J. Berry, W.D. Harmsen, M.E. Cabanelas, M.F. Morrey, *J. Bone Joint Surg. (Am)*, (2) **84A** (2002) 171–177.
- Delia S. Brauer, Natalia Karpukhina, Matthew D. O'Donnell, Robert V. Law, Robert G. Hill, “Fluoride containing bioactive glasses: Effect of glass design and structure on degradation, pH and apatite formation in simulated body fluid,” *Acta Biomaterialia*,**6** (2010) 3275-3282.

References

- D.W. Hutmacher, "Scaffold design and fabrication technologies for engineering tissuesstate of the art and future perspectives," *Journal of Biomaterials Science, Polymer Edition*, **12** (2001) 107-124.
- D.W. Hutmacher, T. S.Jan, X. F.Christopher, C. T. Kim, and C. L.Thiam, "State of the art and future directions of scaffold-based bone engineering from a biomaterials perspective," *J. Tissue Engineering and Regenerative Medicine*, **1** (2007) 245-260,
- De With G, AJ. Corbijn, "Metal fibre reinforced hydroxyapatite ceramics," *J Mater Sci*, **24** (1989) 3411–3415.
- DL. Wheeler, KE. Stokes, HM. Park, JO. Hollinger, "Evaluation of particulate Bioglass® in a rabbit radius ostectomy model," *J Biomed Mater Res*. **35** (1997) 249-254.
- DL. Wheeler, KE. Stokes, RG. Hoellrich, DL. Chamberlain, SW. McLoughlin, "Effect of bioactive glass particle size on osseous regeneration of cancellous defects," *J Biomed Mater Res*. **41** (1998) 527–533.
- E. Eisenbarth, D. Velten, M. Müller, R. Thull, J. Breme "Nanostructured niobium oxide coatings influence osteoblast adhesion," *J Biomed Mater Res A*, **79**(2006)166-175.
- E.J. Kim, Y.H. Jeong, H.C. Choe, W.A. Brantley, "Surface phenomena of HA/TiN coatings on the nanotubular-structured beta Ti–29Nb–5Zr alloy for biomaterials," *Appl Surf Sci*, **258** (2012) 2083.
- E.M.A. Khalil, F.H. ElBatal, Y.M. Hamdy, H.M. Zidan, M.S. Aziz and A.M. Abdelghany, "Infrared absorption spectra of transition metals doped soda lime silica glasses," *Physica B*, **405** (2010)1294 - 1300.
- F. Baino, C.Vitale-Brovaron, "Three-dimensional glass-derived scaffolds for bone tissue engineering: current trends and forecasts for the future," *Journal of Biomedical Materials Research Part A*, (4) **97A** (2011) 514–535.
- F. Causa, P.A. Netti, & L. Ambrosio, "A multi-functional scaffold for tissue regeneration : the need to engineer a tissue analogue," *Biomaterials*, (34) **28** (2007) 5093-5099.
- F. J. Garcia-Sanz, M. B. Mayor, J. L. Arias, J. Pou, B. Leon, and M. Perez-Amor, "Hydroxyapatite coatings: a comparative study between plasma-spray and pulsed laser deposition techniques," *Journal of Material Science: Materials in Medicine*, **8**(1997) 861–865.
- F. N. Oktar, and G. Goller, "Sintering effects on mechanical properties of glass-reinforced hydroxyapatite composites," *Ceram Int.*, (6) **28** (2002) 617-621.
- Ficarro SB, Parikh JR, Blank NC, Marto JA, "Niobium(V) oxide (Nb₂O₅): application to phosphoproteomics," *Analytical Chemistry*, **80** (2008) 4606–4613.
- G. Goller, H. Demirkiran, F. N. Oktar, and E. Demirkesen, "Processing and characterization of bioglass reinforced hydroxyapatite composites," *Ceram Int.*, **29** (2003) 721-724.

References

- G. Jell, I. Notingher, O. Tsigkou, P. Notingher, JM Polak, L.L. Hench, M.M. Stevens, "Bioactive glass-induced osteoblast differentiation: a noninvasive spectroscopic study," *J Biomed Mater Res A.*, (1) **86** (2008) 31-40.
- G. Krishna, Y. Murali, N. Gandhi, Veeraiah, *J. Lumin.*, **128** (2008) 631-634.
- G. Little flower , Reddy ,M. Srinivasa; Reddy M.V. Ramana, N. Veeraiah, Z. Naturforsch, A: *Phys. Sci.*,**62** (2007) 315.
- G. Nagarjuna, N.Venkatramaiah, P.V.V. Satyanarayana, N. Veeraiah, *J. Alloys Compd.*,**468** (2009) 466-472.
- H. Ji, C.B. Ponton, and P.M. Marquis, "Microstructure Characterization of Hydroxyapatite Coating on Titanium," *J. Mater. Sci.: Mater. Med.*, **3** (1992) 283-287.
- H. Liu et al. " Liu Research Group," Biomaterials and nanomedicine lab. <http://www.liugroup.org/Mission>
- H Nisitani, YH Kim, H Goto, H Nishitani," Effects of gage length and stress concentration on the compressive strength of a unidirectional CFRP," *Eng Fract Mech*,**49** (1994) 953–961.
- H. Kleebe, E.F.Bres, D. Bernache Assolant, G. Ziegler, "High resolution electron microscopy and convergent-beam electron diffraction of sintered undoped hydroxyapatite," *J Am Ceram Soc*, **80** (1997) 37-44.
- H. Matsuno, A. Yokoyama, F. Watari, M. Uo, T. Kawasaki, "Biocompatibility and osteogenesis of refractory metal implants, titanium, hafnium, niobium, tantalum and rhenium," *Biomaterials*, **22** (2001)1253-1262.
- H.M. Kim, F. Miyaji, T. Kokubo, M. Kobayashi, T. Nakamura, *Bull. Chem. Soc. Jpn.* **69** (1996) 2387-2394.
- H. Nisitani, Y.H. Kim, H. Goto, H. Nishitani, "Effects of gage length and stress concentration on the compressive strength of a unidirectional CFRP," *Eng Fract Mech*, **49** (1994) 953–61.
- H. Oonishi, L. L. Hench, J.Wilson, F.Sugihara, E.Tsuji, M.Matsuura, "Quantitative comparison of bone growth behavior in granules of Bioglass (R), A-W glass-ceramic, and hydroxyapatite," *J. Biomed. Mater. Res.*, **51** (2000) 37-46.
- H. Oonishi, LL. Hench, J .Wilson, F. Sugihara, E. Tsuji, S. Kushitani, "Comparative bone growth behavior in granules of bioceramic materials of various sizes," *J Biomed Mater Res.*, **44** (1999) 31–43.
- H Satoshi, T Kanji, O Chikara, O Akiyoshi, "Mechanism of Apatite Formation on a Sodium Silicate Glass in a Simulated Body Fluid," *J Am Ceram Soc*, **82** (1999) 2155-2160.
- H. Tripathi, S. K. Hira, A. S. Kumar, U. Gupta, P. P. Manna, S.P. Singh, "Structural characterization and in vitro bioactivity assessment of SiO₂-CaO-P₂O₅-K₂O-Al₂O₃ glass as bioactive ceramic material," *Ceramics International*, **41** (2015) 11756–11769.

References

- H. Zreiqat, SM Valenzuela, BB Nissan, R Roest, C Knabe, RJ Rradlanski, “The effect of surface chemistry modification of titanium alloy on signaling pathways in human osteoblasts,” *Biomaterials*, **26** (2005) 7579-7586.
- I. Baltag, K.Watanabe, H. Kusakari, N. Taoyuki, O. Miyakawa, M. Kobayashi, N. Ito, “Long term changes in hydroxyapatite coated dental implants,” *J Biomed Mater Res Part B Appl Biomater*, **53** (2000) 76-85.
- I. Rehman, M. Karsh, L.L. Hench, W. Bonfield, “Analysis of apatite layers on glass-ceramic particulate using FTIR and FT-Raman spectroscopy,” *J. Biomed. Mater. Res.* (2) **50** (2000) 97-100.
- J.C. Elliott, “Structure and chemistry of the apatite and other calcium orthophosphate,” *Studies Inorganic Chemistry*, **18**(1994) 59.
- J. Huang, S.M.Best, W. Bonfieu, R.A. Brooks, “In vitro assessment of the biological response to nano-size Hydroxyapatite,” *J Mater Sci-Mater Med*, **15** (2004) 441-445.
- J. Jansen , JPCM. Vande Waerden, JPC. Wolke, K.De Groot, “ Histologic evaluation of the osseous adaptation to titanium and hydroxyapatite-coated titanium implants,” *J Biomed Mater Res*, **25** (1991) 973–989.
- J. Jones, “Review of bioactive glass: from Hench to hybrids,” *Acta Biomaterialia*, **9** (2013) 4457-4486.
- J.L. Masonis, R.B. Bourne, M.D. Ries, R.W. McCalden, A. Salehi, D.C. Kelman, “Zirconia femoral head fractures: a clinical and retrieval analysis,” *J Arthroplast* **19** (2004) 898–905.
- J. Liuyun, L. Yubao, Li Z, L. Jianguo, “Preparation and properties of a novel bone repair composite: nano-hydroxyapatite/chitosan/carboxymethyl cellulose,” *J Mater Sci: Mater Med*, **19** (2008) 981–987.
- J Li, L. Hermansson, R. Söremark, “High-strength biofunctional zirconia: mechanical properties and static fatigue behaviour of zirconia-apatite composites,” *J Mater Sci Mater Med*, (1) **4** (1993) 50–54.
- J.P. Zhong, D.C. Greenspan, “ Processing and properties of solgel bioactive glasses,” *J. Biomed. Mater. Res. Appl. Biomater.*, **53** (2000) 694-701.
- J.R. Jones, “Review of bioactive glass: from Hench to hybrids,” *Acta Biomater.*, **9** (2013) 4457-4486.
- J. Wang, W. Suna, Z. Zhang, Z. Jiang, X. Wang, R. Xu, R. Li, X. Zhang, “Preparation of Fe-doped mixed crystal TiO₂ catalyst and investigation of its sonocatalytic activity during degradation of azo fuchsine under ultrasonic irradiation,” *J. Colloid Interface Sci.*, **320** (2008) 202-209.
- J. Wilson, GH Pigott, FJ Schoen, LL Hench, “Toxicology and biocompatibility of bioglasses,” *J Biomed Mater Res.*, **15** (1981) 805–817.

References

- J Zhang, M Iwasa, N Kotobuki, T Tanaka, M Hirose, H Ohgushi, “Fabrication of Hydroxyapatite Zirconia Composites for Orthopedic Applications,” *J Am Ceram Soc.* (11) **89** (2006) 3348–3355.
- K De Groot, R Geesink, Klein CPAT, P.Serekian,“Plasma sprayed coatings of hydroxyapatite,” *J Biomater Res*, **21**(1987)1375–1381.
- K.E. Healy, P. Ducheyne , “The mechanisms of passive dissolution of titanium in a model physiological environment” *J Biomed Mater Res*, **26** (1992) 319-338.
- K. F. Leong, C.M.Cheah, C.K.Chua, “Solid freeform fabrication of three dimensional scaffolds for engineering replacement tissues and organs,” *Biomaterials*, (13) **24** (2003) 2363-2378.
- K.H. Karlsson ,*Glass Technol.*, **45** (2004) 157–161.
- KA Khalil, SW Kim, HY Kim, “Consolidation and mechanical properties of nanostructured hydroxyapatite($ZrO_2+3\text{mol\% } Y_2O_3$) bioceramics by high-frequency induction heat sintering,” *Mater Sci Eng A.*, **456** (2007) 368–372.
- K. Lee, H.C. Choe, B.H. Kim, Y.M. Ko, “The biocompatibility of HA thin films deposition on anodized titanium alloys,” *Surf Coat Technol*, **205** (2010) S267-S270.
- K P Santosh, Min-Cheol Chu, A Balakrishnan, T N Kim and Seong-Jai Cho, “Preparation and characterization of nano-hydroxyapatite powder using sol-gel technique,” *Bull Mater. Sci.*,(5) **32** (2009) 465-470.
- K. Sharma, M.N. Deo, G.P. Kothiyal, “Effect of iron oxide addition on structural properties of calcium silico phosphate glass/glass-ceramics,” *Journal of Non-Crystalline Solids.*, **358** (2012) 1886-1891.
- K. Toshihiro, H Yoshimasa, N Masayuki, N Mitsuo, “Apatite Formation on Calcium Phosphate Invert Glasses in Simulated Body Fluid,” *J AmCeram Soc.* **84** (2001) 450-452.
- L. Bacakova, E. Filova, M. Parizek, T. Rum, V. Svorcik, “ Modulation of cell adhesion, proliferation and differentiation on materials designed for body implants,” *Biotechnol Adv* **29** (2011) 739–767.
- L. Barbieri, V. Cannillo, C. Leonelli, M. Montorsi, P. Mustarelli, C. Siligardi, “Experimental and MD simulations study of $CaO-ZrO_2-SiO_2$ glasses,” *J.Phys.Chem.B*, **107** (2003) 6519–6525.
- L. C. Gerhardt, A. R. Boccaccini, “Bioactive Glass and Glass-Ceramic Scaffolds for Bone Tissue Engineering,” *Materials*, (3) **7** (2010) 3867-3910.
- L.G. Griffith, G. Naughton, *Science*, **295** (2002) 1009-1014.
- L. Guo, M. Huang, X. Zhang, “Effects of sintering temperature on structure of hydroxyapatite studied with Rietveld method,” *Journal of Materials Science: Materials in Medicine*,(9) **14** (2003)817-822.

References

- Li H, J., "Chang pH-compensation effect of bioactive inorganic fillers on the degradation of PLGA," *Composites Science and Technology*, **65** (2005)2226-2232.
- L. L Hench and H. Paschall, "Direct chemical bond of bioactive glass-ceramic materials to bone and muscle," *J. Biomed. Mater. Res.*, **7** (1973) 25–42.
- L.L. Hench, and J. Wilson, "An introduction to bioceramics," *Advanced Series in Ceramics*, **1**(1993).
- L.L. Hench, Bioceramics-from concept to clinic, *J. American Ceramic Society*, (7) **47** (1991) 1487-1510.
- L.L. Hench, "Bioceramic,"*J. Am. Ceram. Soc.*, **81** (1998)1705-1728.
- L.L.Hench, "Bioceramics: From concept to clinic," *J Am Ceram Soc.*, **74** (1991) 1487-1510.
- L.L. Hench, "Chronology of bioactive glass development and clinical applications," *Scientific Research*, **3** (2013) 67-73.
- L.L. Hench, J.K. West, "Biological applications of bioactive glasses,"*Life Chem. Reports*. **13** (1996)187–241.
- LL. Hench, JM. Polak, "Third-generation biomaterials," *Science*, **295** (2002)1014-1017.
- L.L. Hench, O. Andersson and J.Wilson, "An Introduction to Bioceramics," *Singapore: World Scientific Publishing Co. Pte. Ltd.* (1993)1–24.
- L. L. Hench, R. J. Splinter, W. C. Allen, T. K. Greenlee, "Bonding mechanisms at the interface of ceramic prosthetic materials," *J. Biomed. Mater. Res.*, **5** (1971) 117–141.
- L. L. Hench, "The discovery of bioactive glasses, in: Science Faith and Ethics," *Imperial College Press, London* (2001).
- L.L. Hench, "The story of bioglass TM," *J Mater Sci.: Mater Med*, **17** (2006) 967-978.
- L. Veselinovic, L. Karanovic, Z. Stojanovic, I. Bracko, S. Markovic, N. Ignajatovic, D. Uskokovic, "Crystal structure of cobalt-substituted calcium hydroxyl apatite nano powders prepared by hydrothermal processing," *J.Appl.Crystallogr.*, **43** (2010) 320-327.
- M. Akao, H. Aoki, and K. Kato, "Mechanical properties of sintered hydroxyapatite for prosthetic applications," *J Mater Sci.*, **16** (1981) 809-812.
- M. Brink, "The influence of alkali and alkali earths on the working range for bioactive glasses," *J Biomed Mater Res*, **36** (1997) 109–117.
- M. Cerruti, D. Greenspan and K. Powers, "Effect of pH and ionic strength on the reactivity of Bioglass® 45S5," *Biomaterials*, **26** (2005)1665–1674.

References

- M Hamadouche, A.Meunier, D.C.Greenspan, C.Blanchat, J.P.Zhong, G.P. La Torre, L.Sedel, "Long-term in vivo bioactivity and degradability of bulk sol-gel bioactive glasses," *J. Biomed.Mater. Res.*, **54** (2001) 560-566.
- M. Jarcho, "Calcium phosphate ceramics as hard tissue prosthetics," *Clinical Orthopaedics and Related Research*, **157** (1981) 259-278.
- M. Jiang, J. Terra, A.M. Rossi, M.A. Morales, E.M. Baggio Saitovitch, D.E. Ellis, "Fe+2/Fe+3 substitution in hydroxyl apatite: theory and experiment," *Phys. Rev. B:Condens. Matter Phys.* **B66** (2002) 224107.
- Marie-Eve Marquis, Etienne Lord, Eric Bergeron, Olivier Drevelle, Hyunjin Park, Francois Cabana, Helena Senta, Nathalie Faucheu, "Bone cells-biomaterials interactions," *Frontiers in Bioscience* **14** (2009)1023-1067.
- Marek Kolenčík, Vladimír Šimanský, "Application of various methodological approaches for assessment of soil micromorphology due to VESTA program applicable to prediction of the soil structures formation," *Acta fytotechn zootechn*, (2) **19**, (2016) 68–73.
- M. Mazur, M. Kalisz, D. Wojcieszak, "Determination of structural , mechanical and corrosion properties of Nb₂O₅ and (Nb_yCu_{1 - y})O_x thin films deposited on Ti6Al4V alloy substrates for dental implant applications," *Mater Sci Eng C*, **47** (2015) 211-221.
- M. M. Azevedo, G.Jell, M. D. O' Donnell, R. V. Law, R. G. Hill and M. M.Stevens, "Synthesis and characterization of hypoxiamimicking bioactive glasses for skeletal regeneration," *J. Mater. Chem.*, **20** (2010) 8854-8864.
- M. M. Perira, A.E.C., L.L. Hench, "Calcium phosphate formation on sol-gel-derived bioactive glasses in vitro," *J Biomed Mater Res.*, (6) **28** (1994) 693-698.
- M. M. Sebdani, M.H. Fathi, "Preparation and characterization of hydroxyapatite for sterite-bioactive glass nanocomposite coatings for biomedical applications," *Ceram. Int.*, **38** (2012) 1325–1330.
- M.M. Stevens, "Biomaterials for bone tissue engineering," *Materials Today*, (5) **11** (2008) 18-25.
- M. P. Staiger, A. M. Pietak, J. Huadmai, G. Dias, "Magnesium and its alloys as orthopedic biomaterials: a review," *Biomaterials*, **27** (2006) 1728-1734.
- M.R. Filgueiras, G. La Torre, L.L. Hench, "Solution effects on the surface reactions of three bioactive glass compositions," *J. Biomed. Mater. Res.*, (12) **27** (1993)1485-1493.
- M. Schieker, H. Seitz, I. Drosse, S.Seitz, and W. Mutschler, "Biomaterials as scaffold for bone tissue engineering," *European Journal of Trauma*, (2) **32** (2006) 114- 124.
- Mukesh Sharma^{1*}, Peter E Murray², Deepak Sharma³, Kamini Parmar¹, Sonika Gupta and Prachi Goyal, "Modern approaches to use bioactive materials and molecules in medical and dental treatments," *Int. J. Curr. Microbiol. App. Sci*, (11) **2** (2013) 429-439.

References

- M. Sowa, A. Kazek-Kesik, A. Krzakala, R. P. Socha, G. Dercz, J. Michalska, W. Simka, "Modification of niobium surfaces using plasma electrolytic oxidation in silicate solutions," *J Solid State Electrochem*, **18** (2013) 3129-3142.
- M. Srinivasa Reddy, G. NagaRaju , G. Nagarjuna, N. Veeraiah, "Structural influence of aluminium, gallium and indium metal oxides by means of dielectric and spectroscopic properties of CaO–Sb₂O₃–B₂O₃ glass system," *J. Alloys Comp.*, **438** (2007) 41-51.
- M. Vallet-Regi, A.J. Salinas, and D. Arcos, "From the bioactive glasses to the star gels," *J Materials Science: materials in medicine*, **17** (2006) 1011-1017.
- M Vallet-Regi, J.M.González-Calbet, "Calcium phosphates as substitution of bone tissues," *Prog. Solid State Chem.*, **32**(2004) 1-31.
- M.Wang, Composite scaffolds for bone tissue engineering, *American journal of Biochemistry and Biotechnology*, (2) **2** (2006) 80-84.
- N. A. Dsouki, M. P. de Lima, R. Corazzini, "Cytotoxic, hematologic and histologic effects of niobium pentoxide in Swiss mice," *J Mater Sci Mater Med*, **25** (2014) 1301-1305.
- N. Bock, A. Riminucci, C. Dionigi, Russo, A. Tampieri, E. Landi, V.A. Goranov, M. Marcacci, V. Dediu, "A novel route in bone tissue engineering: magnetic biomimetic scaffolds," *ActaBiomater.* (3) **6** (2010) 786-796.
- N. Kantharia, S. Naik, S. Apte, M. Kheur, S. Kheur, B.Kale, "Nano-hydroxyapatite and its contemporary applications," *J Dent Res Sci Develop*, (1) **1**(2014) 15-19.
- NY. Mostafa, PW Brown, "Computer simulation of stoichiometric hydroxyapatite: Structure and substitutions," *Journal of Physics and Chemistry of Solids*, (3) **68** (2007) 431-437.
- N. R. Patel, " A review on biomaterials: scope, applications and human anatomy significance," *International Journal of Emerging Technology and Advanced Engineering*, **2** (2012) 91-101.
- N. Roveri and M. Iafisco, "Evolving application of biomimetic nanostructured hydroxyapatite," *Nanotechnol Sci. Appl.*,**3** (2010) 107-125.
- N. Shankhwar, G.P. Kothiyal, A. Srinivasan, "Influence of phosphate precursor on the structure, crystallization behaviour and bioactivity of sol–gel derived 45S5 bioglass," *RSC Adv.*, **5** (2015)100762–100768.
- O. Bretcanu, X. Chatzistavrou, K. Paraskevopoulos, *Journal of the European London*. 59, (1989).
- O Zinger, K Anselme, A Denzer, P Habersetzer, M Wieland, J Jeanfils, P Hardouin, D Landolt, "Time-dependent morphology and adhesion of osteoblastic cells on titanium model surfaces featuring scale-resolved topography," *Biomaterials*, **25** (2004) 2695-2711.

References

- P Ducheyne, LL Hench, "The processing and static mechanical properties of metal fibre reinforced bioglass," *J Mater Sci*, **17** (1982)595–606.
- P. Ducheyne, Q. Qiu, "Bioactive ceramics: the effect of surface reactivity on bone formation and bone cell function" *Biomaterials*, **20**(1999) 2287–2303.
- P. Ducheyne, "Bioceramics: material characteristics versus in vivo behavior," *J. Biomed. Mater. Res.*, **21** (1987) 219-236.
- P.Li Ohtuki C., T. Kokubo, K.Nakanishi, N.Soga, T.Nakamura, T.Yamamuro, "Effects of ions in aqueous media on hydroxyapatite induction by silica gel and its relevance to bioactivity of bioactive glasses and glass-ceramics," *J. Appl. Biomater*, **4** (1993) 221-229.
- P.N. De Aza, Z.B. Luklinska, M.R. Anseau, F. Guitian, S. De Aza, "Bioactivity of pseudo wollastonite in human saliva," *J. Dent.*, **27** (1999) 107-113.
- P.N. De Aza, Z.B. Luklinska, Martinez, M.R. Anseau, F. Guitian, S. De Aza, "Morphological and structural study of pseudowollastonite implants in bone," *J. Microsc.*, **197** (2000) 60–67.
- P.Parente, A.J. Sanchez-Herencia, M.J.Mesa-Galan, B.Ferrari, "Functionalizing Ti-Surfaces through the EPD of hydroxyapatite/nanoY₂O₃," *J.Phys.Chem.*,**B117** (2012) 1600-1607.
- Q. Chen, J.A. Roether, and A.R.Boccaccini, "Tissue Engineering Scaffolds from Bioactive Glass and Composite Materials," *Tissue Engineering*, **4** (2008) 1-27.
- RF Brown, DE Day, TE Day, S Jung, MN Rahaman, Q. Fu, "Growth and differentiation of osteoblastic cells on 13–93 bioactive glass fibers and scaffolds," *Acta Biomater.*, **4**(2008) 387-396.
- R.J. Kohal, M. Wolkewitz, C. Mueller, "Alumina-reinforced zirconia implants: survival rate and fracture strength in a masticatory simulation trial," *Clin Oral Implants Res.*, **21**(2010) 1345-1352.
- R. Langer, J.P. Vacanti, *Science*, **260** (1993) 920–926.
- R. Lanza, R. Langer, J. Vacanti, "Principles of Tissue Engineering," *Academic Press, San Diego ,CA, USA*, **3** (2007).
- R.L. Karlinsey, A.T. Hara, K. Yi, C.W. Duhn, "Bioactivity of novel self assembled crystalline Nb₂O₅ microstructures in simulated and human salivas," *Biomedical Materials*, **1** (2006) 16–23.
- R Mcpherson, N Gane, T Bastow, "Structure characterization of plasma-sprayed hydroxyapatite coating," *J Mater Sci: Mater Med*,**6** (1995) 327–334.
- R.M. Amin, S.A Elfeky, T. Verwanger, B. Krammer, "A new biocompatible nanocomposite as a promising constituent of sunscreens," *Mater. Sci. Eng. C*, **63** (2016) 46-51.

References

- R.M. Nerem, *Ann. Biomed. Eng.* **19** (1991) 529–545.
- R. Xin, Y. Leng, J. Chen, and Q. Zhang, “A comparative study of calcium phosphate formation on bioceramics in vitro and in vivo,” *Biomaterials*, (33) **26** (2005) 6477-6486.
- S Atilgan, B Erol, A Yardimeden, F Yaman, MC Ucan, N Gunes, “A three dimensional analysis of reconstruction plates used in different mandibular defects,” *Biotechnol Biotechnol Equip.*, **24** (2010) 1893–1906.
- S.B. Cho, K. Nakanishi, T. Kokubo, N. Soga, C. Ohtsuki and T. Nakamura, “Dependence of apatite formation on silica gel on its structure: effect of heat treatment,” *J Am Ceram Soc.*, **78** (1995) 1769-1774.
- S. Brauer Delia, Natalia Karpukhina, D.O'Donnell Matthew, V. Law Robert, G.Hill Robert, “Fluoride-containing bioactive glasses: Effect of glass design and structure on degradation, pH and apatite formation in simulated body fluid,” *Acta Biomaterialia*, **6** (2010) 3275-3282.
- SH Jun, EJ Lee, SW Yook, HE Kim, HW Kim, YH Koh, “A bioactive coating of a silica xerogel/chitosan hybrid on titanium by a room temperature sol–gel process,” *Acta Biomaterialia*, **6** (2010) 302-307.
- SJ Kalita, A Bhardwaj, HA Bhatt, “Nanocrystalline calcium phosphate ceramics in biomedical engineering,” *Materials Science and Engineering: C*, (3) **27**(2007) 441-449.
- Sk Misra, AR.Boccaccini, “Biodegradable and bioactive polymer/ceramic composite scaffolds,” *Tissue engineering using ceramics and polymers England: Woodhead Publishing Limited*, (2007) 72-92.
- Samit Kumar Nandi, Arnab Mahato, Biswanath Kundu and Prasenjit Mukherjee, “Doped Bioactive Glass Materials in Bone Regeneration,” *Book* (2016).
- S. Nath, B. Basu, “Fundamentals of biomaterials and biocompatibility,” *New Jersey: John Wiley & Sons.* (2009) 3-18.
- S. Phokha, S. Pinitsoontorn, S. Maensiri, “Structure and magnetic properties of monodisperse Fe^{+3} doped CeO_2 nano spheres,” *Nano-MicroLett.*, **5(4)** (2012) 223-233.
- S Teixeira, MA Rodriguez, P Pena, De Aza AH, De Aza S, MP Ferraz, “Physical characterization of hydroxyapatite porous scaffolds for tissue engineering,” *Materials Science and Engineering: C*. (5) **29** (2009) 1510-1514.
- S.V. Dorozhkin, E.I. Dorozhkina, M. Epple, “Precipitation of carbonate apatite from a revised simulated body fluid in the presence of glucose,” *J. Appl. Biomater. Biomech.*, **1** (2003) 200-208.
- S. Yang, K. Leong, Z. Du, and C K. Chua, “The design of scaffolds for use in tissue engineering. Part II: Rapid prototyping techniques,” *Tissue engineering*, **8** (2002) 1-11.
- T. Albrektsson, and C. Johansson, “Osteoinduction, osteoconduction and osseointegration,” *European Spine Journal*, **10** (2001) 96-101.

References

- T. Albrektsson, H.A. Hansson, B. Ivarsson, "Interface analysis of titanium and zirconium bone implants," *Biomaterials* **6**(1985) 97–101.
- T. Gorski, H. Declercq, R. Cornelissen, E. Schacht. "Polyester composite scaffolds and their use in bone tissue engineering." *10th International Conference on Polymers in Medicine and Surgery*, 6-8 September 2004. Cambridge, UK.
- T. Kokubo, "Bioactive glass ceramics: properties and applications," *Biomaterials*, **12** (1991) 155-163.
- T. Kokubo, H. Kushitani, S. Sakka, T. Kitsug, T. Yamamuro, "Solutions able to reproduce in vivo surface-structure changes in bioactive glass-ceramic A-W," *J Biomed Mater Res.*, **24** (1990) 721-734.
- T. Kokubo, H. Takadama, "How useful is SBF in predicting in vivo bone bioactivity?" *Biomaterials*, **27** (2006) 2907–2915.
- T. Kokubo, H.Kim, M. Kawashita ,*Biomaterials*, **24** (2003) 2161–2175.
- T . Kokubo, S. Ito, S. Sakka, T. Yamamuro, "Formation of a highstrength bioactive glass ceramic in the system MgO-CaOSi02-P20," *J Mater Sci*, **21** (1986) 536-540.
- T.S. De Araujo, , S.O. De Souza, W. Miyakawa and E.M.B De Sousa, "Phosphates nanoparticles doped with zinc and manganese for sunscreens," *Mater. Chem. Phys.* **124**, (2010) 1071-1076.
- Varun Dahiya, Pradeep Shukla, Shivangi Gupta, "Surface topography of dental implants: A review," *J Dent Implant*, **4** (2014) 66-71.
- V. J. Shirtliff, and L.L.Hench, "Bioactive materials for tissue engineering regeneration and repair," *J. Material Science*, **38** (2003) 4697-4707.
- V. Karageorgiou and D.Kaplan, "Porosity of 3D biomaterial scaffolds and osteogenesis," *Biomaterials*, **26** (2005) 5474-5491.
- V. Sollazzo, F. Pezzetti, A. Scarano, A. Piattelli, C.A. Bignozzi, L. Massari, "Zirconium oxide coating improves implant osseointegration in vivo," *Dent Mater.*,**24** (2008) 357–361.
- V. R. Mastelaro, E.D. Zanotto, N.Lequeux, R.Cortes, *J. Non-Cryst. Solids.* **262** (2000) 191-199.
- V. Vercamer, L. Gerald, H. Hiroyuki, K. Yuki, G. Laurence, C. Georges, *J. Non-Cryst. Solids.*,**428** (2015) 138-145.
- W. Cao, Hench L.L., "Bioactive materials," *Ceram Int.*, **22** (1996) 493–507.
- W. Hiland, W. Vogel, K. Naumann, J., "Interface reactions between machinable bioactive glass ceramics and bone," *J Biomed Mater Res.*, (3) **19** (1985) 303-312.

References

- W. Huang, DE Day, K. Kittiratanapiboon, MN. Rahaman, "Kinetics and mechanisms of the conversion of silicate (45S5), borate, and borosilicate glasses to hydroxyapatite in dilute phosphate solution," *J Mater Sci Mater Med.*, **17** (2006) 583–596.
- W. Huang, MN Rahaman, DE Day, Y. Li, "Mechanisms of converting silicate, borate, and borosilicate glasses to hydroxyapatite in dilute phosphate solution," *Phys Chem Glasses Europ J Glass Sci Technol B.*, **47** (2006) 647–658.
- Wu, Jenn-Ming, T-SY, "Sintering of hydroxylapatite-zirconia composite materials," *J Mater Sci.* (10) **23** (1988) 3771–3777.
- X Pang, I. Zhitomirsky, "Electrophoretic deposition of composite hydroxyapatite-chitosan coatings," *Materials Characterization*, **58** (2007) 339-348.
- X Zhang, GHM Gubbels, RA Terpstra, R.Metselaar, "Toughening of calcium hydroxyapatite with silver particles," *J Mater Sci*, **32** (1997) 235–43.
- Y. Ebisawa, T. Kokubo, K. Ohura, T. J. Yamamuro, Mater. Sci. Mater. Med., **1**(1993) 239- 244.
- Y Fu, AW Batchelor, Y Wang, KA Khor, "Fretting wear behaviors of thermal sprayed hydroxyapatite (HA) coating under unlubricated conditions," *Wear*, **217**(1998)132–139.
- Y. Kong, Z. Yang, G. Zhang, Q. Yuan, "Friction and wear characteristics of mullite, ZTM and TZP ceramics," *Wear* **218** (1998) 159–166.
- Y. Li, J. Xiong, C.S. Wong, P.D.Hodgson, C. Wen, "Ti₆Ta₄Sn alloy and subsequent scaffolding for bone tissue engineering," *Tiss. Eng. A*, **15** (2009) 3151-3159.
- Y.M. Kong, D.H. Kim, H.E. Kim, S.J. Heo, J.Y. Koak, "Hydroxyapatite-based composite for dental implants: an in vivo removal torque experiment," *J Biomed Mater Res Part B Appl Biomater*, **63** (2002) 714-721.
- Z. Stojanovic, L. Veselinovic, S. Markovic, N. Ignjatovic, D. Uskokovic, "Hydrothermal synthesis of nano sized pure and cobalt-exchanged hydroxyapatite," *Mater. Manuf. Process*, **24** (2009)1096–1103.