

Bibliography

- [1] Abbasbandy, S. (2006). The application of homotopy analysis method to nonlinear equation arising in heat transfer. *Physics Lett. A.*, 360: 109-113.
- [2] Abd-Elhameed, W. M., Doha, E. H. and Youssri Y. H. (2013). New spectral second kind Chebyshev wavelets algorithm for solving linear and nonlinear second order differential equations involving singular and bratu type equations. *Abst. Appl. Anal.* Article ID 715756.
- [3] Abd-Elhameed, W. M., Youssri Y. H. and Doha, E. H. (2015). A novel operational matrix method based on shifted Legendre polynomials for solving second-order boundary value problems involving singular, singularly perturbed and Bratu-type equations. *Math. Sci.*, 9: 93–102.
- [4] Agbaje, T. M., Mondal, S., Makukula, Z. G., Motsa, S. S. and Sibanda, P. (2018). A new numerical approach to MHD stagnation point flow and heat transfer towards a stretching sheet. *Ain Shams Engineering Journal*, 9(2): 233-243.
- [5] Ahamed, S. M. S., Mondal, S. and Sibanda, P. (2016). Thermo-diffusion effects on unsteady mixed convection in a magneto-nanofluid flow along an inclined cylinder with a heat source, Ohmic and viscous dissipation. *Journal of Computational and Theoretical Nanoscience*, 13: 1-15.

-
- [6] Ahmadian, A., Suleiman, M. and Salahshour, S. (2013). An operational matrix based on Legendre polynomials for solving fuzzy fractional-order differential equations. *Abstract and Applied Analysis*, Article ID 505903.
- [7] Albrecht, J., Collatz, L. and Hoffmann, K. H. (1982). Numerical treatment of free boundary value problems. *Birkhauser Verlag, Boston*.
- [8] Almakki, M., Nandy, S. K., Mondal, S., Sibanda, P. and Sibanda, D. (2018). A model for entropy generation in stagnation-point flow of non-Newtonian Jeffrey, Maxwell, and Oldroyd-B nanofluids. *Heat Transfer-Asian Research*, doi: 10.1002/htj.21366.
- [9] Arsalani, M. and Vali, M. A. (2011). Numerical solution of nonlinear variational problems with moving boundary conditions by using Chebyshev wavelets. *Applied Mathematical Sciences*, 5: 947-964.
- [10] Asaithambi, N. S. (1997). A variable time step Galerikin method for one dimensional Stefan problem. *Applied Mathematics and Computing*, 81: 189-200.
- [11] Atabakzadeh, M., Akrami, M. and Erjaee, G. (2013). Chebyshev operational matrix method for solving multi-order fractional ordinary differential equations. *Appl. Math. Model.*, 37: 8903–8911.
- [12] Bankoff, S. G. (1964). Heat conduction or diffusion with change of phase. *Adv. Chem. Engng.*, 5: 75-150.
- [13] Benes, M., Krupick, L. and Stefan, R. (2015). On coupled heat transport and water flow in partially frozen variably saturated porous media. *Appl. Math. Mod.*, 39: 6580-6598.

-
- [14] Benham, G. P., Hildal, K., Please, C. P. and Gorder, R. A. V. (2016). Solidification of silicon in one-dimensional slab and a two-dimensional wedge. *Int. J Heat Mass Transfer*, 98: 530-540.
- [15] Bhrawy, A. H. and Zaky, M. A. (2015). Numerical simulation for two-dimensional variable-order fractional nonlinear cable equation. *Nonlinear Dynam.*, 80(1): 101-116.
- [16] Bhrawy, A. H. and Zaky, M. A. (2017a). Highly accurate numerical schemes for multi-dimensional space variable-order fractional Schrödinger equations. *Comput. Math. Appl.*, 73: 1100- 1117.
- [17] Bhrawy, A. H. and Zaky, M. A. (2017b). An improved collocation method for multi-dimensional space–time variable-order fractional Schrödinger equations. *Appl. Numer. Appl.*, 111: 197-218.
- [18] Biazar, J. and Ebrahimi, H. (2012). Chebyshev wavelets approach for nonlinear systems of volterra integral equations. *Comput. Math. Appl.*, 63: 608–616.
- [19] Błasik, M. and Klimek, M. (2015). Numerical solution of the one phase 1D fractional Stefan problem using the front fixing method. *Mathematical Methods in the Applied Sciences*, 38: 3214–3228.
- [20] Boley, B. A. (1972). Survey of recent developments in the fields of heat conduction in solids and thermo-elasticity. *Nuclear Engng. Design*, 18: 377-399.
- [21] Bonnerot, R. and Jamet, P. (1981). A conservative finite element method for one-dimensional Stefan problems with appearing and disappearing phases. *J. Compt. Phys.*, 41: 357-388.

-
- [22] Briozzo A. C. and Tarzia D. A. (2002). An explicit solution for an instantaneous two-phase Stefan problem with nonlinear thermal coefficients. *IMA J. Appl. Math.*, 67: 249-261.
- [23] Brillouin, M. (1931). Sur quelques problèmes non résolus de la Physique Mathématique classique, propagation de la fusion. *Annales de l'Institut Henri Poincaré*, 1: 285-308.
- [24] Briozzo, A. C. and Natale, M. F. (2015). One-phase Stefan problem with temperature-dependent thermal conductivity and a boundary condition of Robin type. *J. Appl. Anal.*, 21: 89–97.
- [25] Briozzo, A. C. and Natale, M. F. (2017). A nonlinear supercooled Stefan problem. *Z. Angew. Math. Phys.*, 68: 46.
- [26] Briozzo, A. C., Natale, M. F. and Tarzia, D. A. (2007). Existence of an exact solution for a one-phase Stefan problem with nonlinear thermal coefficients from Tirskaa's method. *Nonlinear Anal. Theory Method. Appl.*, 67: 1989–1998.
- [27] Broadbridge, P. and Pincombe, B. (1996). The Stefan solidification problem with nonmonotonic nonlinear heat diffusivity. *Mathematical and Computer Modelling*, 23(10): 87-98.
- [28] Canuto, C., Hussaini, M. Y., Quarteroni, A. and Zang, T. A. (1988). Spectral Methods in Fluid Dynamics. *Springer, New York*.
- [29] Caputo, M. (1969). Elasticità e dissipazione. Zanichelli, Bologna.
- [30] Carslaw, H. S. and Jaeger, J. C. (1965). Conduction of Heat in Solids. 2nd Ed. *Clarendon Press, Oxford*.

-
- [31] Ceretani, A. N., Salva, N. N. and Tarzia, D. A. (2018). An exact solution to a Stefan problem with variable thermal conductivity and a Robin boundary condition. *Nonlinear Anal. Real World Appl.*, 40: 243–259.
- [32] Chalmers, B. (1954). Melting and freezing. *Trans. AIME, J. of Metals*, 200: 519-532.
- [33] Chang, R. Y. and Wang, M. L. (1983). Shifted Legendre direct method for variational problems. *Journal of Optimization Theory and Applications*, 39: 299-307.
- [34] Cherniha, R. and Kovalenko, S. (2009). Exact solutions of nonlinear boundary value problems of the Stefan type. *J. Phys. A: Math. Theor.*, 42: 355202.
- [35] Cherniha, R. M. and Cherniha, N. D. (1993). Exact solutions of a class of nonlinear boundary value problems with moving boundaries. *J. Phys. A. Math. Gen.*, 26: L935-L940.
- [36] Chernousko, F. L. (1970). Solution of nonlinear heat conduction problems in media with phase changes. *Int. J. Chemical Eng.*, 10: 42-48.
- [37] Cohen, H. (1971). Non-linear Diffusion Problems. Studies in mathematics, Vol. 7. Studies in applied mathematics. *Prentice-Hall, New Jersey*.
- [38] Crank, J. (1964). The Mathematics of Diffusion. *Clarendon Press, Oxford*.
- [39] Crank, J. (1984). Free and Moving boundary problems, *Clarendon Press Oxford*.
- [40] Crank, J. (1987). Free And Moving Boundary Problems. *Oxford Science Publications*.

- [41] Dalhuijsen, A. J. and Segal A. (1986). Comparison of finite element techniques for solidification problems. *Int. J. Numeric. Method in Eng.*, 23: 1807-1829.
- [42] Das, S. and Gupta, P. K. (2011). A mathematical model on fractional Lotka-Volterra equations. *J. Theoretical Bio.*, 277: 1-6.
- [43] Das, S., Kumar, R. and Gupta, P. K. (2011). Analytical approximate solution of space-time fractional diffusion equation with a moving boundary condition. *Z. Naturforsch. A*, 66a: 281-288.
- [44] Dincer, I. and Rosen, M. (2002). Thermal Energy Storage: Systems and Applications. *John Wiley and Sons*.
- [45] Doha, E. H. and Abd-Elhameed, W. M. (2006). Efficient spectral-Galerkin algorithms for direct solution of second-order equations using ultraspherical polynomials. *SIAM J. Sci. Comput.*, 24: 548-571.
- [46] Doha, E. H., Abd-Elhameed, W. M. and Youssri, Y. H. (2012). Efficient spectral-Petrov-Galerkin methods for the integrated forms of third- and fifth-order elliptic differential equations using general parameters generalized Jacobi polynomials. *Appl. Math. Comput.*, 218: 7727-7740.
- [47] Doha, E. H., Bhrawy, A. and Ezz-Eldien, S. (2011). A Chebyshev spectral method based on operational matrix for initial and boundary value problems of fractional order. *Comput. Math. Appl.*, 62: 2364-2373.
- [48] Doha, E. H., Youssri, Y. H. and Zaky, M. A. (2018). Spectral Solutions for Differential and Integral Equations with Varying Coefficients Using Classical Orthogonal Polynomials. *Bulletin of the Iranian Mathematical Society*.

-
- [49] Durak, D. and Wendroff, B. (1977). Computing a two dimensional quench front. *Nuclear Sciences and Engineering*, 64: 187-191.
- [50] Elliott, C. M. and Ockendon, J. R. (1982). Weak and variational methods for moving boundary problems. Research notes in mathematics. *Pitman, London*.
- [51] Fang, H. S., Lin, J. Z., Zheng, L. L. and Huang, X. M. (2015). Analysis and optimization of Czochralski laser oxide crystal growth. *Int. J. Heat Mass Transfer*, 85: 505-512.
- [52] Flemings, M. C. (1974). Solidification processing. McGraw-Hill, New York.
- [53] Fila, M. and Souplet, P. (2001). Existence of global solutions with slow decay and unbounded free boundary for a superlinear Stefan problem. *Interfaces Free Boundaries*, 3: 337-344.
- [54] Furzeland, R. M. (1977). A survey of the formulation and solution of free and moving boundary (Stefan) problems. Technical Report, *Dept. of Mathematics, Brunel University, Uxbridge*.
- [55] Gao, X., Jiang, X. and Chen, S. (2015). The numerical method for the moving boundary problem with space-fractional derivative in drug release devices. *Applied Mathematical Modelling*, 39: 2385-2391.
- [56] Gawlika, E. S. and Lew, A. J. (2014). High-Order Finite Element Methods for Moving Boundary Problems with Prescribed Boundary Evolution. *Comput. Methods Appl. Mech. Engg.*, 278: 314-346.
- [57] Goodman, T. R. (1964). The heat balance integral-further considerations and refinements, *ASME J. Heat Transfer*, 83: 83-86.

- [58] Goqo, S. P., Mondal, S., Sibanda, P. and Motsa, S. S. (2018). Efficient multi-domain bivariate spectral collocation solution for MHD laminar natural convection flow from a vertical permeable flat plate with uniform surface temperature and thermal radiation. *Int. Journal of Computational Methods*, <https://doi.org/10.1142/S0219876218400297>.
- [59] Gottlieb, D. and Hesthaven, J. S. (2001). Spectral methods for hyperbolic problems. *Comp. Appl. Math.*, 128: 83–131.
- [60] Gudibande, N. and Iyer, K. (2013). Modified enthalpy method for the simulation of melting and solidification. *Sadhana*, doi: 10.1007/s12046-013-0210-9.
- [61] Guo B.Y. and Yan J. P. (2009). Legendre–Gauss collocation method for initial value problems of second order ordinary differential equations. *Appl. Numer. Math.*, 59: 1386–1408.
- [62] Gupta, P. K., Singh, J. and Rai, K. N. (2010). Numerical simulation for heat transfer in tissues during thermal therapy. *J. Thermal Bio.*, 35: 295-01.
- [63] Gupta, S. C. (2003). The Classical Stefan Problem. basic concepts. modelling and analysis. *Elsevier, Amsterdam*.
- [64] Gupta, S. C. (2017). The Classical Stefan Problem: basic concepts, modelling and analysis with quasi-analytical solutions and methods. *Elsevier*.
- [65] Haroun, N. A. H., Mondal, S. and Sibanda, P. (2015). Unsteady natural convective boundary-layer flow of MHD nanofluid over a stretching surfaces with chemical reaction using the spectral relaxation method: A revised model. *Procedia Engineering*, 127: 18-24.

- [66] Haroun, N. A. H., Mondal, S. and Sibanda, P. (2016). Hydromagnetic Nanofluids flow through porous media with thermal radiation, chemical reaction and viscous dissipation using spectral relaxation method. *International Conference on Computational Methods*, 3: 73 – 86.
- [67] Haroun, N. A. H., Sibanda, P., Mondal, S. and Motsa, S. S. (2015a). On unsteady MHD mixed convection in a nanofluid due to a stretching/shrinking surface with suction/injection using the spectral relaxation method. *Boundary Value Problems*, 24: 1-17.
- [68] Haroun, N. A. H., Sibanda, P., Mondal, S., Motsa, S. S. and Rashidi, M. M. (2015b). Heat and mass transfer of nanofluid through an impulsively vertical stretching surface using the spectral relaxation method. *Boundary Value Problems*, 161: 1-16.
- [69] He, J. H. (2003). A simple perturbation approach to Blasius equation. *Appl. Math Comput.*, 140: 217-223.
- [70] He, J. H. (2005). Application of homotopy perturbation method to nonlinear wave equations. *Chaos Solitons Fractals*, 26: 295-00.
- [71] He, J. H. (2006). Homotopy perturbation method for solving boundary value problems. *Phys. Lett. A*, 350: 87-88.
- [72] Heydari, M. H., Hooshmandasl, M. R. and Maalek Ghaini F. M. (2014). A new approach of the Chebyshev wavelets method for partial differential equations with boundary conditions of the telegraph type. *Applied Mathematical Modelling*, 38: 1597–1606.
- [73] Hill, J. M. (1987). One-dimensional Stefan problems, An Introduction. *Longman Scientific and Technical, New York, USA*.

- [74] Hosseini, S. A., Shahmorad, S. and Masoumi, H. (2013). Extension of the operational Tau method for solving 1-D nonlinear transient heat conduction equations. *Journal of King Saud University-Science*, 25: 283-288.
- [75] Khader, M. M. (2016). Shifted Legendre collocation method for the flow and heat transfer due to a stretching sheet embedded in a porous medium with variable thickness, variable thermal conductivity and thermal radiation. *Mediterranean Journal of Mathematics*, 13: 2319-2336.
- [76] Khader, M. M. and Babatin, M. M. (2014). Legendre spectral collocation method for solving fractional SIRC model and influenza A. *Journal of Computational Analysis and Applications*, 17(2): 214-229.
- [77] Kim, S. H. (2014). Two Simple Numerical Methods for the Free Boundary in One-Phase Stefan Problem. *Journal of Applied Mathematics*, Article ID 764532.
- [78] Krabbenhoft, K., Damkilde, L. and Nazem, M. (2006). An implicit mixed enthalpy temperature for phase change problems. *Heat and Mass Transfer*, 43(3): 233-241.
- [79] Kumar, A., Singh, A. K. and Rajeev (2018a). A Stefan problem with temperature and time dependent thermal conductivity. *Journal of King Saud University-Science*, <https://doi.org/10.1016/j.jksus.2018.03.005>.
- [80] Kumar, A., Singh, A. K. and Rajeev (2018b). A moving boundary problem with variable specific heat and thermal conductivity. *Journal of King Saud University-Science*, <https://doi.org/10.1016/j.jksus.2018.05.028>.
- [81] Lamé, G. and Clapeyron, B. P. (1831). Memoire sur la solidification par refroidissement d'un globe liquid. *Ann. de Chimie et de Phys.*, 47:250.

-
- [82] Leibenzon, L. S. (1931). Handbook of oil-field mechanics, *Pt. 4, Hydraulics (in Russian)*, Moscow-Leningrad.
- [83] Lewis, R. W. and Morgan, K. (1979). Numerical methods in thermal problems. *Pineridge Press, Swansea*.
- [84] Li, B. and Wang, J. (2003). Anomalous heat conduction and anomalous diffusion in one-dimensional systems. *Phy. Rev. Lett.*, 91: 1-4.
- [85] Li, X., Wang, S. and Zhao, M. (2013). Two methods to solve a fractional single phase moving boundary problem. *Cent. Eur. J. Phys.*, 11: 1387-1391.
- [86] Li, X., Xu, M. and Jiang, X. (2009). Homotopy perturbation method to time-fractional diffusion equation with a moving boundary condition. *Appl. Math Comput.*, 208: 434-39.
- [87] Liao, S. (2009). Notes on the homotopy analysis method-Some definitions and theorems. *Common. Nonlinear Sci. Numer. Simulat.*, 14: 983-997.
- [88] Liao, S. J. (1997). An approximate solution technique which does not depend upon small parameters: a special example. *International J. Nonlin. Mech.*, 32: 815- 822.
- [89] Liu, J. and Xu, M. (2009). Some exact solutions to the Stefan problems with fractional differential equations. *J. Math. Anal. Appl.*, 351: 536-542.
- [90] Liu, J. Y. and Xu, M. Y. (2004). An exact solution to the moving boundary problem with fractional anomalous diffusion in drug release devices. *Z. Angew. Math. Mech.*, 84: 22-28.
- [91] Liu, S., Hänggi, P., Li, N., Ren, J. and Li, B. (2014). Anomalous heat diffusion. *Phy. Rev. Lett.*, 112: 1-6.

-
- [92] Lombardi, A. L. and Tarzia, D. A. (2001). Similarity solutions for thawing processes with a heat flux condition at the fixed boundary. *Meccanica*, 36: 251–264.
- [93] Mahapatra, T. R., Mondal, S. and Pal, D. (2012). Heat transfer due to magnetohydrodynamic stagnation-point flow of a power-law fluid towards a stretching surface in the presence of thermal radiation and suction/injection. *ISRN Thermodynamics*, Article ID 465864.
- [94] Mainardi, F., Luchko, Y. and Pagnini, G. (2001). The fundamental solution of the space-time fractional diffusion equation. *Fract. Calc. Appl. Anal.*, 4: 153-192.
- [95] Mazzeo, D. and Oliveti, G. (2017). Parametric study and approximation of the exact analytical solution of the Stefan problem in a finite PCM layer in a steady periodic regime. *Int. J. Heat Mass Transfer*, 84: 49–65.
- [96] Mazzeo, D. and Oliveti, G. (2018). Thermal field and heat storage in a cyclic phase change process caused by several moving melting and solidification interfaces in the layer. *Int. J. Therm. Sci.*, 129: 462–488.
- [97] Mazzeo, D., Oliveti, G., Simone, M. D. and Arcuri, N. (2015). Analytical model for solidification and melting in a finite PCM in steady periodic regime. *Int. J. Heat and Mass Transf.*, 88: 844–861.
- [98] Metzler, R. and Klafter, J. (2000). The random walk’s guide to anomalous diffusion: a fractional dynamics approach. *Physics Reports*, 339: 1-77.
- [99] Metzler, R. and Klafter, J. (2004). The restaurant at the end of the random walk: a recent development in the description of anomalous transport by fractional dynamics. *J. Phys. A: Math Gen.*, 37: 161-08.

-
- [100] Miller, K. S. and Ross, B. (1993). An introduction to fractional calculus and fractional differential equations, *John Wiley*, 1993.
- [101] Mitchell S.L. and Vynnycky M. (2014). On the numerical solution of two-phase Stefan problems with heat-flux boundary conditions. *J. of Comput. and Applied Math.*, 264: 49–64.
- [102] Moiseenko, B. D. and Samarskii, A. A. (1965). An economic continuous calculation scheme for the Stefan multidimensional problem. *Zh. Vychisl. Mat. iMat. Fiz.*, 5: 816-827.
- [103] Mondal, S., Goqo, S. P., Sibanda, P. and Motsa, S. S. (2016). Efficient multi-domain bivariate spectral collocation solution for MHD laminar natural convection flow from a vertical permeable flat plate with uniform surface temperature and thermal radiation. *International Conference on Computational Methods*, 3: 850 -866.
- [104] Mondal, S., Haroun, N. A. H. and Sibanda, P. (2015). The effects of thermal radiation on an unsteady MHD axisymmetric stagnation- point flow over a shrinking sheet in presence of temperature dependent thermal conductivity with Nervier slip. *Plos One* 10(9): e0138355. doi:10.1371/journal.
- [105] Mondal, S., Sibanda, P. and Oyelakin, I. S. (2019). A multi-domain bivariate approach for mixed convection in a Casson nanofluid with heat generation. *Walailak J. of Sci. and Tech.*, doi: <http://wjst.wu.ac.th/index.php/wjst/article/view/3049>.
- [106] Mori, A. and Araki, K. (1976). Methods of analysis of the moving boundary surface problem. *Int. Chem. Engng.*, 16: 734-744.

-
- [107] Mori, M. (1977). A finite element method for solving the two phase Stefan problem in one space dimension. *Publications of the Research Institute for Mathematical Sciences*, 13(3): 723-753.
- [108] Muehlbauer, J. C. and Sunderland, J. E. (1965). Heat conduction with freezing or melting. *Appl. Mech. Rev.*, 18: 951-959.
- [109] Nochetto, R. H., Paolini, M. and Verdi, C. (1991). An adaptive finite element method for two phase Stefan problems in two space dimension: Stability and error estimates. *Math. Comp.*, 57: 73-108.
- [110] Noreldin, O., Mondal, S. and Sibanda, P. (2018). Thermal instability of double-diffusive natural convection in an inclined open square cavity. *Acta Technica CSAV*, 63(3): 385-406.
- [111] Ockendon, J. R. and Hodgkins, W. R. (1975). Moving boundary problems in heat flow and diffusion. *Clarendon press, Oxford*.
- [112] Oleinik, O. A. (1960). A method of solution of the Stefan problem. *Dokl. Akad. Nauk SSSR*, 135(5): 1054-1057.
- [113] Oliver .D. and Sunderland, J. (1987). A phase change problem with temperaturedependent thermal conductivity and specific heat. *Int. J. Heat Mass Transf.*, 30: 2657–2661.
- [114] Onyejekwe, O. N. (2014). The solution of a one-phase Stefan problem with a forcing term by homotopy analysis method. *International Journal of Advanced Mathematical Sciences*, 2(2): 95-100.
- [115] Onyejekwe, O. N. (2015). The application of homotopy analysis method for the solution of time-fractional diffusion equation with a moving boundary. *39th Annual SIAM South-eastern Atlantic Section Conference*, March 20-22.

-
- [116] Oyelakin, I. S., Mondal, S. and Sibanda, P. (2016). Unsteady Casson nanofluid flow over a stretching sheet with thermal radiation, convective and slip boundary conditions. *Alexandria Engineering Journal*, 55: 1025-1035.
- [117] Piryatinska, A., Saichev, A. I. and Woyczynski, W. A. (2005). Models of anomalous diffusion: the subdiffusive case. *Physica A*, 349: 375–420.
- [118] Podlubny, I. (1999). Fractional differential equations. an introduction to fractional derivatives to methods of their solution and some of their applications. *Academic Press, San Diego–New York–London*.
- [119] Poirier, D. and Salcudean, M. (1988). On numerical methods used in mathematical modeling of phase change in liquid metals. *J. Heat Transf.*, 110: 562–570.
- [120] Potvin, F. M. and Gosselin, L. (2009). Thermal shielding of multilayer walls with phase change materials under different transient boundary conditions. *Int. J. Therm. Sci.*, 48: 1707–1717.
- [121] Rajeev (2014). Homotopy perturbation method for a Stefan problem with variable latent heat. *Thermal Science*, 18: 391-98.
- [122] Rajeev and Das, S. (2010). A numerical study for inward solidification of a liquid contained in cylindrical and spherical vessel. *Thermal Science*, 14: 365-372.
- [123] Rajeev and Kushwaha, M. S. (2013). Homotopy perturbation method for a limit case Stefan problem governed by fractional diffusion equation. *Appl. Math. Model.*, 37: 3589–3599.
- [124] Rajeev and Raigar, N. K. (2015). A numerical solution based on operational matrix of differentiation of shifted second kind Chebyshev wavelets for a

- Stefan problem. *Int. J. of Mathematical, Computational, Statistical, Natural and Physical Engineering*, 9: 310 -313.
- [125] Rajeev, Kushwaha, M. S. and Singh, A. K. (2016). A study of a Stefan problem governed with space–time fractional derivatives. *Journal of Heat and Mass Transfer Research*, Accepted (2016).
- [126] Rajeev, Rai, K. N. and Das, S. (2009). Numerical solution of a moving-boundary problem with variable latent heat, *Int. J. Heat Mass Transfer*, 52: 1913-1917.
- [127] Ramos, M., Cerrato, Y. and Gutierrez, J. (1994). An exact solution for the finite Stefan problem with temperature-dependent thermal conductivity and specific heat. *Int. J. Refrigerat.*, 17: 130–134.
- [128] Razzaghi, M. and Yousefi, S. (2001). Legendre wavelets operational matrix of integration, *International Journal of Systems Sci.*, 32: 495-502.
- [129] Rizwan-Uddin (1999). One Dimensional Phase Change Problem with Periodic Boundary Conditions. *Numerical Heat Transfer A*, 35: 361-372.
- [130] Rogers, C. and Broadbridge, P. (1988). On a nonlinear moving boundary problem with heterogeneity: application of a reciprocal transformation. *Zeitschrift für Angewandte Mathematik und Physik (ZAMP)*, 39(1): 122-128.
- [131] Roscani, S. and Marcus, E. S. (2014). A new equivalence of Stefan’s problems for the time fractional diffusion equation. *Fract. Cal. Appl. Ana.*, 17: 371-81.
- [132] Rubinstein, L. I. (1971). The Stefan Problem, *American Mathematical Society, Providence*.

-
- [133] Sadoun N., Si-Ahmed E. and Colinet P. (2006). On the refined integral method for the one-phase Stefan problem with time-dependent boundary conditions. *Applied Mathematical Modelling*, 30: 531–544.
- [134] Savovic, S. and Caldwell, J. (2003). Finite difference solution of one dimensional Stefan problem with periodic boundary conditions. *Int. J. Heat Mass Transfer*, 46: 2911-2916.
- [135] Singh, A. K., Kumar, A. and Rajeev (2018). A Stefan problem with variable thermal coefficients and moving phase change material. *J. of King Saud Uni.-Sci.*, doi: <https://doi.org/10.1016/j.jksus.2018.09.009>.
- [136] Singh, J., Gupta, P. K. and Rai, K. N. (2011). Homotopy perturbation method to space–time fractional solidification in a finite slab. *Applied Mathematical Modelling*, 35: 937–1945.
- [137] Singh, J., Gupta, P. K. and Rai, N. K. (2011). Variational iteration method to solve moving boundary problem with temperature dependent physical properties. *Therm. Sci.*, 15: 229–239.
- [138] Soni, Z. L. and Bharat (1999). Fast and accurate numerical approaches for Stefan problems and crystal growth. *Num. Heat Transf.: Part B: Fundament.*, 35: 461–484.
- [139] Stefan, J. (1889a). Uber die diffusion von sauren und basen gegen einander. Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Klasse der Kaiserlichen Akademie der Wissenschaften in Wien. *Mathem.-naturw.*, 98(2A):616–636.

- [140] Stefan, J. (1889b). Über die theorie der eisbildung, insbesondere über die eisbildung impolarmeere. Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Klasse der Kaiserlichen Akademie der Wissenschaften in Wien. *Mathem.-naturw.*, 98 (2A):965–983.
- [141] Stefan, J. (1889c). Über die verdampfung und die auflosung als vorgänge der diffusion. Sitzungsberichter der Mathematisch-Naturwissenschaftlichen Klasse der Kaiserlichen Akademie der Wissenschaften in Wien. *Mathem.-naturw.*, 98(2A):1418–1442.
- [142] Stefan, J. (1889d). Über einige probleme der theorie der wärmeleitung. Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Klasse der Kaiserlichen Akademie der Wissenschaften in Wien. *Mathem.-naturw.*, 98(2A):473–484.
- [143] Swenson, J. B., Voller, V. R. and Paola, C., Parker, G. and Marr J. G. (2000). Fluvio-deltaic sedimentation: a generalized Stefan problem. *Eur. J. Appl. Maths.*, 11: 433–452.
- [144] Tao, L. N. (1981). The exact solutions of some Stefan problems with prescribed heat flux. *J. Appl. Mech.*, 48: 732-736.
- [145] Tritscher, P. and Broadbridge, P. (1994). A similarity solution of a multiphase Stefan problem incorporating general non-linear heat conduction. *Int. J. Heat Mass Transfer*, 37(14): 2113–2121.
- [146] Trueba, J. L. and Voller, V. (2010). Analytical and numerical solution of a generalized Stefan problem exhibiting two moving boundaries with application to ocean delta formation. *J. Mathemat. Anal. Appl.*, 366: 538–549.

-
- [147] Turkyilmazoglu, M. (2018). Stefan problems for moving phase change materials and multiple solutions. *Int. J. Therm. Sci.*, 126: 67–73.
- [148] Turland, B. D. and Wilson G. (1977). *UKAEA (Culham) Report RS*, 77: 42.
- [149] Van Gorder, R. A. and Vajravelu, K. (2009). On the selection of auxiliary functions, operators, and convergence control parameters in the application of the homotopy analysis method to nonlinear differential equations: A general approach. *Commun Nonlinear Sci Numer Simulat.*, 14: 4078–4089.
- [150] Voller, V. R. (1987). An implicit enthalpy solution for phase change problems: with application to a binary alloy solidification. *Applied Mathematical Modelling*, 11(2): 110-116.
- [151] Voller, V. R. (1990). Fast implicit finite difference method for the analysis of phase change problems. *Numerical Heat Transfer B*, 17: 155-169.
- [152] Voller, V. R. (1996). *Advances in Numerical Heat Transfer*, 1: 341-375.
- [153] Voller, V. R. (2010). An exact solution of a limit case Stefan problem governed by a fractional diffusion equation. *Int. J. Heat Mass Transfer*, 53: 5622–5625.
- [154] Voller, V. R. and Falcini, F. (2013). Two exact solutions of a Stefan problem with varying diffusivity. *Int. J. Heat Mass Transfer*, 58: 80-85.
- [155] Voller, V. R., Swenson and J. B., Paola, C. (2004). An analytical solution for a Stefan problem with variable latent heat. *Int. J. Heat Mass Transfer*, 47: 5387-5390.
- [156] Vynnycky, M., Zambrano, M. and Cuminato, J. A. (2015). On the avoidance of ripple marks on cast metal surface. *Int. J. Heat Mass Transfer*, 86: 43-54.

-
- [157] Weber, H. (1919). Die partiellen differentialgleichungen der mathematischen physic., *Friedr. Vieweg and Sohn, Braunschweig, Germany*, 5th Ed., 2.
- [158] Wilson, D. G., Solomon, A. D. and Boggs, P. T. (1975). Moving boundary problems. *Academic Press, New York*.
- [159] Xu, X. and Zhou, F. (2015). Numerical solutions for the eighth-order initial and boundary value problems using the second kind Chebyshev wavelets. *Advances in Mathematical Physics*, Article ID 964623.
- [160] Zahran, M. A. (2009). On the derivation of fractional diffusion equation with an absorbent term and a linear external force. *Applied Mathematical Modelling*, 33: 3088–3092.
- [161] Zaky, M. A., Doha, E. H. and Tenreiro Machado, J. A. (2018). A spectral numerical method for solving distributed-order fractional initial value problems. *J. Comput. Nonlinear Dynam.*, 13(10): 101007.
- [162] Zaky, M.A. (2018). An improved tau method for the multi-dimensional fractional Rayleigh–Stokes problem for a heated generalized second grade fluid. *Comput. Math. Appl.*, 75(7): 2243-2258.
- [163] Zhou, F. and Xu, X. (2014). Numerical solution of the convection diffusion equations by the second kind Chebyshev wavelets. *Applied Mathematics and Computation*, 247: 353–367.
- [164] Zhou, Y. and Xia, Y. (2015). Exact solution for Stefan problem with general power-type latent heat using Kummer function. *Int. J. Heat Mass Transfer*, 84: 114-118.

-
- [165] Zhou, Y., Wang, Y. and Bu W. (2014). Exact solution for a Stefan problem with latent heat a power function of position. *Int. J. Heat Mass Transfer*, 69: 451-454.
- [166] Zhou, Y., Wang, Y. J. and Bu, W. K. (2014). Exact solution for a Stefan problem with latent heat a power function of position. *Int. J. Heat Mass Transfer*, 69: 451-54.
