

---

---

## **References**

---

---



## References

---

- Abel, E. W.; Sabherwal I. H.; Reactions of the silicon–phosphorus bond. Part I. Insertions in trimethylsilyldiphenylphosphine, *J. Chem. Soc. A*, 1105-1108,1968.
- Aina, V.; Malavasi, G.; Pla, AF.; Munaron, L.; Morterra, C.; Zinc-containing bioactive glasses: surface reactivity and behavior towards endothelial cells, *Acta Biomater*, 5,1211–22,2009.
- Ankesh, Kumar Srivastava; Ram Pyare and S. P. Singh *International Journal of Scientific & Engineering Research*, 3, 1-13, 2012.
- A. Hoppe, N. S. Geuldal, and A. R. Boccaccini, *Biomaterials*, 32 2757(2011).
- Arepalli S. K.; , Tripathi, H.; Vyas, V. K.; Jain, S.; Suman, S. K.; Ram Pyare; Singh, S.P.; “Influence of barium substitution on bioactivity, thermal and physico-mechanical properties of bioactive glass”, *Material science and engineering C* , , 49, 549-559,2015.
- Arcos, D.; Vallet-Regi; Sol gel silica based biomaterials and bone tissue regeneration, *Acta Biomaterials*, 6, 2874-2888, 2010.
- Azevedo, M. M.; G. Jell; M. D. O'Donnell; R. V. Law; R. G. Hill; M. M. Stevens; *J. Mater. Chem.*,20, 8854-8864, 2010.
- Balamurugan, A.; Balossiar,G.; Kannan, S Michel; J.,Rebelo; A.H.S.; Fereera, J.M.F.; Development and in vitro characterization of Sol-Gel derived CaO- P<sub>2</sub>O<sub>5</sub>-SiO<sub>2</sub>-ZnO bioactive glass: *Acta Biomaterials*, 3, 215-262, 2007.
- Best, S.M.; A.E.Porter; E.S.Thian; J. Huang; *Journal of the European Ceramic Society*, 28, 1319-1327, 2008.
- Brink M. The influence of alkali and alkali earths on the working range for bioactive glasses. *J Biomed Mater Res*;36:109–17,1997.
- Binnaz, Hazar Yoruc; B. Cem Şener.; Technical University, Science and Technology Application and Research Center, Turkey, 2012.
- Boretos, J.W.; Eden. M.;Contemporary Biomaterials, Material and Host Response, Clinical Applications, New Technology and Legal Aspects. Noyes Publications, Park Ridge, NJ, pp. 232–233, 1984.
- Boccaccini, A.R. Overtone, J and Tusty P.A., Fabrication of Woven metal fiber reinforced glass matrix composite, *Applied composite materials*: 4, 145-155, 1997.

## References

---

- Brauer D.S.; Karpukhina N.; O'Donnell MD.; Law RV.; Hill RG.; Fluoride-containing Bio-active glasses: effect of glass design and structure on degradation, pH and apatite formation in simulated body fluid., *Acta Biomater.*, 6, 3275–82, 2010.
- Bromer. H.; Deutscher . K.; Blenke .B.; fel. E.; Stunz. V.; Properties of the bioactive implant material Ceravital, *Science Ceramics*, 9, 209-225, 1997.
- Buck, B.E.; T.I. Malinin; M.D. Brown; *Clin. Orthop.*, 240 ,129, 1989.
- Brow, R.K.; Tallant, D.R.; Myers, S.T.; Phifer C.C.; *J. Non-Cryst. Solids*, 1995, 45,pp.191
- Buttyan, R.; P. Chichester; B. Stisser; S. Matsumoto; M. Ghafar; R. Levin; J. Urol. (N. Y., NY, U. S.), 169, 2402–2406 ,2003.
- C. Wu, Y. Zhou, W. Fan, P. Han, J. Chang, J. Yuen, M. Zhang and Y. Xiao, *Biomaterials*, ,33, 2076-2085,2012.
- Corbridge, D.E.; *J. Appl. Chem.*, 1956, 6,456.
- Chahine, A.; Et-tabirou, M.; Pascal, J.L.; FTIR and Raman spectra of the Na<sub>2</sub>O– CuO– Bi<sub>2</sub>O<sub>3</sub> – P<sub>2</sub>O<sub>5</sub> glasses, *Materials Letters*, 2004, (58), 2776–2780.
- C. Fleury, A. Petit, F. Mwale, J. Antoniou, D.J. Zukor, M. Tabrizian and O.L. Huk, *Biomaterials* ,27(18), 3351(2006)
- Cao, W.P.; Hench, L.L.; Bioactive material, *Ceramic International*, 22,493-507, 1996.
- Cerrutia,Marta; David Greenspanb; Kevin Powers; *Biomaterials*, 26 ,1665–1674,2005.
- D. Shi Ed.; *Biomaterials and Tissue Engineering*, Fist edition, XI, pp 246, USA, 2004.
- D.-M.; Liu; *Mater. Chem. Phys.*, 36 (3–4) 294, 1994.
- D. Clupper and L. Hench, *J. Mater. Sci. Mater. Med.*, 12 (10–12), 917(2001).
- Daguano, J., K. Strecker, et al. "Effect of partial crystallization on the mechanical properties and cytotoxicity of bioactive glass from the 3CaO. P<sub>2</sub>O<sub>5</sub>–SiO<sub>2</sub>–MgO system." *Journal of the mechanical behavior of biomedical materials* 14: 78-88,2012.
- D. Shim, D.S.Wechsler, T.R. Lloyd, R.H. Beekman.. Hemolysis following coil embolization of a patent ductus arteriosus, *Catheter. Cardiovasc. Diagn.* 39 (3) 287–290,(1996).

## References

---

- Ducheyne. P.; Bioceramics Material characteristic verses in vivo behavior: Journal of biomedical materials research, A2, 219-236, 1987.
- Ducheyne, P.; Q. Qiu; Biomaterials, 20, 2287 – 2303, 1999.
- Elgayar A. E. A. I.; A.R. Boccaccini; R.G. Hill; Journal of Non-Crystalline Solids, 351,173–183 , 2005.
- ElBatal H.A.; M.A.Azooz; E.M.A. Khalil; A. Soltan Monem,Y.M. Hamdy,Mater.Chem. Phys. 80 (3) 599, 2003.
- ElBatal, F.H.; A. ElKheshen; Mater. Chem. Phys. 110, (2–3) 352–362, 2008.
- Fatma, H.; ElBatal; Amany ;ElKheshen; Materials Chemistry and Physics, 2008,110 ,352-362.
- Franks. K., I. Abrahams, G. Georgiou, J.C. Knowles. Biomaterials, 22, p. 497, 2001.
- Fredholm, YC.; Karpukhina N.; Law RV.; Hill RG.; Strontium containing bioactive glasses: glass structure and physical properties. J Non-Cryst Solids,356,2546–51,2010.
- Filgueiras, M.R.; LaTorre, G.; Hench, L.L.; Solution effects on the surface reactions of three bioactive glass compositions, *J. Biomed. Mater. Res.*, 1993, 27(12), 1485–1493
- Gaafar, M.S.; S.Y. Marzouk; H.A. Zayed; L.I. Soliman; A.H. Serag; El-Deen; Current Applied Physics, 13, 152-158,2013.
- Gayathri, A.V. Devi;V. Rajendran ; N.Rajendran; Material Chemistry and Physics, 124 , 312-318,2010.
- G. Kaur, P. Sharma, V. Kumar, K. Singh. Assessment of in vitro bioactivity of  $\text{SiO}_2\text{--BaO--ZnO--B}_2\text{O}_3\text{--Al}_2\text{O}_3$  glasses: an optico-analytical approach, Mater. Sci. Eng. C 32 (7) 1941–1947,2012.
- Gentleman, E.; Fredholm YC.; Jell G.; Lotfibakhshaiesh N.; O'Donnell MD.; Hill RG.;The effects of strontium-substituted bioactive glasses on osteoblasts and osteoclasts in vitro.
- Biomaterials, 31,3244–52, 2010.
- G. Chachami, G. Simos, A. Hatziefthimiou, S. Bonanou, P.-A. Molyvdas and E. Paraskeva, Am. J.Respir. Cell Mol. Biol. ,31 (5), 544(2004).
- Greenspan, D.C.; Biactive ceramic implant materials, Current opinion in Solid state and material science, 4,389-393, 1999.
- G.L. Semenza, Life with oxygen, Science, 318 (5847), 62(2007).
- Garrigou-Lagrange, C.; Ouchetto M.; Elouadi, B.; *Can. J. Chem.* 1985, (63) ,1436.
- Gerhardt, L.C.; Boccaccini, A. R.; Bioactive Glass and Glass-Ceramic Scaffolds for Bone Tissue Engineering, Materials 2010, 3, 3867-3910

## References

---

- H. Pan, X. Zhao, X. Zhang, K. Zhang, L. Li, Z. Li, W. Lam, W. Lu, D. Wang and W. Huang, J. R.Soc. Interface ,7 (48), 1025(2010)
- Hayakawa. S; Osaka .A;Turu. K.; Fujii . E.; Kawabata Ando. K.; Babnneau, F.; Synthesis and characterization of Mg- containing nano apatite, Key engineering materials: 361, 47-50, 2008.
- H.Wang et al., Materials Science and Engineering C , 58, 194(2016).
- Helen, W.; Gough,J.E.; In vitro studied of annulus fibroses disc cell attachment, differentiation and matrix production on PDLLA/45S5.Bioglass composite films, Biomaterials : 27, 5220-5229, 2006.
- Heness, G.; Ben-Nissan, B. ; “Innovative bio-ceramics”, *Mater Forum*, March 2004,Vol. 27, pp. 104-114.,
- Hench, L.L.; Splinter, R.J.; Greenlee, T.K.; Allen, W.C.; Bonding mechanism at the interface of ceramic prosthetic materials, Journal of biomedical materials Research, 2, 117-141, 1971.
- Hench, L.L.; Journal of Material Science and Material Medicine, 17, 967–978,2006.
- Hench, L. L.; A. E. Clark; in “Biocompatibility of Orthopaedic Implants”, vol. II, Edited by D. F.Williams; G. D. Winter; CRC Press; Boca Raton; Florida, 1982.
- Hench, L.L.; R.J. Splinter; W.C. Allen; T.K. Greenlee; J. Biomed; Mater. Res. Symp. 1, 117–141,1971.
- Hench, L..L.; J. Wilson; G. Heimke; Journal of the American Ceramic Society. 74, 1487-1510, 1991.
- Hench, L. L.; Curr. Opin. Solid State Mater. Sci., 2, 604, 1997.
- Hench,L. L.; J. Am. Ceram. Soc., 81, 1705–28, 1998.
- Hench, L.L.; Bioceramics From concept to Clinic, Journal of the American Ceramic society: 74, 1487-1410, 1991.
- L.L.Hench, Journal of Material Science and Material Medicine 17, 967–978 (2006); DOI: 10.1007/S10856-006-0432Z.
- M. Bellantone, H. D. Williams, and L. L. Hench, Antimicrob. Agents Chemother., 46, 1940(2002).

## References

---

- Hench, L.L.; Wilson, J.; An Introduction to bioceramics, World scientific, Singapore, 1993.
- Hench, L.L.; Andersson, O.H.; Yli- Urpo, A.; Bioactive ceramics: Theory and clinical applications, *Bioceramics*: 7, 3-14, 1994.
- L.L. Hench. *Journal of American Ceramic Society* 81 1705–1728.(1998).
- Hench,L.L.; West, J.K.; Biomedical applications of bioactive glass, *life chemistry reports*: 13,187-241, 1996.
- Hench, L.L., Wilson, J. *An Introduction to Bioceramics* (Singapore: World Scientific Publishing Co. Pte. Ltd.) p 47,(1993).
- Holand, W.;Vogel, W.; Naumman,K; Gummel, J.; Intere reaction been machinable bioactive glass ceramics and bone , *journal of biomedical materials research*: 19 , 303-312, 1985.
- Hoppe Alexander.; Bojan Jokic; Djordje Janackovic; Tobias Fey; Peter Greil; Stefan Romeis; Jochen Schmidt; Wolfgang Peukert; Jonathan Lao; Edouard Jallot; Aldo R. Boccaccini; *ACS Appl. Mater. Interfaces*, 6, 2865–2877, 2014.
- Hulbert, S.F.; The use of alumina and zirconia in surgical implants.In: Hench, L.L.; Wilson J; editors. Advanced series in ceramics, vol. 1: An introduction to bioceramics. London: *World Scientific*; 1993,
- Ikeda, N.; Kawanable, K.; Nakamura, T.; Quantitative comparison of osteoconduction of porous, dense A.W glass-and hydroxiapatite granules (effect of granule and pore size), *Biomaterials* ,L 20, 1087-1095, 1999.
- Jarcho M.; J.L. Kay; R.H. Gumaer and H.P. Drobeck, *Tissue, cellular and subcellular events at bone – ceramic hydroxyapatite interface”* , *Journal of Bioengineering*, vol. 1, pp. 79 - 92, 1977.
- Jayakumar, S.; Ananthapadmanabhan, P.V.; Perumal, K.; Thiagarajan, T.K.; Mishra, S.C.; Su L.T.; Tok, A.I.Y.; J Guo, “Characterization of nano-crystalline ZrO<sub>2</sub> synthesized via reactive plasma processing”, *Materials Science & Engineering B*, 2011, 12,894-899.
- Jiang, Y.; Jun, O.; Zhang, Z.; Qin, Q.H.; Preparation of magnetic and bioactive calcium zinc iron silicon oxide composite for hyperthermia treatment of bone cancer and repair of bone defects, *Journal of materials science : material in medicine* , 22, 721-729, 2009.

## References

---

- Julian ,R.; Jones; Review of bioactive glass: from Hench to hybrids, *Acta Biomater*, 9, 4457–4486 ,2013.
- Juhasz, J.A.; Best S.M.; Brooks. R..; Kawashitha,M.; Miyazaki,T.; Effect of ZnO addition of bioactive CaO-SiO<sub>2</sub>-P<sub>2</sub>O<sub>5</sub>-CaF<sub>2</sub>: Glass ceramic A-W Polyethylene composites: effect of filler content and particle size , *Biomaterials*: 25, 949-955, 2004.
- Kannappan, A.N.; S. Thirumaran; R. Palani; ARPN Journal of Engineering and Applied Sciences, 4, 27-31, 2009.
- K. Peters, H. Schmidt, R. Unger, G. Kamp, F. Pröls, B. Berger and C.J. Kirkpatrick, *Mol. Cell.Biochem.*, 270 (1–2), 157(2005).
- Kansal I.; Goel A.; Tulyaganov, D.U.; Santos, L.F.; Ferreira, J.M.F.; Structure, surface reactivity and physico-chemical degradation of fluoride containing phospho-silicate glasses, *J. Mater. Chem.* , 2011, 21(22), 8074-8084
- Koutsopoulos, S; Synthesis and characterization of hydrox- yapatite crystals: A review study on the analytical methods, *J. Biomed. Mater.Res.* 2002, 62 (4), 600–612
- Kokubo, T.; Takadama, H.; how to useful is SBF in predicting in vivo bone bioactivity? *Biomaterials*: 27, 2907-2915, 2006.
- Kokubo, T.; S. Ito, Z.T. Huang; T. Hayashi; S. Sakka; T.Kitsugi and T. Yamamuro, .Ca, P - rich layer formed on high - strength bioactive glass - ceramic A - W., *Journal of Biomedical Materials Research*, vol. 24, pp. 331 - 343,1990.
- Kokubo, T.; Bioactive glass - ceramics: properties and applications. *Biomaterials*, 12, 155-163, 1991.[http://dx.doi.org/10.1016/0142-9612\(91\)90194-F](http://dx.doi.org/10.1016/0142-9612(91)90194-F).
- Kokubo; Tadashi; Hyun-Min Kim; Masakazu Kawashita; *Biomaterials* 24 2161–2175, 2003.
- Kokubo, T.; M. Shigematsu; Y. Nagashisma; M. Tashiro; T. Nakamura; T. Yamamuro; S. Higashi; Apatite- and wollastonite-containing glass-ceramics for prosthetic application, *Bull. Inst. Chem. Res., Kyoto Univ.* 60 (3–4) 260–268, 1982.
- Kumar, S.; P. Vinatier; A. Levasseur; K.J. Rao; *Solid State Chem.*, 177 (4–5), 1723–1737, 2004.
- Kumar,R.R.; Wang, M.; Functionally graded bioactive coating of Hydroxyapatite/titanium oxide composite system, *Materials letters*,55,133-137,2002.

- Lai, W.;Garino J.; Ducheyne,P.; Silicon excretion from bioactive glass implanted in rabbit bone,Biomaterials:23,213-217,2002.
- Li, R.; Clark,A.E; Hench L.L; An investigation of bioactive glass powders by solgel processing, Journal of applied Biomaterials,2,231-239,1991.
- Li, N.; Jie,Q.; Zhu,S.M.; Wang,R.D.; Preparation and charactization of macroporous sol –gel bioactive glass, Ceramic international:31,641-646,2005.
- Lin, C.C.; L.C. Huang; P.Shen; Journal of Non-Crystalline Solids, 351, 3195-3203, 2005.
- Lusvardi, G.; Malavasi G; Menabue L; Menziani MC.; Synthesis, characterization, and molecular dynamics simulation of  $\text{Na}_2\text{O}-\text{CaO}-\text{SiO}_2-\text{ZnO}$  glasses. J Phys ChemB;106:9753–60, 2002.
- K. Rezwan, Q.Z. Chen, J.J. Blaker, A.R. Boccaccini. (2006). Biodegradable and bioactive porous polymer/inorganic composite scaffolds for bone tissue engineering, Biomaterials 27 (18) 3413–3431
- Lusvardi, G.; Malavasi G.; Cortada M.; Menabue L.; Menziani MC.; Pedone A.; Elucidation of the structural role of fluorine in potentially bioactive glasses by experimental and computational investigation. J Phys Chem B,112:12730–9,2008.
- Miao,X.; Hu, Y;Liu,Y.;Huang,X.; Hydroxyapatite coating on porous zirconia, Materials science and Engineering C:27,257-261,2007a.
- M. Cerruti, Phys. Eng. Sci., 370, 1281(2012).
- Nayak, J. P.; S. Kumar; J. Bera; Journal of Non-Crystalline Solids, 356, 1447–1451, 2010.
- Namiki, A.; E. Brogi; M. Kearney; E. A. Kim; T. Wu; T. Couffinhal, L. Varticovski J. M. Isner, J. Biol. Chem., 270, 31189-31195,1995.
- Oana Bretcanu et al. (2009). Journal of the European Ceramic Society 29 ,3299–3306.
- Oki, A.; B. Parveen; S. Hossain; S. Adeniji; H. Donahue; J. Biomed. Mater. Res. A69 (2), 216–221, 2004.
- Oonishi, H.;L.L. Hench; J. Wilson,Sugihara;E.Tsuji; M.Matsuura;S.Kin;T.Yamamoto; S.Mizokawa;S.Mizokawa; ibid.51, 37,2000.
- Orava, E.; Korventausta, J.; Rosenberg, M.; Jokinen, M; Rosling, A.; In vitro degredation of prous poly( DL-lactide-co-glycolide) PLGA/bioactive glass composite foams with a polar structure, Polymer Degradation and Stability: 92,14-23 2007.

## References

---

- Osaka, A.; Fujii, E.; Kawabata, K.; Yoshimatsu, H.; Hayakawa, S.; Tsuru, K.; Bonhomme, C.; Babonneau, F.; Hydroxyapatite hybridize with metal oxide for biomedical application, Ceramic Engg. And Science Proceedinga,27 39-47,2007.
- P. Sooksaen, S. Suttiruengwong, K. Oniem, K. Ngamlamiad, J. Atireklapwarodom. (2008). Fabrication of porous bioactive glass-ceramics via decomposition of natural fibres, *J. Met. Mater. Miner.* 18 (2) 85–91
- P.J. Emans, F. Spaapen, D.A.M. Surtel, K.M. Reilly, A. Cremers, L.W. van Rhijn and R. Kuijjer,  
*Bone* ,40 (2), 409(2007)
- P. Ducheyne and Q. Qiu. (1999). *Biomaterials* 20, 2287 – 2303
- Peitl, O.; E.D. Zanotto; L.L. Hench; “Highly bioactive  $P_2O_5 - Na_2O - CaO - SiO_2$  glass - ceramics”, *Journal of Non - Crystalline Solids*, vol. 292, pp. 115 - 126, 2001.
- Pyare, Ram, Ankesh Kumar Srivastava; S. P. Singh *International Journal of Scientific & Engineering Research*, 3, 1-13, 2012.
- Rahaman,M.N.; D.E.Day; B.S.Bal; Q.Fu; S.B.Jung; L.F.Bonewald; A.P.Tomsia; *Acta Biomaterials*, 7, 2355-2373, 2011.
- Ratner,B.D.; A.S. Hoffman; F.J.Schoen; J.E. Lemons; *Biomaterials Science An Introduction to Materials in Medicine*, second ed., Elsevier Academic Press, New York-London, 2004.
- Rich, J.; Jaakkala, T.; Tirri, T.; Narhi, T.; Yli-urpo, A.; Seppala, J.; In vitro evaluation of poly ( $\epsilon$ -caprolactone-co-DL-lactide)/ bioactive glass composites, *Biomaterial*.23,3871-3878, 2002.
- Rejda, B.V.; J.G.J. Peelen and K. de Groot, “ Tricalcium phosphate as a bone substitute” , *Journal of Bioengineering*,vol. 1, pp. 93 - 97, 1977.
- Rehman, I.; Karsh M; Hench LL; Bonfield W; *J Biomed Mater Res*. May;50(2):97-100,2000.
- Roether, J.A.; Boccaccini, A.R.; Hench.L.L.; Mawuet, V.; Gautier, S.; Jerome, R.; *Biomaterials*, 23, 3871-3878, 2002.
- Rosen, H.M.; McFarland, M.M.; The biologic behavior of Hydroxyapatite implanted into the maxillofacial skeleton, *Plastic and Reconstructive Surgery*, 85, 718-723,1990.
- Salinas, A.J.; Roman, J.; Vallet-Regi, M.; Oliveira, J.M.; Correia R.N.; Fernandes,M.H.; In vitro bioactivity of glass and glass-ceramic of the  $3CaO-P_2O_5-CaO-SiO_2-CaO-MgO-SiO_2$  system, *Biomaterials*,21 251-257,2000.

## References

---

- Sarkar, R.; Banerjee, G.; Ceramic based biomedical implants. *Inter. Ceramic*, 2, 98–102,2010.
- Salim, M.A.; Khattak, G.D.; Sakhawat Hussain, M.; *J. Non-Cryst. Solids* 185 , 101
- S. Patntirapong, P. Habibovic and P.V. Hauschka, *Biomaterials* ,30(4) , 548(2009).
- Salman. S.M.; *Ceramics International* 35, 1083–1093, 2009.
- Sampath, Kumar Areppalli; Himanshu Tripathi; Vikash Kumar Vyas; Shubham Jain; Shyam Kumar Suman; Ram Pyare; S.P. Singh; *Materials Science and Engineering C*, 49, 549–559 ,2015.
- Saboori, A.; M. Sheikhi; F. Moztarzadeh; M. Rabiee; S. Hesaraki; M. Tahriri; N. Nezafati; *Adv. Appl. Ceram.* , 108 (3), 155–161, 2009.
- Sergey, V. D.; Calcium Orthophosphates as Bio-ceramics: State of the Art., *J. Function Biomaterial*. 2010, 1, 22–107.
- Srivastava, A.K.; *Journal of Materials Science Research*, Vol.No.2: April 2012.
- Steinbrech D. S.; B. J. Mehrara; P. B. Saadeh; J. A. Greenwald; J. A. Spector; G. K. Gittes; M. T. Longaker; *Am J. Physiol Cell Physiol.*,278, C853-860 ,2000.
- Starnd, Z.; Rol of the glass phase in bioactive glass-ceramic, *Biomaterials*, 13,317-321, 1992.
- Tuusa, S.M.R.; Peltola, M.J.; Tirri, T.; Lassila, L.V.J.; Vallittu, P.K.; Frontal bone defect repair with experimental glass-fiber-reinforced composite with bioactive glass granul coating, *Journal of biomedical materials research Part B, Applied biomaterial*,82,149-155, 2007.
- T. Tanaka, I. Kojima, T. Ohse, J.R. Ingelfinger, S. Adler, T. Fujita and M. Nangaku, *Lab. Investig.*,85 (10), 1292(2005).
- T. Furukawa and W.B. White, *Phys. Chem. Glasses*, 20 (4), 69(1979).
- T. A. Ostomel, Q. Shi, C. K. Tsung, H. Liang, and G. D. Stucky, *Small*, 2(11) 1261(2006)
- V. Patricia, M.P. Marivalda, M.G. Alfredo, L. Fatima. (2004).*Biomaterials*, 25, p. 2941
- V.R.Mastelaro, E.D.Zanotto,N.Lequeux and R.Cortes. (2000). *J.Non-Cryst. Solids* 262, 191–199.
- V.K.Vyas, A.Sampath Kumar, S.Prasad,S.P.Singh amd Ram Pyare. (2015). *Bull. Mater. Sci. @ Indian Academy of Sciences*, Vol. 38, No. 4, pp. 957–964August
- Watts, S J; O'Donnell MD; Law RV; Hill RG.; Influence of magnesia on the structure and properties of bioactive glasses, *J. Non-Cryst Solida*; 356:517–24, 2010.

## References

---

- Williams, D.F.; Tissue-biomaterial interactions, J. Mat. Sci., 22 (10): 3421-3445, 1987.
- Wilson, J.; Clark, A.E.; Douek, E.; Krieger, J.; Smith, W.K.; Zamet J.S.; Clinical applications of bioglass implants, Bioceramics, 7,415-422,1994.
- Wu, C.; Y. Zhou; W. Fan; P. Han; J. Chang; J. Yuen; M. Zhang ; Y. Xiao; Biomaterials,33, 2076-2085 ,2012.
- W. Leenakul, P. Kantha, N. Pisitpipathsin, G. Rujijanagul, S. Eitssayeam, K. Pengpat.. Structural and magnetic properties of SiO<sub>2</sub>–CaO–Na<sub>2</sub>O–P<sub>2</sub>O<sub>5</sub> containing BaO–Fe<sub>2</sub>O<sub>3</sub> glass–ceramics, J. Magn. Magn. Mater. 325 102–106,(2013).
- W. Hui, W. Deping, H. Wenhai, L. Shihua, C. Xu, S. Youqu, J. Fei and L. Le, Rare Metal Mater.Eng. , 43, 54(2014).
- Xia. W.; Chang, J.; Preparation and characterization of nano - bioactive glasses (NBG) by a quick alkali - mediated sol - gel method, Materials Letters ,64, 3251-3253, 2007.
- Ylänen, H.; Karlsson, K.H.; Itala, A.; Aro H.T.; Effect of immersion in SBF on porous bioactive bodies made by sintering bioactive glass microspheres, Journal of Non – Crystalline Solids: 275, 107-115, 2000.
- Ylänen, H.O.; Bioactive glasses Materials, properties and applications,Wood head Publishing Limited, 2011.
- Yousoof, Abd.; El-Moneim IS.; Abd El-Daiemand I.M.; Phys Stat. Sol. (a)Vol. 199, pp.192-201, 2003.
- Zhang, S.; Hydroxyapatite Coatings for Biomedical Applications, Advances in Materials Science and Engineering, C.RC Press, 9, pp. 469, 2013.
- Zhong, J.P.; D.C.Greenspan; “Bioceramic11”,New York,USA,1998,edited by R. Z. Legeros World Scientific Pub., Singapore, p.415,1998.