

LIST OF TABLES

Table 1.1	A collection of applications using advanced permanent magnets.	02
Table 1.2	Some permanent magnetic materials.	02
Table 1.3	Comparison between the RE and non-RE magnet motors and their properties in 2016 and 2022.	04
Table 1.4	Comparison of magnetic properties among M-type hexaferrites.	05
Table 1.5	The distribution of Fe^{+3} spin in the sub-lattice.	07
Table 4.1	R_p , R_{wp} , χ^2 , lattice parameters, c/a ratio, crystallite size, and volume of $SrAl_4Fe_8O_{19}$ hexa-ferrites.	55
Table 4.2	Band position of $SrAl_4Fe_8O_{19}$ ferrite with different synthesis routes.	56
Table 4.3	Grain size and bulk density of sintered $SrAl_4Fe_8O_{19}$ ferrite with different synthesis routes.	59
Table 4.4	B_r , μ_B , iH_c , bH_c , k_{eff} , Mr/M_s , Squareness ratio (H_k/iH_c), and $(BH)_{max}$ of $SrAl_4Fe_8O_{19}$ hexa-ferrite with different synthesis routes.	61
Table 4.5	Dielectric constant (ϵ) and resistivity (ρ) of sintered $SrAl_4Fe_8O_{19}$ ferrite with different synthesis routes.	66
Table 5.1	Reliable factors (R_p , R_{wp} and χ^2), lattice parameter, crystallite size and c/a ratio of sintered $SrAl_4Co_xFe_{8-x}O_{19}$ samples.	71
Table 5.2	Bulk density, grain size and elemental composition of sintered $SrAl_4Co_xFe_{8-x}O_{19}$ ferrites with ($0 \leq x \leq 1.0$).	72
Table 5.3	Magnetic parameters B_r , μ_B , iH_c , bH_c , H_k/iH_c , $(BH)_{max}$, k_{eff} , and T_c of sintered $SrAl_4Co_xFe_{8-x}O_{19}$ ferrites with ($0 \leq x \leq 1.0$).	76
Table 5.4	Average Fe-O bond lengths in $SrAl_4Co_xFe_{8-x}O_{19}$ with ($0 \leq x \leq 1.0$).	77
Table 5.5	$Fe^{+3}_i - O^2 - Fe^{+3}_j$ ($1 \leq i \& j \leq 5$) bond angles for $SrAl_4Co_xFe_{8-x}O_{19}$ ($0 \leq x \leq 1.0$).	78
Table 5.6	Dielectric constant and resistivity of sintered $SrAl_4Co_xFe_{8-x}O_{19}$ samples.	81

Table 6.1	Band position of $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ferrites with ($0 \leq x \leq 0.8$).	87
Table 6.2	R_p , R_{wp} , χ^2 , lattice parameters, Volume, c/a ratio, crystallite size of $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ hexa-ferrites.	89
Table 6.3	Refined structural parameters of $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ hexaferrites.	90-92
Table 6.4	Grain size and bulk density with EDX analysis of sintered $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ferrites with ($0 \leq x \leq 0.8$).	93
Table 6.5	Magnetic parameters B_r , iH_c , bH_c , H_k/iH_c , $(BH)_{max}$, k_{eff} , and T_c of sintered $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ferrites with ($0 \leq x \leq 0.8$).	99
Table 6.6	Average Fe-O bond lengths in $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ with ($0 \leq x \leq 0.8$).	100
Table 6.7	$\text{Fe}^{+3}_i - \text{O}^{2-} - \text{Fe}^{+3}_j$ ($1 \leq i \& j \leq 5$) bond angles for $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ($0 \leq x \leq 0.8$).	101
Table 6.8	Dielectric constant (ϵ) and Resistivity (ρ) of sintered $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ferrite with ($0 \leq x \leq 0.8$).	105
Table 7.1	Wave numbers (ν_1 and ν_2) of calcined $\text{SrAl}_4\text{Y}_x\text{Fe}_{8-x}\text{O}_{19}$ ferrite samples.	111
Table 7.2	Refinement parameters, Lattice parameter, volume, c/a ratio, strain, and crystallite size of sintered $\text{SrAl}_4\text{Y}_x\text{Fe}_{8-x}\text{O}_{19}$ ferrite samples.	113
Table 7.3	Grain size and elemental composition of sintered $\text{SrAl}_4\text{Y}_x\text{Fe}_{8-x}\text{O}_{19}$ ferrite samples.	115
Table 7.4	B_r , μ_B , iH_c , bH_c , H_k/iH_c , k_{eff} , $(BH)_{max}$ and T_c of sintered $\text{SrAl}_4\text{Y}_x\text{Fe}_{8-x}\text{O}_{19}$ ferrite samples.	119
Table 7.5	Average Fe-O bond lengths in $\text{SrAl}_4(\text{Cr}_{0.5}\text{Sn}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ with ($0 \leq x \leq 0.8$).	122
Table 7.6	Dielectric constant and resistivity of sintered $\text{SrAl}_4\text{Y}_x\text{Fe}_{8-x}\text{O}_{19}$ ferrite samples at 1 MHz.	126
Table 8.1	Lattice parameter, R_p , R_{wp} , χ^2 , strain, c/a ratio, and crystallite size,	133

	of $\text{SrAl}_4(\text{La}_{0.5}\text{Sm}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ferrites.	
Table 8.2	Rietveld refined structural parameters of $\text{SrAl}_4(\text{La}_{0.5}\text{Sm}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ hexaferrites.	134-136
Table 8.3	Bulk density, grain size with EDX analysis of sintered $\text{SrAl}_4(\text{La}_{0.5}\text{Sm}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ samples.	137
Table 8.4	B_r , Bohr magneton (μ_B), iH_c , bH_c , $(BH)_{max}$ and T_c of sintered $\text{SrAl}_4\text{Fe}_{(8-x)}(\text{La}_{0.5}\text{Sm}_{0.5})_x\text{O}_{19}$ samples.	142
Table 8.5	Dielectric constant, and resistivity of sintered $\text{SrAl}_4(\text{La}_{0.5}\text{Sm}_{0.5})_x\text{Fe}_{8-x}\text{O}_{19}$ ferrites at 1 MHz.	146
Table 9.1	Comparison of various parameters of prepared $\text{SrAl}_4\text{Fe}_8\text{O}_{19}$ hexaferrite.	152