

## REFERENCES

---

- Ahmed M.A., Okasha N., Salah L., "Influence of yttrium ions on the magnetic properties of Ni–Zn ferrites", *Journal of Magnetism and Magnetic Materials*, 264 (2003) 241–250.
- Ahmad M., Ali I., Aen F., Islam M.U., Ashiq M.N., Atiq S., Ahmad W., Rana M.U., "Effect of sintering temperature on magnetic and electrical properties of nano-sized Co<sub>2</sub>W hexaferrites", *Ceramic International*, 38 (2012) 1267–1273.
- Ajmal M., Shah N.A., Maqsood A., Awan M.S., Arif M., "Influence of sintering time on the structural, electrical and magnetic properties of polycrystalline Cu<sub>0.6</sub>Zn<sub>0.4</sub>Fe<sub>2</sub>O<sub>4</sub> ferrites", *Journal of Alloys and Compounds*, 508 (2010) 226–232.
- Ali I., Islam M.U., Awan M.S., Ahmad M., "Effects of Ga–Cr substitution on structural and magnetic properties of hexaferrite (BaFe<sub>12</sub>O<sub>19</sub>) synthesized by sol–gel auto-combustion route", *Journal of Alloys and Compounds*, 547 (2013) 118–125.
- Almessiere M.A., Slimani Y., Baykal A., "Structural and magnetic properties of Ce-doped strontium hexaferrite", *Ceramic International*, 44 (2018) 10470–10477.
- Almessiere M.A., Slimani Y., Gungune H., Baykal A., Trukhanov S.V., Trukhanov A.V., "Manganese/Yttrium Co doped strontium nanohexaferrites: evaluation of magnetic susceptibility and mossbauer spectra", *Nanomaterials*, 24 (2019) 1-18.
- Anderson P. W., Rado G. T., Suhl, H., In *Magnetism*; Eds.; Academic Press: New York, 1963; Vol. 1, Chapter 2.
- Anwar H. and Maqsood A., "Comparison of structural and electrical properties of Co<sup>+2</sup>doped Mn-Zn soft nano ferrites prepared via coprecipitation and hydrothermal methods", *Materials Research Bulletin*, 49 (2014) 426–433.
- Aravind G., Raghasudha M., Ravinder D., Kumar R. V., "Magnetic and dielectric properties of Co doped nano crystalline Li ferrites by auto combustion method", *Journal of Magnetism and Magnetic Materials*, 406 (2016) 110-117.
- Asghar G., Naeem M., Khusro S.N., Iftikhar M., Awan M.S., Tariq G.H., Shabir F., Rehman M.A.U., "Influence of Sm-Cr doping on structural and magnetic properties of M-type strontium hexaferrite", *Digest Journal of Nanomaterials and Biostructures*, 13 (4) (2018) 915-920.
- Asghar G., and Rehman M.A.U., "Structural, dielectric and magnetic properties of Cr–Zn doped strontium hexaferrites for high frequency applications", *Journal of Alloys and Compounds*, 526 (2012) 85–90.

Ashraf G.A., Zhang L., Abbas W., Murtaza G., “Synthesis and characterizations of Al-Sm substituted Ba-Sr M-type hexagonal ferrite nanoparticles via sol-gel route”, *Ceramic International*, 44 (2018) 18678–18685.

Ashiq M. N., Iqbal M. J., Gul I. H., “Effect of Al–Cr doping on the structural, magnetic and dielectric properties of strontium hexaferrite nanomaterials”, *Journal of Magnetism and Magnetic Materials*, 323 (2011) 259–263.

Ashiq M.N., Asi A.S., Farooq S., Haq M.N.U., Rehman S., “Magnetic and electrical properties of M-type nano-strontium hexaferrite prepared by sol-gel combustion method”, *Journal of Magnetism and Magnetic Materials*, 444 (2017) 426–431.

Ashiq M.N., Iqbal M.J., Haq M.N.U., Gomez P.H., Qureshi A.M., “Synthesis, magnetic and dielectric properties of Er–Ni doped Sr hexaferrite nanomaterials for applications in high density recording media and microwave devices”, *Journal of Magnetism and Magnetic Materials*, 324 (2012) 15–19.

Ashiq M.N., Shakoor S., Haq M.N.U., Warsi M.F., Ali I., Shakir I., “Structural, electrical, dielectric and magnetic properties of Gd–Sn substituted Sr-hexaferrite synthesized by sol–gel combustion method”, *Journal of Magnetism and Magnetic Materials*, 374 (2015) 173–178.

Auwal I.A., Baykal A., Gungunes H., Shirsath S.E., “Structural investigation and hyperfine interactions of  $\text{BaBi}_x\text{La}_{12-2x}\text{O}_{19}$  ( $0.0 \leq x \leq 0.5$ ) hexaferrites”, *Ceramic International*, 42 (2016a) 3380–3387.

Auwal I.A., Gungunes H., Guner S., Shirsath S.E., Sertkol M., Baykal A., “Structural, magneto-optical properties and cation distribution of  $\text{SrBi}_x\text{La}_x\text{Y}_{12-3x}\text{O}_{19}$  ( $0.0 \leq x \leq 0.33$ ) hexaferrites”, *Materials Research Bulletin*, 80 (2016b) 263–272.

Bakis Y., Auwal I.A., Unal B., Baykal A., “Conductivity and dielectric properties of  $\text{SrLa}_x\text{Bi}_x\text{Y}_{12-3x}\text{O}_{19}$  ( $0.0 \leq x \leq 0.33$ ) hexaferrites”, *Ceramics International*, 42 (2016) 11780–11795.

Baykal A., Durmus Z., Toprak M.S., Sozeri H., “Synthesis and characterization of PEG-Sr hexaferrite by sol–gel conversion”, *Journal of Superconductivity and Novel Magnetism*, 25 (2012a) 2003–2008.

Baykal A., Toprak M.S., Durmus Z., Sozeri H., “Hydrothermal synthesis of  $\text{SrFe}_{12}\text{O}_{19}$  and its characterization”, *Journal of Superconductivity and Novel Magnetism*, 25 (2012b) 2081–2085.

Beretka J. and Brown T., “Studies on the reaction between strontium carbonate and iron (III) Oxide”, *Australian Journal of Chemistry*, 24 (1971) 237-242.

Bellad S.S., Pujar R.B., Chougule B.K., “Dielectric behavior of  $Zn_xMg_{1-x-2}YO_4$  ferrites”, *Indian Journal of Pure Applied Physics*, 36 (1998) 598-601.

Bhuvaneswari M., Sendhilnathan S., Kumar M., Tamilarasan R., Giridharan N.V., “Synthesis, investigation on structural and electrical properties of cobalt doped Mn-Zn ferrite nanocrystalline powders”, *Materials Science-Poland*, 34 (2) (2016) 344-353.

Bozzola J.J., Russell L.D., Electron Microscopy, 2<sup>nd</sup> Edition, Jones & Bartlett Publishers 21 p., 1998.

Buchanan R.C., Ceramic Materials for Electronics, Marcel Dekker Inc. New York, 35 p., 1946.

Bukhtiyarova M.V., Ivanova A.S., Plyasova L.M., Litvak G.S., Rogov V.A., Kaichev V.V., Slavinskaya E.M., Kuznetsov P.A., Polukhina I. A., “Selective catalytic reduction of nitrogen oxide by ammonia on Mn(Fe)-substituted Sr(La) aluminates”, *Applied Catalysis A: General*, 357 (2009) 193–205.

Buschow K.H., Cahn R.W., Haasen P., Kramer E.J., Material Science and Technology, Wiley-VCH, 195 p., 1993.

Buzinaro M.A.P., Ferreira N.S., Cunha F., Macedo M.A., “Hopkinson effect, structural and magnetic properties of M- type  $Sm^{+3}$ - doped  $SrFe_{12}O_{19}$  nanoparticles produced by a proteic sol-gel process”, *Ceramics International* 42 (2016) 5865–5872.

Byun T.Y., Byeon S.C., Hong K.S., “Factors affecting initial permeability of Co-substituted Ni-Zn-Cu ferrites”, *IEEE Transactions on Magnetism*, 35 (5) (1999) 3445–3447.

Caglioti G., Paoletti A., Ricci F.P., “Choice of collimators for a crystal spectrometer for neutron diffraction”, *Nuclear Instruments and Methods*, 3 (4) (1958) 223-228.

Caig M.M. and Clegg M., Permanent Magnets in Theory and Practice, Pentech Press, London, 124 p., 1977.

Carroll P., Williams A., Caudle M., Darkins L., Eaton A., Fitzgerald B., Knauf B., Rurka M., Shlonsky E., Wilson P., Brock J., Khan M., “Enhanced magnetic refrigeration capacities in minutely Co doped  $Mn_{5-x}Co_xGe_3$  compounds”, *Intermetallics*, 89 (2017) 10–15.

Cerda L.A.G., Herrera M. E., Chacon J.G. B., Gonzalez O. M., “Sol-gel method for the synthesis of magnetic nanoparticles”, *Informacion Tecnologica*, 14 (1) (2003) 119.

Cespedes E., Rodriguez G.R., Navío C., Osorio M.R., Guerrero R., Pedrosa F.J., Mompean F.J., Hernandez M.G., Fernandez J.F., Quesada A., Camarero J., Bollero A., “Inter-grain effects on the magnetism of M-type strontium ferrite”, *Journal of Alloys and Compounds*, 692 (2017) 280-287.

Chanda S., Saha S., Dutta A., Murthy J.K., Venimadhav A., Shannigrahi S., Sinha T.P., “Magnetic ordering and conduction mechanism of different electroactive regions in  $\text{Lu}_2\text{NiMnO}_6$ ”, *Journal of Applied Physics*, 120 (2016) 1341020- 13410210.

Chakrabarty S., Dutta A., Pal M., “Effect of yttrium doping on structure, magnetic and electrical properties of nanocrystalline cobalt ferrite”, *Journal of Magnetism and Magnetic Materials*, 461 (2018) 69–75.

Chakraborty S., Mukherjee S., Mukherjee S., “Effect of yttrium doping on the properties of bismuth ferrite: a review”, *International Journal of Semiconductor Science & Technology*, 3 (1) (2013) 1–10.

Chikazumi S., Physics of Magnetism, John Wiley & Sons, New York, 81 p., 1969.

Cochardt A., “Modified Strontium Ferrite, a New Permanent Magnet Material”, *Journal of Applied Physics*, 34 (4) (1963) 1273-1274.

Cullity B.D., Introduction to Magnetic Materials, Ad-dison-Wesely Publishing Company Inc., Reading, Massachusetts, 1972.

Cullity B.D., Elements of X-Ray Diffraction, 2nd Ed, Addison-Wesley, INC,51 p., 1978.

Cui C., Xu L., Xie T., Liu C., Yang J., “Structural and magnetic properties of Sm doped strontium hexaferrite ( $\text{SrFe}_{12-x}\text{Sm}_x\text{O}_{19}$ ) powders”, *Materials Focus*, 3 (2014) 355-360.

Cui J., Kramer M., Zhou L., Liu F., Gabay A., Hadjipanayis G., Balasubramanian B., Sellmyer D., “Current progress and future challenges in rare-earth-free permanent Magnets”, *Acta Materialia*, 158 (2018) 118-137.

Cusker L.B.M., Dreele R.B.V., Cox D.E., Louer D., Scardi P., “Rietveld refinement guidelines”, *Journal of Applied Crystallography*, 32 (1999) 36-50.

Das A.R., Ananthan V.S., Khan D.C., “Lattice parameter variation and magnetization studies on titanium-, zirconium-, and tin-substituted nickel-zinc ferrites”, *Journal of Applied Physics*, 57 (1985) 4189-4191.

Das A., Roychowdhury A., Pati S. P., Bandyopadhyay S., Das D., Structural, magnetic and hyperfine properties of single-phase  $\text{SrFe}_{12}\text{O}_{19}$  nanoparticles prepared by a sol-gel route”, *Physica Scripta*, 90 (2015) 0258021-0258027.

Davoodi A. and Hashemi B., “Magnetic properties of Sn–Mg substituted strontium hexaferrite nanoparticles synthesized via coprecipitation method”, *Journal of Alloys and Compounds*, 509 (2011) 5893–5896.

Davoodi A. and Hashemi B., "Investigation of the effective parameters on the synthesis of strontium hexaferrite nanoparticles by chemical coprecipitation method", *Journal of Alloys and Compounds*, 512 (2012) 179 – 184.

Debnath N., Rahman M.M., Saha D.K., Ahmed F., Hakim M.A., "Study of the effect of additives on magnetic and dielectric properties of M-type Sr-hexaferrites", *Bangladesh Journal of Physics*, 17 (2015) 31-36.

Dixit V., Kim S. G., Park J., Hong Y.K., "Effect of ionic substitutions on the magnetic properties of strontium hexaferrite: A first principles study", *AIP Advances*, 7 (2017) 1152091 - 11520910.

Doroftei C., Rezlescu E., Rezlescu N., Tudorache F., Popa P. D., "Strontium ferrite for magnetic recording prepared by self-combustion method", *Journal of Optoelectronics and Advanced Materials*, 10 (11) (2008) 2919 – 2923.

Dunn I.H., Jacobo S.E., Bercoff P.G., "Structural and magnetic influence of yttrium-for-iron substitution in cobalt ferrite", *Journal of Alloys and Compounds*, (2016) <https://doi.org/10.1016/j.jallcom.2016.08.223>.

Ebrahimi Y., Alvani A.A.S., Sarabi A.A., Sameie H., Salimi R., Alvani M.S., Moosakhani S., "A comprehensive study on the magnetic properties of nanocrystalline  $\text{SrCo}_{0.2}\text{Fe}_{11.8}\text{O}_{19}$  ceramics synthesized via diverse routes", *Ceramics International*, 38 (2012) 3885–3892.

Fang J., Wang J., Gan L.M., Ng S.C., Ding J., Liu X., "Fine strontium ferrite powders from an ethanol-based microemulsion", *Journal of American Ceramic Society*, 83 (2000) 1049–1055.

Fang Q., Cheng H., Huang K., Wang J., Li R., Jiao Y., "Doping effect on crystal structure and magnetic properties of chromium-substituted strontium hexaferrite nanoparticles", *Journal of Magnetism and Magnetic Materials*, 294 (2005) 281–286.

Fu X.L., Ge H.L., Xing Q.K., Peng Z.J., "Effect of W ion doping on magnetic and dielectric properties of Ni Zn ferrites by one-step synthesis", *Materials Science Engineering B*, 176 (2011) 926-931.

Gabal M.A. and Angari Y.M.A., "Effect of chromium ion substitutionon the electromagnetic properties of nickel ferrite", *Materials Chemistry and Physics*, 118 (1) (2009) 153–160.

Gadkari A.B., Shinde T.J., Vasambekar P.N., "Structural analysis of  $\text{Y}^{+3}$  doped Mg–Cd ferrites prepared by oxalate co-precipitation method", *Materials Chemistry and Physics*, 114 (2009) 505–510.

Gadkari A.B., Shinde T.J., Vasambekar P.N., "Influence of rare earth ion ( $\text{Y}^{+3}$ ) on the magnetic and dc electrical properties of high density nanocrystalline Mg–Cd ferrites", *Materials Research Bulletin*, 48 (2013) 476–481.

Gajbhiye N.S., Bhattacharya U., Darshane V.S., "Thermal decomposition of zinc-iron citrate precursor", *Thermochimica Acta*, 264 (1995) 219-230.

Gangulya S., Maitya T., Mondal S., Das P., Das N.C., "Starch functionalized biodegradable semi-IPN as a pH-tunable controlled release platform for memantine", *International Journal of Biological Macromolecules*, 95 (2017) 185-198.

Garcia R. M., Bilovol V., Socolovsky L.M., "Effect of the heat treatment conditions on the synthesis of Sr-hexaferrite", *Physics B: Condensed Matter*, 407 (16) (2012) 3109-3112.

George M., John A.M., Nair S.S., Joy P.A., Anantharaman M.R., "Finite size effects on the structural and magnetic properties of sol-gel synthesized NiFe<sub>2</sub>O<sub>4</sub> powders", *Journal of Magnetism and Magnetic Materials*, 302 (1) (2006) 190-195.

Ghasemi A., Morisako A., Liu X., "Magnetic properties of hexagonal strontium ferrite thick film synthesized by sol-gel processing using SrM nanoparticles", *Journal of Magnetism and Magnetic Materials*, 320 (2008) 2300-2304.

Ghimire M., Yoon S., Wang L., Neupane D., Alam J., Mishra S.R., "Influence of La content on magnetic properties of Cu doped M-type strontium hexaferrite: Structural, magnetic, and mossbauer spectroscopy study", *Journal of Magnetism and Magnetic Materials*, 454 (2018) 110-120.

Giri J., Sriharsha T., Bahadur D., "Optimization of parameters for the synthesis of nano-sized Co<sub>12-x</sub>Zn<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub>, (0 ≤ x ≤ 0.8) by microwave refluxing", *Journals of Materials Chemistry*, 14 (2004) 875-880.

Goldman A., "Modern ferrite technology", 2nd Ed. Springer Science Inc., USA, 2006.

Gonzalez G., Parga J.R., Moreno H.A., Ramos J., Martinez F., Martinez R., Vazquez V., "Synthesis and characterization of strontium hexaferrite using an electrocoagulation by-product", *Journal of Chemical Research*, 40 (2016) 110-113.

Gonzalez F.N.T., Miro A.M.B., Jesus F.S.D., Serna P.V., Gonzalez N.M., Marcos J.S., "Crystal structure and magnetic properties of high Mn-doped strontium hexaferrite", *Journal of Alloys and Compound*, 695 (2017) 2083-2090.

Gordania G.R., Ghasemi A., Saidi A., "Enhanced magnetic properties of substituted Sr-hexaferrite nanoparticles synthesized by co-precipitation method", *Ceramics International*, 40 (2014) 4945-4952.

Greskovich C. and Lay K.W., "Grain growth in very porous Al<sub>2</sub>O<sub>3</sub> compacts", *Journal of American Ceramic Society*, 55 (1972) 142-146.

Grossinger R., Kupferling M., Blanco J.C.T., Wiesinger G., Muller M., Hilscher G., Pieper M.W., Wang J.F., Harris I.R., "Rare earth substitutions in M-type Ferrites", *IEEE Transactions on Magnetics*, 39 (5) (2003) 2911-2913.

Guner S., Auwal I.A., Baykal A., Sozeri H., "Synthesis, characterization and magneto optical properties of  $\text{BaBi}_x\text{La}_x\text{Y}_x\text{Fe}_{12-3x}\text{O}_{19}$  ( $0.0 \leq x \leq 0.33$ ) hexaferrites", *Journal of Magnetism and Magnetic Materials*, 416 (2016) 261–268.

Guo Z.B., Ding W.P., Zhong W., Zhang J.R., Du Y.W., "Preparation and magnetic properties of  $\text{SrFe}_{12}\text{O}_{19}$  particles prepared by the salt-melt method", *Journal of Magnetism and Magnetic Materials*, 175 (1997) 333–336.

Haberey F. and Kackel A., "The Fromation of strontium hexaferrite  $\text{SrFe}_{12}\text{O}_{19}$  from pure iron oxide and strontium carbonate", *IEEE Transactions on Magnetics*, 12 (6) (1976) 983-985.

Hadfield D., Permanent Magnets and Magnetism, John Wiley and Sons, New York 58 p., 1962.

Hankare P.P., Vader V.T., Patil N.M., Jadhav S.D., Sankpal U.B., Kadam M.R., Chougule B.K., Gajbhiye N.S., "Synthesis, characterization and studies on magnetic and electrical properties of Mg ferrite with Cr substitution", *Materials Chemistry and Physics*, 113 (2009) 233–238.

Hanke L.D., "Handbook of analytical methods for materials, materials evaluation and engineering", Inc. Plymouth, 18 p., 2001.

Hassan R., Hassan J., Hashim M., Paiman S., Azis R.S., "Morphology and dielectric properties of single sample  $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$  nanoparticles prepared via mechanical alloying", *Journal of Advanced Ceramics*, 3 (4) (2014) 306–316.

He H., "Anisotropy and magnetic property of M-type  $\text{SrAl}_4\text{Fe}_8\text{O}_{19}$  powders prepared via Co-precipitation method", *Recent Patents on Nanotechnology*, 4 (2010) 63-67.

He H., Huang J.F., Cao L.Y., Heand Z., Shen Q., "Magnetic and microwave absorbing properties of  $\text{SrAl}_4\text{Fe}_8\text{O}_{19}$ powders synthesized by coprecipitation and citric-combustion methods", *Bulletin of Materials Science*, 34 (3) (2011) 463-468.

Hessien M.M., Rashad M.M., Barawy K. El, "Controlling the composition and magnetic properties of strontium hexaferrite synthesized by co-precipitation method", *Journal of Magnetism and Magnetic Materials*, 320 (2008) 336–343.

Hilli M.F.A., Li S., Kassim K.S., "Structural analysis, magnetic and electrical properties of samarium substituted lithium–nickel mixed ferrites", *Journal of Magnetism and Magnetic Materials*, 324 (2012) 873–879.

Hooda A., Sanghi S., Agarwal A., Dahiya R., "Crystal structure refinement, dielectric and magnetic properties of Ca/Pb substituted SrFe<sub>12</sub>O<sub>19</sub> hexaferrites", *Journal of Magnetism and Magnetic Materials* 387 (2015) 46–52.

Hosseini H.R.M. and Naghibolashraphy N., "The effects of Misch-Metal oxide addition on magnetic properties and crystal structure of Sr<sub>1-x</sub>MM<sub>x</sub>Fe<sub>12</sub>O<sub>19</sub> ferrite", *Journal of Alloys and Compounds*, 448 (2008) 284–286.

Huang C.C., Jiang A.H., Liou C.H., Wang Y.C., Lee C.P., Hung T.Y., Shaw C.C., Hung Y.H., Kuo M.F., Cheng C.H., "Magnetic property enhancement of cobalt-free M-type strontium hexagonal ferrites by CaCO<sub>3</sub> and SiO<sub>2</sub> addition", *Intermetallics*, 89 (2017) 111–117.

Huang F., Liu X., Niu X., Ma Y., Huang X., Lv F., Feng S., Zhang Z., "Improvement of magnetic properties of Cr<sup>+3</sup> substituted SrFe<sub>12</sub>O<sub>19</sub>", *Materials Technology: Advanced Performance Materials*, 30 (5) 2015, 301-305.

Iqbal M.J. and Ashiq M.N., "Comparative studies of SrZr<sub>x</sub>Mn<sub>x</sub>Fe<sub>12-2x</sub>O<sub>19</sub> nanoparticles synthesized by co-precipitation and sol-gel combustion methods", *Scripta Materialia*, 56 (2007) 145–148.

Iqbal M.J., Ashiq M. N., Gomez P. H., Munoz J. M., "Magnetic, physical and electrical properties of Zr–Ni-substituted co-precipitated strontium hexaferrite nanoparticles", *Scripta Materialia*, 57 (2007) 1093–1096.

Iqbal M.J. and Ashiq M.N., "Physical and electrical properties of Zr–Cu substituted strontium hexaferrite nanoparticles synthesized by co-precipitation method", *Chemical Engineering Journal*, 136 (2008) 383–389.

Iqbal M.J., Ashiq M.N., Gomez P.H., Munoz J.M., "Synthesis, physical, magnetic and electrical properties of Al–Ga substituted co-precipitated nanocrystalline strontium hexaferrite", *Journal of Magnetism and Magnetic Materials*, 320 (2008) 881–886.

Iqbal M. J., Ashiq M. N., Gomez P. H., "Effect of doping of Zr–Zn binary mixtures on structural, electrical and magnetic properties of Sr-hexaferrite nanoparticles", *Journal of Alloys and Compounds*, 478 (2009) 736–740.

Irfan M., Elahi A., Shakoor A., "Hysteresis and electric modulus analysis of Y<sup>+3</sup>doped MnNi-Y-type hexagonal ferrite", *Ceramic –Silikáty*, 60 (2) (2016) 34–40.

Irfan M., Islam M.U., Ali I., Iqbal M.A., Karamat N., "Effect of Y<sub>2</sub>O<sub>3</sub> doping on the electrical transport properties of Sr<sub>2</sub>MnNiFe<sub>12</sub>O<sub>22</sub>Y-type hexaferrite", *Current Applied Physics*, 14 (2014) 112–117.

Ishaque M., Islam M.U., Khan M.A., Rahman I.Z., Genson A., Hampshire S., “Structural, electrical and dielectric properties of yttrium substituted nickel ferrites”, *Physica B*, 405 (2010) 1532–1540.

Ishaque M., Khan M.A., Ali I., Athair M., Khan H.M., Iqbal M.A., Islam M.U., Warsi M.F., “Synthesis of nickel–zinc–yttrium ferrites: Structural elucidation and dielectric behavior evaluation”, *Materials Science and Semiconducting Processing*, 41 (2016) 508–512.

Itoh Y., Lenggoro I.W., Okuyama K., Mädler L., Pratsinis S.E., “Size tunable synthesis of highly crystalline BaTiO<sub>3</sub> nanoparticles using salt-assisted spray pyrolysis”, *Journal of Nanoparticle Research*, 5 (2003) 191–198.

Iwauchi K., “Magnetic and Dielectric Relaxations in Ferrites”, *Bulletin of the Institute for Chemical Research, Kyoto University*, 61 (4) (1983) 324-333.

Jamalian M., Ghasemi A., Paimozd E., “A comparison of the magnetic and microwave absorption properties of Mn–Sn–Ti substituted strontium ferrite with and without multi-walled carbon nanotube”, *Current Applied Physics*, 14 (2014) 909-915.

Jamalian M., “An investigation of structural, magnetic and microwave properties of strontium hexaferrite nanoparticles prepared by a sol–gel process with doping Sn and Tb”, *Journal of Magnetism and Magnetic Materials*, 378 (2015) 217–220.

Jauhar S., Singh J., Chandra K., Bansal S., Singhal S., “Structural, morphological, magnetic and optical properties of chromium substituted strontium ferrites, SrCr<sub>x</sub>Fe<sub>12-x</sub>O<sub>19</sub> (x=0.5, 1.0, 1.5, 2.0 and 2.5) annealed with potassium halid”, *Powder Technology*, 212 (2011) 193–197.

Joshi R., Singh C., Kaur D., Zaki H., Narang S.B., Jotania R., Mishra S. R., Singh J., Dhruv P., Ghimire M., Structural and magnetic properties of Co<sup>+2</sup> - W<sup>+4</sup> ions doped M-type Ba-Sr hexaferrites synthesized by a ceramic method”, *Journal of Alloys and Compounds*, 695 (2017) 909-914.

Jiang X., “Structural, magnetic and microstructural studies of composition-modified Sm-Co ribbons”, Ph.D. Thesis, the University of Nebraska, Lincoln, Nebraska, USA, 2014.

Jiang S., Liu X., Rehman K.M.U., Li M., Wu Y., “Synthesis and characterization of Sr<sub>1-x</sub>Y<sub>x</sub>Fe<sub>12</sub>O<sub>19</sub> hexaferrites prepared by solid-state reaction method”, *Journal of Materials Science.: Materials Electronics*, 27 (2016) 12919–12924.

Kanagesan S., Hashim M., Kalaivani T., Ismail I., Sabbaghizadeh R., “Preparation and magnetic properties of Ni-Cr doped strontium hexaferrite”, *Digest Journal of Nanomaterials and Biostructures*, 9 (1) (2014) 289-293.

Katoch A., Singh A., Singh T., "Electrical and dielectric properties of M-Type strontium hexaferites doped With Gd-rare earth ions", *International Journal of Engineering Research & Technology (IJERT)*, 2 (2013) 1-6.

Kaur N. and Kaur M., "Comparative studies on impact of synthesis methods on structural and magnetic properties of magnesium ferrite nanoparticles", *Processing and Application of Ceramics*, 8 (3) (2014) 137–143.

Kaur P., Chawla S.K., Naran S.B., Pubby K., "Structural, magnetic and microwave absorption behavior of Co-Zr substituted strontium hexaferites prepared using tartaric acid fuel for electromagnetic interference suppression", *Journal of Magnetism and Magnetic Materials*, 422 (2017) 304–314.

Kiani E., Rozatian A.S.H., Yousefi M.H., "Synthesis and characterization of SrFe<sub>12</sub>O<sub>19</sub> nanoparticles produced by a low-temperature solid-state reaction method", *Journal of Materials Science Materials in Electronics*, 24 (2013) 2485–2492.

Kim C.S., Lee S.W., An S.Y., "Mössbauer studies of BaFe<sub>11.9</sub>Mn<sub>0.1</sub>O<sub>19</sub> by a sol–gel method", *Journal of Applied Physics*, 87 (2000) 6244-6246.

Kim J.H., Myung S.T., Sun Y.K., "Molten salt synthesis of LiNi<sub>0.5</sub>Mn<sub>1.5</sub>O<sub>4</sub> spinel for 5 V class cathode material of Li-ion secondary battery", *Electrochimica Acta*, 49 (2004) 219–227.

Kim K., Jeon K.W., Moon K.W., Kang M.K., Kim J., "Effects of calcination conditions on magnetic properties in Strontium ferrite synthesized by the molten salt method", *IEEE Transaction of Magnetism*, 52 (2016) 2101604-2101608.

Kojima H., "Ferromagnetic materials: a handbook on the properties of magnetically ordered substances", *North-Holland, Amsterdam*, 1982.

Kools F., Morel A., Groossinger R., "La Co-substituted ferrite magnets, a new class of high grade ceramic magnets: intrinsic and microstructural aspects", *Journal of Magnetism and Magnetic Materials*, 242-245 (2002) 1270-1276.

Kostishyn V.G., Panina L.V., Kozhitov L.V., Timofeev A.V., Kovalev A.N., "Synthesis and multiferroic properties of M-type SrFe<sub>12</sub>O<sub>19</sub> hexaferite, Ceramics", *Journal of Alloys and Compounds*, 645 (2015) 297–300.

Kostishyn V.G., Panina L.V., Timofeev A.V., Kozhitov L.V., Kovalev A.N., Zyuzin A.K., "Dual ferroic properties of hexagonal ferrite ceramics BaFe<sub>12</sub>O<sub>19</sub> and SrFe<sub>12</sub>O<sub>19</sub>", *Journal of Magnetism and Magnetic Materials*, 400 (2016) 327–332.

Koops C.G., "On the dispersion of resistivity and dielectric constant of some semiconductors at audiofrequencies", *Physical Reviews*, 83 (1) (1951) 121-124.

Kulkarni S., Shrotri J., Deshpande C.E., Date S.K., "Synthesis of chemically coprecipitated hexagonal strontium-ferrite and its Characterization", *Journal of Materials Science*, 24 (1989) 3739-3744.

Kumari S., Kumar V., Kumar P., Kar M., Kumar L., "Structural and magnetic properties of nanocrystalline yttrium substituted cobalt ferrite synthesized by the citrate precursor technique", *Advanced Powder Technology*, 26 (2015) 213–223.

Kuo C.Y., Drees Y., Fernandez-Diaz M.T., Zhao L., Vasylechko L., Sheptyakov D., Bell A.M.T., Pi T.W., Lin H.J., Wu M.-K., Pellegrin E., Valvidares S.M., Li Z.W., Adler P., Todorova A., Küchler R., Steppke A., Tjeng L.H., Huand Z., Komarek A.C., "k=0 magnetic structure and absence of ferroelectricity in SmFeO<sub>3</sub>", *Physical Reviews Letters*, 113 (2014) 217203-217207.

Küpferling M., Grössinger R., Pieper M.W., Wiesinger G., Michor H., "Structural phase transition and magnetic anisotropy of La-substituted M-type Sr hexaferrite", *Physical Review B*, 73 (2006) 1444081- 1444081.

Kuruva P., Mathi P.R., Mohammad B., Reddigari S., Katlakunta S., "Effect of Ni-Zr codoping on dielectric and magnetic properties of SrFe<sub>12</sub>O<sub>19</sub> via sol-gel route", *Journal of Magnetism and Magnetic Materials*, 382 (2015) 172–178.

Lanje N.Y. and Kulkarni D.K., "Synthesis and characterization of CaLaFe<sub>11</sub>O<sub>19</sub>", *Journal of Magnetism and Magnetic Materials*, 234 (2001) 14 -117.

Lee S.W., An S.Y., Kim S.J., Shim I.B., Kim C.S., "The Annealing temperature dependence of magnetic properties in Sr-ferrite nanoparticles", *IEEE Transactions on Magnetics*, 39 (2003) 2899-2901.

Lewis L.H. and Villacorta F.J., "Perspectives on permanent magnetic materials for energy conversion and power generation", *Metallurgical and Materials Transactions A*, 44 (A) (2013) 2-20.

Lishun Y., Liang Q., Jingwu Z., Meiyuan J., Liqiang J., Jiawei S., "Magnetic properties of La-Zn substituted Sr-hexaferrites by self-propagation high-temperature synthesis", *Journal of Rare Earths*, 26 (2008) 81-84.

Li Y.Q., Huang Y., Qi S.H., Niu F.F., Niu L., "Preparation, and magnetic and electromagnetic properties of La-doped strontium ferrite films", *Journal of Magnetism and Magnetic Materials*, 323 (2011) 2224–2232.

Litsardakis G., Manolakis I., Serletis C., Efthimiadis K.G., "Effects of Gd substitution on the structural and magnetic properties of strontium hexaferrites", *Journal of Magnetism and Magnetic Materials*, 316 (2007) 170–173.

- Liu C., Liu X., Feng S., Rehman K.M.U., Li M., Zhang C., Li H., Meng X., "Effect of Y-La-Co substitution on microstructure and magnetic properties of M-type strontium hexagonal ferrites prepared by ceramic method", *Journal of Magnetism and Magnetic Materials*, 445 (2018) 1-5.
- Liu J.R., Hong R.Y., Feng W.G., Badami D., Wang Y.Q., "Large-scale production of strontium ferrite by molten-salt-assisted coprecipitation", *Powder Technology*, 262 (2014) 142–149.
- Liu L.L., Gao F., Hu G.X., Liu J.N., "Effect of excess Nb<sub>2</sub>O<sub>5</sub> on the growth behavior of K<sub>2</sub>Sr<sub>2</sub>Nb<sub>5</sub>O<sub>15</sub> particles by molten salt synthesis", *Powder Technology*, 235 (2013) 806–813.
- Liu M., Shen X., Song F., Xiang J., Meng X., "Microstructure and magnetic properties of electrospun one-dimensional Al<sup>+3</sup>-substituted SrFe<sub>12</sub>O<sub>19</sub> nanofibers", *Journal of Solid State Chemistry*, 184 (2011) 871-876.
- Liu X., Gomez P.H., Huang K., Zhou S., Wang Y., Cai X., Sun H., Ma B., "Research on La<sup>+3</sup>-Co<sup>+2</sup> substituted strontium ferrite magnets for high intrinsic coercive force", *Journal of Magnetism and Magnetic Materials*, 305 (2006) 524-528.
- Liu X., Gómez P.H., Deng Y., Huang K., Xu X., Qiu S., Zhou D., "Analysis of magnetic disaccommodation in La<sup>3+</sup>-Co<sup>2+</sup>-substituted strontium ferrites", *Journal of Magnetism and Magnetic Materials*, 321 (2009) 2421–2424.
- Liu X., Zhong W., Yang S., Yu Z., Gu B., Du Y., "Influences of La<sup>+3</sup> substitution on the structure and magnetic properties of M-type strontium ferrites", *Journal of Magnetism and Magnetic Materials*, 238 (2002a) 207–214.
- Liu X., Zhong W., Yang S., Yu Z., Gu B., Du Y., "Structure and magnetic properties of La<sup>3+</sup>-substituted strontium hexaferrite particles prepared by sol-gel method", *Physica Status Solidi A*, 193 (2) (2002b) 314–319.
- Liu X.S., Garcia L.F., Hu F., Zhu D., Suarez M., Menendez J.L., "Magneto-optical kerr spectra and magnetic properties of Co-substituted M-Type strontium ferrites", *Materials Chemistry and Physics*, 133 (2012) 961-964.
- Liyanage L.S.I., Kim S., Hong Y.K., Park J. H., Erwin S.C., Kim S. G., "Theory of magnetic enhancement in strontium hexaferrite through Zn-Sn pair substitution", *Journal of Magnetism and Magnetic Materials*, 348 (2013) 75–81.
- Lo F.Y., Huang C.D., Chou K.C., Guo J.Y., Liu H.L., Ney V., Ney A., Shvarkov S., Pezzagna S., Reuter D., Chia C.T., Chern M.Y., Wieck A.D., Massies J., Structural, optical, and magnetic properties of highly-resistive Sm-implanted GaN thin films", *Journal of Applied Physics*, 116 (2014) 0439090- 0439098.

- Low K.O. and Sale F.R., “Electromagnetic properties of gel-derived NiCuZn ferrites”, *Journal of Magnetism and Magnetic Materials*, 246 (2002) 30–35.
- Lu H.F., Honga R.Y., Li H.Z., “Influence of surfactants on co-precipitation synthesis of strontium ferrite”, *Journal of Alloys and Compounds*, 509 (2011) 10127– 10131.
- Luo J., Xu Y., Mao H., “Magnetic and microwave absorption properties of rare earth ions ( $\text{Sm}^{+3}$ ,  $\text{Er}^{+3}$ ) doped strontium ferrite and its nanocomposites with polypyrrole”, *Journal of Magnetism and Magnetic Materials*, 381(2015) 365–371.
- Luo H., Rai B.K., Mishra S.R., Nguyen V.V., Liu J.P., “Physical and magnetic properties of highly aluminum doped strontium ferrite nanoparticles prepared by auto-combustion route”, *Journal of Magnetism and Magnetic Materials*, 324 (2012) 2602–2608.
- Mahadevan S., Pahwa C., Narang S.B., Sharma P., “Structural, dielectric and magnetic properties of  $\text{BaFe}_{12-x}\text{Al}_x\text{O}_{19}$  hexaferrite thick films”, *Journal of Magnetism and Magnetic Materials*, 441 (2017) 465–474.
- Mal S., Nori S., Mula S., Narayan J., Prater J.T., “Defect mediated reversible ferromagnetism in Co and Mn doped zinc oxide epitaxial films”, *Journal of Applied Physics*, 112 (2012) 1139170 -1139176.
- Mali A. and Ataie A., Structural characterization of nano-crystalline  $\text{BaFe}_{12}\text{O}_{19}$  powders synthesized by sol-gel combustion route, *Scripta Materialia*, 53 (9) (2005) 1065-1070.
- Masoudpanah S.M. and Ebrahimi S.A.S., Synthesis and characterization of nanostructured strontium hexaferrite thin films by the sol–gel method, *Journal of Magnetism and Magnetic Materials*, 324 (2012) 2239–2244.
- Maxwell J.C., “A Treatise on Electricity and Magnetism”, Clarendon press, Oxford (1982), p. 328.
- Mehar M.V.K., Bramhachary P.S., Ramarao D., Samatha K., “Structural properties of antimony substituted lithium ferrites sintered at high temperature”, *International Journal for Scientific Research & Development (IJSRD)*, 2 (2015) 522-525.
- Meng X., Li H., Chen J., Mei L., Wang K., Li X., “Mossbauer study of cobalt ferrite nanocrystals substituted with rare-earth  $\text{Y}^{3+}$ ions”, *Journal of Magnetism and Magnetic Materials*, 321 (2009) 1155–1158.
- Moon K.S., Lim E.S., Kang Y.M., “Effect of Ca and La substitutionon the structure and magnetic properties of M- type Sr-hexaferrites”, *Journal of Alloys and Compounds*, 771 (2019) 350–355.

Mudinepalli V.R., Feng L., Lin W.C., Murty B.S., “Effect of grain size on dielectric and ferroelectric properties of nanostructured  $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$  ceramics”, *Journal of Advance Ceramics*, 4 (1) (2015) 46-53.

Murugan G.S. and Varma K.B.R., “Nonlinear-optic and ferroelectric behavior of lithium borate–strontium bismuth tantalate glass–ceramic composite”, *Applied Physics Letters*, 78 (25) (2001) 4019–4021.

Nersesyan M.D., Peresada A.G., Merzhanov A.G., “Chemical and phase transformation during combustion in the  $\text{Y}_2\text{O}_3\text{-BaO}_2\text{-Cu-O}_2$  system”, *International Journal of Self-Propagating High-Temperature Synthesis*, 7 (1998) 55- 60.

Nga T.T.V., Duong N. P., Loan T.T., Hien T. D., “Key step in the synthesis of ultrafine strontium ferrite powders ( $\text{SrFe}_{12}\text{O}_{19}$ ) by sol–gel method”, *Journal of Alloys and Compounds*, 610 (2014) 630–634.

Niu X.F. and Zhang M.Y., “Structure and magnetic properties of yttrium-doped M-type strontium ferrite”, *Asian Journal of Chemistry*, 26 (20) (2014) 6783–6786.

Nlebedim I.C., Ranvah N., Melikhov Y., Williams P.I., Snyder J.E., Moses A.J., Jiles D.C., “Magnetic and magnetomechanical properties of  $\text{CoAl}_x\text{Fe}_{2-x}\text{O}_4$  for stress sensor and actuator application”, *IEEE Transactions on Magnetics*, 45 (2009) 4120–4123.

Nourbakhsh A.A., Vahedi A., Nematic A., Noorbakhsh M., Mirsatari S.N., Shaygan M., Mackenzie K.J.D., “Optimization of the magnetic properties and microstructure of  $\text{Co}^{+2} - \text{La}^{+3}$  substituted strontium hexaferrite by varying the production parameters”, *Ceramics International*, 40 (2014) 5675–5680.

Panchal N. R. and Jotania R. B., “Physical properties of strontium hexaferrite nano magnetic particles synthesized by a sol–gel auto-combustion process in presence of non ionic surfactant”, *Nanoscience and Nanotechnology Letters*, 4 (2012) 623-627.

Pervaiz E. and Gul I.H., “Structural, electrical and magnetic studies of Gd nanoparticles doped cobalt ferrite”, *International Journal of Current Engineering and Technology*, 2 (2012) 377–387.

Pieper M.W., Morel A., Kools F., “NMR analysis of La+Co doped M-type ferrites”, *Journal of Magnetism and Magnetic Materials*, 242–245 (2002) 1408–1410.

Prakash B.S., Varma K.B.R., “Effect of the addition of  $\text{B}_2\text{O}_3$  and  $\text{BaO-B}_2\text{O}_3-\text{SiO}_2$  glasses on the microstructure and dielectric properties of giant dielectric constant material  $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ”, *Journal of Solid State Chemistry*, 180 (2007) 1918–1927.

Pullar R.C., “Hexagonal ferrites: a review of the synthesis, properties and applications of hexaferrite ceramics”, *Progress in Materials Science*, 57 (2012) 1191–1334.

Rai B.K., Mishra S.R., Nguyen V.V., Liu J.P., "Synthesis and characterization of high coercivity rare-earth ion doped  $\text{Sr}_{0.9}\text{RE}_{0.1}\text{Fe}_{10}\text{Al}_2\text{O}_{19}$  (RE: Y, La, Ce, Pr, Nd, Sm, and Gd)", *Journal of Alloys and Compounds*, 550 (2013a) 198–203.

Rai B.K., Mishra S.R., Nguyen V.V., Liu J.P., "Influence of  $\text{RE}^{+3}$ co-substitution on the structure and magnetic properties of  $\text{Sr}_{0.82}\text{RE}_{0.18}\text{Fe}_{12}\text{O}_{19}$  (RE:  $\text{La}_{0.18-x}\text{Pr}_x$ ) ferrites", *Journal of Alloys and Compounds*, 581 (2013b) 275–281.

Raju K., Kim S., Yu J.H., Kim S.H., Seong Y.H., Han I.S., "Rietveld refinement and estimation of residual stress in GDC–LSCF oxygen transport membrane ceramic composites", *Ceramic International*, 44 (2018) 10293–10298.

Rana K., Thakur P., Thakur A., Tomar M., Gupta V., Mattei J.L., Queffele P., "Influence of samarium doping on magnetic and structural properties of M type Ba-Co hexaferrite", *Ceramic International*, 42 (2016) 8413-8418.

Rao A.D.P., Ramesh B., Rao P.R.M., Raju S.B., "influence of Sn/Nb on the resistivity of Mn-Zn ferrites", *Indian Journal of Pure and Applied Physics*, 37 (1999a) 51-56.

Rao A.D.P., Ramesh B., Rao P.R.M., Raju S.B., " Magnetic and microstructural properties of Sn/Nb substituted Mn–Zn ferrites", *Journal of Alloys and Compounds*, 282 (1999b) 268–273.

Rashad M.M. and Ibrahim I.A., "Structural, microstructure and magnetic properties of strontium hexaferrite particles synthesised by modified coprecipitation method", *Materials Technology*, 27 (4) (2012) 308-314.

Rasly M. and Rashad M.M., "Structural and magnetic properties of Sn–Zn doped  $\text{BaCo}_2\text{Z}$ -type hexaferrite powders prepared by citrate precursor method", *Journal of Magnetism and Magnetic Materials*, 337–338 (2013) 58–64.

Rehman K.M.U., Liu X., Feng S., Yang Y., Tang J., Wei W., Wazir Z., Wasim M.K., Zhang C., Liu C., Meng X., Li H., Synthesis of  $\text{Sr}_{0.7}\text{Y}_x\text{La}_{0.3-x}\text{Fe}_{12-y}\text{Co}_y\text{O}_{19}$  ( $x=0.00, 0.05, 0.10, 0.15$ ) &  $y=0.30, 0.25, 0.20, 0.15$ ) "Hexaferrites against structures and magnetic properties prepared by the solid-state reaction method", *Chinese Journal of Physics*, 55 (5) (2017) 1780-1786.

Rezlescu N., Doroftei C., Rezlescu E., Popa P.D., "The influence of heat-treatment on microstructure and magnetic properties of rare-earth substituted  $\text{SrFe}_{12}\text{O}_{19}$ ", *Journal of Alloys and Compounds*, 451 (2008) 492–496.

Rietveld H.M., "Line profiles of neutron powder-diffraction peaks for structure refinement", *Acta Crystallographica*, 22 (1967) 151-152.

Rietveld H.M., "A profile refinement method for nuclear and magnetic structures", *Journal of Applied crystallography*. 2 (1969) 65-71.

Roohani E., Arabiy H., Sarhaddi R., "Influence of nickel substitution on crystal structure and magnetic properties of strontium ferrite preparation via sol-gel auto-combustion route", *International Journal of Modern Physics B*, 31 (2017) 1750271- 17502711.

Roy P.K., Bera J., "Effect of Mg substitution on electromagnetic properties of  $(\text{Ni}_{0.25}\text{Cu}_{0.20}\text{Zn}_{0.55})\text{Fe}_2\text{O}_4$  ferrite prepared by auto combustion method", *Journal of Magnetism and Magnetic Materials*, 298 (2006) 38–42.

Ruikar D.V., Kashid P.B., Supugade S., Pisal N., Puri V., Structural, "Electrical and magnetic properties of  $\text{SrCo}_x\text{Fe}_{12-x}\text{O}_{19}$  ( $0 \leq x \leq 1$ ) prepared by coprecipitation method", *Advances in Ceramic Science and Engineering (ACSE)*, 2 (2) (2013) 72-77.

Sadiq I., Naseem S., Ashiq M.N., Iqbal M.A., Ali I., Khan M.A., Niaz S., Rana M.U., "Spin canting effect and microwave absorption properties of Sm–Mn substituted nanosized material", *Journal of Magnetism and Magnetic Materials*, 395 (2015) 159–165.

Safi R., Ghasemi A., Razavi R.S., Ghasemi E., Sodaee T., "Rietveld structure refinement, cations distribution and magnetic features of  $\text{CoFe}_2\text{O}_4$  nanoparticles synthesized by co-precipitation, hydrothermal, and combustion methods", *Ceramics International*, 42 (2016) 6375–6382.

Sapoletova N.A., Kushnir S. E., Li Y.H., An S. Y., Seo J.W., Hur K. H., "Plate-like  $\text{SrFe}_{12}\text{O}_{19}$  particles prepared by modified sol–gel method", *Journal of Magnetism and Magnetic Materials*, 389 (2015) 101–105.

Scherrer P. and Gesell G.N., DOI [https://doi.org/10.1007/978-3-662-33915-2\\_7](https://doi.org/10.1007/978-3-662-33915-2_7) 2 (1918) 98.

Schmitt V. and F. Raether, "Effect of cobalt doping on the sintering mechanisms of the lead-free piezoceramic  $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ ", *Journal of the European Ceramic Society*, 34 (1) (2014) 15–21.

Shakoor S., Ashiq M.N., Malana M.A., Mahmood A., Warsi M.F., Haq M.N., Karamat N., "Electrical, dielectric and magnetic characterization of Bi–Cr substituted M-type strontium hexaferrite nanomaterials", *Journal of Magnetism and Magnetic Materials*, 362 (2014) 110–114.

Shrotri J.J., Kulkarni S.D., Deshpande C.E., Mitra A., Sainkar S.R., Kumar P.S.A., Date S.K., "Effect of Cu substitution on the magnetic and electrical properties of Ni-Zn ferrite synthesised by soft chemical method", *Materials Chemistry and Physics*, 59 (1999) 1-5.

Silva W.M.S., Ferreira N.S., Soares J.M., Silva R.B.d., Macedo M.A., "Investigation of structural and magnetic properties of nanocrystalline Mn-doped  $\text{SrFe}_{12}\text{O}_{19}$  prepared by proteic sol–gel process", *Journal of Magnetism and Magnetic Materials*, 395 (2015) 263–270.

Singh A., Narang S.B., Singh K., Pandey O.P., Kotnala R.K., Electrical and magnetic properties of rare earth substituted strontium hexaferrites, *Journal of Ceramic Processing Research*, 11 (2) (2010) 241- 249.

Singhal S., Namgyal T., Bansal S., Chandra K., “Effect of Zn Substitution on the Magnetic Properties of Cobalt Ferrite Nano Particles Prepared Via Sol-Gel Route”, *Journal of Electromagnetic Analysis and Applications*, 2 (2010) 376–381.

Sirdeshmukh L., Kumar K., Laxman B., Rama K.A., Sathaiah G., “Dielectric properties and electrical conduction in yttrium iron garnet (YIG)”, *Bulletin of Materials Science*, 21 (1998) 219-223.

Slimani Y., Baykal A., Amir Md., Tashkandi N., Gungunes H., Guner S., Sayed H.S.E., Aldakheel F., Saleh T.A., Manikandan A., “Substitution effect of Cr<sup>+3</sup> on hyperfine interactions, magnetic and optical properties of Sr-hexaferrites”, *Ceramics International*, 44 (2018) 15995–16004.

Sharma M., Sharma H., Raina K.K., “Comparison of piezoelectricity in Ta<sup>+5</sup> and La<sup>+3</sup> substituted lead calcium titanate ceramics”, *Journal of Physics and Chemistry of Solids*, 69 (2008) 2584–2588.

Skomski R and Coey J.M.D., “Permanent Magnetism”, *Bristol: Institute of Physics Publishing*, 1999.

Smit J. and Wijn H.P.J., “Physical properties of ferrites”, *Advances in Electronics and Electron Physics*, 6 (1954) 69-136.

Smit J. and Wijn H.P.J., Handbook of Physical Properties of Ferrites (1959).

Sozeri H., Baykal A., Unal B., “Low-temperature synthesis of single-domain Sr-hexaferrite particles by solid-state reaction route”, *Physica Status Solidi A*, 209 (10) (2012) 2002-2013.  
Stock S. and Cullity B., Prentice Hall, Upper Saddle River, NJ, (2001).

Stokes A.R. and Wilson A.J.C., “A method of calculating the integral breadths of Debye-Scherrer lines: generalization to non-cubic crystals “*Mathematical Proceedings of the Cambridge Philosophical Society*, 40 (2) (1944) 197-198.

Stuijts A.L., Fulrath R.M., Pask J.A., (Eds.), ‘Ceramic Microstructures’, Wiley, New York, 1968.

Suharno, Hikam M., Soegijono B., Toifur M., “Structural and dielectric properties of yttrium doped multiferroic bismuth ferrite ( $\text{Bi}_{1-x}\text{Y}_x\text{FeO}_3$ ,  $x = 0, 0.18$ ) synthesized by sol-gel method”, *7th international conference on physics and its applications 2014 (ICOPIA 2014)*.

Talal M., Awan M.S., Khan M.N.H., Khan H., "Synthesis and characterization of strontium hexaferrite by solid state reaction", *Journal of Applied and Emerging Science*, 3 (2) (2012) 133-135.

Tabrizi S.A.H. and Nassaj E.T., "Effect of cobalt oxide on the sintering and grain growth of  $\text{Al}_2\text{O}_3$ -YAG composite nanopowder", *Science of Sintering*, 42 (2010) 321–328.

Thakur A., Singh R.R., Barman P.B., "Structural and magnetic properties of  $\text{La}^{+3}$  substituted strontium hexaferrite nanoparticles prepared by citrate precursor method", *Journal of Magnetism and Magnetic Materials*, 326 (2013a) 35–40.

Thakur A., Singh R.R., Barman P.B., "Synthesis and characterizations of  $\text{Nd}^{+3}$ doped  $\text{SrFe}_{12}\text{O}_{19}$  nanoparticles", *Materials Chemistry and Physics*, 141 (2013b) 562–569.

Thakur P., Kool A., Bagchi B., Hoque N.A., Das S., Nandy P., "In situ synthesis of  $\text{Ni(OH)}_2$  nanobelt modified electroactive poly (vinylidene fluoride) thin films: remarkable improvement in dielectric properties", *Physical Chemistry Chemical Physics*, 17 (2015) 13082-13091.

Thakur A., Singh R.R., Barman P.B., "Crystallization kinetics of strontium hexaferrite: correlation to structural, morphological, dielectric and magnetic properties", *Electronic Materials Letters*, 8 (6) (2012) 595-603.

Thompson P., Cox D.E., Hastings J.B., "Rietveld refinement of Debye–Scherrer synchrotron X-ray data from  $\text{Al}_2\text{O}_3$ ", *Journal of Applied Crystallography*, 20 (1987) 79-83.

Thongmee S., Winotai P., Tang I.M., "Boron site preference in B-doped barium hexaferrite", *Science Asia*, 29 (2003) 51–55.

Topkaya R., Auwal I., Baykal A., "Effect of temperature on magnetic properties of  $\text{BaY}_x\text{Fe}_{12-x}\text{O}_{19}$  hexaferrites", *Ceramics International*, 42 (2016) 16296–16302.

Trukhanov S.V., Trukhanov A.V., Kostishyn V.G., Panina L.V., Turchenko V.A., Kazakevich I.S., Trukhanov An.V., Trukhanov E.L., Natarov V.O., Balagurov A.M., "Thermal evolution of exchange interactions in lightly doped barium hexaferrites", *Journal of Magnetism Magnetic Materials*, 426 (2017a) 554–562.

Trukhanov S.V., Trukhanov A.V., Kostishyn V.G., Panina L.V., Trukhanov An.V., Turchenko V.A., Tishkevich D.I., Trukhanova E.L., Yakovenko O.S., Matzui L.Yu., "Investigation into the structural features and microwave absorption of doped barium hexaferrites", *Dalton Transaction*, 46 (2017b) 9010–9021.

Uestuen K., Katter M., Rodewald W., "Dependence of the mean grain size and coercivity of sintered NdFeB magnets on the initial powder particle size", *IEEE Transaction on Magnetics*, 42 (10) (2006) 2897-2899.

Ungar T. and Borbely A., "The effect of dislocation contrast on x-ray line broadening: a new approach to line profile analysis" *Applied Physics Letters*, 69 (1996) 3173-3175.

Vadla S. S., Ade R., Kulkarni A.R., Venkataramani N., "Effect of substrate temperature on growth and electrical properties of pulsed laser deposition grown  $0.5\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3 \cdot 0.35\text{PbTiO}_{3-0.15}\text{PbZrO}_3$  thin films", *Thin Solid Films*, 661 (2018) 16-22.

Valenzuela R., Magnetic ceramics, Cambridge University Press, Cambridge, UK, 1994.

Vedernikova I.A., "Magnetic nanoparticles: advantages of using, methods for preparation, characterization, application in pharmacy", *Review Journal of Chemistry*, 5 (3) (2015) 256-280.

Verma S., Pandey O.P., Paesano A.Jr., Sharma P., "Structural and magnetic properties of Co-Ti substituted barium hexaferrite thick films", *Journal of Alloys and Compounds*, 678 (2016) 284–289.

Villacorta F.J. and Lewis L.H., "Advanced Permanent Magnetic Materials ", *Nanomagnetism: Chapter: 7* Publisher: OCP Publishing Group, 2014.

Wagner K.W., *Annals of Physics*, 345 (1913) 817-855 <https://doi.org/10.1002/andp.19133450502>.

Wagner T.R., "Preparation and crystal structure analysis of magnetoplumbite type  $\text{BaFe}_{12}\text{O}_{19}$ ", *Journal of Solid State Chemistry*, 136 (1998) 120-124.

Wang H.Z., Yao B., Xu Y., He Q., Wen G.H., Long S.W., Fan J., Li G.D., Shan L., Liu B., Jiang L.N., Gao L.L., "Improvement of the coercivity of strontium hexaferrite induced by substitution of  $\text{Al}^{+3}$  ions for  $\text{Fe}^{+3}$  ions", *Journal of Alloys and Compounds*, 537 (2012) 43–49.

Wang L. and Zhang Q., "Effect of  $\text{Fe}^{3+}/\text{Ba}^{2+}$  mole ratio on the phase formation and microwave properties of  $\text{BaFe}_{12}\text{O}_{19}$  prepared by citrate-EDTA complexing method", *Journal of Alloys and Compounds*, 469 (2009) 251-257.

Wang L., Zhang J., Zhang Q., Xu N., Song J., "XAFS and XPS studies on site occupation of  $\text{Sm}^{+3}$  ions in Sm doped M-type  $\text{BaFe}_{12}\text{O}_{19}$ ", *Journal of Magnetism and Magnetic Materials*, 377 (2015) 362-367.

Want B., Bhat B.H., Ahmad B.Z., "Effect of lanthanum substitution on dielectric relaxation, impedance response, conducting and magnetic properties of strontium hexaferrite", *Journal of Alloys Compounds*, 627 (2015) 78-84.

Wertheim G.K., Butler M.A., West K.W., Buchanan D.N.E., " Determination of the Gaussian and Lorentzian content of experimental line shapes" *Review of Scientific Instruments*, 45 (1974) 1369-1371.

Wong Y. C., Wang J., Teh G. B., “Structural and magnetic studies of  $\text{SrFe}_{12}\text{O}_{19}$  by sol-gel method”, *Procedia Engineering*, 76 (2014) 45 – 52.

Wu K.H. and Huang W.C., “Effect of varying the acid to metal ion ratio  $R$  on the structural and magnetic properties of  $\text{SiO}_2$ -doped Ni–Zn ferrite”, *Journal of solid state chemistry*, 177 (2004) 3052-3057.

Wu Z., Zhang R., Yu Z., Shan L., Dong L., Zhang X., “The magnetic properties of permanent strontium ferrite doped with rare-earth by chemical coprecipitation method”, *Ferroelectrics*, 529 (2018) 120-127.

Xie T., Xu L., Liu C., “Synthesis and properties of composite magnetic material  $\text{SrCo}_x\text{Fe}_{12-x}\text{O}_{19}$  ( $x=0\text{--}0.3$ )”, *Powder Technology*, 232 (2012) 87–92.

Xie T., Xu L., Liu C., Yang J., Zhang X., Tian M., Cui C., “Preparation and magnetic properties of Sm–Co doped strontium ferrite”, *Materials Technology Advanced Performance Materials*, (2018) <Https://Doi.Org/10.1080/10667857.2018.1465746>.

Yamamoto H., Kumehara H., Takeuchi R., Nishio H., “Magnetic properties of Sr-M ferrite fine particles”, *Journal of Physics IV France*, 7 (1997) 535-536.

Yang Y., Wang F., Shao J., Batoo K.M., Rehman K.M.U., Huang D., “Microstructure and magnetic characterization of the Sm-Co-Mn co-substituted SrCaM hexagonal ferrite’s”, *Chinese Journal of Physics*, 56 (2018) 108-116.

Yang Z., Wang C.S., Li X.H., Zeng H.X., “(Zn, Ni, Ti) substituted barium ferrite particles with improved temperature coefficient of coercivity”, *Materials Science and Engineering B*, 90 (2002) 142-145.

Young R.A., The Rietveld Method, Oxford University Press, 41 p., 1993.

Yue Z., Li L., Zhou J., Zhang H., Gui Z., “Preparation and characterization of NiCuZn ferrite nanocrystalline powders by auto-combustion of nitrate–citrate gels”, *Materials Science and Engineering B*, 64 (1999) 68–72.

Zhang J., Fu J., Li F., Xie E., Xue D., Mellors N.J., Peng Y., “ $\text{BaFe}_{12}\text{O}_{19}$  single-particle-chain nanofibers: preparation, characterization, formation principle and magnetization reversal mechanism”, *ACS Nano*, 6 (2012) 2273–2280.

Zhang X., Yue Z., Li L., “Orientation Growth and Magnetic Properties of BaM hexaferrite films deposited by direct current magnetron sputtering”, *Journal of American Ceramic Society*, 99 (3) (2016) 860–865.

Zhong W., Ding W., Zhang N., Hong J., Yan Q., Du Y., “Key step in synthesis of ultrafine BaFe<sub>12</sub>O<sub>19</sub> by Sol-Gel technique”, *Journal of Magnetism and Magnetic Materials*, 168 (1997a) 196-202.

Zhong W., Ding W., Jiang Y., Zhang N., Zhang J., Du Y., Yan Q., “Preparation and magnetic properties of barium hexaferrite nanoparticles produced by the citrate process”, *Journal of the American Ceramic Society*, 80 (1997b) 3258-3262.

Zhong X.C., Guo X.J., Zou S.Y., Yu H.Y., Liu Z.W., Zhang Y.F., Wang K.X., “Improving soft magnetic properties of Mn-Zn ferrite by rare earth ions doping”, *AIP Advance*, 8 (2018) 047807-047811.

Zi Z.F., Ma X.H., Wei Y.Y., Liu Q.C., Zhang M., Zhu X.B., Sun Y.P., “Influence of La–Mn substitutions on magnetic properties of *M*-type strontium hexaferrites”, *AIP Advances*, 8 (2018) 056235-056239.

Zijlstra H., Ferromagnetic Materials, North Holland, 37 p., 1982.